Database Connector 1.16

Before You Begin

Anypoint Connector for Database (Database Connector) establishes communication between your Mule app and a relational database. Database Connector can connect to almost any Java Database Connectivity (JDBC) relational database and run SQL operations. An application can support multi-tenant scenarios using the same configuration element, changing the connection attributes based on, for example, information coming from each request.

Database Connector has connection providers that automatically set the driver class name and create JDBC URLs with given parameters for the following databases:

- Derby
- Microsoft SQL Server
- MySQL
- Oracle

You can set up other JDBC databases using a generic JDBC configuration. Database Connector is JDBC compliant. Ensure that for the connection configuration, you a driver that is compliant with JDBC to avoid compatibility issues. Additionally, you

and Maven Support
+ Database Connector

can reference a JDBC `DataSource` object or an `XADataSource` object, which is required for XA transactions, by creating the object in Anypoint Studio using Spring.

Before You Begin

To use this connector, you must be familiar with:

- Anypoint Connectors
- Mule runtime engine (Mule)
- Elements and global elements in a Mule flow
- Creating a Mule app using Anypoint Studio or Anypoint Code Builder

Before creating an app, you must have access to the database target resource, Anypoint Platform, and have downloaded the proper database driver for your database.

Common Use Cases for the Connector

Database Connector enables you to:

- Perform predefined queries, dynamically constructed queries, and template queries that are self-sufficient and customizable.
- Specify DataWeave expressions in connector fields and configure attributes dynamically, depending on the database configuration you use.
- Use a source listener operation to read from a database in the data source section of a flow.
- Execute other operations to read and write to a database anywhere in the process section.

- Perform multiple SQL requests in a single bulk update.
- Make Data Definition Language (DDL) requests that alter the data structure rather than the data itself.
- Execute stored procedures and SQL scripts.

For examples, see Examples.

Audience

- New users, read:
  - Using Anypoint Studio to Configure the Connector to create your Mule app
  - Examples, which provide one or more use cases for the connector
- Advanced users, read:
  - XML and Maven Support
  - Examples, which provide one or more use cases for the connector

Using Exchange Templates and Examples

Anypoint Exchange provides templates that you can use as starting points for your apps and examples that illustrate a complete solution.

- Database Connector Examples

- Database Connector Templates

Next Step

After you complete the prerequisites and try the templates and examples, you are ready to create your own app and configure the connector using Anypoint Studio.

See Also

- Introduction to Anypoint Connectors
- Use Exchange to Discover Connectors, Templates, and Examples
- Salesforce Help

Back to top

DID THIS ARTICLE SOLVE YOUR ISSUE?
Let us know so we can improve!

Yes No

Legal | Terms of Service | Privacy | Trust | Contact | Responsible Disclosure | Cookie Settings
Your Privacy Choices

© Copyright 2026 Salesforce, Inc. All rights reserved. Various trademarks held by their respective owners. Salesforce, Inc. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States