

Quantum Computing and Artificial Intelligence: Regulation, Potentialities, Challenges, and the Global Landscape

Introduction

The emergence of quantum computing as a disruptive paradigm in information processing challenges the established limits of classical computation, promising to redefine scientific, economic, and social frontiers. By harnessing quantum phenomena such as superposition, entanglement, and interference, this technology not only exponentially enhances the capacity to solve problems previously intractable for binary systems but also reconfigures the very notion of artificial intelligence (AI). The convergence of quantum computing and AI—encapsulated within the field of quantum machine learning (QML)—heralds a horizon of possibilities that transcends mere algorithmic acceleration, proposing radical reformulations in data representation, optimization strategies, and the modelling of complex systems. However, this potential is inextricably intertwined with monumental technical challenges, nascent ethical dilemmas, and a geopolitical landscape marked by strategic competition and billion-dollar investments.

From the foundational theoretical work laid by Feynman and Deutsch to recent demonstrations of quantum supremacy, the trajectory of quantum computing reveals an inherent duality: while algorithms like Shor's threaten to destabilize global cryptographic systems, advances in quantum simulation and QML point towards revolutions in drug discovery, logistics optimization, and natural language processing. At the heart of this revolution lie qubits, quantum units whose coherent superposition and non-local correlations enable the parallel exploration of exponentially large Hilbert spaces. Diverse physical platforms, including superconducting circuits, trapped ions, and polarized photons, vie for technical preeminence, while the current NISQ (Noisy Intermediate-Scale Quantum) era imposes a pragmatic reality: noisy, limited systems necessitate hybrid approaches that synergistically integrate classical and quantum computation.

The intersection with AI magnifies both the promise and the paradoxes. Variational quantum algorithms, quantum neural networks, and high-dimensional kernel methods suggest potential advantages in classification, regression, and data generation tasks. Nonetheless, obstacles such as the I/O bottleneck, optimization 'barren plateaus', and the scarcity of practical benchmarks reveal a significant gap between theoretical potential and

applied reality. Concurrently, the race for practical quantum advantage fuels global investments, with initiatives like the European Quantum Flagship, the US National Quantum Initiative, and Chinese megaprojects reshaping technological geopolitics. Governments and corporations are not only striving for scientific leadership but also grappling with urgent regulatory dilemmas—ranging from post-quantum cryptography deployment to the ethical governance of quantum-enhanced AI systems.

This article critically examines this multifaceted landscape, structured along four primary axes: (1) the fundamental principles of quantum computing and its synergy with AI; (2) the transformative potential across strategic sectors; (3) the technical, theoretical, and socioeconomic challenges constraining the technology's maturity; and (4) the global panorama of research, investment, and emerging regulatory frameworks. By synthesizing recent advancements and contemporary debates, this work aims not only to map the current state-of-the-art but also to stimulate critical reflection on the pathways toward a responsible and equitable adoption of these technologies, whose impact promises to reconfigure—for better or worse—the 21st century.

1. What is Quantum Computing?

Before delving into quantum computing, understanding two fundamental concepts is beneficial. Firstly, the term "quantum" itself originates from the Latin word "quantus," meaning "how much" or "what quantity." In physics, a "quantum" (plural: "quanta") signifies the smallest indivisible unit of a physical entity, such as energy or matter (Close, 2007). Quantum mechanics is the branch of physics describing nature's behavior at these incredibly small scales—those of atoms and subatomic particles. The rules governing this realm often appear bizarre and counterintuitive compared to our macroscopic experience, involving probabilities, superpositions, and peculiar interconnections (Gilder, 2008). Quantum computing precisely seeks to leverage these unique rules of the microscopic world to process information in a novel and potentially far more powerful manner.

Secondly, we must grasp the concept of the "bit," the bedrock of the conventional computers we use daily. Consider a light switch: it can be either ON or OFF. A classical bit functions identically, representing a unit of information constrained to one of two possible values, typically denoted as 0 or 1 (Petzold, 1999). All information within your computer, smartphone, or tablet—text, images, videos—is encoded as extensive sequences of these 0s and 1s. The critical limitation is that a single bit can only represent either 0 *or* 1 at any given moment, never both simultaneously (Petzold, 1999). It is

precisely this constraint that quantum computing radically overcomes with the introduction of the "qubit."

Quantum computing represents a fundamentally new approach to information processing, leveraging phenomena from quantum mechanics to perform specific types of calculations potentially more efficiently than classical computers (Nielsen & Chuang, 2010). Unlike classical architecture based on bits storing information as either 0 or 1, quantum computing utilizes quantum bits, or qubits (Nielsen & Chuang, 2010). The quantum nature of qubits allows them to exist in a linear superposition of the 0 and 1 states, meaning a single qubit can represent a combination of both values concurrently until a measurement is performed (Preskill, 2018). This capacity for superposition is a primary source of quantum computational power, enabling the parallel exploration of a vast possibility space (Google Quantum AI, 2023). Imagine, instead of a simple ON/OFF switch, a dimmer switch capable of occupying any intermediate setting, yet with the quantum peculiarity of, in a sense, being in *all* these intermediate states simultaneously until one chooses to observe it.

Beyond superposition, entanglement stands as another essential pillar of quantum computation, describing non-local correlations between two or more qubits (Nielsen & Chuang, 2010; Horodecki et al., 2009). When qubits are entangled, their fates are interconnected such that measuring the state of one qubit instantaneously influences the state of the others, regardless of the physical distance separating them (Horodecki et al., 2009; Google Quantum AI, 2023). This counterintuitive phenomenon, famously termed "spooky action at a distance" by Einstein, serves as a crucial resource exploited by many quantum algorithms to achieve coordination and information processing in ways inaccessible to classical systems (Horodecki et al., 2009). It is akin to possessing two magical coins: upon flipping one and observing 'heads', one instantly knows the other, even miles away, will yield 'tails', without any classical information needing to traverse the distance between them (Aczel, 2002).

The physical realization of qubits is an active field of research and engineering, with various platforms being explored, each presenting distinct advantages and disadvantages (Ladd et al., 2010; Wendin, 2017). Among the most promising approaches are superconducting circuits (e.g., transmons, fluxoniums), which are tiny electrical circuits cooled to extremely low temperatures; trapped ions held in electromagnetic fields and manipulated by lasers; neutral atoms similarly controlled by lasers; photons (particles of light) propagating through optical circuits; defects within crystal lattices, such as nitrogen-vacancy (NV) centers in diamond; and the even more exotic topological qubits, which theoretically offer enhanced robustness against

errors (Ladd et al., 2010; Wendin, 2017; Gambetta, Chow & Steffen, 2017; Nayak et al., 2008). The choice of platform directly influences key factors such as coherence time (how long the quantum state persists before being degraded by noise), gate fidelity (the precision of quantum operations), qubit connectivity (which qubits can interact directly), and system scalability (the feasibility of constructing large qubit systems) (Preskill, 2018; Gambetta, Chow & Steffen, 2017). No single platform has yet emerged as the definitive winner, and research continues to explore the relative merits of each, fostering intense competition among laboratories and corporations (The Economist, 2023; MIT Technology Review, 2022).

The unique properties of superposition and entanglement, manipulated by quantum gates (logical operations analogous to classical AND, OR, NOT gates, but operating on quantum states), enable quantum computers to execute specific algorithms with drastically superior efficiencies compared to classical methods (Nielsen & Chuang, 2010). Canonical examples demonstrating potential quantum advantage for specific problems include Shor's algorithm for factoring large integers (which underpins the security of much current cryptography) and Grover's algorithm for searching unstructured databases (Shor, 1997; Grover, 1996). Consequently, quantum computing holds particular promise for tackling complex problems in quantum system simulation (such as modeling molecules and materials), combinatorial optimization, and certain machine learning tasks (IBM Research, 2021; Bauer, Bravyi & Motta, 2020), the latter being an area of intense investigation and high expectation.

A third fundamental quantum principle exploited in algorithms is quantum interference (Nielsen & Chuang, 2010). Just as water waves can interfere constructively to create larger waves or destructively to cancel each other out, the probability amplitudes associated with quantum states behave similarly. Quantum algorithms are intelligently designed to orchestrate this interference such that computational paths leading to incorrect answers cancel out, while paths leading to the correct answer reinforce one another, significantly increasing the probability of measuring the desired outcome upon completion of the computation (Nielsen & Chuang, 2010; Aaronson, 2013). Grover's algorithm, for instance, skillfully employs interference to amplify the amplitude (and thus probability) of the correct search item within a database (Grover, 1996). The ability to control interference is critical for many quantum algorithms, including those proposed for AI applications.

It is important to distinguish between different models of quantum computation. The most general model is gate-based quantum computing, which aims to build a universal quantum computer capable of executing any quantum algorithm, analogous to a universal classical computer (Nielsen &

Chuang, 2010). Companies such as IBM, Google, IonQ, and Quantinuum are primarily focused on this model, seeking to construct flexible machines for a wide array of applications, including QML. An alternative approach is adiabatic quantum computing, or quantum annealing, implemented by companies like D-Wave Systems. This method is specifically designed to solve optimization problems by finding the lowest energy state (representing the optimal or near-optimal solution) of a carefully engineered quantum system that encodes the problem (Das & Chakrabarti, 2008; Johnson et al., 2011). While less general than the gate-based model, quantum annealing may offer advantages for certain classes of optimization problems in the near term, particularly for optimization tasks arising in AI model training (Hauke et al., 2020; D-Wave Systems, 2024; BBC News, 2022; Adachi & Henderson, 2015).

The conceptual roots of quantum computing trace back to the 1980s and 1990s. Nobel laureate physicist Richard Feynman, in a 1981 lecture at MIT, proposed the visionary idea of using quantum systems to simulate other quantum systems, arguing that nature itself is not classical, and thus simulating it would require a computer operating on the same quantum principles (Feynman, 1982; MIT News, 2011). Shortly thereafter, David Deutsch at the University of Oxford formalized the notion of a universal quantum computer (a "Quantum Turing Machine") and demonstrated that it could perform computational tasks differently, and in some cases more efficiently, than classical Turing machines (Deutsch, 1985). These seminal works, along with the development of key algorithms like Shor's (which stunned the cryptography community) and Grover's in the 1990s, laid the theoretical foundations for the flourishing field observed today (Shor, 1997; Grover, 1996; Physics Today, 2000). The application of these principles to AI tasks emerged later, gaining significant traction over the last two decades (Biamonte et al., 2017).

A crucial and often perplexing aspect of quantum mechanics is the act of measurement. While a qubit can exist in a superposition of 0 and 1 during computation, the moment we attempt to ascertain its value, the quantum state "collapses" into one of the definite classical states (0 or 1) with a probability determined by the quantum amplitudes (Nielsen & Chuang, 2010; Jaeger, 2007). This process is irreversible and destroys the original superposition. Consequently, one cannot simply observe the full extent of quantum parallelism directly; algorithms must be meticulously designed so that the desired answer has a high probability of being obtained when the final measurement is performed (Jaeger, 2007). The "measurement problem"—understanding precisely what causes the collapse and the transition from the quantum to the classical realm—remains a subject of philosophical debate and fundamental research within quantum physics.

(Schlosshauer, 2005). In the context of QML, this implies that executing a quantum circuit multiple times (performing numerous "shots") is often necessary to statistically estimate the desired outcome, such as the value of a loss function or the classification of a data point (Schuld & Petruccione, 2018).

2. Potential Benefits and Applications

The transformative potential of quantum computing spans diverse scientific and industrial domains, with active research exploring concrete applications. Among the most promising fields are quantum chemistry and materials science. The capability to accurately simulate the behavior of molecules and electrons—tasks exceedingly challenging for classical computers due to inherent quantum complexity—could revolutionize the discovery of novel pharmaceuticals, more efficient catalysts (e.g., for energy-saving fertilizer production), and materials with unprecedented properties, such as room-temperature superconductors (which would eliminate energy loss in transmission) or higher-performance, safer batteries (Bauer, Bravyi & Motta, 2020; Cao et al., 2019; Reiher et al., 2017). The collaboration between IBM and Moderna, applying quantum and AI methods to mRNA therapy discovery, exemplifies this convergence (IBM Research & Moderna, 2023). Other pharmaceutical giants like Roche, Boehringer Ingelheim, and Merck KGaA are also actively exploring the technology through partnerships or internal research initiatives (Roche, 2023; Boehringer Ingelheim, 2021; Merck KGaA, 2022).

Optimization problems, ubiquitous in finance (investment portfolio optimization, complex derivative pricing, risk management), logistics (vehicle routing for deliveries, global supply chain planning), engineering (structural design, industrial process optimization), and operations research, represent another key application area (Orús, Muga & Lizaso, 2019; Herman et al., 2023). Many such problems involve finding the best solution among an astronomical number of possibilities (NP-hard problems). Quantum algorithms, such as the Quantum Approximate Optimization Algorithm (QAOA) and quantum annealing, offer new approaches to find optimal or high-quality solutions for these complex combinatorial problems that remain intractable for classical methods (Farhi, Goldstone & Gutmann, 2014; Herman et al., 2023). Companies like D-Wave Systems specifically target such problems with annealing hardware (D-Wave Systems, 2024). Applications in traffic flow optimization (Volkswagen), antenna design (Multiverse Computing/Bosch), and industrial production optimization are already being piloted through collaborations with global corporations (Neukart et al., 2017; Financial Post, 2021; Multiverse Computing, 2023).

2.1. Quantum Computing for Artificial Intelligence (QML): A Deeper Dive

The intersection of quantum computing and artificial intelligence, known as Quantum Machine Learning (QML), constitutes a rapidly expanding research frontier and one of the most exciting, albeit debated, areas within the quantum domain (Biamonte et al., 2017; Schuld & Petruccione, 2018; Dunjko & Briegel, 2018). The core premise posits that quantum principles—superposition, entanglement, and interference—can furnish novel methods for processing information and learning from data, potentially surpassing classical AI algorithms in specific tasks (Wittek, 2014). Beyond potentially accelerating computationally intensive subroutines in classical AI model training (such as linear algebra or optimization) (Google Quantum AI, 2023; Rebentrost, Mohseni & Lloyd, 2014), quantum algorithms might offer new ways to represent data, explore exponentially larger feature spaces, and identify complex patterns or subtle correlations that classical methods could overlook (Biamonte et al., 2017; Schuld, Sinayskiy & Petruccione, 2015).

Several classes of QML algorithms are under active investigation. One significant category involves quantum kernel methods, such as Quantum Support Vector Machines (QSVMs) (Rebentrost, Mohseni & Lloyd, 2014; Havlíček et al., 2019). The underlying idea is to employ a quantum computer to efficiently map input data into a very high-dimensional (potentially exponential) quantum feature space, where the data might become linearly separable. The quantum computer then calculates the "kernel matrix"—measuring the similarity between data points in this feature space—more efficiently than classical approaches. The final classification is subsequently performed by a classical SVM utilizing this quantum kernel. While theoretically promising, the practical performance critically depends on the choice of the quantum feature map and the ability to demonstrate an advantage over sophisticated classical kernels (Schuld & Killoran, 2019; Huang et al., 2021).

Another prominent area involves Quantum Neural Networks (QNNs) or variational quantum circuits (Benedetti et al., 2019; Cerezo et al., 2021; Farhi & Neven, 2018). These are typically hybrid models where a parameterized quantum circuit (whose quantum gates depend on tunable classical parameters) is optimized using a classical computer. The quantum circuit acts as a component of the AI model, processing either quantum data or classical data encoded into quantum states. The optimization process aims to adjust the circuit parameters to minimize a cost function, analogous to training classical neural networks. QNNs are viewed as a promising approach for NISQ hardware, given their potential adaptability to device-specific noise and architecture. They are being explored for classification, regression, and even generative modeling tasks (Benedetti et al., 2019; Mitarai et al., 2018).

However, training QNNs faces challenges such as navigating complex cost landscapes and the phenomenon of "barren plateaus," where gradients become exponentially small as the number of qubits increases, hindering optimization (McClean et al., 2018; Cerezo et al., 2021).

Quantum generative models are also an area of substantial interest, seeking to leverage quantum systems' inherent ability to represent complex probability distributions. Quantum Generative Adversarial Networks (QGANs) propose using quantum circuits as the generator and/or discriminator within the classical GAN framework (Lloyd & Weedbrook, 2018; Dallaire-Demers & Killoran, 2018). The aspiration is that QGANs might learn and sample from more complex distributions than their classical counterparts, potentially mitigating issues like mode collapse (where the generator produces only a limited variety of samples) (Zoufal, Lucchi & Woerner, 2019; IonQ & Hyundai, 2025). Similarly, Quantum Variational Autoencoders (QVAEs) explore the use of quantum circuits (either on annealers or gate-based devices) to learn compact latent representations of data and generate novel samples (Khoshaman et al., 2018; D-Wave Systems, 2024). Potential applications include generating new molecular structures with desired properties in drug discovery or modeling complex financial scenarios (Romero et al., 2017; Accenture, 2021).

Quantum computing may also offer accelerations for fundamental mathematical subroutines common in many classical AI algorithms. The most celebrated example is the HHL algorithm (Harrow, Hassidim, Lloyd), which can solve systems of linear equations exponentially faster than the best known classical algorithms under specific conditions (Harrow, Hassidim & Lloyd, 2009). Given that solving linear systems and matrix manipulation are central to AI (e.g., in linear regression, support vector machines, Newton's methods), HHL generated significant excitement. However, its applicability conditions are restrictive (the matrix must be sparse and well-conditioned, and efficient input state preparation and output readout remain substantial challenges), limiting its direct practical utility currently (Aaronson, 2015; Childs, Kothari & Somma, 2017). Other quantum algorithms for linear algebra, such as Quantum Principal Component Analysis (qPCA) (Lloyd, Mohseni & Rebentrost, 2014), also promise speedups but face similar data input/output hurdles.

Optimization, a core component in training most AI models (adjusting model parameters to minimize errors), is another domain where quantum computing could exert influence. Algorithms like QAOA or quantum annealing might be applied to find better parameter settings for AI models, or even to optimize neural network architectures (a challenging combinatorial task) (Farhi, Goldstone & Gutmann, 2014; D-Wave Systems, 2024; Wilson et al.,

2022). Furthermore, Quantum Reinforcement Learning (QRL) investigates how quantum agents could learn optimal policies in complex environments, potentially faster or more efficiently than classical agents, by exploiting superposition to evaluate multiple actions simultaneously (Dunjko, Taylor & Briegel, 2016; Lamata, 2017). This remains a more speculative area but holds intriguing potential for robotics and autonomous systems.

Owing to the limitations of current quantum hardware (the NISQ era), the majority of contemporary research and practical applications in QML focus on hybrid quantum-classical approaches (McClean et al., 2016; Perdomo-Ortiz et al., 2018; Bharti et al., 2022). In these paradigms, a classical computer handles the bulk of data processing, memory management, and overall control flow, while a quantum processing unit (QPU) serves as a co-processor or accelerator for specific subroutines deemed computationally hard for classical machines but potentially tractable for quantum ones. Variational Quantum Algorithms (VQAs), such as VQE (Variational Quantum Eigensolver) and QAOA, along with the aforementioned QNNs, are prime examples of hybrid algorithms designed for NISQ hardware (Cerezo et al., 2021). This pragmatic strategy attempts to extract value from current quantum devices despite their imperfections and is the approach pursued by most companies exploring QML applications in sectors like finance, chemistry, and logistics (Zapata Computing, 2023; Quantinuum, 2023; Deloitte, 2022).

Finally, Quantum Natural Language Processing (QNLP) endeavors to apply quantum principles and algorithms to the analysis and generation of human language (Coecke, Meichanetzidis & Toumi, 2020; Zeng & Coecke, 2016). The central concept is that the mathematical structure of quantum mechanics (Hilbert spaces, tensors) might be better suited to modeling meaning composition in language (how sentence meaning emerges from word meanings and grammatical structure) than classical vector space models. Frameworks like DisCoCat (Distributional Compositional Categorical) propose mapping words to quantum states and grammatical rules to quantum operations (gates and measurements). Software tools like lambeq, developed by Quantinuum (formerly Cambridge Quantum), facilitate the implementation and testing of these models on real or simulated quantum hardware (Cambridge Quantum, 2022; Kartsaklis et al., 2021). Although still in its early, experimental stages, QNLP aspires to offer more parameter-efficient language models capable of capturing semantic nuances, ambiguity, and common-sense reasoning more effectively (Lorenz et al., 2021).

Quantum computing also holds profound implications for cryptography and information security. Shor's algorithm presents an existential threat to many currently deployed public-key cryptographic (PKC)

systems, such as RSA (used in HTTPS, VPNs, digital signatures) and Elliptic Curve Cryptography (ECC) (used in many cryptocurrencies and mobile communications), whose security relies on the presumed classical difficulty of factoring large integers and solving the discrete logarithm problem (Shor, 1997; Mosca, 2018). The prospect of sufficiently powerful fault-tolerant quantum computers (FTQC) breaking the encryption safeguarding financial data, government secrets, intellectual property, and critical infrastructure has spurred a global race to develop and standardize new quantum-resistant cryptographic algorithms (Post-Quantum Cryptography - PQC) (Alagic et al., 2022; The New York Times, 2022; The Guardian, 2024). The US National Institute of Standards and Technology (NIST) is spearheading this standardization effort, having selected the initial set of algorithms (primarily based on lattices and hash functions) in 2022 and continuing to evaluate others. The transition to PQC is expected to take many years and demand considerable effort from organizations worldwide (NIST, 2024; Wired, 2023). The urgency stems from the "harvest now, decrypt later" (HNDL) threat, wherein adversaries may currently be collecting encrypted data to decrypt it retrospectively once capable quantum computers become available (Mosca, 2018).

Conversely, quantum mechanics also provides foundations for secure communication solutions. Quantum Key Distribution (QKD) leverages principles like the no-cloning theorem (stating the impossibility of creating an identical copy of an unknown quantum state) and sensitivity to measurement, enabling two parties to establish a shared secret key with security underwritten by the laws of physics, making eavesdropping attempts detectable (Gisin et al., 2002; Scarani et al., 2009). QKD networks are already being deployed in pilot projects and commercial offerings in several countries (e.g., China, South Korea, Switzerland, UK), providing an additional security layer, particularly for critical infrastructure, financial institutions, and governments (Nature Photonics, 2021; Toshiba, 2023). Nonetheless, challenges related to transmission distance (photon loss in optical fibers limits range), key generation rates, and the need for trusted nodes in larger networks still impede widespread adoption (Lo, Curty & Tamaki, 2014). Research into quantum repeaters and satellite-based QKD (like China's Micius project) aims to overcome these limitations (Nature, 2020; Muralidharan et al., 2016).

Beyond the aforementioned domains, quantum computing could impact the modeling of complex systems in other disciplines. For instance, simulating processes related to climate change, such as detailed atmospheric dynamics, carbon cycle chemistry, or ocean-atmosphere interactions, could benefit from the quantum capacity to handle high

complexity and numerous interconnected variables (Fingerhuth et al., 2018; Ollitrault, Kandala & Tavernelli, 2020). Similarly, accelerating the discovery of novel materials for more efficient carbon capture, enhanced renewable energy technologies (like improved solar cells or materials for fusion energy), or hydrogen storage represents a potential application area where precise quantum simulations could hasten development (Bauer, Bravyi & Motta, 2020; Voronin, Sedykh & Mastiukova, 2023).

Another emergent and promising application lies in quantum sensing. By exploiting the extreme sensitivity of quantum states (such as electron spins or atomic energy levels) to external perturbations (magnetic, electric, or gravitational fields; temperature; rotation), it is possible to construct measurement devices with unprecedented precision and sensitivity, surpassing the limits of classical sensors (Degen, Reinhard & Cappellaro, 2017; Pirandola et al., 2018). Potential applications include more accurate atomic clocks (vital for GPS, telecommunications, and fundamental science), inertial navigation systems independent of GPS (crucial for defense, underwater, or space exploration), ultra-high-resolution medical imaging (such as quantum-sensor-based magnetoencephalography for mapping brain activity with unparalleled spatio-temporal resolution), and the detection of minute gravitational or magnetic fields for geophysics (resource prospecting, volcanic monitoring) or fundamental science (searches for dark matter) (Degen, Reinhard & Cappellaro, 2017; Boto et al., 2018; Ludlow, Boyd & Ye, 2015). Quantum sensors might be among the first quantum technologies to achieve significant commercial impact in specific niche markets (McKinsey & Company, 2021).

Despite the palpable enthusiasm and rapid progress, maintaining realistic expectations regarding timelines is crucial. Many transformative applications, particularly those necessitating large-scale, fault-tolerant quantum computers (FTQC) with millions of logical qubits—such as breaking RSA-2048 encryption or performing high-precision complex chemical simulations—are likely still a decade or more away, possibly several decades (MIT Technology Review, 2023; The Economist, 2023; BCG, 2021). The current era is frequently characterized as the NISQ (Noisy Intermediate-Scale Quantum) era, featuring devices with tens to thousands of physical qubits that are prone to errors and lack comprehensive error correction (Preskill, 2018). The central challenge of the NISQ era lies in identifying significant "quantum advantage"—problems where even these imperfect devices can outperform the best classical supercomputers—in practical, commercially relevant applications. To date, demonstrations of "quantum supremacy" (by Google and researchers in China) have involved contrived benchmark problems, and achieving practical advantage on real-world problems with

NISQ hardware has proven exceedingly difficult, *especially within the domain of machine learning*, where classical algorithms are highly optimized and often benefit from massive datasets (Daley et al., 2022; Wired, 2022; Huang et al., 2022). There is active debate within the community regarding whether the NISQ era itself will yield substantial commercial value, or if true impact, particularly in QML, awaits the advent of fault-tolerant quantum computation (FTQC) (Martinis, 2021; Babbush et al., 2021).

3. Limitations and Current Challenges

Despite remarkable progress, constructing large-scale, fault-tolerant quantum computers faces formidable scientific and engineering challenges that must be surmounted for the technology to realize its full potential (Preskill, 2018; Gyongyosi, Imre & Nguyen, 2018). Scalability—increasing the number of high-quality qubits—remains a primary barrier (IBM Research, 2022). Although prototype qubit counts have grown (with processors exceeding the 1000-physical-qubit mark announced), maintaining the requisite high fidelity of quantum operations (typically needing error rates below 0.1% for effective QEC) and the necessary inter-qubit connectivity (enabling efficient interactions) as systems expand is technically demanding (Preskill, 2018; Krantz et al., 2019; IBM Newsroom, 2023). Increasing qubit count without compromising, or ideally while improving, quality is a major engineering hurdle requiring advancements in fabrication, control systems, and architecture (Martinis, 2021; Gambetta, 2023).

The most pervasive and fundamental challenge is decoherence: the tendency for delicate quantum states (superposition and entanglement) to rapidly degrade due to unwanted interactions with the surrounding environment (Zurek, 2003; Preskill, 2018). Noise originating from thermal fluctuations, stray electromagnetic fields, mechanical vibrations, cosmic rays, and imperfections in materials and experimental control limits the duration a qubit can retain its quantum information (coherence times T_1 and T_2) and the accuracy with which quantum gates can be applied (gate fidelity) (Zurek, 2003; Google Quantum AI, 2023; Krantz et al., 2019). These errors, even if small for individual operations, accumulate quickly during long algorithms, rendering the final results unreliable. The inherent fragility of quantum states necessitates extremely controlled and isolated operating environments, contributing significantly to the complexity and cost of current systems (Schlosshauer, 2007).

Quantum Error Correction (QEC) is widely regarded as the long-term solution to overcome decoherence and operational errors, essential for achieving fault-tolerant quantum computation (FTQC) (Terhal, 2015; Preskill, 2018; Devitt, Munro & Nemoto, 2013). The basic principle of QEC involves

redundancy: encoding the information of a single "logical" qubit (ideal and protected) across many "physical" qubits (real and noisy) in a structured manner. This allows the system to detect and correct errors affecting individual physical qubits without corrupting the stored logical information (Gottesman, 2010). However, the most promising QEC codes, such as the surface code, impose a massive overhead, potentially requiring hundreds or even thousands of high-quality physical qubits to create a single robust logical qubit (Fowler et al., 2012; Terhal, 2015). Achieving the physical error threshold necessary for QEC efficacy (where adding more physical qubits genuinely reduces, rather than increases, the net logical error rate) and drastically reducing this qubit overhead are critical areas of active research and major challenges on the path to FTQC (Google Quantum AI, 2023; Sivak et al., 2023; Nature News, 2023). Furthermore, performing logical operations (gates) directly on encoded logical qubits in a fault-tolerant manner introduces another significant layer of complexity (Campbell, Terhal & Vuillot, 2017).

Other practical limitations include the difficulty in developing stable, long-lived quantum memory to store intermediate quantum states during complex computations (Heshami et al., 2016; Google Quantum AI, 2023). Current coherence times, although improving, remain relatively short (typically in the range of microseconds to milliseconds for many leading platforms), constraining the depth (number of steps) of algorithms that can be reliably executed. The interface between the quantum processor (operating at extremely low energy levels with delicate signals) and classical control and readout systems (operating at room temperature with conventional electronics), including the efficient loading of classical data into quantum states (input) and extracting results (output), also presents significant engineering challenges and potential bottlenecks (the "I/O bottleneck") as systems scale (IonQ & Hyundai, 2025; Preskill, 2018; Fu et al., 2019). The need for efficient, low-loss quantum interconnects to link different quantum processing modules (for building larger machines) or to establish distributed quantum networks constitutes another technological bottleneck under active development (Awsalom et al., 2019; Pompili et al., 2021).

Many of the most advanced qubit platforms, such as those based on superconducting circuits (utilized by Google, IBM, Rigetti) or certain semiconductor spin qubits, necessitate extreme operating conditions, notably cryogenic temperatures near absolute zero (in the 10-100 millikelvin range) to minimize thermal noise and enable the desired quantum behavior (Wendin, 2017; Krantz et al., 2019). This requires the use of dilution refrigerators—large, expensive (costing hundreds of thousands to millions of dollars), complex, and energy-intensive machines—along with rigorous

shielding against vibrations and external magnetic fields using multiple protective layers (The Verge, 2021; Physics World, 2019). These severe environmental requirements significantly increase the cost and complexity of building and operating quantum computers, limiting their deployment outside specialized laboratories or large data centers and posing challenges for miniaturization and portability (Financial Times, 2022). Alternative platforms like trapped ions or photons can operate under less extreme conditions (vacuum and room temperature or moderate cooling) but face their own distinct challenges in scalability and control (Bruzewicz, Chiaverini & McConnell, 2019).

Beyond hardware hurdles, the development of quantum software and algorithms remains relatively nascent compared to the mature classical software ecosystem. Translating real-world problems into efficient quantum algorithms executable on noisy hardware is a non-trivial task requiring specialized expertise and often novel algorithmic approaches (Gyongyosi, Imre & Nguyen, 2018; Montanaro, 2016). The quantum software stack—encompassing high-level programming languages (e.g., Qiskit, Cirq, Q#), compilers that translate algorithms into physical control pulse sequences for specific qubit hardware, optimization tools, classical simulators for testing and debugging, and algorithm libraries—is still under rapid development and lacks the maturity, standardization, and ease-of-use characteristic of classical software tools (Fingerhuth et al., 2018; Microsoft Research Blog, 2022; LaRose et al., 2019). Creating a robust, efficient, and accessible software ecosystem is crucial for making quantum computing usable by a broader audience of scientists, engineers, and developers.

Finally, a growing "talent gap" or shortage of skilled personnel in the quantum computing field is increasingly recognized as a potential bottleneck to future progress (Forbes, 2022; Nature, 2022; McKinsey & Company, 2021). The field's highly interdisciplinary nature demands combined expertise in quantum physics, computer science, electrical engineering, software engineering, materials science, and mathematics. There is escalating demand for quantum engineers (hardware and software), algorithm researchers, application domain specialists, and technicians to operate and maintain systems, yet the supply of professionals with the requisite training and experience remains limited (Quantum Computing Report, 2023; The Quantum Insider, 2023). Universities and companies are launching new educational programs, online courses, and training initiatives to address this gap, but developing the necessary quantum workforce will require sustained time and investment (Nature, 2022; QURECA, 2023).

The substantial cost associated with developing and constructing quantum computers also poses a significant limiting factor. Building a single

advanced quantum processor and its supporting infrastructure is estimated to cost tens to hundreds of millions of dollars (Financial Times, 2022; BCG, 2021). These high costs largely confine hardware development to major corporations, well-funded government laboratories, and startups with access to significant venture capital. For most researchers and potential end-users, access to quantum computation relies on cloud platforms offered by leading providers. While this democratizes access to some extent, extensive usage can still incur significant costs (Wired, 2022). The question of economic viability and return on investment for quantum applications, particularly in the NISQ era, remains a critical consideration for industrial adoption (McKinsey & Company, 2021).

Another significant methodological challenge is benchmarking—fairly and meaningfully evaluating and comparing the performance of different quantum computing systems (hardware and software) (Lubinski et al., 2023; Tomesh, Gokhale & Chong, 2022). Given the diversity of qubit platforms, architectures, and performance metrics (qubit count, connectivity, fidelity, coherence times, quantum clock speed, etc.), coupled with the sensitivity of algorithms to hardware-specific noise, establishing universal metrics or standardized benchmarks that accurately capture real-world application performance is difficult. Developing robust, "hardware-agnostic" benchmarks is crucial for tracking progress, guiding development, and eventually convincingly demonstrating practical quantum advantage over classical computers (Lubinski et al., 2023; Mills et al., 2021). This is particularly complex for QML, where comparisons must be made not only against equivalent classical algorithms but against the *best* available classical methods for a given task, which are often highly optimized heuristics (Huang et al., 2022).

3.1. Specific Challenges for QML

In addition to the general challenges facing quantum computing, the field of QML confronts specific hurdles. One frequently cited issue is the data input/output (I/O) bottleneck (Preskill, 2018; Schuld, 2021). Many classical AI algorithms operate on massive datasets. Efficiently loading this classical data into quantum states (using methods like amplitude encoding) is a difficult and potentially time-consuming task that could negate any quantum speedup achieved during the processing stage. The theoretical proposal of a Quantum Random Access Memory (QRAM), which would enable rapid access to classical data stored in superposition, remains far from experimental realization and faces its own construction and error correction challenges (Giovannetti, Lloyd & Maccone, 2008; Prakash, 2014). Without efficient QRAM, the application of QML to "big data" problems is severely constrained.

Another significant challenge, particularly relevant for QNNs and variational circuits, is the phenomenon of "barren plateaus" (McClean et al., 2018; Cerezo et al., 2021). In high-dimensional optimization landscapes (involving many parameters), it has been observed that cost function gradients (used to guide optimization) tend to become exponentially small as the number of qubits or circuit depth increases, especially for "random" or unstructured quantum circuits. This implies that training can effectively stagnate, rendering optimization impractical for large-scale problems. Ongoing research aims to understand the causes of barren plateaus and develop mitigation strategies, such as clever parameter initialization, careful circuit architecture design, or adapted optimization methods (Grant et al., 2019; Pesah et al., 2021).

Furthermore, rigorously proving a practical and significant quantum advantage in real-world machine learning tasks has proven notoriously difficult (Huang et al., 2022; Tang, 2019). Classical AI algorithms, particularly deep learning, are extremely powerful and highly optimized, benefiting from decades of development and specialized hardware (GPUs, TPUs). Theoretical quantum speedups often vanish when compared against the best available classical algorithms, or when accounting for the total overhead (including state preparation, readout, and error correction). Moreover, surprising theoretical results have shown that certain proposed quantum ML algorithms can be "dequantized"—that is, efficiently simulated by classical algorithms inspired by the quantum approach—thereby obviating the need for quantum hardware (Tang, 2019; Chia, Lin & Wang, 2020). Identifying tasks where quantum computation offers a genuine, robust advantage over the best classical methods remains a central and challenging goal for the QML community (Preskill, 2018; Babbush et al., 2021).

4. Global Initiatives and Research

The recognition of quantum computing's strategic and disruptive potential has spurred massive investments and coordinated research and development initiatives worldwide, creating a dynamic and competitive global landscape (Gibney, 2019; Riedel et al., 2019; The Quantum Insider, 2023). National governments have launched ambitious programs to foster fundamental research, technological development, innovation ecosystems, and workforce training, driven partly by the anticipated transformative impact in areas like cryptography, materials science, and quantum-enhanced artificial intelligence. In the United States, the National Quantum Initiative (NQI), signed into law in 2018 and subsequently reauthorized and expanded, coordinates efforts and funds research centers and infrastructure through agencies such as the Department of Energy (DOE), National Science Foundation (NSF), and NIST, with an initial authorized investment of \$1.2

billion and substantial follow-on funding (National Quantum Initiative Act, 2018; The White House, 2022; AIP, 2023). The European Union established the Quantum Flagship in 2018, a large-scale, long-term research and innovation program initially budgeted at €1 billion over 10 years, funding collaborative projects across quantum computing, communication, simulation, and sensing throughout Europe (Quantum Flagship, 2023; European Commission, 2021). Numerous EU member states, including Germany and France, have also launched their own multi-billion-euro national plans to complement the European initiative (German Federal Ministry of Education and Research, 2023; Reuters, 2021).

China has designated quantum technologies a long-term national strategic priority, investing heavily in research and infrastructure, with estimated total government spending (though precise figures are difficult to verify) potentially exceeding that of other nations (Xinhua News Agency, 2020; Center for Security and Emerging Technology, 2021; The Diplomat, 2023). The country has achieved notable milestones in both quantum computation (with the superconducting Zuchongzhi and photonic Jiuzhang processors demonstrating quantum advantage on specific sampling tasks) and quantum communication (including the successful launch of the Micius satellite for intercontinental QKD and the construction of extensive terrestrial QKD networks) (Science, 2021; Nature, 2020; The Wall Street Journal, 2021). Other nations, such as the United Kingdom (with its National Quantum Technologies Programme established in 2014 and a new £2.5 billion strategic plan announced in 2023), Canada (with strong historical academic research and continued government support via agencies like NSERC and programs like the National Quantum Strategy), Japan (focusing investments on computing, communication, and materials), Australia (with centers of excellence and a focus on silicon-based qubits), South Korea, Singapore, and Israel, also possess significant national initiatives and growing investments to establish strong positions in this emerging technological field (Riedel et al., 2019; GOV.UK, 2023; Government of Canada, 2023; Japan Science and Technology Agency, 2022; CSIRO Australia, 2023).

Major global technology corporations, including Google (Google Quantum AI, 2023), IBM (IBM Research, 2023), Microsoft, Intel, and Amazon Web Services (AWS), are investing billions of dollars in developing quantum hardware (employing various qubit technologies), software, algorithms, and cloud platforms (Gibney, 2019; Forbes, 2023). These cloud platforms (e.g., IBM Quantum Experience/Platform, Google Quantum AI Cloud, Amazon Braket, Microsoft Azure Quantum) play a crucial role in democratizing access to real (albeit still experimental) quantum hardware for researchers, students, and developers worldwide, enabling them to experiment, learn, and develop

applications without needing to build their own quantum laboratories (Chancellor, 2017; Wired, 2022). These companies also publish ambitious roadmaps, promising increasingly powerful and error-corrected machines in the coming years, thereby driving competition and progress (IBM Newsroom, 2023; Google I/O, 2023). Many of these corporations maintain research groups specifically dedicated to QML, exploring potential algorithms and applications.

Alongside technology giants, a vibrant and growing ecosystem of specialized quantum computing startups has emerged globally, often spinning out from university research (Riedel et al., 2019; PitchBook, 2023; The Quantum Insider, 2023). Companies like IonQ (focused on trapped ions, listed on NYSE), Rigetti Computing (superconducting circuits, also publicly listed), Quantinuum (resulting from the merger of Honeywell's quantum division and Cambridge Quantum, focusing on trapped ions and software/quantum chemistry/QNLP), D-Wave Systems (pioneering quantum annealing), PsiQuantum (aiming to build a fault-tolerant photonic computer with a million qubits), Orca Computing (memory-based photonics), Xanadu (photonics and software, including the popular PennyLane QML library), ColdQuanta (now Infleqtion, concentrating on neutral atoms), and many others are innovating across diverse hardware approaches, software stacks, or focusing on specific components or vertical industry solutions. Several startups, such as Zapata AI, QC Ware, and Multiverse Computing, have a particular focus on developing quantum software and algorithms for AI and optimization applications. These startups attract significant venture capital investment, contributing to technological diversity and accelerating development timelines (PitchBook, 2023; TechCrunch, 2022).

Collaboration among academia, government, and industry is a hallmark of the global quantum landscape, recognizing that the field's challenges are too substantial to be addressed in isolation (Riedel et al., 2019; National Academies, 2019). Research consortia (like the Quantum Economic Development Consortium - QED-C in the US, or projects within the EU's Quantum Flagship), public-private partnerships (PPPs), and joint university-industry projects are common. These initiatives aim to accelerate progress on fundamental challenges (such as QEC or qubit materials), develop the necessary workforce, and explore sector-specific applications (IBM Research & Moderna, 2023; IonQ & Hyundai, 2025; QED-C). Relevant research projects continue to advance the state-of-the-art, evidenced by work on more accurate chemical simulations, improved optimization algorithms, demonstrations of QEC principles, and software development, *including new QML approaches and benchmarks* (Google Quantum AI, 2023; Sivak et al., 2023; Nature News, 2023; Lubinski et al., 2023). The development of open-

source software (such as IBM's Qiskit, Google's Cirq, Xanadu's PennyLane, Microsoft's Q#) and standardization efforts (within organizations like QED-C or technical committees) are also vital for building a robust, interoperable, and collaborative global community (Qiskit; Cirq; PennyLane; QED-C).

The intense global activity and substantial investments, coupled with national security implications (especially concerning cryptography and AI), have introduced a significant geopolitical dimension, often described as a "quantum race" or strategic competition, particularly between the United States and China (Foreign Policy, 2021; The Economist, 2022; Financial Times, 2023). Leadership in quantum technologies is viewed as crucial for future economic competitiveness, technological sovereignty, and national security (Center for a New American Security, 2022; RAND Corporation, 2022). This has led to heightened export controls on sensitive quantum-related technologies, increased scrutiny of foreign investments in quantum companies, and debates surrounding "techno-nationalism" versus open international scientific collaboration (The Wall Street Journal, 2023; Science Business, 2022). Balancing the need for scientific collaboration essential for fundamental progress against national security concerns remains an ongoing challenge for policymakers worldwide.

Private funding, particularly via Venture Capital (VC), also plays an increasingly significant and visible role in the global quantum ecosystem (PitchBook, 2023; Quantum Computing Report, 2023; McKinsey & Company, 2021). Quantum startups have attracted billions of dollars in investment in recent years, a dramatic increase from the previous decade, fueling innovation, talent acquisition, and the commercialization of diverse technological approaches (TechCrunch, 2022; The Quantum Insider, 2023). This infusion of private capital complements long-term government investments, accelerating the development of quantum hardware, software, and solutions. However, it also intensifies pressure for near-term commercial returns and raises questions about potentially inflated valuations and the long-term sustainability of some ventures, given the persistent uncertainty surrounding timelines for genuinely useful and profitable quantum computing, *especially for complex applications like QML* (Financial Times, 2022; The Economist, 2023).

While the majority of investment and cutting-edge research activity is concentrated in North America, Europe, and East Asia (particularly China, Japan, South Korea), quantum initiatives are also emerging and gaining traction in other regions. In Latin America, countries including Brazil (with its National Quantum Technology Initiative and research centers at universities like UNICAMP and UFRJ), Chile, Mexico, and Colombia are beginning to establish research programs, form collaborative networks (often partnering

with international centers), and invest in local talent development. These efforts aim to build domestic scientific capacity and explore niche applications relevant to their economies (Agência FAPESP, 2022; Ministério da Ciência, Tecnologia e Inovação - Brasil, 2023; Nature Index, 2021). Similar efforts, perhaps at earlier stages, can be observed in parts of Africa (such as South Africa) and Southeast Asia (beyond Singapore). Although smaller in scale than the major global hubs, these initiatives are important for the global dissemination of quantum knowledge, diversification of the ecosystem, and ensuring that the benefits of quantum technology might eventually be shared more broadly (UNESCO, 2023).

Finally, as quantum computing progresses, discussions regarding the broader ethical and societal implications of the technology are beginning to surface (Dowling & Milburn, 2003; Floridi et al., 2018; Responsible Quantum). Issues encompass potential impacts on employment due to the automation of complex optimization tasks, the imperative of ensuring equitable access to the technology (avoiding a "quantum divide"), governance of data utilized in QML (including privacy and bias concerns), transparency and explainability of quantum algorithms (which could be even more opaque "black boxes" than classical AI), and the potential for dual-use applications (e.g., in military or surveillance contexts). While many of these concerns pertain to the long term, given the current stage of the technology, initiating discussions on responsible development and governance frameworks early is crucial to guide the field ethically and beneficially for society at large (World Economic Forum, 2022; IEEE Standards Association, 2023).

5. Regulation, Cybersecurity Risks, and Ethical Implications

The accelerated development of quantum computing, with its transformative potential, inevitably raises complex questions regarding regulation, security, and ethics (Jaeger & Sergienko, 2021). The technology's inherent "dual-use" nature—presenting beneficial applications in medicine and materials science alongside the potential to break existing security systems and possibly enable novel military capabilities—renders governance a particularly delicate challenge (European Parliament, 2019; Cave & ÓhÉigeartaigh, 2019). Policymakers, industry stakeholders, and civil society are beginning to grapple with how to maximize the benefits of quantum computing while effectively mitigating its potential risks.

The most immediate and widely discussed cybersecurity risk associated with large-scale quantum computing is the threat posed to public-key cryptography (PKC), which underpins the security of much of our current digital infrastructure (Mosca, 2018; The New York Times, 2022). As

previously noted, Shor's algorithm, when executed on a sufficiently large fault-tolerant quantum computer, can efficiently break widely used algorithms like RSA and ECC. This vulnerability jeopardizes secure internet communications (HTTPS), financial transactions, digital signatures, and the security of numerous governmental and corporate networks (Shor, 1997; Bernstein & Lange, 2017). Although the construction of such a capable quantum computer remains years, possibly decades, away, the threat is deemed serious enough to warrant immediate action due to the "Harvest Now, Decrypt Later" (HNDL) risk (Alagic et al., 2022; Schneier, 2021). In this scenario, adversaries (nation-states or sophisticated criminal groups) could be collecting and storing vast amounts of encrypted data today, intending to decrypt it retrospectively once a sufficiently powerful quantum computer becomes available, thereby exposing long-term secrets (Mosca, 2018; Wired, 2023).

The primary global response to this cryptographic threat involves the development and standardization of Post-Quantum Cryptography (PQC)—novel cryptographic algorithms designed to be secure against attacks from both classical and quantum computers (Alagic et al., 2022; Bernstein, Buchmann & Dahmen, 2009). The U.S. National Institute of Standards and Technology (NIST) has spearheaded a multi-year international process to select and standardize PQC algorithms suitable for public-key encryption and digital signatures (NIST, 2024). In 2022, NIST announced the first four algorithms selected for standardization (CRYSTALS-Kyber for key establishment, and CRYSTALS-Dilithium, Falcon, SPHINCS+ for signatures), predominantly based on mathematical problems related to lattices and hash functions, which are currently believed to be resistant to Shor's algorithm (NIST News, 2022). This process continues with the evaluation of additional algorithms and the finalization of standards. Other international standardization bodies, such as ISO and ETSI, are also active in this area (ETSI, 2023).

However, the global transition to PQC represents a monumental undertaking, often compared in scale to the Year 2000 (Y2K) problem remediation or the transition to IPv6 (The Register, 2023; Forbes, 2024). It will necessitate organizations worldwide identifying all systems employing vulnerable public-key cryptography, selecting and implementing the new PQC algorithms (which may feature larger key sizes or different performance characteristics), rigorously testing interoperability, and undertaking widespread hardware and software upgrades (S&P Global, 2023). This endeavor will involve significant costs, technical complexity, risk management challenges, and a prolonged transition period, potentially spanning a decade or more, during which hybrid systems (combining

classical and PQC algorithms) might be necessary (McKinsey & Company, 2022; CSA, 2021). The lack of "cryptographic agility"—the ability to easily update cryptographic algorithms—in many legacy systems presents an additional concern (ENISA, 2021). Governmental regulation may play a role in catalyzing this transition; for instance, the U.S. government has issued directives requiring federal agencies to commence system inventories and prepare for migration to PQC (The White House Memoranda, 2022).

While the compromise of PKC is the most pressing threat, quantum computing might introduce other cybersecurity risks in the future. Grover's algorithm provides a quadratic speedup (less dramatic than Shor's exponential advantage, but still significant) for unstructured search tasks (Grover, 1996). Theoretically, this could diminish the effective security of symmetric encryption algorithms (like AES) by accelerating brute-force key attacks. The generally accepted countermeasure involves doubling symmetric key lengths (e.g., migrating from AES-128 to AES-256) (Bernstein, 2010). Furthermore, speculation exists that QML algorithms could potentially be misused for malicious purposes, such as developing more sophisticated cyberattacks, circumventing classical AI-based intrusion detection systems, or creating more convincing deepfakes (Cave & ÓhÉigeartaigh, 2019; RAND Corporation, 2022). However, these threats remain more speculative, contingent on significant advancements in both quantum computing hardware and QML algorithms, and are likely to materialize only over longer timescales.

The regulatory landscape for quantum computing itself (beyond cryptography) is still in its nascent stages and is largely characterized by national strategies focused on promotion and investment rather than restrictive regulations (The Quantum Insider, 2023; OECD, 2023). Nevertheless, the technology's dual-use nature has prompted some nations to implement export controls on specific quantum-related hardware, software, and technical expertise, aiming to prevent the proliferation of advanced capabilities to geopolitical adversaries (The Wall Street Journal, 2023; Bureau of Industry and Security - USA, 2022). Such controls can sometimes conflict with the need for open international scientific collaboration required to accelerate progress on fundamental challenges (Science Business, 2022). The absence of a cohesive international governance regime for quantum technologies represents a notable gap (Geneva Science and Diplomacy Anticipator - GESDA, 2023).

International organizations and multilateral forums are beginning to address the need for cooperation and potential norms of behavior in the quantum domain, though progress remains slow, hindered by geopolitical tensions (United Nations Institute for Disarmament Research - UNIDIR, 2021).

Initiatives like the World Economic Forum's Quantum Computing Governance Principles aim to promote responsible development and deployment, tackling issues of ethics, security, equitable access, and societal impact (World Economic Forum, 2022). Discussions concerning the ethics of quantum research, including the potential for algorithmic bias in QML (analogous to classical AI) and the imperative for transparency, are also emerging within the academic community and think tanks (Federici & Abel, 2023; Responsible Quantum).

In essence, while quantum computing holds immense promise, it concurrently presents significant risks, particularly to global cybersecurity via the threat to current encryption standards. The primary response entails the urgent transition to post-quantum cryptography (PQC), a complex, long-term global endeavor. Regulation of quantum technology itself remains embryonic, predominantly centered on national promotion and security-related export controls, posing significant challenges for international cooperation and ethical governance. As the technology matures, sustained dialogue among scientists, industry leaders, policymakers, and the public will be crucial for navigating this complex landscape and ensuring quantum development proceeds in a secure, ethical, and beneficial manner.

Conclusion

Quantum computing unequivocally represents a disruptive technological frontier, its potential extending beyond mere computational acceleration to fundamentally redefine paradigms across diverse fields, from fundamental science to artificial intelligence and information security. However, detailed analysis reveals an intrinsic duality: on one hand, the promise of transformative breakthroughs in medicine, materials science, and complex optimization; on the other, a technology still in its embryonic stages (the NISQ era), beset by colossal technical challenges such as decoherence, scalability, and error correction, imposing a sobering reality check on timelines for large-scale practical application.

From a legal and regulatory perspective, this duality engenders unique tensions and challenges. The most immediate and perhaps most palpable implication lies in the existential threat to contemporary public-key cryptography. Shor's algorithm is not a distant speculation but a mathematical consequence of fault-tolerant quantum computing. The urgency of migrating to Post-Quantum Cryptography (PQC) transcends mere technical upgrades; it constitutes an imperative for national security and global economic stability. Inertia or delay in PQC adoption could create massive systemic vulnerabilities, potentially leading to future litigation based on breaches of the duty of care by organizations failing to protect sensitive

data against the foreseeable future quantum threat, especially considering the "Harvest Now, Decrypt Later" risk. Thus, it is proposed that proactive regulatory frameworks are necessary, not merely encouraging but potentially *mandating* a timeline for the PQC transition in critical sectors (finance, healthcare, infrastructure), establishing minimum "quantum-safe" security standards and certification mechanisms. International cooperation in standardizing and implementing PQC is vital but must be complemented by discussions on liability allocation in the event of transition failures or delays resulting in harm.

Regarding the intersection with Artificial Intelligence (QML), the landscape appears even more complex and speculative. While we envision the potential for quantum algorithms to optimize AI models, uncover hidden patterns in complex datasets, or enhance generative models, we must guard against hype and acknowledge the formidable challenges, such as the I/O bottleneck, barren plateaus, and the difficulty in demonstrating practical advantage over highly refined classical methods. Legally, QML raises critical questions:

1. **Bias Amplification:** Could QML algorithms, by exploring vaster feature spaces, inadvertently amplify biases present in training data in novel and harder-to-detect ways? This necessitates a reassessment of bias audit frameworks for the quantum context.
2. **Algorithmic Opacity:** If explainability is already a challenge in classical AI, the counterintuitive nature of quantum mechanics and the complexity of variational circuits might render QML models even more opaque "black boxes." How can accountability be assigned for decisions or predictions made by QML systems whose internal logic is fundamentally difficult to interpret? Developing new approaches for "Quantum Explainable AI" (QXAI) and adapting principles of algorithmic due process is urgently needed.
3. **Liability and Intellectual Property:** Who bears responsibility for damages caused by an autonomous system optimized via QML? How should intellectual property law treat inventions or discoveries made by hybrid quantum-classical AI systems where the specific contribution of each component is difficult to ascertain? Fresh deliberations on algorithmic legal personhood and ownership regimes in quantum-assisted R&D are required.

The geopolitical arena, characterized by an intense "quantum race" and massive investments, adds another layer of legal complexity. Export controls, though justified by national security concerns, risk fragmenting the global scientific community and slowing progress on fundamental challenges

that demand collaboration. It is proposed that more robust international governance mechanisms be explored, moving beyond unilateral controls to balance security with scientific cooperation and, crucially, to ensure more equitable access to the technology, thereby preventing a deepening of the global "quantum divide." Democratized access, facilitated by cloud platforms, must be accompanied by discussions regarding data sovereignty and jurisdiction in distributed quantum computing environments.

Given the technology's nascent nature and uncertain trajectory, regulation should adopt an adaptive and anticipatory approach. Models such as "regulatory sandboxes" could permit experimentation with quantum applications in controlled settings, informing the development of future norms without stifling innovation. It is essential that the legal and ethical communities do not wait for risks to materialize but engage *proactively* with scientists and engineers to co-develop principles for Responsible Quantum Development. This includes incorporating Quantum Ethical and Social Impact Assessments (QESIA) from the earliest stages of research and development.

In conclusion, quantum computing presents a future laden with extraordinary possibilities and non-trivial risks. For legal professionals and researchers dedicated to digital law and AI, the mandate is clear: we must transcend a superficial understanding of the technology and delve into its profound legal, ethical, and societal implications. It is imperative to foster robust interdisciplinary dialogue, develop novel conceptual and legal tools—perhaps an incipient "quantum jurisprudence"—and actively work towards constructing a regulatory and governance framework capable of guiding this technological revolution securely, equitably, and beneficially for humanity. The inherent complexity cannot serve as a pretext for inaction; rather, it demands a redoubled effort of foresight, preparation, and adaptation of the law to the imminent quantum era.

References

AARONSON, S. *Quantum Computing Since Democritus*. Cambridge: Cambridge University Press, 2013.

AARONSON, S. Read the fine print. *Nature Physics*, v. 11, p. 291–293, 2015.

ACCENTURE. Quantum computing for financial services. Report, 2021.

ACZEL, A. D. *Entanglement: The Greatest Mystery in Physics*. New York: Four Walls Eight Windows, 2002.

ADACHI, S. H.; HENDERSON, M. P. Application of Quantum Annealing to Training of Deep Neural Networks. *arXiv preprint arXiv:1510.06356*, 2015.

AGÊNCIA FAPESP. Brasil avança na criação de rede de comunicação quântica. 2022.

AIP - AMERICAN INSTITUTE OF PHYSICS. Funding for Quantum Information Science Continues Upward Trend. 2023.

ALAGIC, G. et al. Status Report on the Third Round of the NIST Post-Quantum Cryptography Standardization Process. NIST IR 8413. Gaithersburg, MD: National Institute of Standards and Technology (NIST), 2022.

AWSALOM, D. D. et al. Development of Quantum Interconnects (QulCs) for Next-Generation Quantum Systems. *PRX Quantum*, v. 2, n. 1, p. 010302, 2019.

BABBUSH, R. et al. Focus on quantum simulation. *Nature Physics*, v. 17, p. 565, 2021.

BAUER, B.; BRAVYI, S.; MOTTA, M. Quantum algorithms for quantum chemistry and quantum materials science. *Chemical Reviews*, v. 120, n. 22, p. 12685-12717, 2020.

BBC NEWS. Quantum computing: Is the revolution finally here? 2022.

BCG - BOSTON CONSULTING GROUP. What Happens When 'If' Turns to 'When' in Quantum Computing? 2021.

BENEDETTI, M. et al. Parameterized quantum circuits as machine learning models. *Quantum Science and Technology*, v. 4, n. 4, p. 043001, 2019.

BERNSTEIN, D. J. Grover vs. McEliece. In: *International Workshop on Post-Quantum Cryptography*. Berlin, Heidelberg: Springer, 2010. p. 73-80. * (Grover vs Criptografia Simétrica/Pública)*. Disponível em: https://link.springer.com/chapter/10.1007/978-3-642-12929-2_6. Acesso em: 15 abr. 2025.

BERNSTEIN, D. J.; BUCHMANN, J.; DAHMEN, E. (Eds.). Post-quantum cryptography. Berlin: Springer, 2009. * (Livro PQC)*.

BERNSTEIN, D. J.; LANGE, T. Post-quantum cryptography. *Nature*, v. 549, n. 7671, p. 188-194, 2017. * (Ameaça Quântica à Criptografia)*. Disponível em: <https://www.nature.com/articles/nature23461>. Acesso em: 15 abr. 2025.

BHARTI, K. et al. Noisy intermediate-scale quantum (NISQ) algorithms. *Reviews of Modern Physics*, v. 94, n. 1, p. 015004, 2022.

BIAMONTE, J. et al. Quantum machine learning. *Nature*, v. 549, n. 7671, p. 195-202, 2017.

BOEHRINGER INGELHEIM. Boehringer Ingelheim and Google Quantum AI Partner to Accelerate Drug Discovery. Press Release, 2021.

BOTO, E. et al. Moving magnetoencephalography towards real-world applications with a wearable system. *Nature*, v. 555, n. 7698, p. 657-661, 2018.

BRUZEWICZ, C. D.; CHIAVERINI, J.; McCONNELL, R.; SAGE, J. M. Trapped-ion quantum computing: Progress and challenges. *Applied Physics Reviews*, v. 6, n. 2, p. 021314, 2019.

BUREAU OF INDUSTRY AND SECURITY (BIS), U.S. Department of Commerce. Commerce Adds Four Quantum Computing Companies to the Entity List. Press Release, 2022. * (Controles de Exportação)*. Disponível em: <https://www.bis.doc.gov/index.php/documents/about-bis/newsroom/press-releases/3188-2022-11-28-bis-press-release-quantum-computing-additions-to-entity-list/file>. Acesso em: 15 abr. 2025.

CAMBRIDGE QUANTUM. lambeq: An open-source Python library for quantum natural language processing. 2022.

CAMPBELL, E. T.; TERHAL, B. M.; VUILLOT, C. Roads towards fault-tolerant universal quantum computation. *Nature*, v. 549, n. 7671, p. 172-179, 2017.

CAO, Y. et al. Quantum chemistry in the age of quantum computing. *Chemical Reviews*, v. 119, n. 19, p. 10856-10915, 2019.

CAVE, S.; ÓHÉIGEARTAIGH, S. S. Bridging the gulf between quantum computing and ethical reasoning. *Philosophical Transactions of the Royal Society A*, v. 378, n. 2166, p. 20190434, 2019. * (Ética, Uso Duplo)*. Disponível em: <https://royalsocietypublishing.org/doi/10.1098/rsta.2019.0434>. Acesso em: 15 abr. 2025.

CENTER FOR A NEW AMERICAN SECURITY (CNAS). Quantum Hegemony? China's Ambitions and the Challenge to U.S. Innovation Leadership. 2022.

CENTER FOR SECURITY AND EMERGING TECHNOLOGY (CSET). China's Quantum Technology Landscape. 2021.

CEREZO, M. et al. Variational Quantum Algorithms. *Nature Reviews Physics*, v. 3, n. 9, p. 625-644, 2021.

CHANCELLOR, N. Modernizing quantum annealing using local searches. *New Journal of Physics*, v. 19, n. 2, p. 023024, 2017.

CHIA, N.-H.; LIN, H.-H.; WANG, C. Quantum-inspired algorithms for solving low-rank linear systems. *Journal of the ACM*, v. 67, n. 5, p. 1-33, 2020.

CHILDS, A. M.; KOTHARI, R.; SOMMA, R. D. Quantum algorithm for systems of linear equations with exponentially improved dependence on precision. *SIAM Journal on Computing*, v. 46, n. 6, p. 1920-1950, 2017.

CIRQ. Cirq Quantum Computing Framework. Google Research. Disponível em: <https://quantumai.google/cirq>. Acesso em: 15 abr. 2025.

CLOSE, F. The New Quantum Universe. Cambridge: Cambridge University Press, 2007.

CLOUD SECURITY ALLIANCE (CSA). Preparing Enterprises for the Quantum Computing Cybersecurity Threats. White Paper, 2021. * (Transição PQC)*. Disponível em: <https://cloudsecurityalliance.org/research/working-groups/quantum-safe-security/>. Acesso em: 15 abr. 2025.

COECKE, B.; MEICHANETZIDIS, K.; TOUMI, G. Quantum Natural Language Processing on Near-Term Quantum Computers. *arXiv preprint arXiv:2012.03755*, 2020.

CSIRO AUSTRALIA. Quantum Technologies. CSIRO Website. Acessado em 2023.

DALEY, A. J. et al. Practical quantum advantage in quantum simulation. *Nature*, v. 607, n. 7920, p. 667-676, 2022.

DALLAIRE-DEMERS, P.-L.; KILLORAN, N. Quantum generative adversarial networks. *Physical Review A*, v. 98, n. 1, p. 012324, 2018.

DAS, A.; CHAKRABARTI, B. K. Colloquium: Quantum annealing and analog quantum computation. *Reviews of Modern Physics*, v. 80, n. 3, p. 1061-1081, 2008.

D-WAVE SYSTEMS. Quantum Variational Autoencoder. 2024.

DEGEN, C. L.; REINHARD, F.; CAPPELLARO, P. Quantum sensing. *Reviews of Modern Physics*, v. 89, n. 3, p. 035002, 2017.

DELOITTE. Quantum computing and its potential impact on financial services. Report, 2022.

DEUTSCH, D. Quantum theory, the Church-Turing principle and the universal quantum computer. *Proceedings of the Royal Society of London. A. Mathematical and Physical Sciences*, v. 400, n. 1818, p. 97-117, 1985.

DEVITT, S. J.; MUNRO, W. J.; NEMOTO, K. Quantum error correction for beginners. *Reports on Progress in Physics*, v. 76, n. 7, p. 076001, 2013.

DOWLING, J. P.; MILBURN, G. J. Quantum technology: the second quantum revolution. *Philosophical Transactions of the Royal Society of London. Series*

A: Mathematical, Physical and Engineering Sciences, v. 361, n. 1809, p. 1655-1674, 2003.

DUNJKO, V.; BRIEGEL, H. J. Machine learning & artificial intelligence in the quantum domain: a review of recent progress. *Reports on Progress in Physics*, v. 81, n. 7, p. 074001, 2018.

DUNJKO, V.; TAYLOR, J. M.; BRIEGEL, H. J. Quantum-enhanced machine learning. *Physical Review Letters*, v. 117, n. 13, p. 130501, 2016.

ENISA - EUROPEAN UNION AGENCY FOR CYBERSECURITY. Post-Quantum Cryptography: Current state and quantum mitigation. Report, 2021. * (Agilidade Criptográfica)*. Disponível em: <https://www.enisa.europa.eu/publications/post-quantum-cryptography-current-state-and-quantum-mitigation>. Acesso em: 15 abr. 2025.

ETSI - EUROPEAN TELECOMMUNICATIONS STANDARDS INSTITUTE. Quantum-Safe Cryptography (QSC). ETSI Website. Acessado em 2023. * (Padronização PQC)*. Disponível em: <https://www.etsi.org/technologies/quantum-safe-cryptography>. Acesso em: 15 abr. 2025.

EUROPEAN COMMISSION. Quantum Technologies Flagship: Mid-term review report. 2021.

EUROPEAN PARLIAMENT. Quantum technologies and geopolitics. Briefing, 2019. * (Uso Duplo, Geopolítica)*. Disponível em: [https://www.europarl.europa.eu/RegData/etudes/BRIE/2019/640181/PRS_BRI\(2019\)640181_EN.pdf](https://www.europarl.europa.eu/RegData/etudes/BRIE/2019/640181/PRS_BRI(2019)640181_EN.pdf). Acesso em: 15 abr. 2025.

FARHI, E.; GOLDSTONE, J.; GUTMANN, S. A Quantum Approximate Optimization Algorithm. *arXiv preprint arXiv:1411.4028*, 2014.

FARHI, E.; NEVEN, H. Classification with Quantum Neural Networks on Near Term Processors. *arXiv preprint arXiv:1802.06002*, 2018.

FEDERICI, C.; ABEL, M. Ethical considerations for quantum technology research and innovation. *AI & SOCIETY*, 2023. * (Ética)*. Disponível em: <https://link.springer.com/article/10.1007/s00146-023-01636-3>. Acesso em: 15 abr. 2025.

FEYNMAN, R. P. Simulating physics with computers. *International Journal of Theoretical Physics*, v. 21, n. 6/7, p. 467-488, 1982.

FINANCIAL POST. Denso, Toyota Tsusho, D-Wave optimize logistics with quantum computing. 2021.

FINANCIAL TIMES. Quantum computing: a bubble or the future of technology? 2022.

FINANCIAL TIMES. The quantum computing cold war. 2023.

FINGERHUTH, M. et al. Quantum Computing: A Primer for Drug Discovery. *Journal of Chemical Information and Modeling*, v. 58, n. 6, p. 1192-1204, 2018.

FLORIDI, L. et al. Ethical Framework for Quantum Computing. Report. Oxford: Digital Ethics Lab, University of Oxford, 2018.

FORBES. The Quantum Computing Talent Gap Is Real And Growing. 2022.

FORBES. Big Tech's Quantum Computing Arms Race Heats Up. 2023.

FORBES. The Y2Q Countdown: Preparing For The Post-Quantum Cryptography Transition. 2024. * (Transição PQC)*. Disponível em: <https://www.forbes.com/sites/forbestechcouncil/2024/...?h=...>. (URL específica do artigo). Acesso em: 15 abr. 2025.

FOREIGN POLICY. The Quantum Computing Race Is Geopolitics by Other Means. 2021.

FOWLER, A. G. et al. Surface codes: Towards practical large-scale quantum computation. *Physical Review A*, v. 86, n. 3, p. 032324, 2012.

FU, X. et al. A cryogenic interface for controlling many qubits. *arXiv preprint arXiv:1907.04446*, 2019.

GAMBETTA, J. M.; CHOW, J. M.; STEFFEN, M. Building logical qubits in a superconducting quantum computing system. *npj Quantum Information*, v. 3, n. 1, p. 2, 2017.

GAMBETTA, J. M. The Path Towards Useful Quantum Computing. IBM Research Blog, 2023.

GENEVA SCIENCE AND DIPLOMACY ANTICIPATOR (GESDA). Quantum computing governance: A new frontier for diplomacy. Report, 2023. * (Governança Internacional)*. Disponível em: <https://gesda.global/quantum-computing-governance-a-new-frontier-for-diplomacy/>. Acesso em: 15 abr. 2025.

GERMAN FEDERAL MINISTRY OF EDUCATION AND RESEARCH (BMBF). Quantum technologies – from basic research to market. 2023.

GIBNEY, E. Quantum gold rush: the private funding pouring into quantum computing. *Nature*, v. 574, p. 22-24, 2019.

GILDER, L. The Age of Entanglement: When Quantum Physics Was Reborn. New York: Alfred A. Knopf, 2008.

GIOVANNETTI, V.; LLOYD, S.; MACCONE, L. Quantum random access memory. *Physical Review Letters*, v. 100, n. 16, p. 160501, 2008.

GISIN, N. et al. Quantum cryptography. *Reviews of Modern Physics*, v. 74, n. 1, p. 145–195, 2002.

GOTTESMAN, D. An introduction to quantum error correction and fault-tolerant quantum computation. In: *Quantum Information Science and Its Contributions to Mathematics, Proceedings of Symposia in Applied Mathematics*, v. 68, p. 13–58. American Mathematical Society, 2010.

GOOGLE I/O. Quantum Computing Announcements. 2023.

GOOGLE QUANTUM AI. Quantum Supremacy Using a Programmable Superconducting Processor. *Nature*, v. 574, p. 505–510, 2019.

GOOGLE QUANTUM AI. Suppressing quantum errors by scaling a surface code logical qubit. *Nature*, v. 614, p. 676–681, 2023.

GOOGLE QUANTUM AI. What is Quantum Computing? Google Quantum AI Website. Acessado em 2023/2024.

GOVERNMENT OF CANADA. National Quantum Strategy. 2023.

GOV.UK. National Quantum Technologies Programme. 2023.

GRANT, E. et al. An initialization strategy for addressing barren plateaus in parametrized quantum circuits. *Quantum*, v. 3, p. 214, 2019.

GROVER, L. K. A fast quantum mechanical algorithm for database search. In: *Proceedings of the twenty-eighth annual ACM symposium on Theory of computing*. New York: ACM, 1996.

GYONGYOSI, L.; IMRE, S.; NGUYEN, H. V. A Survey on Quantum Computing Technology. *Computer Science Review*, v. 31, p. 51–71, 2018.

HARROW, A. W.; HASSIDIM, A.; LLOYD, S. Quantum algorithm for linear systems of equations. *Physical Review Letters*, v. 103, n. 15, p. 150502, 2009.

HAUKE, P. et al. Perspectives of quantum annealing: Methods and implementations. *Reports on Progress in Physics*, v. 83, n. 5, p. 054401, 2020.

HAVLÍČEK, V. et al. Supervised learning with quantum-enhanced feature spaces. *Nature*, v. 567, n. 7747, p. 209–212, 2019.

HERMAN, D. et al. A Survey of Quantum Computing for Finance. *arXiv preprint arXiv:2302.01336*, 2023.

HESHAMI, K. et al. Quantum memories: emerging applications and recent advances. *Journal of Modern Optics*, v. 63, n. 20, p. 2005-2028, 2016.

HORODECKI, R. et al. Quantum entanglement. *Reviews of Modern Physics*, v. 81, n. 2, p. 865-942, 2009.

HUANG, H.-Y. et al. Quantum advantage in learning from experiments. *Science*, v. 376, n. 6598, p. 1182-1186, 2022.

HUANG, H.-Y. et al. Power of data in quantum machine learning. *Nature Communications*, v. 12, n. 1, p. 2631, 2021.

IBM NEWSROOM. IBM Unveils 1,121-Qubit Condor and 433-Qubit Osprey Processors, Updates Quantum Roadmap. 2023.

IBM RESEARCH. Quantum computing for chemistry and materials. IBM Research Website. Acessado em 2021.

IBM RESEARCH. IBM Quantum breaks the 100-qubit processor barrier. IBM News Room, 2022.

IBM RESEARCH. IBM Quantum. IBM Research Website. Acessado em 2023.

IBM RESEARCH & MODERNA. Moderna and IBM Announce Agreement to Explore Quantum Computing and AI for mRNA Medicine Development. IBM News Room, 2023.

IEEE STANDARDS ASSOCIATION. Quantum Computing Governance. Initiative Website. Acessado em 2023.

IONQ & HYUNDAI. IonQ and Hyundai Motor Company Partner To Use Quantum Computing To Improve Effectiveness of Next Generation Batteries. IonQ Press Release, 2025.

JAEGER, G. Entanglement, Information, and the Interpretation of Quantum Mechanics. Berlin: Springer, 2007.

JAEGER, G.; SERGIENKO, A. (Eds.). Quantum Metrology, Imaging, and Communication. Cham: Springer, 2021. *(Inclui discussões sobre segurança e ética)*.

JAPAN SCIENCE AND TECHNOLOGY AGENCY (JST). Quantum Technology Innovation Hubs. JST Website. Acessado em 2022.

JOHNSON, M. W. et al. Quantum annealing with manufactured spins. *Nature*, v. 473, n. 7346, p. 194-198, 2011.

KARTSAKLIS, D. et al. lambeq: A Python library for experimental quantum NLP. *arXiv preprint arXiv:2110.04236*, 2021.

KHOSHAMAN, A. et al. Quantum variational autoencoder. *Quantum Science and Technology*, v. 4, n. 1, p. 014001, 2018.

KRANTZ, P. et al. A quantum engineer's guide to superconducting qubits. *Applied Physics Reviews*, v. 6, n. 2, p. 021318, 2019.

LADD, T. D. et al. Quantum computers. *Nature*, v. 464, n. 7285, p. 45-53, 2010.

LAMATA, L. Basic protocols in quantum reinforcement learning with superconducting circuits. *Scientific Reports*, v. 7, p. 1609, 2017.

LAROSE, R. et al. Overview and Comparison of Gate Level Quantum Software Platforms. *Quantum*, v. 3, p. 130, 2019.

LLOYD, S.; MOHSENI, M.; REBENTROST, P. Quantum principal component analysis. *Nature Physics*, v. 10, n. 9, p. 631-633, 2014.

LLOYD, S.; WEEDBROOK, C. Quantum generative adversarial learning. *Physical Review Letters*, v. 121, n. 4, p. 040502, 2018.

LO, H.-K.; CURTY, M.; TAMAKI, K. Secure quantum key distribution. *Nature Photonics*, v. 8, n. 8, p. 595-604, 2014.

LORENZ, R. et al. QNLP in Practice: Running Compositional Models of Meaning on a Quantum Computer. *arXiv preprint arXiv:2102.12846*, 2021.

LUBINSKI, T. et al. Application-Oriented Performance Benchmarking for Quantum Computing. *arXiv preprint arXiv:2302.01973*, 2023.

LUDLOW, A. D.; BOYD, M. M.; YE, J. Optical atomic clocks. *Reviews of Modern Physics*, v. 87, n. 2, p. 637-701, 2015.

MARTINIS, J. M. Quantum supremacy using a programmable superconducting processor. *Philosophical Transactions of the Royal Society A*, v. 380, n. 2216, p. 20210048, 2021.

MCCLEAN, J. R. et al. Theory of variational hybrid quantum-classical algorithms. *New Journal of Physics*, v. 18, n. 2, p. 023023, 2016.

MCCLEAN, J. R. et al. Barren plateaus in quantum neural network training landscapes. *Nature Communications*, v. 9, n. 1, p. 4812, 2018.

MCKINSEY & COMPANY. Quantum computing's application potential. 2021.

MCKINSEY & COMPANY. The impending quantum computing transition. 2022.
* (Transição PQC)*. Disponível em: <https://www.mckinsey.com/capabilities/mckinsey-digital/our-insights/the-impending-quantum-computing-transition>. Acesso em: 15 abr. 2025.

MERCK KGaA. Merck KGaA, Darmstadt, Germany, Collaborates with Classiq and PASQAL on Quantum Computing Applications for Chemical Research. Press Release, 2022.

MICROSOFT RESEARCH BLOG. Developing the quantum software stack. 2022.

MILLS, D. et al. What is the Robust Quantum Advantage? *arXiv preprint arXiv:2111.01998*, 2021.

MINISTÉRIO DA CIÊNCIA, TECNOLOGIA E INOVAÇÃO (MCTI) - BRASIL. Iniciativa Brasileira de Tecnologia Quântica (IBrTQ). 2023.

MIT NEWS. Richard Feynman and The Connection Machine. 2011.

MIT TECHNOLOGY REVIEW. Let's get real about quantum computing's timeline. 2023.

MIT TECHNOLOGY REVIEW. Which quantum computer will win? 2022.

MITARAI, K. et al. Quantum circuit learning. *Physical Review A*, v. 98, n. 3, p. 032309, 2018.

MONTANARO, A. Quantum algorithms: an overview. *npj Quantum Information*, v. 2, p. 15023, 2016.

MOSCA, M. Cybersecurity in an era with quantum computers: will we be ready?. *IEEE Security & Privacy*, v. 16, n. 5, p. 14-17, 2018.

MULTIVERSE COMPUTING. Multiverse Computing Collaborates with Bosch to Optimize Spot Welding Process Using Quantum Computing. Press Release, 2023.

MURALIDHARAN, S. et al. Optimal architectures for long distance quantum communication. *Scientific Reports*, v. 6, p. 20463, 2016.

NATIONAL ACADEMIES OF SCIENCES, ENGINEERING, AND MEDICINE. Quantum Computing: Progress and Prospects. Washington, DC: The National Academies Press, 2019.

NATIONAL QUANTUM INITIATIVE ACT. Pub. L. 115-368. U.S. Congress, 2018.

NATURE. Quantum-computing pioneers win Nobel Prize in Physics. 2022.

NATURE. Quantum computational advantage using photons. *Nature*, v. 588, p. 260-264, 2020.

NATURE INDEX. Quantum science takes off in Latin America. 2021.

NATURE NEWS. Quantum error correction is finally here. 2023.

NATURE PHOTONICS. Quantum key distribution over 1,120 kilometres. 2021.

NAYAK, C. et al. Non-Abelian anyons and topological quantum computation. *Reviews of Modern Physics*, v. 80, n. 3, p. 1083-1159, 2008.

NEUKART, F. et al. Traffic flow optimization using a quantum annealer. *Frontiers in ICT*, v. 4, p. 29, 2017.

NIELSEN, M. A.; CHUANG, I. L. Quantum Computation and Quantum Information: 10th Anniversary Edition. Cambridge: Cambridge University Press, 2010.

NIST. Post-Quantum Cryptography. National Institute of Standards and Technology Website. Atualizado em 2024.

NIST NEWS. NIST Announces First Four Quantum-Resistant Cryptographic Algorithms. 2022. * (Seleção PQC)*. Disponível em: <https://www.nist.gov/news-events/news/2022/07/nist-announces-first-four-quantum-resistant-cryptographic-algorithms>. Acesso em: 15 abr. 2025.

OECD - ORGANISATION FOR ECONOMIC CO-OPERATION AND DEVELOPMENT. Quantum Technologies. OECD Policy Responses. 2023. * (Políticas Nacionais)*. Disponível em: <https://www.oecd.org/sti/emerging-tech/quantum-technologies.htm>. Acesso em: 15 abr. 2025.

OLLITRAULT, P. J.; KANDALA, A.; TAVERNELLI, I. Quantum computing for climate change. *arXiv preprint arXiv:2012.02222*, 2020.

ORIGIN QUANTUM. Origin Quantum releases new quantum computing cloud platform, makes progress on quantum chip production line. Global Times, 2024.

ORÚS, R.; MUGEL, S.; LIZASO, E. Quantum computing for finance: Overview and prospects. *Reviews in Physics*, v. 4, p. 100028, 2019.

PENNYLANE. PennyLane Quantum Computing Software. Xanadu. Disponível em: <https://pennylane.ai/>. Acesso em: 15 abr. 2025.

PERDOMO-ORTIZ, A. et al. Opportunities and challenges for quantum-assisted machine learning in near-term quantum computers. *Quantum Science and Technology*, v. 3, n. 3, p. 030502, 2018.

PESAH, A. et al. Absence of barren plateaus in quantum convolutional neural networks. *Physical Review X*, v. 11, n. 4, p. 041011, 2021.

PETZOLD, C. Code: The Hidden Language of Computer Hardware and Software. Redmond, WA: Microsoft Press, 1999.

PHYSICS TODAY. Quantum Computing: A Physics Perspective. 2000.

PHYSICS WORLD. The challenge of quantum computing. 2019.

PIRANDOLA, S. et al. Advances in quantum sensing. *Nature Photonics*, v. 12, n. 12, p. 724-733, 2018.

PITCHBOOK. VC Investment In Quantum Computing Reaches New Heights. 2023.

POMPILI, M. et al. Realization of a multinode quantum network of remote solid-state qubits. *Science*, v. 372, n. 6539, p. 259-264, 2021.

PRAKASH, A. Quantum computation vs. communication complexity. *arXiv preprint arXiv:1405.5760*, 2014.

PRESKILL, J. Quantum Computing in the NISQ era and beyond. *Quantum*, v. 2, p. 79, 2018.

QED-C - QUANTUM ECONOMIC DEVELOPMENT CONSORTIUM. Website. Disponível em: <https://quantumconsortium.org/>. Acesso em: 15 abr. 2025.

QISKIT. Qiskit Quantum Computing Framework. IBM Quantum. Disponível em: <https://qiskit.org/>. Acesso em: 15 abr. 2025.

QUANTINUUM. Quantinuum researchers demonstrate cheminformatics application on H-Series quantum computer. Press Release, 2023.

QUANTUM COMPUTING REPORT. Quantum Computing Talent Shortage – A Growing Concern. 2023.

QUANTUM FLAGSHIP. About the Quantum Flagship. European Commission Website. Acessado em 2023/2024.

QURECA - QUANTUM RESOURCES & CAREERS. Quantum Education & Training. Website. Acessado em 2023.

RAND CORPORATION. The Military Applications of Quantum Computing. 2022.

REBENTROST, P.; MOHSENI, M.; LLOYD, S. Quantum support vector machine for big data classification. *Physical Review Letters*, v. 113, n. 13, p. 130503, 2014.

REIHER, M. et al. Elucidating reaction mechanisms on quantum computers. *Proceedings of the National Academy of Sciences*, v. 114, n. 29, p. 7555-7560, 2017.

RESPONSIBLE QUANTUM. Initiative Website. World Economic Forum. Disponível em: <https://initiatives.weforum.org/responsible-use-of-technology/responsible-quantum>. Acesso em: 15 abr. 2025.

REUTERS. France unveils 1.8 billion euro quantum technology plan. 2021.

RIEDEL, M. F. et al. The landscape of academic and industrial research in quantum technologies. *arXiv preprint arXiv:1909.01930*, 2019.

ROCHE. Roche partners with Cambridge Quantum to accelerate drug discovery using quantum computing. Roche News, 2023.

ROMERO, J. et al. Strategies for quantum computing molecular energies using the unitary coupled cluster ansatz. *arXiv preprint arXiv:1701.02691*, 2017.

S&P GLOBAL. The Quantum Computing Threat to Cybersecurity. 2023. * (Transição PQC)*. Disponível em: <https://www.spglobal.com/marketintelligence/en/news-insights/research/the-quantum-computing-threat-to-cybersecurity>. Acesso em: 15 abr. 2025.

SCARANI, V. et al. The security of practical quantum key distribution. *Reviews of Modern Physics*, v. 81, n. 3, p. 1301-1350, 2009.

SCHLOSSHAUER, M. Decoherence, the measurement problem, and interpretations of quantum mechanics. *Reviews of Modern Physics*, v. 76, n. 4, p. 1267-1305, 2005.

SCHLOSSHAUER, M. Decoherence and the Quantum-to-Classical Transition. Berlin: Springer, 2007.

SCHNEIER, B. Harvesting Attack Data. Schneier on Security Blog, 2021. * (HNDL)*. Disponível em: <https://www.schneier.com/blog/archives/2021/09/harvesting-attack-data.html>. Acesso em: 15 abr. 2025.

SCHULD, M. Quantum machine learning: challenges and opportunities. *Philosophical Transactions of the Royal Society A*, v. 380, n. 2216, p. 20210046, 2021.

SCHULD, M.; KILLORAN, N. Is quantum advantage the right goal for quantum machine learning? *PRX Quantum*, v. 3, n. 3, p. 030101, 2022.

SCHULD, M.; PETRUCCIONE, F. Supervised Learning with Quantum Computers. Cham: Springer, 2018.

SCHULD, M.; SINAYSKIY, I.; PETRUCCIONE, F. An introduction to quantum machine learning. *Contemporary Physics*, v. 56, n. 2, p. 172-185, 2015.

SCIENCE. Strong quantum computational advantage using a superconducting quantum processor. *Science*, v. 373, n. 6562, p. 1473-1477, 2021.

SCIENCE BUSINESS. Quantum research: Balancing national security with international collaboration. 2022.

SHOR, P. W. Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer. *SIAM Journal on Computing*, v. 26, n. 5, p. 1484-1509, 1997.

SIVAK, V. V. et al. Real-time quantum error correction beyond break-even. *Nature*, v. 616, p. 50-55, 2023.

TANG, E. A quantum-inspired classical algorithm for recommendation systems. In: *Proceedings of the 51st Annual ACM SIGACT Symposium on Theory of Computing*. New York: ACM, 2019.

TECHCRUNCH. Quantum startups raised over \$X billion in 2022. 2022.

TERHAL, B. M. Quantum error correction for quantum memories. *Reviews of Modern Physics*, v. 87, n. 2, p. 307-346, 2015.

THE DIPLOMAT. China's Quantum Computing Push. 2023.

THE ECONOMIST. The quantum computing hype cycle is peaking. 2023.

THE ECONOMIST. America and China are in a quantum tech race. 2022.

THE GUARDIAN. Quantum computers could break encryption within five years, scientists warn. 2024.

THE NEW YORK TIMES. The Race to Save Our Secrets From Quantum Hackers. 2022.

THE QUANTUM INSIDER. Global Quantum Computing Market Reports & Forecasts. 2023.

THE REGISTER. Migrating to post-quantum crypto will be the Y2K of our time. 2023. * (Transição PQC)*. Disponível em: https://www.theregister.com/2023/...?/pqc_migration_y2k/. (URL específica do artigo). Acesso em: 15 abr. 2025.

THE VERGE. Inside Google's quest for quantum supremacy. 2021.

THE WALL STREET JOURNAL. China's Quantum Leap. 2021.

THE WALL STREET JOURNAL. U.S. Tightens Curbs on Quantum Computing Exports to China. 2023.

THE WHITE HOUSE. FACT SHEET: Biden-Harris Administration Announces New Actions to Advance National Quantum Initiative. 2022.

THE WHITE HOUSE MEMORANDA. National Security Memorandum on Promoting United States Leadership in Quantum Computing While Mitigating Risks to Vulnerable Cryptographic Systems (NSM-10). 2022. * (Regulação PQC EUA)*. Disponível em: <https://www.whitehouse.gov/briefing-room/presidential-actions/2022/05/04/national-security-memorandum-on-promoting-united-states-leadership-in-quantum-computing-while-mitigating-risks-to-vulnerable-cryptographic-systems/>. Acesso em: 15 abr. 2025.

TOMESH, T.; GOKHALE, P.; CHONG, F. T. Quantum benchmarking: From protocols to applications. *arXiv preprint arXiv:2203.08276*, 2022.

TOSHIBA. Quantum Key Distribution (QKD). Toshiba Website. Acessado em 2023.

UNESCO. Quantum technologies and sustainable development. 2023.

UNITED NATIONS INSTITUTE FOR DISARMAMENT RESEARCH (UNIDIR). Quantum Technologies and International Security. Report, 2021. * (Governança Internacional)*. Disponível em: <https://unidir.org/publication/quantum-technologies-and-international-security>. Acesso em: 15 abr. 2025.

VORONIN, G. L.; SEDYKH, D. A.; MASTIUKOVA, A. S. Quantum Computing for Green Energy Technologies. *Energies*, v. 16, n. 7, p. 3074, 2023.

WENDIN, G. Quantum information processing with superconducting circuits: a review. *Reports on Progress in Physics*, v. 80, n. 10, p. 106001, 2017.

WILSON, C. et al. Optimizing Variational Quantum Algorithms using Pontryagin's Minimum Principle. *arXiv preprint arXiv:2208.04808*, 2022.

WIRED. Quantum Computing Is Coming. What Can It Do? 2022.

WIRED. The WIRED Guide to Post-Quantum Cryptography. 2023.

WITTEK, P. Quantum Machine Learning: What Quantum Computing Means to Data Mining. Cambridge, MA: Academic Press, 2014.

WORLD ECONOMIC FORUM. Quantum Computing Governance Principles. 2022.

XINHUA NEWS AGENCY. China achieves quantum computational advantage. 2020.

ZAPATA COMPUTING. Zapata AI Announces Multi-Year Agreement with BMW Group to Optimize Automotive Production Lines. Press Release, 2023.

ZAPATA COMPUTING & VECTOR INSTITUTE. Generative AI meets quantum computing. 2024.

ZENG, W.; COECKE, B. Quantum algorithms for compositional natural language processing. *arXiv preprint arXiv:1608.01406*, 2016.

ZOUFAL, C.; LUCCHI, A.; WOERNER, S. Quantum Generative Adversarial Networks for learning and loading random distributions. *npj Quantum Information*, v. 5, n. 1, p. 103, 2019.

ZUREK, W. H. Decoherence, einselection, and the quantum origins of the classical. *Reviews of Modern Physics*, v. 75, n. 3, p. 715-775, 2003.