

400.39 KB

100

In our TradingView DOM-scraping engine, the short liquidations metrics ('liquidations_short_15m') for all 18 symbols are showing '0.00' on the terminal dashboard.

The bug occurs due to three interconnected issues:

2. **Legend Extraction Overwriting**:
 "SINGLE_FRAME_EXTRACTION_JS" parses any matching legend with 'fullTextLowerIncludes("liquidation")' and assigns it to 'data.liquidations'. Even if both were loaded, they would overwrite each other instead of populating independent keys.

3. **Array Parsing Fall** ↓ "get_page_live_data" attempts to split 'raw_liq_data.data.get_data.get("liquidations", "")' by space. Since only the Long panel is present, the array length is 1, causing 'liq_s_val' to remain at the default '0.0'.

Please write a targeted patch to:

- injects **Long** and **Short** liquidation indicators independently,
- extracts `liquidations_long` / `liquidations_short` independently from legends,
- removes the fragile `"long short".split()` parsing path from live scrape consumers.

Copy

Copy

Copy

```

        futures_cvd: 'N/A',
        spot_cvd: 'N/A',
        funding_rate: 'N/A',
        open_interest: 'N/A',
        ls_ratio: 'N/A',
        rsi: 'N/A',
        symbol: 'N/A',
        liquidations: 'N/A',
        liquidations_long: 'N/A',
        liquidations_short: 'N/A'
    });

    @@
    } else if (fullTextLower.includes('liquidation')) ||
    fullTextLower.includes('liq_kline')) {
        let values = lines.filter(l => /^[^+]?${[d\.,\s]}+[KMkmbX]?
    $.test(l.replace(/$/g, '-').trim()) || l.includes('â€¦'));
        data.liquidations = values.join(' ').replace(/$/g, '-');
    } else if (fullTextLower.includes('liquidation') ||
    fullTextLower.includes('liq_kline')) {
        const liqValue = extractNumericVal(lines);
        const isLongLiq =
            /\blong\b/.test(fullTextLower) ||
            fullTextLower.includes('liq long') ||
            fullTextLower.includes('long liquidation');
        const isShortLiq =
            /\bshort\b/.test(fullTextLower) ||
            fullTextLower.includes('liq short') ||
            fullTextLower.includes('short liquidation');
        if (isLongLiq && !isShortLiq) {
            data.liquidations_long = liqValue;
        } else if (isShortLiq && !isLongLiq) {
            data.liquidations_short = liqValue;
        } else {
            // Backward-compatible fallback for any combined liquidation legend.
            let values = lines
                .map(l => l.replace(/$/g, '-').replace(/u2212/g, '-'))
                .replace(/u00a0/g, ' ').trim()
                .filter(l =>
                    l.includes('â€¦') ||
                    l.includes('0') ||
                    /^[^+]?${[d\.,\s]}+[KMkmbX]?$/i.test(l.replace(/$/g, '-'))
                )
                .map(l => (l.includes('â€¦') || l.includes('0')) ? '0' :
                    l.replace(/$/g, '-'));
            if (values.length >= 1) data.liquidations_long = values[0];
            if (values.length >= 2) data.liquidations_short = values[1];
        }
    } else if (fullTextLower.includes('funding')) {
        data.funding_rate = extractNumericVal(lines);
    }
}

```

Copy

Now patch `get_page_live_data()` to consume the new fields directly:

```

    @@
    - liq_l_val = 0.0
    - liq_s_val = 0.0
    - raw_liq = dom_data.get("liquidations", "")
    - if raw_liq and raw_liq != "N/A":
    -     parts = str(raw_liq).split()
    -     if len(parts) >= 2:
    -         liq_l_val = parse_value_to_float(parts[0])
    -         liq_s_val = parse_value_to_float(parts[1])
    -     elif len(parts) == 1:
    -         liq_l_val = parse_value_to_float(parts[0])
    + liq_l_val = parse_value_to_float(dom_data.get("liquidations_long", 0.0))
    + liq_s_val = parse_value_to_float(dom_data.get("liquidations_short", 0.0))

```

Copy

Because `SINGLE_FRAME_EXTRACTION_JS` is also used by dynamic seeding and the initial `get_live_data()` path, mirror the same direct-read change in those two existing consumers too.

In the seeding loop inside `CoinglassScraper.connect()`:

```

    @@
    - raw_liq = d.get("liquidations")
    - liq_l_str = "0"
    - liq_s_str = "0"
    - if raw_liq and raw_liq != "N/A":
    -     parts = raw_liq.split()
    -     if len(parts) == 2:
    -         liq_l_str, liq_s_str = parts[0], parts[1]
    -     elif len(parts) == 1:
    -         liq_l_str = parts[0]
    -     liq_l_val = parse_value_to_float(liq_l_str)
    -     liq_s_val = parse_value_to_float(liq_s_str)
    + liq_l_val = parse_value_to_float(d.get("liquidations_long",
    0.0))
    + liq_s_val =
    parse_value_to_float(d.get("liquidations_short", 0.0))

```

Copy

And in `get_live_data()`:

```

    @@
    - # liquidations from DOM
    - liq_l_val = 0.0
    - liq_s_val = 0.0
    - raw_liq = dom_data.get("liquidations", "")
    - if raw_liq and raw_liq != "N/A":
    -     parts = str(raw_liq).split()
    -     if len(parts) >= 2:
    -         liq_l_val = parse_value_to_float(parts[0])
    -         liq_s_val = parse_value_to_float(parts[1])
    -     elif len(parts) == 1:
    -         liq_l_val = parse_value_to_float(parts[0])
    + # liquidations from DOM, extracted from separate Long/Short legends.
    + liq_l_val = parse_value_to_float(dom_data.get("liquidations_long", 0.0))
    + liq_s_val = parse_value_to_float(dom_data.get("liquidations_short", 0.0))

```

Copy

Important: after applying this patch, rerun indicator setup at least once so existing layouts actually get the missing Short liquidation panel injected. For already-configured symbols, this is enough:

```
python Unified_Engine_3.py --skip-chrome --skip-login --skip-config --skip-seeding
```

Copy

Do **not** use `--skip-setup` or `--skip-indicators` for that first run, otherwise the new "Aggregated Liquidations (Long+Short)" indicator will not be added to the charts.

Equations: Short indicator will not be added to the chain.



Your credit balance is negative. This run was stopped. Please top up to continue. [upgrade](#)

AI Chat

Genspark vs ChatGPT vs Claude →

Ask anything, create anything



GPT-5.5 Pro

