


P1. One store, two writer lanes, one contract

Debug Console uploads and perfest push write the same SQL Server projection. Files remain ground truth; central is shared evidence.


Central observability - reviewed design
dev/query branches, July 2026



P2. Contract and ingest protocol

The anti-drift mechanism is the contract: both writers project fixtures to the same rows before any feature UI exists.

sources writers policy/contract store readers CI/automation



Preview is not an estimator. It is the policy-filtered projection in dry-run mode: table row counts, dropped and digested field counts, bytes, policy id, content digest, projection digest, and warnings. Upload fails if committed counts diverge from preview.


No broad writer table writes. Writers call stored procedures such as `central.usp_begin_upload`, `central.usp_stage_upload_item`, and `central.usp_commit_upload`. The procedures own idempotency, locks, refusal, reprojection, and ledger evidence.

P3. Store model: batches, items, entities, and kind tables

The draft ledger becomes a stronger ingest spine: attempts are batches; current truth is an entity; analysis lives in kind-specific tables.

Central observability - reviewed design
dev/query branches, July 2026

sources writers policy/contract store readers CI/automation




P4. Privacy and upload policy gate

Capture policy controls local collection. Upload policy controls exfiltration. The boundary filters again, and the preview shows the evidence.

Central observability - reviewed design
dev/query branches, July 2026

sources writers policy/contract store readers CI/automation



team-default.v1 keeps
public, system.metadata, diagnostic.metadata, result.shape, sql.digest

team-default.v1 digests
source.path, server.name, database.name, schema.name, object.name, selected user.text

team-default.v1 drops or refuses
drop: sql.text, row.data, connection.string, token, model.prompt, model.response, unknown refuse always: secret


Preview contract: source summary, row counts by table, policy id, content digest, projection digest, field-class drop/digest/refusal counts, warnings, and byte estimate. The same projection path uploads the rows after user confirmation.

Canaries: SQL, rows, connection strings, passwords, bearer tokens, prompts, model responses, paths, machine labels, and names are seeded into fixtures. Tests scan preview JSON, logs, diagnostics, and database rows.


P5. Writer lanes and failure semantics

The CLI and product writers use different transports but the same projection. Central failure is visible evidence, never data loss.

sources writers policy/contract store readers CI/automation



Target comes from a saved profile or `mssql.centralobservability.targetProfileId`. Upload is segment streamed and cancellable at item boundaries. Re-run resumes idempotently through batch/item/entity state. Receipt returns batch id, outcome, rows, policy, and digests.



CI publish rule: run local gates -> fail job on gate exit codes -> upload run directory as artifact -> `perftest push` continue-on-error -> job summary includes central receipt or central failure. A dead central DB cannot make a good local gate fail.


Do not default to MERGE. Commit procedures use transactions, uniqueness constraints, and entity-key locks. Duplicate, reprojected, refused, failed, and purged are explicit outcomes, not side effects.

P6. Readers, operations, and retention

The central store is useful only if it is queryable, safe to operate, and honest about empty/error/filtered states.

Central observability - reviewed design
dev/query branches, July 2026

sources writers policy/contract store readers CI/automation




Reader state honesty: no data, filtered data, permission denied, ingestion failed, upload policy dropped, and truly empty are separate UI states. Dashboards and product providers read stable views and iTVFs instead of hand-joining base tables.

P7. Build plan and review decisions

Start with C0 contract/schema. Product UI upload waits until projection fixtures and central DDL are green.

Central observability - reviewed design
dev/query branches, July 2026

sources writers policy/contract store readers CI/automation



C0 gates: fresh DB creates; migrations replay; both repos project golden fixtures to identical rows; privacy canaries pass; central health view works; official metric view parity vs local SQLite fixture.

Decisions to ratify: SQL Server store; perf-contracts owns schema; writers use stored procs; no default MERGE; global natural key; digest drift refused; default policy drops SQL/rows/prompts; CI-only baselines; retention windows; host-ing/auth target.

Risk board: two-writer drift, diag event volume, privacy leaks through preview/status, dogfooder auth friction, central outage, schema evolution, baseline mutation, cross-machine timing misuse, heavy artifact bloat.