

NYJ at CHI · Sunday 2026-10-04 13:00 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. $n \geq 10$. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: NYJ +3.5 / CHI -3.5, total 43.5. Trip: NYJ → CHI 717 mi, 1 time zone west. Rest: NYJ 7 days, CHI 6 days. Roof: outdoors.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	NYJ	A at TEN	23–10	+1.5	cover	367	152	+9.8	+8.1	-7.1	0.48	0
2	NYJ	H vs GB	17–20	+3.5	cover	314	67	+4.3	-6.5	-8.6	0.38	0
3	NYJ	A at DET	24–31	+7.0	push	379	58	+10.9	+7.1	+12.6	0.45	1
1	CHI	A at CAR	59–37	-3.0	cover	560	291	+18.6	+27.0	+8.8	0.53	1
2	CHI	H vs MIN	3–9	-4.5	miss	326	134	-3.9	-10.1	-3.8	0.32	2
3	CHI	H vs PHI	27–7	+3.5	cover	375	128	+7.3	+9.4	-13.9	0.51	0

Last game EPA (PBP): NYJ off +7.1, def allowed +12.6, net -5.5, SR 0.45. CHI off +9.4, def allowed -13.9, net +23.3, SR 0.51. Records: NYJ 1–2, CHI 2–1. ATS: NYJ 2–0, CHI 2–1.

2. Lookahead and rest

- NYJ: last played week 3 (Sunday early window, road, lost by 7). 7 days rest. Week 5: home vs CLE, non-division, Sunday early window.
- CHI: last played week 3 (Monday night, home, won by 20). 6 days rest. Week 5: road vs GB, division, Sunday early window.

3. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: no
- off a 20-point win: applies to CHI
- 2nd straight home game: applies to CHI
- 2nd straight road game: applies to NYJ
- bye next week: no
- off a bye: no
- scored ≤ 10 last: no
- short week: no
- trip ≥ 1000 mi: no
- TO ≥ 3 last: no
- undefeated entering: no
- winless entering: no

4. Stack, without double-counting

Header per chair is the walk-forward record: traits picked by max parent-minus-child gap on seasons before N at $n \geq 10$, printed on season N, N = 2019–2025, pooled. Every printed game is out of sample. The full-window stack (picked on all seasons at $n \geq 20$) and its diagnostics sit in the block below it. Same gate on every slot.

Chairs are built on different conditioning sets — read the second as a cross-check on the first, not a second sample.

- **CHI -3.5** — one population: Sunday early window home fav -3.5 to -6.5; off an upset win as dog. Not added (no gap with $n \geq 20$ left): off a win, off a win by 14+, off a win by 20+, off a cover, off a prime-time game, off a home game, 2nd straight home game, scored 27–33 last...
- **Walk-forward 3–4 (42.9%, n=7)** — picked on seasons before N, printed on N, 2019–25. By year: 19:1-2 20:0-1 21:0-0 22:0-1 23:1-0 24:0-0 25:1-0. OOS cover margin median -1.0, $P(>+7)$ 0.29, $P(<-7)$ 0.43. Traits picked in ≥ 4 of 7 folds: Sunday early window home fav -3.5 to -6.5 (7/7), off an upset win as dog (6/7), allowed ≤ 21 last (5/7).
- Full-window stack (picked on all seasons): Sunday early window home fav -3.5 to -6.5; off an upset win as dog. ATS 14–6 (70.0%, n=20).
- By season: 15:3-1 16:1-0 17:2-1 18:2-0 19:1-2 20:2-0 22:0-1 23:1-0 25:2-1
- Cover margin: median +3.0, q25/q75 -7.0/+9.2; $P(>+7)$ 0.40, $P(<-7)$ 0.25
- Parent minus child: without 'off an upset win as dog': 50–50–1 (50.0%, n=101), the games it removed: 36–44–1 (45.0%, n=81)
- Anchor alone 50–50–1 (50.0%, n=101); anchor minus stack 36–44–1 (45.0%, n=81)
- Stack by line bucket: -3.5 to -6.5 14–6 (70.0%, n=20)

- Contrary cross: scored 27–33 last: 9–17 (34.6%, n=26) → in stack 3–3 (50.0%, n=6) | 0 turnovers last: 14–19–1 (42.4%, n=34) → in stack 7–4 (63.6%, n=11) | next opponent is a favorite over them (n_line>0): 25–30 (45.5%, n=55) → in stack 8–5 (61.5%, n=13) | off a win, opponent off a loss: 11–13 (45.8%, n=24) → in stack 7–3 (70.0%, n=10)
- **NYJ +3.5** — one population: Sunday early window road dog +3.5 to +6.5; off a road game; trip 200–1000 mi. Not added (no gap with n ≥ 20 left): 1 time zone, off a loss, off a 1-score loss, off a loss as dog, 2nd straight road game, allowed ≥27 last, allowed ≥30 last, rush yards ≤75 last...
- **Walk-forward 4–2 (66.7%, n=6)** — picked on seasons before N, printed on N, 2019–25. By year: 19:1-0 20:1-0 21:0-0 22:0-1 23:0-1 24:1-0 25:1-0. OOS cover margin median +3.0, P(>+7) 0.33, P(<-7) 0.17. Traits picked in ≥4 of 7 folds: Sunday early window road dog +3.5 to +6.5 (7/7), off a road game (6/7), allowed ≥27 last (4/7).
- Full-window stack (picked on all seasons): Sunday early window road dog +3.5 to +6.5; off a road game; trip 200–1000 mi. ATS 14–7 (66.7%, n=21).
- By season: 15:3-2 16:2-0 17:1-0 18:2-2 19:2-0 20:1-1 21:1-1 22:0-1 23:1-0 24:1-0
- Cover margin: median +4.5, q25/q75 -3.5/+10.0; P(>+7) 0.43, P(<-7) 0.19
- Parent minus child: without 'off a road game': 36–30–1 (54.5%, n=67), the games it removed: 22–23–1 (48.9%, n=46) | without 'trip 200–1000 mi': 18–12 (60.0%, n=30), the games it removed: 4–5 (44.4%, n=9)
- Anchor alone 50–50–1 (50.0%, n=101); anchor minus stack 36–43–1 (45.6%, n=80)
- Stack by line bucket: +3.5 to +6.5 14–7 (66.7%, n=21)
- Contrary cross: opponent off a win: 23–30–1 (43.4%, n=54) → in stack 7–6 (53.8%, n=13) | opponent off a cover: 24–30–1 (44.4%, n=55) → in stack 4–6 (40.0%, n=10) | TO ≤1 last: 29–34–1 (46.0%, n=64) → in stack 10–5 (66.7%, n=15) | off a 1-score loss: 14–16 (46.7%, n=30) → in stack 5–2 (71.4%, n=7)
- **Total 43.5** — tightest full-window cut clearing n = 20: Sunday early window — O–U 267–249–5 (51.7%, n=521).
- By season (O–U): 15:27-22 16:28-19 17:20-25 18:25-20 19:25-24 20:24-21 21:24-24 22:22-29 23:18-29 24:29-16 25:25-20
- Total margin (points – line): median +1.0, q25/q75 -7.5/+9.5; P(>+7) 0.31, P(<-7) 0.25
- **Walk-forward 171–193 in the training cut's direction (47.0%, n=368; raw O–U 186–178–4)** — cut chosen on seasons before N, printed on N; O/U after each year is the direction the training cut pointed. By year: 19:18-21O 20:24-21-2O 21:24-24O 22:22-29O 23:23-40-1U 24:39-23-1U 25:36-20U. OOS total margin median +0.5. Cuts picked: Sunday early window (3/7), outdoors (3/7), Sunday early window, outdoors (1/7).
- By total band: ≤39 10–18–1 (n=29); 40–44 107–105–1 (n=213); 45–49 106–90–1 (n=197); ≥50 36–30–2 (n=68)

Appendix A. Sides — CHI –3.5

CHI (home favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
home favorite	265–294–16	47.4%	575
Sunday early window home favorite	145–150–10	49.2%	305
home fav –3.5 to –6.5	91–101–2	47.4%	194
Sunday early window fav –3.5 to –6.5	80–82–1	49.4%	163
Sunday early window home fav –3.5 to –6.5	50–50–1	50.0%	101

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
scored 27–33 last, home fav –3.5 to –6.5	18–32	36.0%	50
off an upset win as dog, home fav –3.5 to –6.5	23–12	65.7%	35
off an upset win as dog, Sunday early window home fav –3.5 to –6.5	14–6	70.0%	20
next game is division, Sunday early window home fav –3.5 to –6.5	20–11	64.5%	31
scored 27–33 last, Sunday early window home fav –3.5 to –6.5	9–17	34.6%	26
2nd straight home game, home favorite	75–94–4	44.4%	173
off a win by 20+, Sunday early window fav –3.5 to –6.5	6–12	33.3%	18
off an upset win as dog, Sunday early window home favorite	31–21–3	59.6%	55
next opponent is a favorite over them (n_line>0), home favorite	116–138–5	45.7%	259
next game is road, home favorite	179–206–8	46.5%	393
opponent off a loss, home fav –3.5 to –6.5	40–53	43.0%	93
off an upset win as dog, home favorite	56–43–4	56.6%	103
scored 27–33 last, Sunday early window home favorite	33–44–2	42.9%	79
scored 27–33 last, home favorite	67–81–3	45.3%	151

Cut	ATS	Pct	n
opponent off a loss, home favorite	142–162–7	46.7%	311
net EPA $\geq +10$ last, Sunday early window home fav -3.5 to -6.5	17–11–1	60.7%	29
off a cover, Sunday early window home favorite	86–72–5	54.4%	163
next opponent is a favorite over them ($n_line > 0$), home fav -3.5 to -6.5	44–55–1	44.4%	100
outdoors, home favorite	186–207–12	47.3%	405
0 turnovers last, Sunday early window fav -3.5 to -6.5	19–26–1	42.2%	46
off a home game, home fav -3.5 to -6.5	26–34–1	43.3%	61
off a win, Sunday early window home favorite	90–77–7	53.9%	174
off a win by 14+, home fav -3.5 to -6.5	21–15–1	58.3%	37
def EPA allowed ≤ -10 last, Sunday early window fav -3.5 to -6.5	15–21–1	41.7%	37
next opponent is a favorite over them ($n_line > 0$), Sunday early window home favorite	69–81–2	46.0%	152
off EPA $\geq +8$ last, Sunday early window home favorite	58–48–4	54.7%	110
next game is division, home favorite	84–97–1	46.4%	182
off an upset win as dog, Sunday early window fav -3.5 to -6.5	16–11	59.3%	27

Wide populations ($n \geq 300$): next game is road, home favorite, opponent off a loss, home favorite, outdoors, home favorite. They describe the spot, they do not select this game.

Appendix B. Sides — NYJ +3.5

Mirror of the chair above. Same games, other side.

NYJ (road dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
road dog	294–265–16	52.6%	575
Sunday early window road dog	150–145–10	50.8%	305
road dog +3.5 to +6.5	101–91–2	52.6%	194
Sunday early window dog +3.5 to +6.5	82–80–1	50.6%	163
Sunday early window road dog +3.5 to +6.5	50–50–1	50.0%	101

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
trip 200–1000 mi, road dog	179–135–6	57.0%	320
pass EPA $\geq +10$ last, Sunday early window road dog	38–21–2	64.4%	61
pass EPA $\geq +10$ last, road dog	61–39–2	61.0%	102
trip 200–1000 mi, Sunday early window road dog	107–81–3	56.9%	191
allowed ≥ 30 last, road dog +3.5 to +6.5	29–17–2	63.0%	48
lost last despite off EPA $\geq +1$, road dog	44–30–2	59.5%	76
allowed ≥ 30 last, Sunday early window dog +3.5 to +6.5	30–19–1	61.2%	50
off a 1-score loss, road dog	88–69–5	56.1%	162
TO ≤ 1 last, road dog	177–150–7	54.1%	334
opponent off a win by 20+, Sunday early window dog +3.5 to +6.5	12–6	66.7%	18
off a loss, road dog +3.5 to +6.5	53–40	57.0%	93
trip 200–1000 mi, road dog +3.5 to +6.5	63–49–1	56.2%	113
def EPA allowed $\geq +10$ last, road dog +3.5 to +6.5	24–16–1	60.0%	41
pass EPA $\geq +10$ last, Sunday early window dog +3.5 to +6.5	19–12–1	61.3%	32
allowed ≥ 27 last, Sunday early window dog +3.5 to +6.5	34–25–1	57.6%	60
off a loss, road dog	162–142–7	53.3%	311
opponent off a cover, Sunday early window road dog	72–86–5	45.6%	163
2nd straight road game, Sunday early window road dog +3.5 to +6.5	18–12	60.0%	30

Cut	ATS	Pct	n
outdoors, road dog	207–186–12	52.7%	405
off a 1-score loss, road dog +3.5 to +6.5	34–26	56.7%	60
opponent off a win, Sunday early window road dog	77–90–7	46.1%	174
allowed ≥ 27 last, road dog +3.5 to +6.5	37–29–2	56.1%	68
opponent off a win, Sunday early window road dog +3.5 to +6.5	23–30–1	43.4%	54
off a loss as dog, Sunday early window road dog	51–61–2	45.5%	114
lost last despite off EPA $\geq +1$, road dog +3.5 to +6.5	17–12	58.6%	29
off a loss, opponent off a win, Sunday early window dog +3.5 to +6.5	25–19	56.8%	44
lost last despite off EPA $\geq +1$, Sunday early window dog +3.5 to +6.5	14–10	58.3%	24
opponent off a cover, Sunday early window road dog +3.5 to +6.5	24–30–1	44.4%	55

Wide populations ($n \geq 300$): trip 200–1000 mi, road dog, TO ≤ 1 last, road dog, off a loss, road dog, outdoors, road dog. They describe the spot, they do not select this game.

Appendix C. Total 43.5 — $n \geq 10$ cuts

Cut	Over–Under	Over pct	n
Sunday early window	267–249–5	51.7%	521
Sunday early window, outdoors	202–193–5	51.1%	400
outdoors	343–350–7	49.5%	700
outdoors, total 40–44	141–137–2	50.7%	280
total 40–44	179–183–2	49.4%	364
Sunday early window, total 40–44	107–105–1	50.5%	213
Sunday early window, outdoors, total 40–44	85–85–1	50.0%	171

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015–2026 (yards, pass EPA, TO), play_by_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).