

ATL at NO · Monday 2026-10-05 20:15 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. $n \geq 10$. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: ATL +2.5 / NO -2.5, total 47.5. Trip: ATL → NO 425 mi, 1 time zone west. Rest: ATL 11 days, NO 8 days. Roof: dome.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	ATL	A at PIT	13–20	+6.5	miss	263	120	-15.8	-21.5	-16.3	0.37	2
2	ATL	H vs CAR	3–34	+2.5	miss	302	157	-25.1	-33.5	+2.3	0.35	5
3	ATL	A at GB	35–14	+4.5	cover	498	242	+9.5	+22.9	+1.8	0.64	1
1	NO	A at DET	30–31	+7.0	cover	501	91	-1.0	+1.7	-2.1	0.44	3
2	NO	A at BAL	24–17	+8.5	cover	317	65	+10.9	+9.1	+5.6	0.45	0
3	NO	H vs LV	27–35	-3.5	miss	403	148	-3.6	-5.3	+9.9	0.54	4

Last game EPA (PBP): ATL off +22.9, def allowed +1.8, net +21.0, SR 0.64. NO off -5.3, def allowed +9.9, net -15.2, SR 0.54. Records: ATL 1–2, NO 1–2. ATS: ATL 1–2, NO 2–1.

2. Lookahead and rest

- ATL: last played week 3 (Thursday night, road, won by 21). 11 days rest. Week 5: home vs BAL, non-division, Sunday night.
- NO: last played week 3 (Sunday late window, home, lost by 8). 8 days rest. Week 5: home vs MIN, non-division, Sunday early window.

3. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: no
- off a 20-point win: applies to ATL
- 2nd straight home game: applies to NO
- 2nd straight road game: applies to ATL
- bye next week: no
- off a bye: no
- scored ≤ 10 last: no
- short week: no
- trip ≥ 1000 mi: no
- TO ≥ 3 last: applies to NO
- undefeated entering: no
- winless entering: no

4. Stack, without double-counting

Header per chair is the walk-forward record: traits picked by max parent-minus-child gap on seasons before N at $n \geq 10$, printed on season N, N = 2019–2025, pooled. Every printed game is out of sample. The full-window stack (picked on all seasons at $n \geq 20$) and its diagnostics sit in the block below it. Same gate on every slot.

Chairs are built on different conditioning sets — read the second as a cross-check on the first, not a second sample.

- NO -2.5** — one population: Monday night home favorite; next game is home. Not added (no gap with $n \geq 20$ left): rest deficit ≥ 3 days, off a loss, off a 1-score loss, off an ATS miss, off a loss as favorite, off a home game, 2nd straight home game, scored 27–33 last....
- Walk-forward 6–5 (54.5%, n=11)** — picked on seasons before N, printed on N, 2019–25. By year: 19:2-0 20:0-0 21:1-2 22:1-1 23:0-0 24:1-2 25:1-0. OOS cover margin median +2.0, $P(>+7)$ 0.36, $P(<-7)$ 0.18. Traits picked in ≥ 4 of 7 folds: Monday night home favorite (4/7).
- Full-window stack (picked on all seasons): Monday night home favorite; next game is home. ATS 9–11 (45.0%, n=20).
- By season: 15:0-2 16:3-0 17:1-0 19:1-2 20:1-1 21:1-3 22:0-2 23:1-0 24:0-1 25:1-0
- Cover margin: median -0.8, q25/q75 -3.2/+9.1; $P(>+7)$ 0.35, $P(<-7)$ 0.05
- Parent minus child: without 'next game is home': 27–23 (54.0%, n=50), the games it removed: 18–12 (60.0%, n=30)
- Anchor alone 27–23 (54.0%, n=50); anchor minus stack 18–12 (60.0%, n=30)
- Stack by line bucket: -1 to -3 2–0 (100.0%, n=2); -3.5 to -6.5 4–4 (50.0%, n=8); -7 to -9.5 3–5 (37.5%, n=8); -10 or more 0–2 (0.0%, n=2)

- Contrary cross: allowed ≥ 27 last: 5–11 (31.2%, n=16) → in stack 1–5 (16.7%, n=6) | rest deficit ≥ 3 days: 3–7 (30.0%, n=10) → in stack 1–2 (33.3%, n=3) | next game is home non-division: 4–8 (33.3%, n=12) → in stack 4–8 (33.3%, n=12) | off yards ≥ 400 last: 6–10 (37.5%, n=16) → in stack 1–5 (16.7%, n=6)
- ATL +2.5** — one population: Monday night road dog; next opponent is a favorite over them ($n_{line} > 0$); next game is home. Not added (no gap with $n \geq 20$ left): long rest (≥ 10 days), rest edge ≥ 3 days, trip 200–1000 mi, 1 time zone, off a win, off a win by 14+, off a win by 20+, off a cover....
- Walk-forward 8–5 (61.5%, n=13)** — picked on seasons before N, printed on N, 2019–25. By year: 19:2-0 20:1-1 21:2-1 22:1-1 23:0-0 24:2-1 25:0-1. OOS cover margin median +1.5, $P(>+7)$ 0.23, $P(<-7)$ 0.23. Traits picked in ≥ 4 of 7 folds: Monday night road dog (4/7).
- Full-window stack (picked on all seasons): Monday night road dog; next opponent is a favorite over them ($n_{line} > 0$); next game is home. ATS 13–8 (61.9%, n=21).
- By season: 15:3-0 17:0-2 18:3-1 19:2-0 20:1-1 21:2-0 22:1-0 24:1-2 25:0-2
- Cover margin: median +1.5, q25/q75 -7.0/+6.0; $P(>+7)$ 0.19, $P(<-7)$ 0.24
- Parent minus child: without 'next opponent is a favorite over them ($n_{line} > 0$)': 19–22 (46.3%, n=41), the games it removed: 6–14 (30.0%, n=20) | without 'next game is home': 17–12 (58.6%, n=29), the games it removed: 4–4 (50.0%, n=8)
- Anchor alone 23–27 (46.0%, n=50); anchor minus stack 10–19 (34.5%, n=29)
- Stack by line bucket: +1 to +3 1–0 (100.0%, n=1); +3.5 to +6.5 6–5 (54.5%, n=11); +7 to +9.5 3–2 (60.0%, n=5); +10 or more 3–1 (75.0%, n=4)
- Contrary cross: off a win: 5–14 (26.3%, n=19) → in stack 2–4 (33.3%, n=6) | 2nd straight road game: 6–12 (33.3%, n=18) → in stack 2–4 (33.3%, n=6) | off a road game: 6–12 (33.3%, n=18) → in stack 2–4 (33.3%, n=6) | net EPA $\geq +10$ last: 4–9 (30.8%, n=13) → in stack 2–2 (50.0%, n=4)
- Total 47.5** — tightest full-window cut clearing $n = 20$: Monday night, dome — O–U 4–16 (20.0%, n=20).
- By season (O–U): 15:0-1 16:0-2 18:2-0 20:1-2 21:0-1 22:0-2 23:0-4 24:1-1 25:0-3
- Total margin (points – line): median -9.0, q25/q75 -11.6/-5.5; $P(>+7)$ 0.15, $P(<-7)$ 0.60
- Walk-forward 31–31 in the training cut's direction (50.0%, n=66; raw O–U 23–39–4)** — cut chosen on seasons before N, printed on N; O/U after each year is the direction the training cut pointed. By year: 19:0-10 20:10-17-30 21:3-3U 22:8-8-10 23:0-6U 24:2-1U 25:0-3U. OOS total margin median -4.2. Cuts picked: Monday night (2/7), both teams went over last week, both scored 27+ last week, total 45–49 (1/7), line within 3 (1/7), line within 3, total 45–49 (1/7), Monday night, line within 3 (1/7), Monday night, dome (1/7).
- By total band: 40–44 1–4 (n=5); 45–49 2–8 (n=10); ≥ 50 1–4 (n=5)

Appendix A. Sides — NO –2.5

NO (home favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
home favorite	265–294–16	47.4%	575
Monday night home favorite	27–23	54.0%	50
division home favorite	74–84–5	46.8%	163
home fav –1 to –3	85–100–9	45.9%	194
division home fav –1 to –3	26–30–2	46.4%	58
Monday night division home favorite	8–4	66.7%	12
Monday night fav –1 to –3	11–4	73.3%	15

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
allowed ≥ 27 last, home favorite	84–123–6	40.6%	213
allowed ≥ 30 last, home fav –1 to –3	17–34–2	33.3%	53
allowed ≥ 27 last, home fav –1 to –3	28–48–3	36.8%	79
rest deficit ≥ 3 days, Monday night	8–20	28.6%	28
off EPA ≤ -1 last, Monday night home favorite	13–4	76.5%	17
allowed ≥ 30 last, home favorite	57–82–3	41.0%	142
rest deficit ≥ 3 days, home favorite	36–56	39.1%	92
scored 27–33 last, division home fav –1 to –3	5–14	26.3%	19
opponent off a win, Monday night home favorite	14–5	73.7%	19
allowed ≥ 27 last, division home favorite	23–39–3	37.1%	65
off an ATS miss, home favorite	112–144–8	43.8%	264
off a 1-score loss, home favorite	61–84–3	42.1%	148

Cut	ATS	Pct	n
off a 1-score loss, Monday night	26–14	65.0%	40
off a loss, home favorite	111–141–6	44.0%	258
off a loss, opponent off a win, division home favorite	7–16–1	30.4%	24
off EPA ≤ -1 last, Monday night	35–21	62.5%	56
off a loss, opponent off a win, home favorite	44–63–2	41.1%	109
TO ≥ 3 last, home favorite	28–43–3	39.4%	74
off a 1-score loss, home fav -1 to -3	21–34–2	38.2%	57
scored 27–33 last, home fav -1 to -3	18–30–1	37.5%	49
off a 1-score loss, Monday night home favorite	9–3	75.0%	12
off a loss, home fav -1 to -3	40–57–5	41.2%	102
off a home game, division home fav -1 to -3	4–10	28.6%	14
opponent off a win by 20+, home fav -1 to -3	10–18–1	35.7%	29
allowed ≥ 27 last, Monday night home favorite	5–11	31.2%	16
off an ATS miss, home fav -1 to -3	38–52–6	42.2%	96
2nd straight home game, home favorite	75–94–4	44.4%	173
off a loss, opponent off a win, home fav -1 to -3	19–29–2	39.6%	50

Appendix B. Sides — ATL +2.5

Mirror of the chair above. Same games, other side.

ATL (road dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
road dog	294–265–16	52.6%	575
Monday night road dog	23–27	46.0%	50
division road dog	84–74–5	53.2%	163
road dog +1 to +3	100–85–9	54.1%	194
division road dog +1 to +3	30–26–2	53.6%	58
Monday night division road dog	4–8	33.3%	12
Monday night dog +1 to +3	4–11	26.7%	15

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
trip 200–1000 mi, division road dog	72–42–2	63.2%	116
off a prime-time game, Monday night	27–10	73.0%	37
off EPA $\geq +8$ last, road dog +1 to +3	40–19	67.8%	59
trip 200–1000 mi, road dog	179–135–6	57.0%	320
TO ≤ 1 last, road dog +1 to +3	75–49–5	60.5%	129
rest edge ≥ 3 days, Monday night	20–8	71.4%	28
long rest (≥ 10 days), Monday night	21–9	70.0%	30
next game is prime time, road dog	58–37–2	61.1%	97
trip 200–1000 mi, road dog +1 to +3	64–42–3	60.4%	109
next game is prime time, division road dog	19–8–1	70.4%	28
rest edge ≥ 3 days, road dog	56–36	60.9%	92
off a win, Monday night road dog	5–14	26.3%	19
long rest (≥ 10 days), road dog	59–39–1	60.2%	99
off EPA $\geq +8$ last, road dog	77–54–1	58.8%	132
opponent off an ATS miss, road dog	144–112–8	56.2%	264
scored ≥ 30 last, road dog +1 to +3	34–20–2	63.0%	56

Cut	ATS	Pct	n
opponent off a loss, road dog	141–111–6	56.0%	258
off a win, opponent off a loss, division road dog	16–7–1	69.6%	24
off a win, opponent off a loss, road dog	63–44–2	58.9%	109
off a win by 14+, road dog +1 to +3	28–16–1	63.6%	45
next game is prime time, road dog +1 to +3	24–13	64.9%	37
net EPA ≥ +10 last, road dog +1 to +3	34–21–1	61.8%	56
opponent off a loss, road dog +1 to +3	57–40–5	58.8%	102
TO ≤1 last, division road dog +1 to +3	22–12–1	64.7%	35
2nd straight road game, Monday night	10–19	34.5%	29
off a prime-time game, road dog	64–47–5	57.7%	116
next game is home non-division, division road dog +1 to +3	9–17–1	34.6%	27
scored ≥30 last, road dog	75–57–5	56.8%	137

Wide populations (n ≥ 300): trip 200–1000 mi, road dog. They describe the spot, they do not select this game.

Appendix C. Total 47.5 — n ≥ 10 cuts

Cut	Over–Under	Over pct	n
Monday night, dome	4–16	20.0%	20
Monday night, dome, total 45–49	2–8	20.0%	10
Monday night, total ≥47	9–19	32.1%	28
Monday night	28–44–1	38.9%	73
both teams went over last week, total ≥47	44–58–1	43.1%	103
dome, both teams went over last week, total ≥47	12–19–1	38.7%	32
line within 3, total 45–49	75–61–1	55.1%	137
both teams went over last week, total 45–49	57–45	55.9%	102
Monday night, total 45–49	11–17–1	39.3%	29
line within 3, both scored 27+ last week, total 45–49	12–18	40.0%	30
Monday night, line within 3	5–9–1	35.7%	15
division game, both teams went over last week, total ≥47	13–19	40.6%	32
division game, line within 3	54–65–3	45.4%	122
line within 3, both scored 27+ last week	28–36–1	43.8%	65
division game, both teams went over last week	29–37	43.9%	66
line within 3, both scored 27+ last week, total ≥47	16–22–1	42.1%	39
both teams went over last week, both scored 27+ last week, total 45–49	21–16	56.8%	37
line within 3, both teams went over last week, total ≥47	18–23–1	43.9%	42
division game, both teams went over last week, total 45–49	12–16	42.9%	28
division game, both scored 27+ last week	25–20–1	55.6%	46
division game, dome, total ≥47	17–13–1	56.7%	31
line within 3, total ≥47	63–71–3	47.0%	137

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015–2026 (yards, pass EPA, TO), play_by_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).