

GB at TB · Sunday 2026-10-04 13:00 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. n ≥ 10. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: GB -3.5 / TB +3.5, total 38.5. Trip: GB → TB 1182 mi, 1 time zone east. Rest: GB 10 days, TB 7 days. Roof: outdoors.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	GB	A at MIN	22–39	+1.5	miss	453	66	-2.7	-12.3	+4.4	0.38	2
2	GB	A at NYJ	20–17	-3.5	miss	208	63	-3.2	-8.6	-6.5	0.32	1
3	GB	H vs ATL	14–35	-4.5	miss	329	17	+3.6	+1.8	+22.9	0.39	1
1	TB	A at CIN	27–33	+3.5	miss	305	89	-5.4	-4.6	+0.1	0.52	4
2	TB	H vs CLE	19–23	-8.5	miss	319	137	-13.6	-13.0	+1.0	0.37	1
3	TB	H vs MIN	16–23	+1.5	miss	274	57	-11.3	-20.4	-17.4	0.25	2

Last game EPA (PBP): GB off +1.8, def allowed +22.9, net -21.0, SR 0.39. TB off -20.4, def allowed -17.4, net -3.0, SR 0.25. Records: GB 1–2, TB 0–3. ATS: GB 0–3, TB 0–3.

2. Lookahead and rest

- GB: last played week 3 (Thursday night, home, lost by 21). 10 days rest. Week 5: home vs CHI, division, Sunday early window.
- TB: last played week 3 (Sunday late window, home, lost by 7). 7 days rest. Week 5: road vs DAL, non-division, Thursday night.

3. Sides — TB +3.5

TB (home dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
home dog	168–169–8	49.9%	345
Sunday early window home dog	96–86–5	52.7%	187
home dog +3.5 to +6.5	48–57	45.7%	105
Sunday early window dog +3.5 to +6.5	82–80–1	50.6%	163
Sunday early window home dog +3.5 to +6.5	28–26	51.9%	54

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
off EPA ≤ -1 last, home dog	105–77–7	57.7%	189
off EPA ≤ -1 last, Sunday early window home dog	62–41–4	60.2%	107
opponent off a loss by 10+, home dog +3.5 to +6.5	13–5	72.2%	18
scored ≤17 last, Sunday early window home dog	47–32–4	59.5%	83
off yards ≤300 last, Sunday early window home dog	33–21–1	61.1%	55
opponent off a loss by 10+, Sunday early window home dog +3.5 to +6.5	10–4	71.4%	14
off EPA ≤ -10 last, home dog	52–37–4	58.4%	93
scored ≤17 last, home dog	80–62–7	56.3%	149
next opponent is a favorite over them (n_line>0), home dog +3.5 to +6.5	34–46	42.5%	80
scored ≤21 last, Sunday early window home dog	63–49–4	56.2%	116
scored ≤21 last, home dog	109–92–7	54.2%	208
off a loss as dog, Sunday early window home dog	57–45–1	55.9%	103
success rate ≤ .40 last, Sunday early window home dog	41–31–2	56.9%	74
pass EPA ≤ -10 last, Sunday early window home dog	28–20–2	58.3%	50
next game is Thursday (short week ahead), home dog	11–17–1	39.3%	29
opponent off an ATS miss, home dog +3.5 to +6.5	21–29	42.0%	50
opponent off a loss, home dog +3.5 to +6.5	16–23	41.0%	39

Cut	ATS	Pct	n
off an ATS miss, home dog +3.5 to +6.5	22–30	42.3%	52
both off a loss, home dog +3.5 to +6.5	12–18	40.0%	30
def EPA allowed ≤ -10 last, Sunday early window home dog	13–8–1	61.9%	22
def EPA allowed ≤ -5 last, Sunday early window home dog +3.5 to +6.5	5–9	35.7%	14
rest deficit ≥ 3 days, home dog	18–25–1	41.9%	44
off an ATS miss, Sunday early window home dog	59–48–2	55.1%	109
outdoors, Sunday early window home dog	82–69–5	54.3%	156
host of a ≥ 1000 mi visitor, home dog +3.5 to +6.5	19–26	42.2%	45
next game is road, home dog +3.5 to +6.5	34–43	44.2%	77
next opponent is a favorite over them ($n_line > 0$), Sunday early window home dog	75–63–4	54.3%	142
off EPA ≤ -10 last, Sunday early window home dog	28–21–2	57.1%	51

4. Sides — GB -3.5

Mirror of the chair above. Same games, other side.

GB (road favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
road favorite	169–168–8	50.1%	345
Sunday early window road favorite	86–96–5	47.3%	187
road fav -3.5 to -6.5	57–48	54.3%	105
Sunday early window fav -3.5 to -6.5	80–82–1	49.4%	163
Sunday early window road fav -3.5 to -6.5	26–28	48.1%	54

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
def EPA allowed $\geq +10$ last, road favorite	51–30–1	63.0%	82
next game is division, road favorite	35–56–2	38.5%	93
allowed ≥ 30 last, road fav -3.5 to -6.5	16–6	72.7%	22
off a loss as favorite, road fav -3.5 to -6.5	19–8	70.4%	27
off a loss by 10+, road fav -3.5 to -6.5	5–13	27.8%	18
lost last despite off EPA $\geq +1$, road fav -3.5 to -6.5	11–4	73.3%	15
allowed ≥ 30 last, road favorite	43–28–2	60.6%	73
def EPA allowed $\geq +10$ last, road fav -3.5 to -6.5	18–9	66.7%	27
off a loss by 10+, Sunday early window road fav -3.5 to -6.5	4–10	28.6%	14
next game is division, Sunday early window road favorite	19–30–1	38.8%	50
off a home game, road fav -3.5 to -6.5	41–28	59.4%	69
next game is division, Sunday early window road fav -3.5 to -6.5	3–8	27.3%	11
allowed ≥ 27 last, road fav -3.5 to -6.5	23–14	62.2%	37
allowed ≥ 30 last, Sunday early window road favorite	23–14–1	62.2%	38
allowed ≥ 27 last, road favorite	61–46–3	57.0%	110
off a loss as favorite, Sunday early window road favorite	29–19–1	60.4%	49
off a loss as favorite, Sunday early window road fav -3.5 to -6.5	9–4	69.2%	13
rush yards ≤ 75 last, road fav -3.5 to -6.5	13–7	65.0%	20
off a loss as favorite, road favorite	46–35–2	56.8%	83
rush yards ≤ 75 last, road favorite	36–27–2	57.1%	65
off an ATS miss, road fav -3.5 to -6.5	29–21	58.0%	50
off a loss, road fav -3.5 to -6.5	23–16	59.0%	39
opponent off an ATS miss, road fav -3.5 to -6.5	30–22	57.7%	52

Cut	ATS	Pct	n
both off a loss, road fav -3.5 to -6.5	18-12	60.0%	30
next game is division, road fav -3.5 to -6.5	12-18	40.0%	30
allowed ≥ 27 last, Sunday early window fav -3.5 to -6.5	24-32	42.9%	56
rest edge ≥ 3 days, road favorite	25-18-1	58.1%	44
opponent off an ATS miss, Sunday early window road favorite	48-59-2	44.9%	109

5. Total 38.5

Cut	Over-Under	Over pct	n
Sunday early window, outdoors, total ≤ 39	8-18-1	30.8%	27
Sunday early window, total ≤ 39	10-18-1	35.7%	29
outdoors, home dog, total ≤ 39	7-13-1	35.0%	21
outdoors, total ≤ 39	17-25-1	40.5%	43
home dog, total ≤ 39	9-15-1	37.5%	25
total ≤ 39	21-28-1	42.9%	50
outdoors, home dog	122-138-2	46.9%	262
outdoors, both scored ≤ 17 last week, total ≤ 40	4-7	36.4%	11
outdoors, total ≤ 42	86-75-1	53.4%	162
Sunday early window, home dog, total ≤ 39	5-8-1	38.5%	14
Sunday early window	267-249-5	51.7%	521
home dog, both scored ≤ 17 last week	24-19	55.8%	43
both scored ≤ 17 last week, total ≤ 42	19-24	44.2%	43
total ≤ 40	48-41-1	53.9%	90
Sunday early window, total ≤ 42	59-67-1	46.8%	127
home dog, total ≤ 42	38-44-1	46.3%	83
Sunday early window, outdoors, total ≤ 40	22-26-1	45.8%	49
outdoors, home dog, total ≤ 40	14-17-1	45.2%	32
Sunday early window, both scored ≤ 17 last week	26-30	46.4%	56
both scored ≤ 17 last week, total ≤ 40	7-9	43.8%	16
Sunday early window, outdoors	202-193-5	51.1%	400
home dog	167-174-4	49.0%	345

6. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: applies to GB
- off a 20-point win: no
- 2nd straight home game: applies to TB
- 2nd straight road game: no
- bye next week: no
- off a bye: no
- scored ≤ 10 last: no
- short week: no
- trip ≥ 1000 mi: applies to GB
- TO ≥ 3 last: no
- undefeated entering: no
- winless entering: no

7. Stack, without double-counting

Stack floor is $n \geq 20$ (tables use $n \geq 10$). Traits are added by largest parent-minus-child gap (the stack's pct against the pct of the games the trait removes), not by a fixed order. Read the hold-out first; the builder has no out-of-sample edge as a class (nine stacks picked at $\geq 60\%$ on 2015-20

went 81–15 then 40–39). Under each stack: hold-out, by-season W-L, cover-margin quartiles with signed tails, parent-minus-child (the stack without each trait, and the games that trait removed), the anchor's complement, the stack split by line bucket, a contrary cross (the team's own traits that run against it on the anchor, crossed into the stack), and a hold-out (traits chosen on 2015–20 only at a scaled floor of $n \geq 10$, printed on 2021–25).

- **TB +3.5** — one population: Sunday early window home dog +3.5 to +6.5; outdoors; next game is road non-division. ATS 17–16 (51.5%, $n=33$). Not added (no gap with $n \geq 20$ left): rest deficit ≥ 3 days, host of a ≥ 1000 mi visitor, off a loss, off a 1-score loss, off an ATS miss, off a loss as dog, off a home game, 2nd straight home game....
- **Hold-out** (traits chosen on 2015–20 only at $n \geq 10$: Sunday early window home dog +3.5 to +6.5; off a loss as dog): 2015–20 8–2 (80.0%, $n=10$) → 2021–25 7–12 (36.8%, $n=19$)
- By season: 15:2-0 16:0-1 17:1-2 18:1-1 19:3-2 20:1-1 21:1-4 22:3-0 23:1-1 24:1-3 25:3-1
- Cover margin: median +0.5, $q25/q75$ -6.5/+8.5; $P(>+7)$ 0.30, $P(<-7)$ 0.24
- Parent minus child: without 'outdoors': 17–18 (48.6%, $n=35$), the games it removed: 0–2 (0.0%, $n=2$) | without 'next game is road non-division': 26–20 (56.5%, $n=46$), the games it removed: 9–4 (69.2%, $n=13$)
- Anchor alone 28–26 (51.9%, $n=54$); anchor minus stack 11–10 (52.4%, $n=21$)
- Stack by line bucket: +3.5 to +6.5 17–16 (51.5%, $n=33$)
- Contrary cross (team's own traits that run against it on this anchor, then crossed into the stack): def EPA allowed ≤ -5 last: 5–9 (35.7%, $n=14$) → in stack 5–6 (45.5%, $n=11$) | scored ≤ 21 last: 14–16 (46.7%, $n=30$) → in stack 8–8 (50.0%, $n=16$) | both off a loss: 8–9 (47.1%, $n=17$) → in stack 2–5 (28.6%, $n=7$) | host of a ≥ 1000 mi visitor: 9–10 (47.4%, $n=19$) → in stack 8–6 (57.1%, $n=14$)
- **GB -3.5** — one population: Sunday early window road fav -3.5 to -6.5; outdoors; next game is home; TO ≤ 1 last. ATS 11–9 (55.0%, $n=20$). Not added (no gap with $n \geq 20$ left): long rest (≥ 10 days), rest edge ≥ 3 days, trip ≥ 1000 mi, 1 time zone, off a loss, off a loss by 10+, off a loss by 20+, off an ATS miss....
- **Hold-out** (traits chosen on 2015–20 only at $n \geq 10$: Sunday early window road fav -3.5 to -6.5; TO ≤ 1 last): 2015–20 3–9 (25.0%, $n=12$) → 2021–25 11–7 (61.1%, $n=18$)
- By season: 15:0-1 16:0-1 17:1-1 18:0-1 19:1-0 20:1-1 21:3-0 22:0-3 24:3-0 25:2-1
- Cover margin: median +1.0, $q25/q75$ -9.8/+5.6; $P(>+7)$ 0.20, $P(<-7)$ 0.30
- Parent minus child: without 'outdoors': 12–10 (54.5%, $n=22$), the games it removed: 1–1 (50.0%, $n=2$) | without 'next game is home': 11–14 (44.0%, $n=25$), the games it removed: 0–5 (0.0%, $n=5$) | without 'TO ≤ 1 last': 18–19 (48.6%, $n=37$), the games it removed: 7–10 (41.2%, $n=17$)
- Anchor alone 26–28 (48.1%, $n=54$); anchor minus stack 15–19 (44.1%, $n=34$)
- Stack by line bucket: -3.5 to -6.5 11–9 (55.0%, $n=20$)
- Contrary cross (team's own traits that run against it on this anchor, then crossed into the stack): off a loss by 10+: 4–10 (28.6%, $n=14$) → in stack 0–1 (0.0%, $n=1$) | next game is division: 3–8 (27.3%, $n=11$) → in stack 1–2 (33.3%, $n=3$) | scored ≤ 21 last: 9–13 (40.9%, $n=22$) → in stack 3–2 (60.0%, $n=5$) | net EPA ≤ -10 last: 6–9 (40.0%, $n=15$) → in stack 1–1 (50.0%, $n=2$)
- **Total 38.5, tightest cut clearing $n = 20$:** Sunday early window, outdoors, total ≤ 39 — O–U 8–18–1 (30.8%, $n=27$).
- By season (O–U): 16:0-1 17:1-2 18:1-1 19:0-2 22:0-1 23:3-8 24:1-2 25:2-1
- Total margin (points – line): median -5.5, $q25/q75$ -11.2/+2.5; $P(>+7)$ 0.15, $P(<-7)$ 0.44
- **Hold-out** (cut chosen on 2015–20 only at $n \geq 10$: home dog, total ≤ 42): 2015–20 14–23 (37.8%, $n=37$) → 2021–25 24–21–1 (53.3%, $n=46$)
- By total band: ≤ 39 8–18–1 ($n=27$)

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015–2026 (yards, pass EPA, TO), play_by_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).