

MIA at MIN · Sunday 2026-10-04 16:05 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. $n \geq 10$. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: MIA +10.5 / MIN -10.5, total 38.5. Trip: MIA → MIN 1502 mi, 1 time zone west. Rest: MIA 7 days, MIN 7 days. Roof: dome.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	MIA	A at LV	13–27	+3.0	miss	294	74	-5.5	-13.3	-1.9	0.35	2
2	MIA	A at SF	13–35	+12.5	miss	299	102	+4.5	-0.9	+19.0	0.40	0
3	MIA	H vs KC	10–24	+10.0	miss	329	119	-4.0	-9.1	+9.3	0.32	2
1	MIN	H vs GB	39–22	-1.5	cover	258	107	+0.5	+4.4	-12.3	0.39	1
2	MIN	A at CHI	9–3	+4.5	cover	262	119	+0.5	-3.8	-10.1	0.35	0
3	MIN	A at TB	23–16	-1.5	cover	246	78	-12.1	-17.4	-20.4	0.24	1

Last game EPA (PBP): MIA off -9.1, def allowed +9.3, net -18.3, SR 0.32. MIN off -17.4, def allowed -20.4, net +3.0, SR 0.24. Records: MIA 0–3, MIN 3–0. ATS: MIA 0–3, MIN 3–0.

2. Lookahead and rest

- MIA: last played week 3 (Sunday early window, home, lost by 14). 7 days rest. Week 5: home vs CIN, non-division, Sunday early window.
- MIN: last played week 3 (Sunday late window, road, won by 7). 7 days rest. Week 5: road vs NO, non-division, Sunday early window.

3. Sides — MIN -10.5

MIN (home favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
home favorite	265–294–16	47.4%	575
Sunday late window home favorite	53–80–4	39.8%	137
home fav -10 or more	38–33–2	53.5%	73
Sunday late window fav -10 or more	10–8	55.6%	18
Sunday late window home fav -10 or more	9–7	56.2%	16

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
TO ≤1 last, Sunday late window	149–114–4	56.7%	267
TO ≤1 last, Sunday late window fav -10 or more	9–2	81.8%	11
TO ≤1 last, home fav -10 or more	29–15–2	65.9%	46
equal rest, Sunday late window home favorite	26–43–3	37.7%	72
next game is road, Sunday late window home favorite	36–55–1	39.6%	92
off EPA ≤ -1 last, Sunday late window home favorite	13–24–1	35.1%	38
opponent off a loss by 10+, home fav -10 or more	22–12	64.7%	34
opponent off a loss by 10+, Sunday late window	58–41–2	58.6%	101
allowed ≤21 last, Sunday late window	112–88–4	56.0%	204
pass EPA ≤ -10 last, Sunday late window	24–37–2	39.3%	63
success rate ≤ .40 last, Sunday late window home favorite	8–16–1	33.3%	25
off a cover, home fav -10 or more	24–14–1	63.2%	39
opponent off an ATS miss, home favorite	124–150–8	45.3%	282
off a cover, Sunday late window	121–98–3	55.3%	222
off a win, opponent off a loss, Sunday late window	59–44–2	57.3%	105
allowed ≤17 last, Sunday late window	84–66–3	56.0%	153
equal rest, home favorite	154–180–10	46.1%	344

Cut	ATS	Pct	n
off EPA ≤ -1 last, home fav -10 or more	6–12	33.3%	18
opponent off an ATS miss, Sunday late window	115–95–7	54.8%	217
next game is road, home favorite	179–206–8	46.5%	393
off a win as favorite, Sunday late window home favorite	17–26–1	39.5%	44
off a road game, Sunday late window home favorite	40–53–2	43.0%	95
off a win, home fav -10 or more	28–19–1	59.6%	48
host of a ≥ 1000 mi visitor, Sunday late window	56–70–4	44.4%	130
opponent off a loss, Sunday late window home favorite	28–38–3	42.4%	69
allowed ≤ 21 last, home fav -10 or more	21–14–1	60.0%	36
opponent off a loss, home favorite	142–162–7	46.7%	311
opponent off an ATS miss, Sunday late window home favorite	27–36–4	42.9%	67

Wide populations ($n \geq 300$): equal rest, home favorite, next game is road, home favorite, opponent off a loss, home favorite. They describe the spot, they do not select this game.

4. Sides — MIA +10.5

Mirror of the chair above. Same games, other side.

MIA (road dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
road dog	294–265–16	52.6%	575
Sunday late window road dog	80–53–4	60.2%	137
road dog +10 or more	33–38–2	46.5%	73
Sunday late window dog +10 or more	8–10	44.4%	18
Sunday late window road dog +10 or more	7–9	43.8%	16

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
off a home game, Sunday late window road dog	61–30–3	67.0%	94
scored ≤ 10 last, road dog +10 or more	4–13	23.5%	17
equal rest, Sunday late window road dog	43–26–3	62.3%	72
off a home game, road dog	207–171–12	54.8%	390
off a loss by 10+, road dog +10 or more	12–22	35.3%	34
off a loss by 10+, Sunday late window	41–58–2	41.4%	101
opponent off a cover, road dog +10 or more	14–24–1	36.8%	39
off an ATS miss, road dog	150–124–8	54.7%	282
opponent off a cover, Sunday late window	98–121–3	44.7%	222
scored ≤ 21 last, Sunday late window road dog +10 or more	3–8	27.3%	11
off a home game, Sunday late window	111–90–6	55.2%	207
off a loss, opponent off a win, Sunday late window	44–59–2	42.7%	105
equal rest, road dog	180–154–10	53.9%	344
off a loss as dog, road dog +10 or more	16–25–1	39.0%	42
scored ≤ 21 last, Sunday late window dog +10 or more	4–9	30.8%	13
off an ATS miss, Sunday late window	95–115–7	45.2%	217
next opponent is a favorite over them ($n_line > 0$), road dog +10 or more	22–32–1	40.7%	55
next game is home, Sunday late window road dog	55–42–3	56.7%	100
opponent off a win, road dog +10 or more	19–28–1	40.4%	48
net EPA ≤ -10 last, Sunday late window	44–57–3	43.6%	104
next opponent is a favorite over them ($n_line > 0$), Sunday late window dog +10 or more	5–10	33.3%	15

Cut	ATS	Pct	n
trip ≥ 1000 mi, Sunday late window	70–56–4	55.6%	130
off a loss, Sunday late window road dog	38–28–3	57.6%	69
off EPA ≤ -1 last, road dog +10 or more	20–28–1	41.7%	49
off a loss, road dog	162–142–7	53.3%	311
off an ATS miss, Sunday late window road dog	36–27–4	57.1%	67
trip ≥ 1000 mi, Sunday late window road dog	44–34–3	56.4%	81
scored ≤ 10 last, Sunday late window road dog	9–14	39.1%	23

Wide populations ($n \geq 300$): off a home game, road dog, equal rest, road dog, off a loss, road dog. They describe the spot, they do not select this game.

5. Total 38.5

Cut	Over–Under	Over pct	n
home fav -7 or more, both off EPA ≤ -1 last	12–23	34.3%	35
home fav -7 or more, both teams went under last week	14–25	35.9%	39
both off EPA ≤ -1 last, total ≤ 42	29–44	39.7%	73
dome, home fav -7 or more	23–34	40.4%	57
both teams went under last week, total ≤ 39	6–12	33.3%	18
both off EPA ≤ -1 last	78–96	44.8%	174
Sunday late window, both teams went under last week	26–36	41.9%	62
dome, both off EPA ≤ -1 last	22–31	41.5%	53
Sunday late window, both off EPA ≤ -1 last	15–22	40.5%	37
dome, total ≤ 42	18–25	41.9%	43
both off EPA ≤ -1 last, total ≤ 39	9–14	39.1%	23
total ≤ 39	21–28–1	42.9%	50
dome, total ≤ 40	10–6	62.5%	16
both teams went under last week, both off EPA ≤ -1 last, total ≤ 39	4–7	36.4%	11
both off EPA ≤ -1 last, total ≤ 40	15–20	42.9%	35
both teams went under last week	112–125–1	47.3%	238
total ≤ 40	48–41–1	53.9%	90
home fav -7 or more	88–98–1	47.3%	187
Sunday late window, total ≤ 42	24–20	54.5%	44
home fav -7 or more, total ≤ 42	17–14	54.8%	31
dome, both teams went under last week	29–33	46.8%	62
Sunday late window, total ≤ 40	11–9	55.0%	20

6. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: applies to MIA
- off a 20-point win: no
- 2nd straight home game: no
- 2nd straight road game: no
- bye next week: no
- off a bye: no
- scored ≤ 10 last: applies to MIA
- short week: no
- trip ≥ 1000 mi: applies to MIA
- TO ≥ 3 last: no
- undefeated entering: no

- winless entering: no

7. Stack, without double-counting

Stack floor is $n \geq 20$ (tables use $n \geq 10$). Traits are added by largest parent-minus-child gap (the stack's pct against the pct of the games the trait removes), not by a fixed order. Read the hold-out first; the builder has no out-of-sample edge as a class (nine stacks picked at $\geq 60\%$ on 2015–20 went 81–15 then 40–39). Under each stack: hold-out, by-season W-L, cover-margin quartiles with signed tails, parent-minus-child (the stack without each trait, and the games that trait removed), the anchor's complement, the stack split by line bucket, a contrary cross (the team's own traits that run against it on the anchor, crossed into the stack), and a hold-out (traits chosen on 2015–20 only at a scaled floor of $n \geq 10$, printed on 2021–25).

- **MIN -10.5** — one population: home fav -10 or more; TO ≤ 1 last; opponent off a loss; opponent off a loss by 10+. ATS 18–6 (75.0%, $n=24$). Not added (no gap with $n \geq 20$ left): equal rest, host of a ≥ 1000 mi visitor, off a win, off a 1-score win, off a cover, off a win as favorite, off a road game, allowed ≤ 17 last....
- **Hold-out** (traits chosen on 2015–20 only at $n \geq 10$: home fav -10 or more; off EPA ≤ -1 last): 2015–20 2–9 (18.2%, $n=11$) → 2021–25 4–3 (57.1%, $n=7$)
- By season: 15:0-1 16:1-0 17:1-0 19:3-1 20:1-0 21:4-1 23:1-0 24:4-0 25:3-3
- Cover margin: median +6.0, q25/q75 +0.1/+10.6; $P(>+7)$ 0.46, $P(<-7)$ 0.08
- Parent minus child: without 'TO ≤ 1 last': 22–12 (64.7%, $n=34$), the games it removed: 4–6 (40.0%, $n=10$) | without 'opponent off a loss': 18–6 (75.0%, $n=24$), the games it removed: 0–0 (—, $n=0$) | without 'opponent off a loss by 10+': 22–14–1 (61.1%, $n=37$), the games it removed: 4–8–1 (33.3%, $n=13$)
- Anchor alone 38–33–2 (53.5%, $n=73$); anchor minus stack 20–27–2 (42.6%, $n=49$)
- Stack by line bucket: -10 or more 18–6 (75.0%, $n=24$)
- Contrary cross (team's own traits that run against it on this anchor, then crossed into the stack): off EPA ≤ -1 last: 6–12 (33.3%, $n=18$) → in stack 1–1 (50.0%, $n=2$) | dome/closed roof: 8–10–1 (44.4%, $n=19$) → in stack 4–1 (80.0%, $n=5$) | off a 1-score win: 9–10–1 (47.4%, $n=20$) → in stack 6–1 (85.7%, $n=7$)
- **MIA +10.5** — one population: road dog +10 or more; next opponent is a favorite over them ($n_line > 0$); opponent off a cover; off a loss, opponent off a win. ATS 8–13 (38.1%, $n=21$). Not added (no gap with $n \geq 20$ left): equal rest, trip ≥ 1000 mi, 1 time zone, off a loss, off a loss by 10+, off an ATS miss, off a loss as dog, off a home game....
- **Hold-out** (traits chosen on 2015–20 only at $n \geq 10$: road dog +10 or more; off a loss by 10+): 2015–20 5–7 (41.7%, $n=12$) → 2021–25 7–15 (31.8%, $n=22$)
- By season: 15:1-1 16:0-1 17:1-1 18:0-1 19:3-1 20:2-1 21:1-2 23:0-1 24:0-1 25:0-3
- Cover margin: median -5.5, q25/q75 -8.5/+7.0; $P(>+7)$ 0.19, $P(<-7)$ 0.38
- Parent minus child: without 'next opponent is a favorite over them ($n_line > 0$)': 12–17 (41.4%, $n=29$), the games it removed: 4–4 (50.0%, $n=8$) | without 'opponent off a cover': 10–16 (38.5%, $n=26$), the games it removed: 2–3 (40.0%, $n=5$) | without 'off a loss, opponent off a win': 8–20–1 (28.6%, $n=29$), the games it removed: 0–7–1 (0.0%, $n=8$)
- Anchor alone 33–38–2 (46.5%, $n=73$); anchor minus stack 25–25–2 (50.0%, $n=52$)
- Stack by line bucket: +10 or more 8–13 (38.1%, $n=21$)
- Contrary cross (team's own traits that run against it on this anchor, then crossed into the stack): scored ≤ 10 last: 4–13 (23.5%, $n=17$) → in stack 1–6 (14.3%, $n=7$) | off a loss by 10+: 12–22 (35.3%, $n=34$) → in stack 3–11 (21.4%, $n=14$) | off a loss as dog: 16–25–1 (39.0%, $n=42$) → in stack 6–13 (31.6%, $n=19$) | opponent off a win: 19–28–1 (40.4%, $n=48$) → in stack 8–13 (38.1%, $n=21$)
- **Total 38.5, tightest cut clearing $n = 20$:** home fav -7 or more, both off EPA ≤ -1 last — O–U 12–23 (34.3%, $n=35$).
- By season (O–U): 15:1-1 16:0-2 17:3-3 18:1-2 19:1-1 20:2-0 21:1-1 22:1-3 23:0-4 24:0-2 25:2-4
- Total margin (points – line): median -4.5, q25/q75 -10.8/+2.8; $P(>+7)$ 0.17, $P(<-7)$ 0.40
- **Hold-out** (cut chosen on 2015–20 only at $n \geq 10$: both off EPA ≤ -1 last, total ≤ 42): 2015–20 12–20 (37.5%, $n=32$) → 2021–25 17–24 (41.5%, $n=41$)
- By total band: ≤ 39 0–3 ($n=3$); 40–44 8–9 ($n=17$); 45–49 3–8 ($n=11$); ≥ 50 1–2 ($n=3$)

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015–2026 (yards, pass EPA, TO), play_by_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).