

NYJ at CHI · Sunday 2026-10-04 13:00 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. $n \geq 10$. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: NYJ +3.5 / CHI -3.5, total 43.5. Trip: NYJ → CHI 717 mi, 1 time zone west. Rest: NYJ 7 days, CHI 6 days. Roof: outdoors.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	NYJ	A at TEN	23–10	+1.5	cover	367	152	+9.8	+8.1	-7.1	0.48	0
2	NYJ	H vs GB	17–20	+3.5	cover	314	67	+4.3	-6.5	-8.6	0.38	0
3	NYJ	A at DET	24–31	+7.0	push	379	58	+10.9	+7.1	+12.6	0.45	1
1	CHI	A at CAR	59–37	-3.0	cover	560	291	+18.6	+27.0	+8.8	0.53	1
2	CHI	H vs MIN	3–9	-4.5	miss	326	134	-3.9	-10.1	-3.8	0.32	2
3	CHI	H vs PHI	27–7	+3.5	cover	375	128	+7.3	+9.4	-13.9	0.51	0

Last game EPA (PBP): NYJ off +7.1, def allowed +12.6, net -5.5, SR 0.45. CHI off +9.4, def allowed -13.9, net +23.3, SR 0.51. Records: NYJ 1–2, CHI 2–1. ATS: NYJ 2–0, CHI 2–1.

2. Lookahead and rest

- NYJ: last played week 3 (Sunday early window, road, lost by 7). 7 days rest. Week 5: home vs CLE, non-division, Sunday early window.
- CHI: last played week 3 (Monday night, home, won by 20). 6 days rest. Week 5: road vs GB, division, Sunday early window.

3. Sides — CHI -3.5

CHI (home favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
home favorite	274–300–16	47.7%	590
Sunday early window home favorite	154–155–10	49.8%	319
home fav -3.5 to -6.5	93–103–2	47.4%	198
Sunday early window fav -3.5 to -6.5	80–82–1	49.4%	163

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
scored 27–33 last, home fav -3.5 to -6.5	18–32	36.0%	50
off an upset win as dog, home fav -3.5 to -6.5	23–13	63.9%	36
off an upset win as dog, Sunday early window home favorite	33–21–3	61.1%	57
2nd straight home game, home favorite	81–103–4	44.0%	188
off a win by 20+, Sunday early window fav -3.5 to -6.5	6–12	33.3%	18
off an upset win as dog, home favorite	58–44–4	56.9%	106
next opponent is a favorite over them ($n_line > 0$), home favorite	120–141–5	46.0%	266
opponent off a loss, home fav -3.5 to -6.5	42–54	43.8%	96
next game is road, home favorite	185–209–8	47.0%	402
scored 27–33 last, Sunday early window home favorite	36–47–2	43.4%	85
off a cover, Sunday early window home favorite	90–75–5	54.5%	170
scored 27–33 last, home favorite	70–84–3	45.5%	157
0 turnovers last, Sunday early window fav -3.5 to -6.5	19–26–1	42.2%	46
opponent off a loss, home favorite	147–165–7	47.1%	319
def EPA allowed ≤ -10 last, Sunday early window fav -3.5 to -6.5	15–21–1	41.7%	37
next opponent is a favorite over them ($n_line > 0$), home fav -3.5 to -6.5	46–56–1	45.1%	103
off a win, Sunday early window home favorite	94–81–7	53.7%	182
success rate $\geq .50$ last, home favorite	69–81–2	46.0%	152

Cut	ATS	Pct	n
off an upset win as dog, Sunday early window fav -3.5 to -6.5	16-11	59.3%	27
off EPA ≥ +8 last, Sunday early window home favorite	60-50-4	54.5%	114
off a prime-time game, home favorite	74-63-3	54.0%	140
off a win, opponent off a loss, Sunday early window fav -3.5 to -6.5	19-25	43.2%	44
off a win by 14+, Sunday early window fav -3.5 to -6.5	13-18-1	41.9%	32
outdoors, home favorite	195-213-12	47.8%	420
off a win, opponent off a loss, home fav -3.5 to -6.5	20-26	43.5%	46
next game is division, home favorite	86-98-1	46.7%	185
0 turnovers last, home favorite	94-83-3	53.1%	180
next opponent is a favorite over them (n_line>0), Sunday early window home favorite	73-83-2	46.8%	158

Wide populations (n ≥ 300): next game is road, home favorite, opponent off a loss, home favorite, outdoors, home favorite. They describe the spot, they do not select this game.

4. Sides — NYJ +3.5

Mirror of the chair above. Same games, other side.

NYJ (road dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
road dog	300-274-16	52.3%	590
Sunday early window road dog	155-154-10	50.2%	319
road dog +3.5 to +6.5	103-93-2	52.6%	198
Sunday early window dog +3.5 to +6.5	82-80-1	50.6%	163

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
trip 200-1000 mi, road dog	179-135-6	57.0%	320
pass EPA ≥ +10 last, Sunday early window road dog	40-22-2	64.5%	64
pass EPA ≥ +10 last, road dog	63-40-2	61.2%	105
lost last despite positive off EPA, road dog	50-32-3	61.0%	85
trip 200-1000 mi, Sunday early window road dog	107-81-3	56.9%	191
allowed ≥30 last, road dog +3.5 to +6.5	29-18-2	61.7%	49
off a 1-score loss, road dog	90-70-5	56.2%	165
allowed ≥30 last, Sunday early window dog +3.5 to +6.5	30-19-1	61.2%	50
TO ≤1 last, road dog	181-154-7	54.0%	342
opponent off a win by 20+, Sunday early window dog +3.5 to +6.5	12-6	66.7%	18
trip 200-1000 mi, road dog +3.5 to +6.5	63-49-1	56.2%	113
pass EPA ≥ +10 last, Sunday early window dog +3.5 to +6.5	19-12-1	61.3%	32
def EPA allowed ≥ +10 last, road dog +3.5 to +6.5	25-17-1	59.5%	43
off a loss, road dog +3.5 to +6.5	54-42	56.2%	96
rush yards ≤75 last, Sunday early window road dog	30-40-4	42.9%	74
allowed ≥27 last, Sunday early window dog +3.5 to +6.5	34-25-1	57.6%	60
opponent off a cover, Sunday early window road dog	75-90-5	45.5%	170
off a loss as dog, Sunday early window road dog	52-64-2	44.8%	118
lost last despite positive off EPA, Sunday early window road dog	25-18-3	58.1%	46
off a 1-score loss, road dog +3.5 to +6.5	34-26	56.7%	60
off a loss, road dog	165-147-7	52.9%	319
lost last despite positive off EPA, Sunday early window dog +3.5 to +6.5	15-10	60.0%	25
opponent off a win, Sunday early window road dog	81-94-7	46.3%	182

Cut	ATS	Pct	n
off a loss, opponent off a win, Sunday early window dog +3.5 to +6.5	25–19	56.8%	44
lost last despite positive off EPA, road dog +3.5 to +6.5	18–13	58.1%	31
outdoors, road dog	213–195–12	52.2%	420
off a loss, opponent off a win, road dog +3.5 to +6.5	26–20	56.5%	46
allowed ≥ 27 last, road dog +3.5 to +6.5	37–30–2	55.2%	69

Wide populations ($n \geq 300$): trip 200–1000 mi, road dog, TO ≤ 1 last, road dog, off a loss, road dog, outdoors, road dog. They describe the spot, they do not select this game.

5. Total 43.5

Cut	Over–Under	Over pct	n
Sunday early window	267–249–5	51.7%	521
Sunday early window, outdoors	202–193–5	51.1%	400
outdoors	343–350–7	49.5%	700
outdoors, total 40–44	141–137–2	50.7%	280
total 40–44	179–183–2	49.4%	364
Sunday early window, total 40–44	107–105–1	50.5%	213
Sunday early window, outdoors, total 40–44	85–85–1	50.0%	171

6. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: no
- off a 20-point win: applies to CHI
- 2nd straight home game: applies to CHI
- 2nd straight road game: applies to NYJ
- bye next week: no
- off a bye: no
- scored ≤ 10 last: no
- short week: no
- trip ≥ 1000 mi: no
- TO ≥ 3 last: no
- undefeated entering: no
- winless entering: no

7. Stack, without double-counting

- **CHI –3.5** — one population: Sunday early window fav -3.5 to -6.5 ; off a win; off a win by 14+; off a win by 20+; allowed ≤ 10 last. ATS 4–6 (40.0%, $n=10$). Not added (n would fall under 10, or the trait does not narrow the population): off a cover, off an upset win as dog, off a prime-time game, off a home game, 2nd straight home game, next game is road, next game is division, next opponent is a favorite over them ($n_line > 0$)....
- **NYJ +3.5** — one population: Sunday early window dog +3.5 to +6.5; off a loss; off a 1-score loss; off a loss as dog; off a road game; next game is home. ATS 8–4 (66.7%, $n=12$). Not added (n would fall under 10, or the trait does not narrow the population): 2nd straight road game, trip 200–1000 mi, 1 time zone, next game is home non-division, opponent off a win, opponent off a win by 20+, opponent off a cover, off a loss, opponent off a win....

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015–2026 (yards, pass EPA, TO), play_by_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).