

ARI at NYG · Sunday 2026-10-04 13:00 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. $n \geq 10$. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: ARI -2.5 / NYG +2.5, total 44.5. Trip: ARI → NYG 2128 mi, 2 time zones east. Rest: ARI 7 days, NYG 7 days. Roof: outdoors.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	ARI	A at LAC	26–14	+8.5	cover	393	116	+9.0	+10.0	-9.2	0.49	0
2	ARI	H vs SEA	7–31	+3.5	miss	165	70	-8.1	-14.0	+10.2	0.34	1
3	ARI	A at SF	30–36	+7.5	cover	373	93	+10.1	+12.5	+24.1	0.52	0
1	NYG	H vs DAL	28–20	+3.0	cover	395	165	+21.9	+23.9	+15.7	0.59	1
2	NYG	A at LA	6–28	+6.5	miss	183	52	-17.6	-22.2	+14.0	0.29	1
3	NYG	H vs TEN	12–7	-2.5	cover	256	138	-6.1	-9.2	-8.6	0.38	0

Last game EPA (PBP): ARI off +12.5, def allowed +24.1, net -11.6, SR 0.52. NYG off -9.2, def allowed -8.6, net -0.6, SR 0.38. Records: ARI 1–2, NYG 2–1. ATS: ARI 2–1, NYG 2–1.

2. Lookahead and rest

- ARI: last played week 3 (Sunday late window, road, lost by 6). 7 days rest. Week 5: home vs DET, non-division, Sunday late window.
- NYG: last played week 3 (Sunday early window, home, won by 5). 7 days rest. Week 5: road vs WAS, division, Sunday early window.

3. Sides — NYG +2.5

NYG (home dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
home dog	168–169–8	49.9%	345
Sunday early window home dog	96–86–5	52.7%	187
home dog +1 to +3	75–90–7	45.5%	172
Sunday early window dog +1 to +3	106–102–10	51.0%	218

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
off EPA ≤ -1 last, home dog	105–77–7	57.7%	189
off EPA ≤ -1 last, Sunday early window home dog	62–41–4	60.2%	107
opponent off a cover, Sunday early window home dog	52–34–3	60.5%	89
won last despite off EPA ≤ -1 , Sunday early window home dog	13–5–2	72.2%	20
next game is division, Sunday early window home dog	31–18–2	63.3%	51
scored ≤ 17 last, Sunday early window home dog	47–32–4	59.5%	83
off yards ≤ 300 last, Sunday early window home dog	33–21–1	61.1%	55
won last despite off EPA ≤ -1 , home dog	22–13–3	62.9%	38
scored ≤ 17 last, home dog	80–62–7	56.3%	149
off a home game, home dog +1 to +3	18–28–1	39.1%	47
TO ≤ 1 last, home dog +1 to +3	41–55–2	42.7%	98
opponent off a loss, home dog +1 to +3	32–44–4	42.1%	80
scored ≤ 21 last, Sunday early window home dog	63–49–4	56.2%	116
scored ≤ 21 last, home dog	109–92–7	54.2%	208
success rate $\leq .40$ last, Sunday early window home dog	41–31–2	56.9%	74
next opponent is a favorite over them ($n_line > 0$), home dog +1 to +3	47–58–5	44.8%	110
outdoors, Sunday early window home dog	82–69–5	54.3%	156
off yards ≤ 300 last, home dog +1 to +3	19–26–3	42.2%	48

Cut	ATS	Pct	n
off a win, opponent off a loss, home dog	19–26–2	42.2%	47
off a win, opponent off a loss, home dog +1 to +3	14–20–2	41.2%	36
off EPA ≤ -1 last, home dog +1 to +3	43–34–6	55.8%	83
next opponent is a favorite over them (n_line>0), Sunday early window home dog	75–63–4	54.3%	142
allowed ≤ 21 last, home dog	65–54–5	54.6%	124
allowed ≤ 10 last, Sunday early window dog +1 to +3	15–10–3	60.0%	28
next game is road, Sunday early window home dog	68–57–4	54.4%	129
won last despite off EPA ≤ -1 , home dog +1 to +3	11–7–3	61.1%	21
success rate $\leq .40$ last, Sunday early window dog +1 to +3	32–25–1	56.1%	58
outdoors, home dog +1 to +3	54–64–7	45.8%	125

4. Sides — ARI -2.5

Mirror of the chair above. Same games, other side.

ARI (road favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
road favorite	169–168–8	50.1%	345
Sunday early window road favorite	86–96–5	47.3%	187
road fav -1 to -3	90–75–7	54.5%	172
Sunday early window fav -1 to -3	102–106–10	49.0%	218

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
def EPA allowed $\geq +10$ last, road favorite	51–30–1	63.0%	82
def EPA allowed $\geq +10$ last, road fav -1 to -3	29–14–1	67.4%	44
next game is home non-division, road fav -1 to -3	54–33–5	62.1%	92
off a cover, Sunday early window road favorite	34–52–3	39.5%	89
road team from dome, outdoors, road favorite	46–30–1	60.5%	77
allowed ≥ 30 last, road favorite	43–28–2	60.6%	73
road team from dome, outdoors, road fav -1 to -3	25–14–1	64.1%	40
next game is home, road fav -1 to -3	66–48–6	57.9%	120
allowed ≥ 30 last, road fav -1 to -3	24–14–2	63.2%	40
off a 1-score loss, road favorite	45–31–2	59.2%	78
0 turnovers last, Sunday early window road favorite	16–26–1	38.1%	43
trip ≥ 2000 mi, road fav -1 to -3	11–5–2	68.8%	18
allowed ≥ 27 last, road fav -1 to -3	33–22–3	60.0%	58
allowed ≥ 30 last, Sunday early window road favorite	23–14–1	62.2%	38
allowed ≥ 27 last, road favorite	61–46–3	57.0%	110
next opponent is a favorite over them (n_line>0), Sunday early window fav -1 to -3	47–62–4	43.1%	113
off a loss, road fav -1 to -3	44–32–4	57.9%	80
scored ≥ 30 last, Sunday early window road favorite	17–26–2	39.5%	45
net EPA ≤ -10 last, road fav -1 to -3	26–17–1	60.5%	44
off a 1-score loss, Sunday early window road favorite	21–13–1	61.8%	35
off a loss as dog, road fav -1 to -3	23–15–2	60.5%	40
next game is home non-division, road favorite	95–79–5	54.6%	179
2nd straight road game, Sunday early window road favorite	27–36–2	42.9%	65
success rate $\geq .50$ last, road fav -1 to -3	23–16–2	59.0%	41
next opponent is a favorite over them (n_line>0), Sunday early window road favorite	28–37–2	43.1%	67

Cut	ATS	Pct	n
next opponent is a favorite over them (n_line>0), road favorite	46–57–3	44.7%	106
off a road game, Sunday early window fav –1 to –3	47–58–7	44.8%	112
scored ≥30 last, Sunday early window fav –1 to –3	24–32–2	42.9%	58

5. Total 44.5

Cut	Over–Under	Over pct	n
line within 3, visitor crossing 2+ zones	52–40–1	56.5%	93
outdoors, visitor crossing 2+ zones	91–77–2	54.2%	170
line within 3, visitor crossing 2+ zones, total 40–44	20–14	58.8%	34
outdoors, home dog	122–138–2	46.9%	262
home dog, line within 3	79–90–3	46.7%	172
visitor crossing 2+ zones	126–113–3	52.7%	242
Sunday early window	267–249–5	51.7%	521
outdoors, visitor crossing 2+ zones, total 40–44	37–31–1	54.4%	69
outdoors, line within 3	136–146–3	48.2%	285
home dog, line within 3, total 40–44	33–38	46.5%	71
outdoors, home dog, total 40–44	50–56	47.2%	106
home dog, visitor crossing 2+ zones, total 40–44	17–14	54.8%	31
line within 3	185–194–5	48.8%	384
Sunday early window, outdoors	202–193–5	51.1%	400
Sunday early window, line within 3, total 40–44	45–49–1	47.9%	95
home dog	167–174–4	49.0%	345
outdoors, line within 3, total 40–44	57–61–1	48.3%	119
Sunday early window, visitor crossing 2+ zones, total 40–44	16–14	53.3%	30
Sunday early window, home dog, total 40–44	40–37	51.9%	77
outdoors	343–350–7	49.5%	700
line within 3, total 40–44	75–78–1	49.0%	154
outdoors, total 40–44	141–137–2	50.7%	280

6. What does not apply

- 2+ time-zone trip: applies to ARI
- double-digit dog: no
- off a 10-point loss: no
- off a 20-point win: no
- 2nd straight home game: applies to NYG
- 2nd straight road game: applies to ARI
- bye next week: no
- off a bye: no
- scored ≤10 last: no
- short week: no
- trip ≥1000 mi: applies to ARI
- TO ≥3 last: no
- undefeated entering: no
- winless entering: no

7. Stack, without double-counting

Stack floor is $n \geq 20$ (tables use $n \geq 10$). Traits are added by largest parent-minus-child gap (the stack's pct against the pct of the games the trait removes), not by a fixed order. Under each stack: by-season W-L, cover-margin quartiles with signed tails, parent-minus-child (the stack without each trait, and the games that trait removed), the anchor's complement, the stack split by line bucket, a contrary cross (the team's own traits that run against it on the anchor, crossed into the stack), and a hold-out (traits chosen on 2015–20 only at a scaled floor of $n \geq 10$, printed on 2021–25).

- **NYG +2.5** — one population: home dog +1 to +3; off EPA ≤ -1 last; off yards ≤ 300 last; next opponent is a favorite over them ($n_line > 0$); next game is road. ATS 8–9–3 (47.1%, $n=20$). Not added (no gap with $n \geq 20$ left): equal rest, host of a 2+ zone visitor, host of a ≥ 1000 mi visitor, off a win, off a 1-score win, off a cover, off a win as favorite, off a home game....
- By season: 15:1-0 16:1-0 17:2-2 18:1-2 19:0-1 22:0-1 23:1-2 24:1-1 25:1-0
- Cover margin: median +0.0, q25/q75 -6.9/+5.1; $P(>+7)$ 0.20, $P(<-7)$ 0.25
- Parent minus child: without 'off EPA ≤ -1 last': 9–13–3 (40.9%, $n=25$), the games it removed: 1–4 (20.0%, $n=5$) | without 'off yards ≤ 300 last': 23–15–5 (60.5%, $n=43$), the games it removed: 15–6–2 (71.4%, $n=23$) | without 'next opponent is a favorite over them ($n_line > 0$)': 12–13–3 (48.0%, $n=28$), the games it removed: 4–4 (50.0%, $n=8$) | without 'next game is road': 8–15–3 (34.8%, $n=26$), the games it removed: 0–6 (0.0%, $n=6$)
- Anchor alone 75–90–7 (45.5%, $n=172$); anchor minus stack 67–81–4 (45.3%, $n=152$)
- Stack by line bucket: +1 to +3 8–9–3 (47.1%, $n=20$)
- Contrary cross (team's own traits that run against it on this anchor, then crossed into the stack): 2nd straight home game: 18–28–1 (39.1%, $n=47$) → in stack 3–4 (42.9%, $n=7$) | off a home game: 18–28–1 (39.1%, $n=47$) → in stack 3–4 (42.9%, $n=7$) | TO ≤ 1 last: 41–55–2 (42.7%, $n=98$) → in stack 4–7–1 (36.4%, $n=12$) | opponent off a loss: 32–44–4 (42.1%, $n=80$) → in stack 3–5–3 (37.5%, $n=11$)
- Hold-out (traits chosen on 2015–20 only at $n \geq 10$: home dog +1 to +3; off a win; off a cover; TO ≤ 1 last; equal rest; next game is road): 2015–20 7–5–1 (58.3%, $n=13$) → 2021–25 1–6–1 (14.3%, $n=8$)
- **ARI -2.5** — one population: road fav -1 to -3; def EPA allowed $\geq +10$ last; TO ≤ 1 last; off a loss. ATS 10–11 (47.6%, $n=21$). Not added (no gap with $n \geq 20$ left): equal rest, trip ≥ 1000 mi, trip ≥ 2000 mi, 2+ time zones, west team east, early kick, off a 1-score loss, off a cover, off a loss as dog....
- By season: 15:1-2 16:0-1 17:0-1 18:1-2 19:0-1 20:2-0 21:1-0 22:0-1 23:3-0 24:0-1 25:2-2
- Cover margin: median -1.5, q25/q75 -9.5/+8.5; $P(>+7)$ 0.33, $P(<-7)$ 0.33
- Parent minus child: without 'def EPA allowed $\geq +10$ last': 21–19–2 (52.5%, $n=42$), the games it removed: 11–8–2 (57.9%, $n=21$) | without 'TO ≤ 1 last': 25–12–1 (67.6%, $n=38$), the games it removed: 15–1–1 (93.8%, $n=17$) | without 'off a loss': 13–13 (50.0%, $n=26$), the games it removed: 3–2 (60.0%, $n=5$)
- Anchor alone 90–75–7 (54.5%, $n=172$); anchor minus stack 80–64–7 (55.6%, $n=151$)
- Stack by line bucket: -1 to -3 10–11 (47.6%, $n=21$)
- Contrary cross (team's own traits that run against it on this anchor, then crossed into the stack): 0 turnovers last: 22–29–1 (43.1%, $n=52$) → in stack 0–5 (0.0%, $n=5$) | west team east, early kick: 8–11 (42.1%, $n=19$) → in stack 1–2 (33.3%, $n=3$) | next opponent is a favorite over them ($n_line > 0$): 29–33–3 (46.8%, $n=65$) → in stack 5–5 (50.0%, $n=10$) | scored 27–33 last: 22–24–1 (47.8%, $n=47$) → in stack 3–4 (42.9%, $n=7$)
- Hold-out (traits chosen on 2015–20 only at $n \geq 10$: road fav -1 to -3; next game is home non-division; next opponent is a favorite over them ($n_line > 0$)): 2015–20 4–8–1 (33.3%, $n=13$) → 2021–25 7–5–1 (58.3%, $n=13$)
- **Total 44.5, tightest cut clearing n = 20**: line within 3, visitor crossing 2+ zones — O–U 52–40–1 (56.5%, $n=93$).
- By season (O–U): 15:3-2 16:7-4 17:9-0 18:4-1 19:6-2 20:2-3 21:5-4 22:3-7 23:4-7 24:2-6 25:7-4
- Total margin (points – line): median +1.5, q25/q75 -5.0/+7.0; $P(>+7)$ 0.25, $P(<-7)$ 0.22
- By total band: ≤ 39 2–3 ($n=5$); 40–44 20–14 ($n=34$); 45–49 26–18 ($n=44$); ≥ 50 4–5–1 ($n=10$)

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015–2026 (yards, pass EPA, TO), play_by_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).