

TEN at BAL · Sunday 2026-10-04 13:00 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. $n \geq 10$. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: TEN +11.5 / BAL -11.5, total 42.5. Trip: TEN → BAL 586 mi, 1 time zone east. Rest: TEN 7 days, BAL 7 days. Roof: outdoors.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	TEN	H vs NYJ	10–23	–1.5	miss	208	68	–7.4	–7.1	+8.1	0.44	1
2	TEN	H vs PHI	20–24	+7.0	cover	305	122	–0.1	+2.3	+3.1	0.42	0
3	TEN	A at NYG	7–12	+2.5	miss	262	81	–6.5	–8.6	–9.2	0.40	2
1	BAL	A at IND	41–23	–3.0	cover	526	202	+10.3	+13.4	–12.1	0.47	1
2	BAL	H vs NO	17–24	–8.5	miss	343	108	+3.3	+5.6	+9.1	0.61	1
3	BAL	N vs DAL	34–31	–3.0	push	378	192	+11.9	+12.6	+8.6	0.50	0

Last game EPA (PBP): TEN off -8.6, def allowed -9.2, net +0.6, SR 0.40. BAL off +12.6, def allowed +8.6, net +3.9, SR 0.50. Records: TEN 0–3, BAL 2–1. ATS: TEN 1–2, BAL 1–1.

2. Lookahead and rest

- TEN: last played week 3 (Sunday early window, road, lost by 5). 7 days rest. Week 5: home vs HOU, division, Sunday early window.
- BAL: last played week 3 (Sunday late window, neutral site, won by 3). 7 days rest. Week 5: road vs ATL, non-division, Sunday night.

3. Sides — BAL -11.5

BAL (home favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
home favorite	265–294–16	47.4%	575
Sunday early window home favorite	145–150–10	49.2%	305
home fav -10 or more	38–33–2	53.5%	73
Sunday early window fav -10 or more	26–25–2	51.0%	53

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
allowed ≥ 27 last, home favorite	84–123–6	40.6%	213
0 turnovers last, home fav -10 or more	18–6	75.0%	24
allowed ≥ 30 last, home favorite	57–82–3	41.0%	142
TO ≤ 1 last, home fav -10 or more	29–15–2	65.9%	46
scored ≥ 30 last, home fav -10 or more	21–10–1	67.7%	32
pass EPA $\geq +10$ last, home fav -10 or more	21–10–2	67.7%	33
allowed ≥ 27 last, Sunday early window home favorite	43–62–3	41.0%	108
allowed ≥ 30 last, Sunday early window home favorite	29–43–2	40.3%	74
scored ≥ 30 last, Sunday early window fav -10 or more	13–6–1	68.4%	20
opponent off an ATS miss, home favorite	124–150–8	45.3%	282
off EPA $\geq +8$ last, home fav -10 or more	21–12–1	63.6%	34
scored ≥ 30 last, home favorite	79–98–4	44.6%	181
off a 1-score win, Sunday early window home favorite	48–35–5	57.8%	88
equal rest, home favorite	154–180–10	46.1%	344
next game is road, home favorite	179–206–8	46.5%	393
off a win, home fav -10 or more	28–19–1	59.6%	48
next game is road non-division, Sunday early window fav -10 or more	14–8–2	63.6%	24
pass EPA $\geq +10$ last, Sunday early window fav -10 or more	12–7–2	63.2%	21

Cut	ATS	Pct	n
0 turnovers last, Sunday early window fav -10 or more	12-7	63.2%	19
opponent off a loss, home favorite	142-162-7	46.7%	311
pass EPA ≥ +10 last, home favorite	73-87-6	45.6%	166
opponent off an ATS miss, Sunday early window home favorite	65-78-3	45.5%	146
off a neutral-site game, Sunday early window home favorite	9-5	64.3%	14
next game is road non-division, Sunday early window home favorite	68-81-6	45.6%	155
outdoors, home favorite	186-207-12	47.3%	405
off a win, Sunday early window home favorite	90-77-7	53.9%	174
off a win as favorite, home fav -10 or more	21-15	58.3%	36
off EPA ≥ +8 last, Sunday early window home favorite	58-48-4	54.7%	110

Wide populations (n ≥ 300): equal rest, home favorite, next game is road, home favorite, opponent off a loss, home favorite, outdoors, home favorite. They describe the spot, they do not select this game.

4. Sides — TEN +11.5

Mirror of the chair above. Same games, other side.

TEN (road dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
road dog	294-265-16	52.6%	575
Sunday early window road dog	150-145-10	50.8%	305
road dog +10 or more	33-38-2	46.5%	73
Sunday early window dog +10 or more	25-26-2	49.0%	53

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
trip 200-1000 mi, road dog	179-135-6	57.0%	320
scored ≤10 last, road dog +10 or more	4-13	23.5%	17
trip 200-1000 mi, Sunday early window road dog	107-81-3	56.9%	191
off an ATS miss, road dog	150-124-8	54.7%	282
off a 1-score loss, road dog	88-69-5	56.1%	162
equal rest, road dog	180-154-10	53.9%	344
off a loss as dog, road dog +10 or more	16-25-1	39.0%	42
next opponent is a favorite over them (n_line>0), road dog +10 or more	22-32-1	40.7%	55
opponent off a win, road dog +10 or more	19-28-1	40.4%	48
next game is division, Sunday early window dog +10 or more	10-5	66.7%	15
2nd straight road game, Sunday early window dog +10 or more	4-8-1	33.3%	13
off EPA ≤ -1 last, road dog +10 or more	20-28-1	41.7%	49
off a loss, road dog	162-142-7	53.3%	311
off a 1-score loss, road dog +10 or more	12-7-1	63.2%	20
off an ATS miss, Sunday early window road dog	78-65-3	54.5%	146
outdoors, road dog	207-186-12	52.7%	405
allowed ≤17 last, road dog	87-74-2	54.0%	163
allowed ≤21 last, road dog	130-114-5	53.3%	249
opponent off a win, Sunday early window road dog	77-90-7	46.1%	174
scored ≤10 last, Sunday early window dog +10 or more	6-10	37.5%	16
next game is division, road dog	92-79-3	53.8%	174
off EPA ≤ -1 last, Sunday early window road dog	67-79-2	45.9%	148
outdoors, road dog +10 or more	23-30-1	43.4%	54

Cut	ATS	Pct	n
off a loss as dog, Sunday early window road dog	51–61–2	45.5%	114
success rate $\leq$.40 last, road dog +10 or more	12–17–1	41.4%	30
scored $\leq$ 17 last, road dog	99–87–5	53.2%	191
off an ATS miss, Sunday early window dog +10 or more	19–14–1	57.6%	34
scored $\leq$ 21 last, road dog	137–123–6	52.7%	266

Wide populations (n $\geq$ 300): trip 200–1000 mi, road dog, equal rest, road dog, off a loss, road dog, outdoors, road dog. They describe the spot, they do not select this game.

5. Total 42.5

Cut	Over–Under	Over pct	n
Sunday early window	267–249–5	51.7%	521
home fav –7 or more	88–98–1	47.3%	187
outdoors, home fav –7 or more, total 40–44	31–26	54.4%	57
Sunday early window, outdoors	202–193–5	51.1%	400
Sunday early window, home fav –7 or more, total 40–44	22–20	52.4%	42
outdoors	343–350–7	49.5%	700
outdoors, total 40–44	141–137–2	50.7%	280
total 40–44	179–183–2	49.4%	364
Sunday early window, home fav –7 or more	49–47–1	51.0%	97
Sunday early window, total 40–44	107–105–1	50.5%	213
home fav –7 or more, total 40–44	39–38	50.6%	77
outdoors, home fav –7 or more	65–64–1	50.4%	130
Sunday early window, outdoors, total 40–44	85–85–1	50.0%	171

6. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: no
- off a 20-point win: no
- 2nd straight home game: no
- 2nd straight road game: applies to TEN
- bye next week: no
- off a bye: no
- scored $\leq$ 10 last: applies to TEN
- short week: no
- trip $\geq$ 1000 mi: no
- TO $\geq$ 3 last: no
- undefeated entering: no
- winless entering: no

7. Stack, without double-counting

Stack floor is n $\geq$ 20 (tables use n $\geq$ 10). Traits are added by largest parent-minus-child gap (the stack's pct against the pct of the games the trait removes), not by a fixed order. Under each stack: by-season W-L, cover-margin quartiles with signed tails, parent-minus-child (the stack without each trait, and the games that trait removed), the anchor's complement, the stack split by line bucket, a contrary cross (the team's own traits that run against it on the anchor, crossed into the stack), and a hold-out (traits chosen on 2015–20 only at a scaled floor of n $\geq$ 10, printed on 2021–25).

- **BAL –11.5** — one population: Sunday early window fav –10 or more; scored $\geq$ 30 last. ATS 13–6–1 (68.4%, n=20). Not added (no gap with n $\geq$ 20 left): equal rest, off a win, off a 1-score win, off a win as favorite, off a neutral-site game, allowed $\geq$ 27 last, allowed $\geq$ 30 last, rush yards $\geq$ 150 last....
- By season: 15:1-0 16:1-0 17:1-0 19:3-0 20:2-1 21:1-1 22:0-1 23:1-0 24:1-0 25:2-3
- Cover margin: median +6.5, q25/q75 -3.1/+11.1; P(>+7) 0.45, P(<-7) 0.15
- Parent minus child: without 'scored $\geq$ 30 last': 26–25–2 (51.0%, n=53), the games it removed: 13–19–1 (40.6%, n=33)

- Anchor alone 26–25–2 (51.0%, n=53); anchor minus stack 13–19–1 (40.6%, n=33)
- Stack by line bucket: -10 or more 13–6–1 (68.4%, n=20)
- Contrary cross (team's own traits that run against it on this anchor, then crossed into the stack): opponent off an ATS miss: 14–19–1 (42.4%, n=34) → in stack 7–5–1 (58.3%, n=13) | next game is prime time: 7–9 (43.8%, n=16) → in stack 3–4 (42.9%, n=7) | equal rest: 15–17–1 (46.9%, n=33) → in stack 8–3 (72.7%, n=11) | off a win, opponent off a loss: 13–14 (48.1%, n=27) → in stack 8–5 (61.5%, n=13)
- Hold-out (traits chosen on 2015–20 only at $n \geq 10$: Sunday early window fav -10 or more; off EPA $\geq +8$ last): 2015–20 9–1 (90.0%, n=10) → 2021–25 4–8–1 (33.3%, n=13)
- **TEN +11.5** — one population: Sunday early window dog +10 or more; off an ATS miss; off EPA ≤ -1 last. ATS 12–12 (50.0%, n=24). Not added (no gap with $n \geq 20$ left): equal rest, trip 200–1000 mi, 1 time zone, off a loss, off a 1-score loss, off a loss as dog, off a road game, 2nd straight road game....
- By season: 16:0-1 17:1-1 18:0-1 19:0-3 20:1-0 21:3-2 22:4-1 23:0-2 24:0-1 25:3-0
- Cover margin: median -0.8, q25/q75 -10.1/+10.5; $P(>+7)$ 0.29, $P(<-7)$ 0.33
- Parent minus child: without 'off an ATS miss': 16–19–1 (45.7%, n=36), the games it removed: 4–7–1 (36.4%, n=12) | without 'off EPA ≤ -1 last': 19–14–1 (57.6%, n=34), the games it removed: 7–2–1 (77.8%, n=10)
- Anchor alone 25–26–2 (49.0%, n=53); anchor minus stack 13–14–2 (48.1%, n=29)
- Stack by line bucket: +10 or more 12–12 (50.0%, n=24)
- Contrary cross (team's own traits that run against it on this anchor, then crossed into the stack): 2nd straight road game: 4–8–1 (33.3%, n=13) → in stack 2–2 (50.0%, n=4) | scored ≤ 10 last: 6–10 (37.5%, n=16) → in stack 6–7 (46.2%, n=13) | next game is home: 14–18–2 (43.8%, n=34) → in stack 5–7 (41.7%, n=12) | success rate $\leq .40$ last: 10–13–1 (43.5%, n=24) → in stack 7–8 (46.7%, n=15)
- Hold-out (traits chosen on 2015–20 only at $n \geq 10$: Sunday early window dog +10 or more; off a loss as dog; scored ≤ 17 last): 2015–20 2–9 (18.2%, n=11) → 2021–25 11–4 (73.3%, n=15)
- **Total 42.5, tightest cut clearing $n = 20$:** Sunday early window — O–U 267–249–5 (51.7%, n=521).
- By season (O–U): 15:27-22 16:28-19 17:20-25 18:25-20 19:25-24 20:24-21 21:24-24 22:22-29 23:18-29 24:29-16 25:25-20
- Total margin (points – line): median +1.0, q25/q75 -7.5/+9.5; $P(>+7)$ 0.31, $P(<-7)$ 0.25
- By total band: ≤ 39 10–18–1 (n=29); 40–44 107–105–1 (n=213); 45–49 106–90–1 (n=197); ≥ 50 36–30–2 (n=68)

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015–2026 (yards, pass EPA, TO), play_by_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).