

IND at WAS · Sunday 2026-10-04 09:30 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. $n \geq 10$. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: IND -3.5 / WAS +3.5, total 48.5. Neutral site (London). Home and road are stripped on this game: anchors are favorite/dog at any site, travel cuts off. Rest: IND 7 days, WAS 7 days. Roof: outdoors.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	IND	H vs BAL	23–41	+3.0	miss	268	102	-9.6	-12.1	+13.4	0.43	2
2	IND	A at KC	30–33	+6.0	cover	329	119	+5.9	+13.4	+15.7	0.49	1
3	IND	H vs HOU	19–17	+1.5	cover	324	89	-6.9	-8.1	-4.5	0.41	3
1	WAS	A at PHI	22–24	+6.0	cover	296	132	+3.9	+4.1	+1.4	0.43	0
2	WAS	A at DAL	20–37	+3.5	miss	389	182	+5.9	+2.2	+12.7	0.49	1
3	WAS	H vs SEA	33–31	+8.5	cover	265	82	+3.8	-1.6	-1.7	0.33	0

Last game EPA (PBP): IND off -8.1, def allowed -4.5, net -3.6, SR 0.41. WAS off -1.6, def allowed -1.7, net +0.1, SR 0.33. Records: IND 1–2, WAS 1–2. ATS: IND 2–1, WAS 2–1.

2. Lookahead and rest

- IND: last played week 3 (Sunday early window, home, won by 2). 7 days rest. Week 5: road vs PIT, non-division, Sunday early window.
- WAS: last played week 3 (Sunday early window, home, won by 2). 7 days rest. Week 5: home vs NYG, division, Sunday early window.

3. Sides — WAS +3.5

WAS (neutral site, dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
dog (all sites)	475–453–24	51.2%	952
dog +3.5 to +6.5 (all sites)	154–154–2	50.0%	310
Sunday early window dog (all sites)	258–247–15	51.1%	520

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
0 turnovers last, dog +3.5 to +6.5 (all sites)	31–44	41.3%	75
both off a win, dog +3.5 to +6.5 (all sites)	40–53–2	43.0%	95
equal rest, dog (all sites)	304–273–15	52.7%	592
equal rest, dog +3.5 to +6.5 (all sites)	87–103–2	45.8%	192
won last despite off EPA ≤ -1 , dog +3.5 to +6.5 (all sites)	22–15–1	59.5%	38
allowed ≥ 30 last, dog +3.5 to +6.5 (all sites)	44–34–2	56.4%	80
TO ≤ 1 last, dog (all sites)	277–252–10	52.4%	539
0 turnovers last, Sunday early window dog (all sites)	58–69–4	45.7%	131
equal rest, Sunday early window dog (all sites)	165–151–10	52.2%	326
won last despite off EPA ≤ -1 , Sunday early window dog (all sites)	26–21–4	55.3%	51
next game is division, dog (all sites)	146–134–5	52.1%	285
allowed ≥ 27 last, dog +3.5 to +6.5 (all sites)	59–52–2	53.2%	113
off a cover, Sunday early window dog (all sites)	109–119–10	47.8%	238
next game is division, Sunday early window dog (all sites)	77–69–3	52.7%	149
allowed ≥ 27 last, Sunday early window dog (all sites)	111–102–4	52.1%	217
off a 1-score win, dog +3.5 to +6.5 (all sites)	35–40–2	46.7%	77
scored 27–33 last, dog +3.5 to +6.5 (all sites)	33–29	53.2%	62
outdoors, dog (all sites)	346–333–20	51.0%	699

Cut	ATS	Pct	n
scored ≥ 30 last, Sunday early window dog (all sites)	53–48–5	52.5%	106
scored ≥ 30 last, dog (all sites)	103–96–6	51.8%	205
allowed ≥ 30 last, Sunday early window dog (all sites)	85–79–4	51.8%	168
0 turnovers last, dog (all sites)	114–121–6	48.5%	241
opponent off a win, dog +3.5 to +6.5 (all sites)	85–91–2	48.3%	178
off a win, Sunday early window dog (all sites)	101–95–10	51.5%	206
off a win, dog +3.5 to +6.5 (all sites)	68–73–2	48.2%	143
next game is division, dog +3.5 to +6.5 (all sites)	44–48	47.8%	92
opponent off a win, dog (all sites)	268–259–14	50.9%	541
scored 27–33 last, dog (all sites)	89–84–5	51.4%	178

Wide populations ($n \geq 300$): equal rest, dog (all sites), TO ≤ 1 last, dog (all sites), equal rest, Sunday early window dog (all sites), outdoors, dog (all sites), opponent off a win, dog (all sites). They describe the spot, they do not select this game.

4. Sides — IND –3.5

Mirror of the chair above. Same games, other side.

IND (neutral site, favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
favorite (all sites)	453–475–24	48.8%	952
fav –3.5 to –6.5 (all sites)	154–154–2	50.0%	310
Sunday early window favorite (all sites)	247–258–15	48.9%	520

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
TO ≥ 3 last, favorite (all sites)	50–66–4	43.1%	120
won last despite off EPA ≤ -1 , Sunday early window favorite (all sites)	24–35–2	40.7%	61
off an upset win as dog, fav –3.5 to –6.5 (all sites)	31–21	59.6%	52
both off a win, fav –3.5 to –6.5 (all sites)	53–40–2	57.0%	95
equal rest, favorite (all sites)	273–304–15	47.3%	592
off a 1-score win, Sunday early window favorite (all sites)	81–66–7	55.1%	154
allowed ≤ 17 last, Sunday early window favorite (all sites)	82–98–5	45.6%	185
equal rest, fav –3.5 to –6.5 (all sites)	103–87–2	54.2%	192
TO ≥ 3 last, fav –3.5 to –6.5 (all sites)	15–21–1	41.7%	37
off a 1-score win, fav –3.5 to –6.5 (all sites)	49–40	55.1%	89
allowed ≤ 17 last, favorite (all sites)	153–169–7	47.5%	329
scored ≤ 21 last, Sunday early window favorite (all sites)	92–104–7	46.9%	203
off a 1-score win, favorite (all sites)	129–116–9	52.7%	254
off EPA ≤ -1 last, Sunday early window favorite (all sites)	88–99–5	47.1%	192
equal rest, Sunday early window favorite (all sites)	151–165–10	47.8%	326
allowed ≤ 21 last, Sunday early window favorite (all sites)	115–127–10	47.5%	252
off a division game, favorite (all sites)	136–124–5	52.3%	265
allowed ≤ 21 last, favorite (all sites)	212–227–13	48.3%	452
opponent off a cover, Sunday early window favorite (all sites)	119–109–10	52.2%	238
TO ≥ 3 last, Sunday early window favorite (all sites)	29–34–2	46.0%	65
off an upset win as dog, favorite (all sites)	78–71–5	52.3%	154
outdoors, favorite (all sites)	333–346–20	49.0%	699
off a win, fav –3.5 to –6.5 (all sites)	91–85–2	51.7%	178
opponent off a win, Sunday early window favorite (all sites)	95–101–10	48.5%	206

Cut	ATS	Pct	n
won last despite net EPA ≤ -1 , Sunday early window favorite (all sites)	10–12	45.5%	22
allowed ≤ 21 last, fav -3.5 to -6.5 (all sites)	72–67–2	51.8%	141
opponent off a win, fav -3.5 to -6.5 (all sites)	73–68–2	51.8%	143
off a win, favorite (all sites)	259–268–14	49.1%	541

Wide populations ($n \geq 300$): equal rest, favorite (all sites), allowed ≤ 17 last, favorite (all sites), equal rest, Sunday early window favorite (all sites), allowed ≤ 21 last, favorite (all sites), outdoors, favorite (all sites), off a win, favorite (all sites). They describe the spot, they do not select this game.

5. Total 48.5

Cut	Over–Under	Over pct	n
both off EPA ≤ -1 last, total ≥ 47	20–10	66.7%	30
outdoors, both off EPA ≤ -1 last, total ≥ 47	13–6	68.4%	19
Sunday early window, outdoors, total 45–49	84–67–1	55.6%	152
both off EPA ≤ -1 last	78–96	44.8%	174
Sunday early window, both off EPA ≤ -1 last	47–60	43.9%	107
Sunday early window, both off EPA ≤ -1 last, total ≥ 47	11–6	64.7%	17
Sunday early window, total 45–49	106–90–1	54.1%	197
outdoors, total ≥ 47	109–124–3	46.8%	236
outdoors, total 45–49	140–125–2	52.8%	267
Sunday early window, total ≥ 47	93–81–3	53.4%	177
outdoors, both off EPA ≤ -1 last	56–65	46.3%	121
Sunday early window	267–249–5	51.7%	521
Sunday early window, outdoors, total ≥ 47	64–56–3	53.3%	123
total ≥ 47	167–179–5	48.3%	351
total 45–49	187–175–2	51.7%	364
outdoors, both off EPA ≤ -1 last, total 45–49	18–15	54.5%	33
Sunday early window, outdoors	202–193–5	51.1%	400
Sunday early window, both off EPA ≤ -1 last, total 45–49	16–14	53.3%	30
both off EPA ≤ -1 last, total 45–49	26–24	52.0%	50
outdoors	343–350–7	49.5%	700

6. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: no
- off a 20-point win: no
- 2nd straight home game: no
- 2nd straight road game: no
- bye next week: no
- off a bye: no
- scored ≤ 10 last: no
- short week: no
- trip ≥ 1000 mi: no
- TO ≥ 3 last: applies to IND
- undefeated entering: no
- winless entering: no

7. Stack, without double-counting

Stack floor is $n \geq 20$ (tables use $n \geq 10$). Traits are added by largest parent-minus-child gap (the stack's pct against the pct of the games the trait removes), not by a fixed order. Under each stack: by-season W-L, cover-margin quartiles with signed tails, parent-minus-child (the stack without

each trait, and the games that trait removed), the anchor's complement, the stack split by line bucket, a contrary cross (the team's own traits that run against it on the anchor, crossed into the stack), and a hold-out (traits chosen on 2015–20 only, printed on 2021–25).

- **WAS +3.5** — one population: dog +3.5 to +6.5 (all sites); 0 turnovers last; outdoors; off a cover; off a win; equal rest. ATS 8–16 (33.3%, n=24). Not added (no gap with n ≥ 20 left): off a 1-score win, off an upset win as dog, scored 27–33 last, scored ≥30 last, allowed ≥27 last, allowed ≥30 last, off yards ≤300 last, TO ≤1 last....
- By season: 15:1-4 16:0-1 17:0-1 18:0-2 20:1-0 21:1-1 22:1-4 23:1-2 24:2-0 25:1-1
- Cover margin: median -3.5, q25/q75 -11.9/+0.5; P(>+7) 0.12, P(<-7) 0.42
- Parent minus child: without '0 turnovers last': 24–30–1 (44.4%, n=55), the games it removed: 16–14–1 (53.3%, n=31) | without 'outdoors': 10–20 (33.3%, n=30), the games it removed: 2–4 (33.3%, n=6) | without 'off a cover': 8–18 (30.8%, n=26), the games it removed: 0–2 (0.0%, n=2) | without 'off a win': 11–17 (39.3%, n=28), the games it removed: 3–1 (75.0%, n=4) | without 'equal rest': 14–23 (37.8%, n=37), the games it removed: 6–7 (46.2%, n=13)
- Anchor alone 154–154–2 (50.0%, n=310); anchor minus stack 146–138–2 (51.4%, n=286)
- Stack by line bucket: +3.5 to +6.5 8–16 (33.3%, n=24)
- Contrary cross (team's own traits that run against it on this anchor, then crossed into the stack): both off a win: 40–53–2 (43.0%, n=95) → in stack 7–11 (38.9%, n=18) | off a 1-score win: 35–40–2 (46.7%, n=77) → in stack 5–7 (41.7%, n=12) | opponent off a win: 85–91–2 (48.3%, n=178) → in stack 7–11 (38.9%, n=18) | next game is division: 44–48 (47.8%, n=92) → in stack 2–7 (22.2%, n=9)
- Hold-out (traits chosen on 2015–20 only: dog +3.5 to +6.5 (all sites); both off a win; off an upset win as dog; TO ≤1 last): 2015–20 10–10–1 (50.0%, n=21) → 2021–25 8–9 (47.1%, n=17)
- **IND -3.5** — one population: fav -3.5 to -6.5 (all sites); off an upset win as dog; off a 1-score win. ATS 18–8 (69.2%, n=26). Not added (no gap with n ≥ 20 left): equal rest, off a win, off a cover, off a division game, scored ≤21 last, allowed ≤17 last, allowed ≤21 last, TO ≥3 last....
- By season: 15:1-0 16:2-1 17:4-0 18:2-1 19:0-1 20:2-1 21:2-1 22:0-1 23:1-1 25:4-1
- Cover margin: median +4.5, q25/q75 -2.0/+11.4; P(>+7) 0.46, P(<-7) 0.12
- Parent minus child: without 'off an upset win as dog': 49–40 (55.1%, n=89), the games it removed: 31–32 (49.2%, n=63) | without 'off a 1-score win': 31–21 (59.6%, n=52), the games it removed: 13–13 (50.0%, n=26)
- Anchor alone 154–154–2 (50.0%, n=310); anchor minus stack 136–146–2 (48.2%, n=284)
- Stack by line bucket: -3.5 to -6.5 18–8 (69.2%, n=26)
- Contrary cross (team's own traits that run against it on this anchor, then crossed into the stack): TO ≥3 last: 15–21–1 (41.7%, n=37) → in stack 0–0 (—, n=0) | off a division game: 44–47–2 (48.4%, n=93) → in stack 6–2 (75.0%, n=8) | off EPA ≤ -1 last: 49–51 (49.0%, n=100) → in stack 3–2 (60.0%, n=5) | scored ≤21 last: 54–56–1 (49.1%, n=111) → in stack 2–2 (50.0%, n=4)
- Hold-out (traits chosen on 2015–20 only: fav -3.5 to -6.5 (all sites); off an upset win as dog; opponent off a cover): 2015–20 11–9 (55.0%, n=20) → 2021–25 4–5 (44.4%, n=9)
- **Total 48.5, tightest cut clearing n = 20:** both off EPA ≤ -1 last, total ≥47 — O–U 20–10 (66.7%, n=30).
- By season (O–U): 16:2-0 17:0-1 18:2-0 19:1-2 20:2-0 21:1-2 22:3-3 23:1-2 24:3-0 25:5-0
- Total margin (points – line): median +3.2, q25/q75 -0.5/+9.0; P(>+7) 0.33, P(<-7) 0.20
- By total band: 45–49 15–7 (n=22); ≥50 5–3 (n=8)

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015–2026 (yards, pass EPA, TO), play_by_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).