

JAX at CIN · Sunday 2026-10-04 13:00 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. $n \geq 10$. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: JAX +2.5 / CIN -2.5, total 51.5. Trip: JAX → CIN 614 mi, 0 time zones. Rest: JAX 7 days, CIN 7 days. Roof: outdoors.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	JAX	H vs CLE	34–10	–8.5	cover	371	126	+19.0	+16.7	–10.5	0.59	0
2	JAX	A at DEN	13–20	+2.5	miss	284	95	–4.1	–2.9	+7.6	0.45	1
3	JAX	H vs NE	35–6	–3.0	cover	319	137	+7.6	+11.8	–15.9	0.49	1
1	CIN	H vs TB	33–27	–3.5	cover	360	106	–2.6	+0.1	–4.6	0.48	1
2	CIN	A at HOU	20–6	+3.0	cover	292	85	–0.5	–6.3	–18.9	0.31	0
3	CIN	A at PIT	27–30	–3.5	miss	365	83	+14.7	+14.8	+11.3	0.54	2

Last game EPA (PBP): JAX off +11.8, def allowed -15.9, net +27.8, SR 0.49. CIN off +14.8, def allowed +11.3, net +3.6, SR 0.54. Records: JAX 2–1, CIN 2–1. ATS: JAX 2–1, CIN 2–1.

2. Lookahead and rest

- JAX: last played week 3 (Sunday early window, home, won by 29). 7 days rest. Week 5: home vs PHI, non-division, Sunday early window.
- CIN: last played week 3 (Sunday early window, road, lost by 3). 7 days rest. Week 5: road vs MIA, non-division, Sunday early window.

3. Sides — CIN –2.5

CIN (home favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
home favorite	265–294–16	47.4%	575
Sunday early window home favorite	145–150–10	49.2%	305
home fav –1 to –3	85–100–9	45.9%	194
Sunday early window fav –1 to –3	102–106–10	49.0%	218

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
allowed ≥ 27 last, home favorite	84–123–6	40.6%	213
allowed ≥ 30 last, home fav –1 to –3	17–34–2	33.3%	53
allowed ≥ 27 last, home fav –1 to –3	28–48–3	36.8%	79
lost last despite off EPA $\geq +1$, Sunday early window home favorite	14–28–1	33.3%	43
allowed ≥ 30 last, home favorite	57–82–3	41.0%	142
equal rest, home fav –1 to –3	43–65–5	39.8%	113
off an ATS miss, home favorite	112–144–8	43.8%	264
off a loss, opponent off a win, Sunday early window home favorite	18–32–1	36.0%	51
off an ATS miss, Sunday early window home favorite	53–75–5	41.4%	133
off a 1-score loss, home favorite	61–84–3	42.1%	148
off a loss, home favorite	111–141–6	44.0%	258
allowed ≥ 27 last, Sunday early window home favorite	43–62–3	41.0%	108
off a loss, opponent off a win, home favorite	44–63–2	41.1%	109
off a 1-score loss, home fav –1 to –3	21–34–2	38.2%	57
scored 27–33 last, home fav –1 to –3	18–30–1	37.5%	49
off a loss, home fav –1 to –3	40–57–5	41.2%	102
off a 1-score loss, Sunday early window home favorite	27–41–2	39.7%	70
lost last despite off EPA $\geq +1$, home favorite	37–53–2	41.1%	92

Cut	ATS	Pct	n
allowed ≥30 last, Sunday early window home favorite	29–43–2	40.3%	74
opponent off a win by 20+, Sunday early window fav –1 to –3	6–13–1	31.6%	20
off a loss, Sunday early window home favorite	55–73–3	43.0%	131
opponent off a win by 20+, home fav –1 to –3	10–18–1	35.7%	29
off an ATS miss, home fav –1 to –3	38–52–6	42.2%	96
outdoors, home fav –1 to –3	59–76–7	43.7%	142
off a loss, opponent off a win, home fav –1 to –3	19–29–2	39.6%	50
equal rest, home favorite	154–180–10	46.1%	344
next game is road, home favorite	179–206–8	46.5%	393
lost last despite net EPA ≥ +1, home fav –1 to –3	7–3	70.0%	10

Wide populations (n ≥ 300): equal rest, home favorite, next game is road, home favorite. They describe the spot, they do not select this game.

4. Sides — JAX +2.5

Mirror of the chair above. Same games, other side.

JAX (road dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
road dog	294–265–16	52.6%	575
Sunday early window road dog	150–145–10	50.8%	305
road dog +1 to +3	100–85–9	54.1%	194
Sunday early window dog +1 to +3	106–102–10	51.0%	218

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
off EPA ≥ +8 last, road dog +1 to +3	40–19	67.8%	59
trip 200–1000 mi, road dog	179–135–6	57.0%	320
trip 200–1000 mi, Sunday early window dog +1 to +3	41–22–2	65.1%	65
TO ≤1 last, road dog +1 to +3	75–49–5	60.5%	129
trip 200–1000 mi, road dog +1 to +3	64–42–3	60.4%	109
equal rest, road dog +1 to +3	65–43–5	60.2%	113
off EPA ≥ +8 last, road dog	77–54–1	58.8%	132
opponent off an ATS miss, road dog	144–112–8	56.2%	264
off a win, opponent off a loss, Sunday early window road dog	32–18–1	64.0%	51
opponent off an ATS miss, Sunday early window road dog	75–53–5	58.6%	133
scored ≥30 last, road dog +1 to +3	34–20–2	63.0%	56
trip 200–1000 mi, Sunday early window road dog	107–81–3	56.9%	191
opponent off a loss, road dog	141–111–6	56.0%	258
off a home game, road dog	207–171–12	54.8%	390
off a win, opponent off a loss, road dog	63–44–2	58.9%	109
off a win by 14+, road dog +1 to +3	28–16–1	63.6%	45
net EPA ≥ +10 last, road dog +1 to +3	34–21–1	61.8%	56
opponent off a loss, road dog +1 to +3	57–40–5	58.8%	102
net EPA ≥ +10 last, Sunday early window dog +1 to +3	24–14–3	63.2%	41
off a win by 14+, Sunday early window dog +1 to +3	20–11–1	64.5%	32
off a win by 20+, Sunday early window dog +1 to +3	13–6–1	68.4%	20
opponent off a loss, Sunday early window road dog	73–55–3	57.0%	131
scored ≥30 last, road dog	75–57–5	56.8%	137
off EPA ≥ +8 last, Sunday early window road dog	42–29–1	59.2%	72

Cut	ATS	Pct	n
off a win by 20+, road dog +1 to +3	18–10–1	64.3%	29
TO ≤1 last, road dog	177–150–7	54.1%	334
opponent off an ATS miss, road dog +1 to +3	52–38–6	57.8%	96
outdoors, road dog +1 to +3	76–59–7	56.3%	142

Wide populations (n ≥ 300): trip 200–1000 mi, road dog, off a home game, road dog, TO ≤1 last, road dog. They describe the spot, they do not select this game.

5. Total 51.5

Cut	Over–Under	Over pct	n
line within 3, both off +8 off EPA	11–26	29.7%	37
outdoors, line within 3, total ≥50	10–22–1	31.2%	33
Sunday early window, both off +8 off EPA, total ≥50	2–9	18.2%	11
outdoors, total ≥50	37–57–2	39.4%	96
outdoors, both off +8 off EPA, total ≥50	7–17	29.2%	24
line within 3, total ≥50	22–36–3	37.9%	61
outdoors, both off +8 off EPA, total ≥47	14–25	35.9%	39
line within 3, both off +8 off EPA, total ≥47	7–15	31.8%	22
both off +8 off EPA, total ≥50	13–22	37.1%	35
both off +8 off EPA, total ≥47	21–32	39.6%	53
outdoors, both off +8 off EPA	25–36	41.0%	61
both off +8 off EPA	34–46	42.5%	80
line within 3, both off +8 off EPA, total ≥50	4–8	33.3%	12
both scored 27+ last week, both off +8 off EPA, total ≥50	12–18	40.0%	30
both scored 27+ last week, both off +8 off EPA, total ≥47	17–24	41.5%	41
line within 3, both scored 27+ last week	28–36–1	43.8%	65
outdoors, total ≥47	109–124–3	46.8%	236
line within 3, both scored 27+ last week, total ≥47	16–22–1	42.1%	39
Sunday early window, line within 3, total ≥50	12–17–1	41.4%	30
Sunday early window, total ≥47	93–81–3	53.4%	177
line within 3, both scored 27+ last week, total ≥50	8–12–1	40.0%	21
total ≥50	71–82–4	46.4%	157

6. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: no
- off a 20-point win: applies to JAX
- 2nd straight home game: no
- 2nd straight road game: no
- bye next week: no
- off a bye: no
- scored ≤10 last: no
- short week: no
- trip ≥1000 mi: no
- TO ≥3 last: no
- undefeated entering: no
- winless entering: no

7. Stack, without double-counting

Stack floor is $n \geq 20$ (tables use $n \geq 10$) so the conjunction cannot bottom out on the cutoff. Under each stack: by-season W-L, cover-margin quartiles with signed tails, parent-minus-child (the stack without each trait, and the games that trait removed), the anchor's complement, and the stack split by line bucket.

- **CIN -2.5** — one population: home fav -1 to -3; off a loss; off a 1-score loss; off an ATS miss; off a loss as favorite. ATS 11-11-1 (50.0%, n=23). Not added (n would fall under 20, or the trait does not narrow the population): off a road game, off a division game, next game is road, next game is road non-division, equal rest, opponent off a win, opponent off a win by 20+, opponent off a cover....
- By season: 15:0-1 16:2-1 17:0-1 19:1-0 20:1-1 21:0-2 22:3-1 23:1-2 24:1-1 25:2-1
- Cover margin: median +0.0, q25/q75 -9.5/+9.8; $P(>+7)$ 0.35, $P(<-7)$ 0.30
- Parent minus child: without 'off a loss': 11-11-1 (50.0%, n=23), the games it removed: 0-0 (—, n=0) | without 'off a 1-score loss': 16-14-1 (53.3%, n=31), the games it removed: 5-3 (62.5%, n=8) | without 'off an ATS miss': 11-11-1 (50.0%, n=23), the games it removed: 0-0 (—, n=0) | without 'off a loss as favorite': 15-22-2 (40.5%, n=39), the games it removed: 4-11-1 (26.7%, n=16)
- Anchor alone 85-100-9 (45.9%, n=194); anchor minus stack 74-89-8 (45.4%, n=171)
- Stack by line bucket: -1 to -3 11-11-1 (50.0%, n=23)
- **JAX +2.5** — one population: road dog +1 to +3; off a win; off a win by 14+; off a win by 20+; off a win as favorite; allowed ≤ 21 last; TO ≤ 1 last. ATS 13-6-1 (68.4%, n=20). Not added (n would fall under 20, or the trait does not narrow the population): off a cover, off a home game, trip 200-1000 mi, 0 time zones, next game is home, next game is home non-division, equal rest, opponent off a loss....
- By season: 16:0-1 17:2-0 18:3-0 19:1-0 20:2-0 21:1-0 22:1-0 23:0-3 24:3-1 25:0-1
- Cover margin: median +3.8, q25/q75 -2.0/+16.2; $P(>+7)$ 0.40, $P(<-7)$ 0.20
- Parent minus child: without 'off a win': 13-6-1 (68.4%, n=20), the games it removed: 0-0 (—, n=0) | without 'off a win by 14+': 13-6-1 (68.4%, n=20), the games it removed: 0-0 (—, n=0) | without 'off a win by 20+': 18-7-1 (72.0%, n=26), the games it removed: 5-1 (83.3%, n=6) | without 'off a win as favorite': 16-6-1 (72.7%, n=23), the games it removed: 3-0 (100.0%, n=3) | without 'allowed ≤ 21 last': 14-6-1 (70.0%, n=21), the games it removed: 1-0 (100.0%, n=1) | without 'TO ≤ 1 last': 14-9-1 (60.9%, n=24), the games it removed: 1-3 (25.0%, n=4)
- Anchor alone 100-85-9 (54.1%, n=194); anchor minus stack 87-79-8 (52.4%, n=174)
- Stack by line bucket: +1 to +3 13-6-1 (68.4%, n=20)

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015-2026 (yards, pass EPA, TO), play_by_play 2015-2026 (off/def EPA, success rate), data/airports.csv (miles, zones).