

## ATL at NO • Monday 2026-10-05 20:15 ET • Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025.  $n \geq 10$ . No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

**Line:** ATL +2.5 / NO -2.5, total 47.5. Trip: ATL → NO 425 mi, 1 time zone west. Rest: ATL 11 days, NO 8 days. Roof: dome.

### 1. Season boxes

| Wk | Team | Spot     | Score | Line | ATS   | Off yds | Rush | Pass EPA | Off EPA | Def EPA allowed | SR   | TO |
|----|------|----------|-------|------|-------|---------|------|----------|---------|-----------------|------|----|
| 1  | ATL  | A at PIT | 13–20 | +6.5 | miss  | 263     | 120  | -15.8    | -21.5   | -16.3           | 0.37 | 2  |
| 2  | ATL  | H vs CAR | 3–34  | +2.5 | miss  | 302     | 157  | -25.1    | -33.5   | +2.3            | 0.35 | 5  |
| 3  | ATL  | A at GB  | 35–14 | +4.5 | cover | 498     | 242  | +9.5     | +22.9   | +1.8            | 0.64 | 1  |
| 1  | NO   | A at DET | 30–31 | +7.0 | cover | 501     | 91   | -1.0     | +1.7    | -2.1            | 0.44 | 3  |
| 2  | NO   | A at BAL | 24–17 | +8.5 | cover | 317     | 65   | +10.9    | +9.1    | +5.6            | 0.45 | 0  |
| 3  | NO   | H vs LV  | 27–35 | -3.5 | miss  | 403     | 148  | -3.6     | -5.3    | +9.9            | 0.54 | 4  |

Last game EPA (PBP): ATL off +22.9, def allowed +1.8, net +21.0, SR 0.64. NO off -5.3, def allowed +9.9, net -15.2, SR 0.54. Records: ATL 1–2, NO 1–2. ATS: ATL 1–2, NO 2–1.

### 2. Lookahead and rest

- ATL: last played week 3 (Thursday night, road, won by 21). 11 days rest. Week 5: home vs BAL, non-division, Sunday night.
- NO: last played week 3 (Sunday late window, home, lost by 8). 8 days rest. Week 5: home vs MIN, non-division, Sunday early window.

### 3. Sides — NO -2.5

#### NO (home favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

| Cut                                 | ATS        | Pct   | n   |
|-------------------------------------|------------|-------|-----|
| home favorite                       | 265–294–16 | 47.4% | 575 |
| Monday night home favorite          | 27–23      | 54.0% | 50  |
| division home favorite              | 74–84–5    | 46.8% | 163 |
| home fav -1 to -3                   | 85–100–9   | 45.9% | 194 |
| division home fav -1 to -3          | 26–30–2    | 46.4% | 58  |
| Monday night division home favorite | 8–4        | 66.7% | 12  |
| Monday night fav -1 to -3           | 11–4       | 73.3% | 15  |

Conditionals on those anchors, ranked by distance from 50% scaled by n:

| Cut                                                    | ATS       | Pct   | n   |
|--------------------------------------------------------|-----------|-------|-----|
| allowed $\geq 27$ last, home favorite                  | 84–123–6  | 40.6% | 213 |
| allowed $\geq 30$ last, home fav -1 to -3              | 17–34–2   | 33.3% | 53  |
| allowed $\geq 27$ last, home fav -1 to -3              | 28–48–3   | 36.8% | 79  |
| rest deficit $\geq 3$ days, Monday night               | 8–20      | 28.6% | 28  |
| off EPA $\leq -1$ last, Monday night home favorite     | 13–4      | 76.5% | 17  |
| allowed $\geq 30$ last, home favorite                  | 57–82–3   | 41.0% | 142 |
| rest deficit $\geq 3$ days, home favorite              | 36–56     | 39.1% | 92  |
| scored 27–33 last, division home fav -1 to -3          | 5–14      | 26.3% | 19  |
| opponent off a win, Monday night home favorite         | 14–5      | 73.7% | 19  |
| allowed $\geq 27$ last, division home favorite         | 23–39–3   | 37.1% | 65  |
| off an ATS miss, home favorite                         | 112–144–8 | 43.8% | 264 |
| off a 1-score loss, home favorite                      | 61–84–3   | 42.1% | 148 |
| off a 1-score loss, Monday night                       | 26–14     | 65.0% | 40  |
| off a loss, home favorite                              | 111–141–6 | 44.0% | 258 |
| off a loss, opponent off a win, division home favorite | 7–16–1    | 30.4% | 24  |

| Cut                                                   | ATS     | Pct   | n   |
|-------------------------------------------------------|---------|-------|-----|
| off EPA $\leq -1$ last, Monday night                  | 35–21   | 62.5% | 56  |
| off a loss, opponent off a win, home favorite         | 44–63–2 | 41.1% | 109 |
| TO $\geq 3$ last, home favorite                       | 28–43–3 | 39.4% | 74  |
| off a 1-score loss, home fav $-1$ to $-3$             | 21–34–2 | 38.2% | 57  |
| scored 27–33 last, home fav $-1$ to $-3$              | 18–30–1 | 37.5% | 49  |
| off a 1-score loss, Monday night home favorite        | 9–3     | 75.0% | 12  |
| off a loss, home fav $-1$ to $-3$                     | 40–57–5 | 41.2% | 102 |
| off a home game, division home fav $-1$ to $-3$       | 4–10    | 28.6% | 14  |
| opponent off a win by 20+, home fav $-1$ to $-3$      | 10–18–1 | 35.7% | 29  |
| allowed $\geq 27$ last, Monday night home favorite    | 5–11    | 31.2% | 16  |
| off an ATS miss, home fav $-1$ to $-3$                | 38–52–6 | 42.2% | 96  |
| 2nd straight home game, home favorite                 | 75–94–4 | 44.4% | 173 |
| off a loss, opponent off a win, home fav $-1$ to $-3$ | 19–29–2 | 39.6% | 50  |

#### 4. Sides — ATL +2.5

Mirror of the chair above. Same games, other side.

##### ATL (road dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

| Cut                            | ATS        | Pct   | n   |
|--------------------------------|------------|-------|-----|
| road dog                       | 294–265–16 | 52.6% | 575 |
| Monday night road dog          | 23–27      | 46.0% | 50  |
| division road dog              | 84–74–5    | 53.2% | 163 |
| road dog +1 to +3              | 100–85–9   | 54.1% | 194 |
| division road dog +1 to +3     | 30–26–2    | 53.6% | 58  |
| Monday night division road dog | 4–8        | 33.3% | 12  |
| Monday night dog +1 to +3      | 4–11       | 26.7% | 15  |

Conditionals on those anchors, ranked by distance from 50% scaled by n:

| Cut                                               | ATS       | Pct   | n   |
|---------------------------------------------------|-----------|-------|-----|
| trip 200–1000 mi, division road dog               | 72–42–2   | 63.2% | 116 |
| off a prime-time game, Monday night               | 27–10     | 73.0% | 37  |
| off EPA $\geq +8$ last, road dog +1 to +3         | 40–19     | 67.8% | 59  |
| trip 200–1000 mi, road dog                        | 179–135–6 | 57.0% | 320 |
| TO $\leq 1$ last, road dog +1 to +3               | 75–49–5   | 60.5% | 129 |
| rest edge $\geq 3$ days, Monday night             | 20–8      | 71.4% | 28  |
| long rest ( $\geq 10$ days), Monday night         | 21–9      | 70.0% | 30  |
| next game is prime time, road dog                 | 58–37–2   | 61.1% | 97  |
| trip 200–1000 mi, road dog +1 to +3               | 64–42–3   | 60.4% | 109 |
| next game is prime time, division road dog        | 19–8–1    | 70.4% | 28  |
| rest edge $\geq 3$ days, road dog                 | 56–36     | 60.9% | 92  |
| off a win, Monday night road dog                  | 5–14      | 26.3% | 19  |
| long rest ( $\geq 10$ days), road dog             | 59–39–1   | 60.2% | 99  |
| off EPA $\geq +8$ last, road dog                  | 77–54–1   | 58.8% | 132 |
| opponent off an ATS miss, road dog                | 144–112–8 | 56.2% | 264 |
| scored $\geq 30$ last, road dog +1 to +3          | 34–20–2   | 63.0% | 56  |
| opponent off a loss, road dog                     | 141–111–6 | 56.0% | 258 |
| off a win, opponent off a loss, division road dog | 16–7–1    | 69.6% | 24  |
| off a win, opponent off a loss, road dog          | 63–44–2   | 58.9% | 109 |

| Cut                                                        | ATS     | Pct   | n   |
|------------------------------------------------------------|---------|-------|-----|
| off a win by 14+, road dog +1 to +3                        | 28–16–1 | 63.6% | 45  |
| next game is prime time, road dog +1 to +3                 | 24–13   | 64.9% | 37  |
| net EPA $\geq$ +10 last, road dog +1 to +3                 | 34–21–1 | 61.8% | 56  |
| opponent off a loss, road dog +1 to +3                     | 57–40–5 | 58.8% | 102 |
| TO $\leq$ 1 last, division road dog +1 to +3               | 22–12–1 | 64.7% | 35  |
| 2nd straight road game, Monday night                       | 10–19   | 34.5% | 29  |
| off a prime-time game, road dog                            | 64–47–5 | 57.7% | 116 |
| next game is home non-division, division road dog +1 to +3 | 9–17–1  | 34.6% | 27  |
| scored $\geq$ 30 last, road dog                            | 75–57–5 | 56.8% | 137 |

Wide populations ( $n \geq 300$ ): trip 200–1000 mi, road dog. They describe the spot, they do not select this game.

## 5. Total 47.5

| Cut                                                                    | Over–Under | Over pct | n   |
|------------------------------------------------------------------------|------------|----------|-----|
| Monday night, dome                                                     | 4–16       | 20.0%    | 20  |
| Monday night, dome, total 45–49                                        | 2–8        | 20.0%    | 10  |
| Monday night, total $\geq$ 47                                          | 9–19       | 32.1%    | 28  |
| Monday night                                                           | 28–44–1    | 38.9%    | 73  |
| both teams went over last week, total $\geq$ 47                        | 44–58–1    | 43.1%    | 103 |
| dome, both teams went over last week, total $\geq$ 47                  | 12–19–1    | 38.7%    | 32  |
| line within 3, total 45–49                                             | 75–61–1    | 55.1%    | 137 |
| both teams went over last week, total 45–49                            | 57–45      | 55.9%    | 102 |
| Monday night, total 45–49                                              | 11–17–1    | 39.3%    | 29  |
| line within 3, both scored 27+ last week, total 45–49                  | 12–18      | 40.0%    | 30  |
| Monday night, line within 3                                            | 5–9–1      | 35.7%    | 15  |
| division game, both teams went over last week, total $\geq$ 47         | 13–19      | 40.6%    | 32  |
| division game, line within 3                                           | 54–65–3    | 45.4%    | 122 |
| line within 3, both scored 27+ last week                               | 28–36–1    | 43.8%    | 65  |
| division game, both teams went over last week                          | 29–37      | 43.9%    | 66  |
| line within 3, both scored 27+ last week, total $\geq$ 47              | 16–22–1    | 42.1%    | 39  |
| both teams went over last week, both scored 27+ last week, total 45–49 | 21–16      | 56.8%    | 37  |
| line within 3, both teams went over last week, total $\geq$ 47         | 18–23–1    | 43.9%    | 42  |
| division game, both teams went over last week, total 45–49             | 12–16      | 42.9%    | 28  |
| division game, both scored 27+ last week                               | 25–20–1    | 55.6%    | 46  |
| division game, dome, total $\geq$ 47                                   | 17–13–1    | 56.7%    | 31  |
| line within 3, total $\geq$ 47                                         | 63–71–3    | 47.0%    | 137 |

## 6. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: no
- off a 20-point win: applies to ATL
- 2nd straight home game: applies to NO
- 2nd straight road game: applies to ATL
- bye next week: no
- off a bye: no
- scored  $\leq$ 10 last: no
- short week: no
- trip  $\geq$ 1000 mi: no
- TO  $\geq$ 3 last: applies to NO

- undefeated entering: no
- winless entering: no

## 7. Stack, without double-counting

Stack floor is  $n \geq 20$  (tables use  $n \geq 10$ ). Traits are added by largest parent-minus-child gap (the stack's pct against the pct of the games the trait removes), not by a fixed order. Under each stack: by-season W-L, cover-margin quartiles with signed tails, parent-minus-child (the stack without each trait, and the games that trait removed), the anchor's complement, and the stack split by line bucket.

- **NO -2.5** — one population: Monday night home favorite; next game is home. ATS 9–11 (45.0%,  $n=20$ ). Not added (no gap with  $n \geq 20$  left): rest deficit  $\geq 3$  days, off a loss, off a 1-score loss, off an ATS miss, off a loss as favorite, off a home game, 2nd straight home game, scored 27–33 last....
- By season: 15:0-2 16:3-0 17:1-0 19:1-2 20:1-1 21:1-3 22:0-2 23:1-0 24:0-1 25:1-0
- Cover margin: median -0.8,  $q25/q75$  -3.2/+9.1;  $P(>+7)$  0.35,  $P(<-7)$  0.05
- Parent minus child: without 'next game is home': 27–23 (54.0%,  $n=50$ ), the games it removed: 18–12 (60.0%,  $n=30$ )
- Anchor alone 27–23 (54.0%,  $n=50$ ); anchor minus stack 18–12 (60.0%,  $n=30$ )
- Stack by line bucket: -1 to -3 2–0 (100.0%,  $n=2$ ); -3.5 to -6.5 4–4 (50.0%,  $n=8$ ); -7 to -9.5 3–5 (37.5%,  $n=8$ ); -10 or more 0–2 (0.0%,  $n=2$ )
- **ATL +2.5** — one population: Monday night road dog; next opponent is a favorite over them ( $n\_line > 0$ ); next game is home. ATS 13–8 (61.9%,  $n=21$ ). Not added (no gap with  $n \geq 20$  left): long rest ( $\geq 10$  days), rest edge  $\geq 3$  days, trip 200–1000 mi, 1 time zone, off a win, off a win by 14+, off a win by 20+, off a cover....
- By season: 15:3-0 17:0-2 18:3-1 19:2-0 20:1-1 21:2-0 22:1-0 24:1-2 25:0-2
- Cover margin: median +1.5,  $q25/q75$  -7.0/+6.0;  $P(>+7)$  0.19,  $P(<-7)$  0.24
- Parent minus child: without 'next opponent is a favorite over them ( $n\_line > 0$ )': 19–22 (46.3%,  $n=41$ ), the games it removed: 6–14 (30.0%,  $n=20$ ) | without 'next game is home': 17–12 (58.6%,  $n=29$ ), the games it removed: 4–4 (50.0%,  $n=8$ )
- Anchor alone 23–27 (46.0%,  $n=50$ ); anchor minus stack 10–19 (34.5%,  $n=29$ )
- Stack by line bucket: +1 to +3 1–0 (100.0%,  $n=1$ ); +3.5 to +6.5 6–5 (54.5%,  $n=11$ ); +7 to +9.5 3–2 (60.0%,  $n=5$ ); +10 or more 3–1 (75.0%,  $n=4$ )
- **Total 47.5, tightest cut clearing  $n = 20$ :** Monday night, dome — O–U 4–16 (20.0%,  $n=20$ ).
- By season (O–U): 15:0-1 16:0-2 18:2-0 20:1-2 21:0-1 22:0-2 23:0-4 24:1-1 25:0-3
- Total margin (points – line): median -9.0,  $q25/q75$  -11.6/-5.5;  $P(>+7)$  0.15,  $P(<-7)$  0.60
- By total band: 40–44 1–4 ( $n=5$ ); 45–49 2–8 ( $n=10$ );  $\geq 50$  1–4 ( $n=5$ )

Feeds: nflverse games.csv (lines, scores, rest), stats\_team\_week 2015–2026 (yards, pass EPA, TO), play\_by\_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).