

IND at WAS · Sunday 2026-10-04 09:30 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. $n \geq 10$. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: IND -3.5 / WAS +3.5, total 48.5. Neutral site (London). Home and road are stripped on this game: anchors are favorite/dog at any site, travel cuts off. Rest: IND 7 days, WAS 7 days. Roof: outdoors.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	IND	H vs BAL	23–41	+3.0	miss	268	102	-9.6	-12.1	+13.4	0.43	2
2	IND	A at KC	30–33	+6.0	cover	329	119	+5.9	+13.4	+15.7	0.49	1
3	IND	H vs HOU	19–17	+1.5	cover	324	89	-6.9	-8.1	-4.5	0.41	3
1	WAS	A at PHI	22–24	+6.0	cover	296	132	+3.9	+4.1	+1.4	0.43	0
2	WAS	A at DAL	20–37	+3.5	miss	389	182	+5.9	+2.2	+12.7	0.49	1
3	WAS	H vs SEA	33–31	+8.5	cover	265	82	+3.8	-1.6	-1.7	0.33	0

Last game EPA (PBP): IND off -8.1, def allowed -4.5, net -3.6, SR 0.41. WAS off -1.6, def allowed -1.7, net +0.1, SR 0.33. Records: IND 1–2, WAS 1–2. ATS: IND 2–1, WAS 2–1.

2. Lookahead and rest

- IND: last played week 3 (Sunday early window, home, won by 2). 7 days rest. Week 5: road vs PIT, non-division, Sunday early window.
- WAS: last played week 3 (Sunday early window, home, won by 2). 7 days rest. Week 5: home vs NYG, division, Sunday early window.

3. Sides — WAS +3.5

WAS (neutral site, dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
dog (all sites)	475–453–24	51.2%	952
dog +3.5 to +6.5 (all sites)	154–154–2	50.0%	310
Sunday early window dog (all sites)	258–247–15	51.1%	520

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
0 turnovers last, dog +3.5 to +6.5 (all sites)	31–44	41.3%	75
both off a win, dog +3.5 to +6.5 (all sites)	40–53–2	43.0%	95
equal rest, dog (all sites)	304–273–15	52.7%	592
equal rest, dog +3.5 to +6.5 (all sites)	87–103–2	45.8%	192
allowed ≥ 30 last, dog +3.5 to +6.5 (all sites)	44–34–2	56.4%	80
TO ≤ 1 last, dog (all sites)	277–252–10	52.4%	539
0 turnovers last, Sunday early window dog (all sites)	58–69–4	45.7%	131
equal rest, Sunday early window dog (all sites)	165–151–10	52.2%	326
next game is division, dog (all sites)	146–134–5	52.1%	285
allowed ≥ 27 last, dog +3.5 to +6.5 (all sites)	59–52–2	53.2%	113
off a cover, Sunday early window dog (all sites)	109–119–10	47.8%	238
next game is division, Sunday early window dog (all sites)	77–69–3	52.7%	149
allowed ≥ 27 last, Sunday early window dog (all sites)	111–102–4	52.1%	217
off a 1-score win, dog +3.5 to +6.5 (all sites)	35–40–2	46.7%	77
scored 27–33 last, dog +3.5 to +6.5 (all sites)	33–29	53.2%	62
outdoors, dog (all sites)	346–333–20	51.0%	699
scored ≥ 30 last, Sunday early window dog (all sites)	53–48–5	52.5%	106
scored ≥ 30 last, dog (all sites)	103–96–6	51.8%	205

Cut	ATS	Pct	n
won last despite negative off EPA, dog +3.5 to +6.5 (all sites)	22–19–1	53.7%	42
allowed ≥ 30 last, Sunday early window dog (all sites)	85–79–4	51.8%	168
0 turnovers last, dog (all sites)	114–121–6	48.5%	241
opponent off a win, dog +3.5 to +6.5 (all sites)	85–91–2	48.3%	178
won last despite negative off EPA, Sunday early window dog (all sites)	26–23–4	53.1%	53
off a win, Sunday early window dog (all sites)	101–95–10	51.5%	206
off a win, dog +3.5 to +6.5 (all sites)	68–73–2	48.2%	143
next game is division, dog +3.5 to +6.5 (all sites)	44–48	47.8%	92
opponent off a win, dog (all sites)	268–259–14	50.9%	541
scored 27–33 last, dog (all sites)	89–84–5	51.4%	178

Wide populations ($n \geq 300$): equal rest, dog (all sites), $TO \leq 1$ last, dog (all sites), equal rest, Sunday early window dog (all sites), outdoors, dog (all sites), opponent off a win, dog (all sites). They describe the spot, they do not select this game.

4. Sides — IND –3.5

Mirror of the chair above. Same games, other side.

IND (neutral site, favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
favorite (all sites)	453–475–24	48.8%	952
fav –3.5 to –6.5 (all sites)	154–154–2	50.0%	310
Sunday early window favorite (all sites)	247–258–15	48.9%	520

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
won last despite negative off EPA, Sunday early window favorite (all sites)	26–39–3	40.0%	68
$TO \geq 3$ last, favorite (all sites)	50–66–4	43.1%	120
off an upset win as dog, fav –3.5 to –6.5 (all sites)	31–21	59.6%	52
both off a win, fav –3.5 to –6.5 (all sites)	53–40–2	57.0%	95
equal rest, favorite (all sites)	273–304–15	47.3%	592
off a 1-score win, Sunday early window favorite (all sites)	81–66–7	55.1%	154
allowed ≤ 17 last, Sunday early window favorite (all sites)	82–98–5	45.6%	185
equal rest, fav –3.5 to –6.5 (all sites)	103–87–2	54.2%	192
off EPA ≤ 0 last, Sunday early window favorite (all sites)	94–109–6	46.3%	209
$TO \geq 3$ last, fav –3.5 to –6.5 (all sites)	15–21–1	41.7%	37
won last despite negative net EPA, Sunday early window favorite (all sites)	11–16	40.7%	27
off a 1-score win, fav –3.5 to –6.5 (all sites)	49–40	55.1%	89
allowed ≤ 17 last, favorite (all sites)	153–169–7	47.5%	329
scored ≤ 21 last, Sunday early window favorite (all sites)	92–104–7	46.9%	203
off a 1-score win, favorite (all sites)	129–116–9	52.7%	254
equal rest, Sunday early window favorite (all sites)	151–165–10	47.8%	326
allowed ≤ 21 last, Sunday early window favorite (all sites)	115–127–10	47.5%	252
off a division game, favorite (all sites)	136–124–5	52.3%	265
allowed ≤ 21 last, favorite (all sites)	212–227–13	48.3%	452
opponent off a cover, Sunday early window favorite (all sites)	119–109–10	52.2%	238
off EPA ≤ 0 last, favorite (all sites)	165–177–10	48.2%	352
$TO \geq 3$ last, Sunday early window favorite (all sites)	29–34–2	46.0%	65
won last despite negative net EPA, favorite (all sites)	20–24	45.5%	44
off an upset win as dog, favorite (all sites)	78–71–5	52.3%	154

Cut	ATS	Pct	n
outdoors, favorite (all sites)	333–346–20	49.0%	699
won last despite negative off EPA, favorite (all sites)	50–55–4	47.6%	109
off EPA ≤ 0 last, fav –3.5 to –6.5 (all sites)	54–59	47.8%	113
off a win, fav –3.5 to –6.5 (all sites)	91–85–2	51.7%	178

Wide populations ($n \geq 300$): equal rest, favorite (all sites), allowed ≤ 17 last, favorite (all sites), equal rest, Sunday early window favorite (all sites), allowed ≤ 21 last, favorite (all sites), off EPA ≤ 0 last, favorite (all sites), outdoors, favorite (all sites). They describe the spot, they do not select this game.

5. Total 48.5

Cut	Over–Under	Over pct	n
outdoors, both off negative off EPA, total ≥ 47	14–6	70.0%	20
both off negative off EPA	87–109–1	44.4%	197
Sunday early window, both off negative off EPA	52–68	43.3%	120
Sunday early window, outdoors, total 45–49	84–67–1	55.6%	152
both off negative off EPA, total ≥ 47	21–13–1	61.8%	35
Sunday early window, total 45–49	106–90–1	54.1%	197
outdoors, total ≥ 47	109–124–3	46.8%	236
Sunday early window, both off negative off EPA, total ≥ 47	11–7	61.1%	18
outdoors, total 45–49	140–125–2	52.8%	267
Sunday early window, total ≥ 47	93–81–3	53.4%	177
Sunday early window	267–249–5	51.7%	521
outdoors, both off negative off EPA	64–73	46.7%	137
Sunday early window, outdoors, total ≥ 47	64–56–3	53.3%	123
total ≥ 47	167–179–5	48.3%	351
total 45–49	187–175–2	51.7%	364
outdoors, both off negative off EPA, total 45–49	19–16	54.3%	35
Sunday early window, outdoors	202–193–5	51.1%	400
outdoors	343–350–7	49.5%	700
both off negative off EPA, total 45–49	28–30	48.3%	58
Sunday early window, both off negative off EPA, total 45–49	17–17	50.0%	34

6. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: no
- off a 20-point win: no
- 2nd straight home game: applies to WAS
- 2nd straight road game: no
- bye next week: no
- off a bye: no
- scored ≤ 10 last: no
- short week: no
- trip ≥ 1000 mi: no
- TO ≥ 3 last: applies to IND
- undefeated entering: no
- winless entering: no

7. Stack, without double-counting

Stack floor is $n \geq 20$ (tables use $n \geq 10$) so the conjunction cannot bottom out on the cutoff.

- **WAS +3.5** — one population: dog +3.5 to +6.5 (all sites); off a win; off a 1-score win; off a cover; off an upset win as dog; equal rest. ATS 10–12–1 (45.5%, n=23). Not added (n would fall under 20, or the trait does not narrow the population): next game is division, opponent off a win, opponent off a cover, both off a win, scored 27–33 last, scored ≥ 30 last, allowed ≥ 27 last, allowed ≥ 30 last....
- **IND -3.5** — one population: fav -3.5 to -6.5 (all sites); off a win; off a 1-score win; off a cover; off an upset win as dog; outdoors. ATS 16–6 (72.7%, n=22). Not added (n would fall under 20, or the trait does not narrow the population): off a division game, equal rest, opponent off a win, opponent off a cover, both off a win, scored ≤ 21 last, allowed ≤ 17 last, allowed ≤ 21 last....

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015–2026 (yards, pass EPA, TO), play_by_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).