

NYJ at CHI · Sunday 2026-10-04 13:00 ET · Week 4 2026

League-wide only. Window: weeks 4–9, 2015–2025. $n \geq 10$. No team streaks. No half-EPA. Lines from nflverse games.csv (snapshot Oct 1). Scores and team-week stats through Week 3; EPA from play-by-play.

Line: NYJ +3.5 / CHI -3.5, total 43.5. Trip: NYJ → CHI 717 mi, 1 time zone west. Rest: NYJ 7 days, CHI 6 days. Roof: outdoors.

1. Season boxes

Wk	Team	Spot	Score	Line	ATS	Off yds	Rush	Pass EPA	Off EPA	Def EPA allowed	SR	TO
1	NYJ	A at TEN	23–10	+1.5	cover	367	152	+9.8	+8.1	-7.1	0.48	0
2	NYJ	H vs GB	17–20	+3.5	cover	314	67	+4.3	-6.5	-8.6	0.38	0
3	NYJ	A at DET	24–31	+7.0	push	379	58	+10.9	+7.1	+12.6	0.45	1
1	CHI	A at CAR	59–37	-3.0	cover	560	291	+18.6	+27.0	+8.8	0.53	1
2	CHI	H vs MIN	3–9	-4.5	miss	326	134	-3.9	-10.1	-3.8	0.32	2
3	CHI	H vs PHI	27–7	+3.5	cover	375	128	+7.3	+9.4	-13.9	0.51	0

Last game EPA (PBP): NYJ off +7.1, def allowed +12.6, net -5.5, SR 0.45. CHI off +9.4, def allowed -13.9, net +23.3, SR 0.51. Records: NYJ 1–2, CHI 2–1. ATS: NYJ 2–0, CHI 2–1.

2. Lookahead and rest

- NYJ: last played week 3 (Sunday early window, road, lost by 7). 7 days rest. Week 5: home vs CLE, non-division, Sunday early window.
- CHI: last played week 3 (Monday night, home, won by 20). 6 days rest. Week 5: road vs GB, division, Sunday early window.

3. Sides — CHI -3.5

CHI (home favorite)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
home favorite	265–294–16	47.4%	575
Sunday early window home favorite	145–150–10	49.2%	305
home fav -3.5 to -6.5	91–101–2	47.4%	194
Sunday early window fav -3.5 to -6.5	80–82–1	49.4%	163

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
scored 27–33 last, home fav -3.5 to -6.5	18–32	36.0%	50
off an upset win as dog, home fav -3.5 to -6.5	23–12	65.7%	35
off a home game, home favorite	75–94–4	44.4%	173
off a win by 20+, Sunday early window fav -3.5 to -6.5	6–12	33.3%	18
off an upset win as dog, Sunday early window home favorite	31–21–3	59.6%	55
next opponent is a favorite over them ($n_{\text{line}} > 0$), home favorite	116–138–5	45.7%	259
next game is road, home favorite	179–206–8	46.5%	393
opponent off a loss, home fav -3.5 to -6.5	40–53	43.0%	93
off an upset win as dog, home favorite	56–43–4	56.6%	103
scored 27–33 last, Sunday early window home favorite	33–44–2	42.9%	79
scored 27–33 last, home favorite	67–81–3	45.3%	151
opponent off a loss, home favorite	142–162–7	46.7%	311
off a cover, Sunday early window home favorite	86–72–5	54.4%	163
next opponent is a favorite over them ($n_{\text{line}} > 0$), home fav -3.5 to -6.5	44–55–1	44.4%	100
outdoors, home favorite	186–207–12	47.3%	405
0 turnovers last, Sunday early window fav -3.5 to -6.5	19–26–1	42.2%	46
2nd straight home game, home fav -3.5 to -6.5	26–34–1	43.3%	61
off a win, Sunday early window home favorite	90–77–7	53.9%	174

Cut	ATS	Pct	n
off a win by 14+, home fav -3.5 to -6.5	21-15-1	58.3%	37
def EPA allowed ≤ -10 last, Sunday early window fav -3.5 to -6.5	15-21-1	41.7%	37
next opponent is a favorite over them (n_line>0), Sunday early window home favorite	69-81-2	46.0%	152
off EPA ≥ +8 last, Sunday early window home favorite	58-48-4	54.7%	110
next game is division, home favorite	84-97-1	46.4%	182
off an upset win as dog, Sunday early window fav -3.5 to -6.5	16-11	59.3%	27
off a prime-time game, home favorite	74-63-3	54.0%	140
net EPA ≥ +10 last, home fav -3.5 to -6.5	32-25-2	56.1%	59
success rate ≥ .50 last, home favorite	68-79-2	46.3%	149
off a win, opponent off a loss, Sunday early window fav -3.5 to -6.5	19-25	43.2%	44

Wide populations (n ≥ 300): next game is road, home favorite, opponent off a loss, home favorite, outdoors, home favorite. They describe the spot, they do not select this game.

4. Sides — NYJ +3.5

Mirror of the chair above. Same games, other side.

NYJ (road dog)

Spot anchors (nested — the same games appear in more than one row; identical populations are collapsed below):

Cut	ATS	Pct	n
road dog	294-265-16	52.6%	575
Sunday early window road dog	150-145-10	50.8%	305
road dog +3.5 to +6.5	101-91-2	52.6%	194
Sunday early window dog +3.5 to +6.5	82-80-1	50.6%	163

Conditionals on those anchors, ranked by distance from 50% scaled by n:

Cut	ATS	Pct	n
trip 200-1000 mi, road dog	179-135-6	57.0%	320
pass EPA ≥ +10 last, Sunday early window road dog	38-21-2	64.4%	61
pass EPA ≥ +10 last, road dog	61-39-2	61.0%	102
trip 200-1000 mi, Sunday early window road dog	107-81-3	56.9%	191
allowed ≥30 last, road dog +3.5 to +6.5	29-17-2	63.0%	48
lost last despite off EPA ≥ +1, road dog	44-30-2	59.5%	76
allowed ≥30 last, Sunday early window dog +3.5 to +6.5	30-19-1	61.2%	50
off a 1-score loss, road dog	88-69-5	56.1%	162
TO ≤1 last, road dog	177-150-7	54.1%	334
opponent off a win by 20+, Sunday early window dog +3.5 to +6.5	12-6	66.7%	18
off a loss, road dog +3.5 to +6.5	53-40	57.0%	93
trip 200-1000 mi, road dog +3.5 to +6.5	63-49-1	56.2%	113
def EPA allowed ≥ +10 last, road dog +3.5 to +6.5	24-16-1	60.0%	41
pass EPA ≥ +10 last, Sunday early window dog +3.5 to +6.5	19-12-1	61.3%	32
allowed ≥27 last, Sunday early window dog +3.5 to +6.5	34-25-1	57.6%	60
off a loss, road dog	162-142-7	53.3%	311
opponent off a cover, Sunday early window road dog	72-86-5	45.6%	163
2nd straight road game, Sunday early window dog +3.5 to +6.5	18-12	60.0%	30
outdoors, road dog	207-186-12	52.7%	405
off a 1-score loss, road dog +3.5 to +6.5	34-26	56.7%	60
opponent off a win, Sunday early window road dog	77-90-7	46.1%	174
allowed ≥27 last, road dog +3.5 to +6.5	37-29-2	56.1%	68
off a loss as dog, Sunday early window road dog	51-61-2	45.5%	114

Cut	ATS	Pct	n
lost last despite off EPA $\geq +1$, road dog +3.5 to +6.5	17–12	58.6%	29
off a loss, opponent off a win, Sunday early window dog +3.5 to +6.5	25–19	56.8%	44
lost last despite off EPA $\geq +1$, Sunday early window dog +3.5 to +6.5	14–10	58.3%	24
allowed ≥ 30 last, road dog	82–72–5	53.2%	159
def EPA allowed $\geq +10$ last, road dog	70–61–5	53.4%	136

Wide populations ($n \geq 300$): trip 200–1000 mi, road dog, TO ≤ 1 last, road dog, off a loss, road dog, outdoors, road dog. They describe the spot, they do not select this game.

5. Total 43.5

Cut	Over–Under	Over pct	n
Sunday early window	267–249–5	51.7%	521
Sunday early window, outdoors	202–193–5	51.1%	400
outdoors	343–350–7	49.5%	700
outdoors, total 40–44	141–137–2	50.7%	280
total 40–44	179–183–2	49.4%	364
Sunday early window, total 40–44	107–105–1	50.5%	213
Sunday early window, outdoors, total 40–44	85–85–1	50.0%	171

6. What does not apply

- 2+ time-zone trip: no
- double-digit dog: no
- off a 10-point loss: no
- off a 20-point win: applies to CHI
- 2nd straight home game: applies to CHI
- 2nd straight road game: applies to NYJ
- bye next week: no
- off a bye: no
- scored ≤ 10 last: no
- short week: no
- trip ≥ 1000 mi: no
- TO ≥ 3 last: no
- undefeated entering: no
- winless entering: no

7. Stack, without double-counting

Stack floor is $n \geq 20$ (tables use $n \geq 10$) so the conjunction cannot bottom out on the cutoff. Under each stack: by-season W-L, cover-margin quartiles with signed tails, parent-minus-child (the stack without each trait, and the games that trait removed), the anchor's complement, and the stack split by line bucket.

- **CHI -3.5** — one population: Sunday early window fav -3.5 to -6.5 ; off a win; off a win by 14+; allowed ≤ 17 last; TO ≤ 1 last. ATS 8–12–1 (40.0%, $n=21$). Not added (n would fall under 20, or the trait does not narrow the population): off a win by 20+, off a cover, off an upset win as dog, off a prime-time game, off a home game, 2nd straight home game, next game is road, next game is division....
- By season: 15:0-2 16:1-2 17:3-1 18:0-1 19:2-1 20:1-1 22:1-1 23:0-1 24:0-1 25:0-1
- Cover margin: median -4.5, q25/q75 -11.5/+2.0; $P(>+7)$ 0.19, $P(<-7)$ 0.43
- Parent minus child: without 'off a win': 8–12–1 (40.0%, $n=21$), the games it removed: 0–0 (, $n=0$) | without 'off a win by 14+': 15–20–1 (42.9%, $n=36$), the games it removed: 7–8 (46.7%, $n=15$) | without 'allowed ≤ 17 last': 10–15–1 (40.0%, $n=26$), the games it removed: 2–3 (40.0%, $n=5$) | without 'TO ≤ 1 last': 10–15–1 (40.0%, $n=26$), the games it removed: 2–3 (40.0%, $n=5$)
- Anchor alone 80–82–1 (49.4%, $n=163$); anchor minus stack 72–70 (50.7%, $n=142$)
- Stack by line bucket: -3.5 to -6.5 8–12–1 (40.0%, $n=21$)
- **NYJ +3.5** — one population: Sunday early window dog +3.5 to +6.5; off a loss; off a 1-score loss; off a loss as dog. ATS 14–15 (48.3%, $n=29$). Not added (n would fall under 20, or the trait does not narrow the population): off a road game, 2nd straight road game, trip 200–1000 mi, 1 time zone, next game is home, next game is home non-division, opponent off a win, opponent off a win by 20+....
- By season: 15:1-2 16:3-1 17:3-0 18:0-1 19:3-1 20:2-2 21:0-2 22:2-1 24:0-3 25:0-2

- Cover margin: median -0.5, q25/q75 -8.0/+10.0; $P(>+7)$ 0.38, $P(<-7)$ 0.31
- Parent minus child: without 'off a loss': 14–15 (48.3%, n=29), the games it removed: 0–0 (, n=0) | without 'off a 1-score loss': 29–31 (48.3%, n=60), the games it removed: 15–16 (48.4%, n=31) | without 'off a loss as dog': 23–25 (47.9%, n=48), the games it removed: 9–10 (47.4%, n=19)
- Anchor alone 82–80–1 (50.6%, n=163); anchor minus stack 68–65–1 (51.1%, n=134)
- Stack by line bucket: +3.5 to +6.5 14–15 (48.3%, n=29)

Feeds: nflverse games.csv (lines, scores, rest), stats_team_week 2015–2026 (yards, pass EPA, TO), play_by_play 2015–2026 (off/def EPA, success rate), data/airports.csv (miles, zones).