



Quick Fix Deployment Guide

Issue: 401 Authentication Errors

TL;DR: The most likely issue is using wrong credentials. Try logging in with:

- Email: `admin@crtlpyme.com` (not `.cl`)
 - Password: `Admin2025!` (not `Admin123!`)
-

Option 1: Quick Password Fix (Recommended) ⚡

If you have access to Cloud SQL from your local machine:

```
# 1. Set your database connection
export DATABASE_URL="postgresql://postgres:YOUR_PASSWORD@YOUR_IP:5432/crtlpyme-db"

# 2. Clone/pull the latest code
cd /home/ubuntu/github_repos/CRTLpyme
git fetch
git checkout fix/auth-debugging-401

# 3. Install dependencies if needed
npm install

# 4. Check if user exists
npx tsx scripts/fix-admin-password.ts check

# 5. Reset the password
npx tsx scripts/fix-admin-password.ts reset

# 6. Try logging in with:
# Email: admin@crtlpyme.com
# Password: Admin2025!
```

This should fix the issue without redeploying! ✅

Option 2: Deploy with Debug Logging 🔍

If Option 1 doesn't work or you want detailed logs:

Step 1: Build and Push

```
cd /home/ubuntu/github_repos/CRTLPyme

# Make sure you're on the fix branch
git checkout fix/auth-debugging-401

# Build the Docker image
docker build -t gcr.io/crtlpyme-app-399088/crtlpyme:debug .

# Push to Google Container Registry
docker push gcr.io/crtlpyme-app-399088/crtlpyme:debug
```

Step 2: Deploy to Cloud Run

```
# Deploy with the new image
gcloud run deploy crtlpyme-app \
  --image gcr.io/crtlpyme-app-399088/crtlpyme:debug \
  --region us-central1 \
  --platform managed \
  --allow-unauthenticated \
  --set-env-vars "DATABASE_URL=YOUR_DATABASE_URL" \
  --set-env-vars "NEXTAUTH_SECRET=YOUR_SECRET" \
  --set-env-vars "NEXTAUTH_URL=https://crtlpyme-app-399088129827.us-central1.run.app"
```

Step 3: Check Logs

```
# View logs in real-time
gcloud logging read "resource.type=cloud_run_revision" \
  --limit 50 \
  --format "table(timestamp, textPayload)" \
  --project crtlpyme-app-399088

# Filter for auth logs
gcloud logging read "resource.type=cloud_run_revision AND textPayload=~'AUTH'" \
  --limit 100 \
  --format "table(timestamp, textPayload)"
```

The debug version will show:

- ☒ Email being attempted
- ☒ Whether user exists
- ☒ User and tenant active status
- ☒ Password hash details
- ☒ Exact failure point

Option 3: Run Fix Script in Cloud Run

If you want to fix directly in production:

Method A: Cloud Shell

```
# 1. Open Cloud Shell in GCP Console
# 2. Connect to Cloud SQL
gcloud sql connect YOUR_INSTANCE_NAME --user=postgres --database=crtlpyme-db

# 3. Check user exists
SELECT email, "isActive", role FROM "User" WHERE email = 'admin@crtlpyme.com';

# 4. Check tenant status
SELECT u.email, t."isActive"
FROM "User" u
JOIN "Tenant" t ON u."tenantId" = t.id
WHERE u.email = 'admin@crtlpyme.com';
```

Method B: Cloud Run Job

```
# Create a one-off job to run the fix script
gcloud run jobs create fix-password \
  --image gcr.io/crtlpyme-app-399088/crtlpyme:debug \
  --region us-central1 \
  --set-env-vars "DATABASE_URL=YOUR_DATABASE_URL" \
  --command "npx" \
  --args "tsx,scripts/fix-admin-password.ts,reset"

# Execute the job
gcloud run jobs execute fix-password --region us-central1
```

Common Issues and Solutions

Issue: “User not found”

Solution: Run the create user script

```
npx tsx scripts/create-admin-user.ts
```

Issue: “Tenant not active”

Solution: Update tenant status in database

```
UPDATE "Tenant"
SET "isActive" = true, "accountStatus" = 'ACTIVE'
WHERE rut = '99.999.999-9';
```

Issue: “Password still invalid”

Solution: Double-check you’re using exact credentials

```
Email: admin@crtlpyme.com (NOT .cl)
Password: Admin2025! (NOT Admin123!)
```

Issue: Environment variables

Verify Cloud Run env vars:

```
gcloud run services describe crtlpyme-app \
  --region us-central1 \
  --format "value(spec.template.spec.containers[0].env)"
```

Required variables:

- DATABASE_URL
- NEXTAUTH_SECRET
- NEXTAUTH_URL

Verification Steps

After applying any fix:

1. **Navigate to:** <https://crtlpyme-app-399088129827.us-central1.run.app>
2. **Click:** “Iniciar Sesión”
3. **Enter:**
 - Email: `admin@crtlpyme.com`
 - Password: `Admin2025!`
4. **Expected:** Successful login and redirect to dashboard

Rollback Plan

If debug version causes issues:

```
# Redeploy previous version
gcloud run deploy crtlpyme-app \
  --image gcr.io/crtlpyme-app-399088/crtlpyme:latest \
  --region us-central1
```

Need More Help?

Check the comprehensive guide:

- **File:** `AUTHENTICATION_FIX_GUIDE.md`
- **Location:** `/home/ubuntu/github_repos/CRTLPyME/AUTHENTICATION_FIX_GUIDE.md`

Or review the implementation:

- **Auth Config:** `/lib/auth.ts`
- **Fix Script:** `/scripts/fix-admin-password.ts`
- **Create User:** `/scripts/create-admin-user.ts`

Quick Reference:

Task	Command
Check user exists	<code>npx tsx scripts/fix-admin-password.ts check</code>
Test password	<code>npx tsx scripts/fix-admin-password.ts test admin@crtlpyme.com "Admin2025!"</code>
Reset password	<code>npx tsx scripts/fix-admin-password.ts re-set</code>
Create admin	<code>npx tsx scripts/create-admin-user.ts</code>
View logs	<code>gcloud logging read "re-source.type=cloud_run_revision" --limit 50</code>

Status: Ready to Deploy

Branch: `fix/auth-debugging-401`

Date: November 7, 2025