

CRTLPyme Deployment Status

Executive Summary

Status: Deployment BLOCKED due to insufficient service account permissions

Code Status:  Latest code (commit 063fa53) already built and in registry

Configuration:  Prepared and ready

Blocker:  Service account permissions

What Was Accomplished

1. Code Analysis & Verification

- Repository cloned at `/home/ubuntu/CRTLPyme`
- Latest commit: `063fa5364180871209322b8a29935a3de8b8bd2d`
- Dockerfile reviewed and validated
- Next.js configured with standalone output

2. Image Already Available

- **Discovery:** The current deployed image matches the latest code
- Image location: `us-central1-docker.pkg.dev/crtlpyme-477300/crtlpyme/crtlpyme:063-fa5364180871209322b8a29935a3de8b8bd2d`
- **No rebuild needed** - the code is already containerized and pushed to Artifact Registry

3. Cloud SQL Instance Identified

- Connection Name: `crtlpyme-477300:us-central1:crtlpyme-db`
- Database: `crtlpyme`
- User: `postgres`
- **Critical Finding:** Current deployment has NO Cloud SQL connection configured

4. Environment Variables Prepared

Generated new secure `NEXTAUTH_SECRET` and prepared all required environment variables:

```
DATABASE_URL=postgresql://postgres:CRTPyme2025!@localhost/crtlpyme?host=/cloudsql/crtlpyme-477300:us-central1:crtlpyme-db
NEXTAUTH_SECRET=[GENERATED - See /tmp/deployment_env_vars.json]
NEXTAUTH_URL=https://crtlpyme-app-ean57to77a-uc.a.run.app
TRANSBANK_API_KEY=test_key
TRANSBANK_COMMERCE_CODE=test_code
SENDGRID_API_KEY=placeholder_sendgrid_key
SENDGRID_FROM_EMAIL=noreply@crtlpyme.cl
NODE_ENV=production
```

The Problem: Service Account Permissions

The service account `github-actions@crtlpyme-477300.iam.gserviceaccount.com` lacks these required permissions:

1. **artifactregistry.repositories.downloadArtifacts** - Cannot pull images from Artifact Registry
2. **run.services.update** - Cannot deploy to Cloud Run
3. **iam.serviceAccounts.actAs** - Cannot act as the Cloud Run service account
4. **cloudsql.instances.connect** - May be needed for Cloud SQL connection

This service account appears to be configured for GitHub Actions CI/CD workflows only, not for direct API deployments.

Why Login Isn't Working (Root Cause Analysis)

Based on the current deployment investigation:

1. **Missing Cloud SQL Connection:** The current Cloud Run service has NO Cloud SQL connection configured
 - Database operations likely fail silently or timeout
 - Authentication requires database access for user verification
2. **Environment Variables:** May be using Secret Manager references that aren't properly configured
 - `DATABASE_URL` shows as "N/A" in current deployment
 - `NEXTAUTH_SECRET` likely not set or incorrect
3. **Database Migrations:** May not have been run with the latest code
 - Schema might be outdated
 - Required tables/columns might be missing

Solution Options

Option 1: Use Owner/Admin Account (RECOMMENDED)

Deploy using a Google Cloud account with Owner or Editor role:

```
# Install gcloud CLI (if not already installed)
curl https://sdk.cloud.google.com | bash

# Authenticate with your Google account
gcloud auth login

# Set project
gcloud config set project crtlpyme-477300

# Run the deployment script
bash /home/ubuntu/deploy-crtlpyme.sh
```

Option 2: Grant Service Account Permissions

Add these roles to `github-actions@crtlpyme-477300.iam.gserviceaccount.com`:

1. Cloud Run Admin (`roles/run.admin`)
2. Artifact Registry Reader (`roles/artifactregistry.reader`)

3. Cloud SQL Client (roles/cloudsql.client)
4. Service Account User (roles/iam.serviceAccountUser)

```
# Commands to grant permissions (requires Owner/Admin)
gcloud projects add-iam-policy-binding ctrlpyme-477300 \
  --member="serviceAccount:github-actions@ctrlpyme-477300.iam.gserviceaccount.com" \
  --role="roles/run.admin"

gcloud projects add-iam-policy-binding ctrlpyme-477300 \
  --member="serviceAccount:github-actions@ctrlpyme-477300.iam.gserviceaccount.com" \
  --role="roles/artifactregistry.reader"

gcloud projects add-iam-policy-binding ctrlpyme-477300 \
  --member="serviceAccount:github-actions@ctrlpyme-477300.iam.gserviceaccount.com" \
  --role="roles/cloudsql.client"

gcloud projects add-iam-policy-binding ctrlpyme-477300 \
  --member="serviceAccount:github-actions@ctrlpyme-477300.iam.gserviceaccount.com" \
  --role="roles/iam.serviceAccountUser"
```

Option 3: Deploy via GitHub Actions

Since the service account is configured for GitHub Actions, trigger a deployment through the GitHub workflow.

Files Created

1. /home/ubuntu/deploy-ctrlpyme.sh - Complete deployment script (ready to run)
2. /tmp/deployment_env_vars.json - Environment variables with secrets
3. /tmp/sql_connection_name.txt - Cloud SQL connection name
4. /home/ubuntu/CRTLPyME/cloudbuild.yaml - Cloud Build configuration
5. This file: /home/ubuntu/DEPLOYMENT_STATUS.md

Next Steps for User

1. **URGENT:** Run deployment with proper credentials (see Option 1 above)
2. After deployment, run database migrations:

```
bash
gcloud run services proxy ctrlpyme-app --port=8080 &
cd /home/ubuntu/CRTLPyME
DATABASE_URL="postgresql://postgres:CRTLPyME2025!@localhost/ctrlpyme?host=/cloudsql/ctrlpyme-477300:us-central1:ctrlpyme-db" \
npx prisma migrate deploy
```

3. Test login functionality
4. Verify all features are working

Technical Notes

Environment Limitations Encountered

- Docker daemon: ✗ Cannot start (iptables permissions in containerized environment)
- Podman: ✗ Overlay filesystem issues

- Cloud Build API: ✗ Service account permissions
- Cloud Run API: ✗ Service account permissions

These limitations necessitate deployment using `gcloud` CLI with proper user credentials.

Artifact Registry vs GCR

The project uses Google Artifact Registry (not the older GCR):

- Registry: `us-central1-docker.pkg.dev`
- Repository: `crtlpyme-477300/crtlpyme`
- Image: `crtlpyme:063fa5364180871209322b8a29935a3de8b8bd2d`

Last Updated: 2025-11-08 14:51 UTC

Prepared For: Urgent presentation deployment