



Logout Redirect Issue - RESOLVED

Date: November 12, 2025

Issue: Users redirected to 404 error page after logout

Status: FIXED and DEPLOYED



Problem Analysis

Symptoms

- Users clicking “Cerrar sesión” (Logout) were redirected to an incorrect URL
- **Wrong URL:** `crtlpyme-399888129827.us-central1.run.app` (404 Error)
- **Correct URL:** `https://crtlpyme-ean57to77a-uc.a.run.app`

Root Cause

The `NEXTAUTH_URL` environment variable was either empty or set to an incorrect value. This caused NextAuth.js to generate incorrect redirect URLs during the authentication flow, particularly during logout.



Solution Applied

1. Investigation Steps

- Reviewed NextAuth configuration in `/lib/auth.ts`
 - Confirmed redirect callback uses `baseUrl` derived from `NEXTAUTH_URL`
 - Logout flow: User → `/auth/signout` → `signOut({ callbackUrl: '/' })` → Landing page
- Checked logout handlers:
 - `/app/auth/signout/page.tsx` - Signout confirmation page
 - `/components/layout/dashboard-layout.tsx` - Dashboard logout button
 - `/components/admin/AdminNavBar.tsx` - Admin navbar logout button
- Verified Cloud Run environment variables:
 - Found `NEXTAUTH_URL` was empty in the deployed service

2. Fix Implementation

Updated GitHub Secret

```
Secret: NEXTAUTH_URL
Old Value: (empty or incorrect)
New Value: https://crtlpyme-ean57to77a-uc.a.run.app
```

Created Documentation

- Added `LOGOUT_REDIRECT_FIX.md` with detailed explanation

✓ Triggered Deployment

- Commit: `fix: Update NEXTAUTH_URL to correct Cloud Run service URL`
- GitHub Actions workflow executed successfully
- Deployment URL: <https://github.com/kbzas090/CRTLPyme/actions/runs/19302015750>

3. Deployment Details

```
Service: crtlpyme
Region: us-central1
Project: crtlpyme-477300
URL: https://crtlpyme-ean57to77a-uc.a.run.app
Status: ✓ DEPLOYED (15:11:58 GMT)
```

Testing Instructions

Manual Testing Steps

1. Access the application:

`https://crtlpyme-ean57to77a-uc.a.run.app`

2. Log in with test credentials:

- Navigate to `/auth/login`
- Enter your credentials
- Verify successful login

3. Test logout flow:

- Click on your user avatar/menu in the top right
- Click "Cerrar sesión" (Logout)
- You should be redirected to `/auth/signout`
- Click "Sí, cerrar sesión" (Yes, logout)
- **Expected:** Redirected to landing page at correct URL
- **Expected:** No 404 errors

4. Verify URL:

- After logout, check the browser address bar
- Should show: `https://crtlpyme-ean57to77a-uc.a.run.app`
- Should NOT show: `crtlpyme-399888129827.us-central1.run.app`

Expected Behavior After Fix

- ✓ Logout redirects to the landing page (/)
- ✓ Correct service URL is used throughout
- ✓ No 404 errors appear
- ✓ User session is properly terminated

Technical Details

Files Modified

1. **LOGOUT_REDIRECT_FIX.md** (New)
 - Detailed documentation of the issue and fix

Configurations Updated

1. **GitHub Secret: NEXTAUTH_URL**
 - Updated to: `https://crtlpyme-ean57to77a-uc.a.run.app`

Deployment Workflow

The GitHub Actions workflow (`.github/workflows/deploy.yml`) automatically:

1. Builds Docker image with latest code
2. Pushes to Artifact Registry
3. Deploys to Cloud Run with environment variables:

```
--set-env-vars="
  NODE_ENV=production,
  NEXT_PUBLIC_APP_NAME=CRTLPyme,
  GOOGLE_CLOUD_PROJECT_ID=crtlpyme-477300,
  DATABASE_URL=${{ secrets.DATABASE_URL }},
  NEXTAUTH_SECRET=${{ secrets.NEXTAUTH_SECRET }},
  NEXTAUTH_URL=${{ secrets.NEXTAUTH_URL }}, ← FIXED!
  TRANSBANK_ENVIRONMENT=${{ secrets.TRANSBANK_ENVIRONMENT }}
"
```

How NextAuth Uses NEXTAUTH_URL

- Sets the base URL for all authentication redirects
- Used in the `redirect` callback (line 101-122 in `lib/auth.ts`)
- Ensures consistent URL generation across the application
- Critical for OAuth callbacks, sign-in, and sign-out flows

Impact

Before Fix

- ✗ Users saw 404 error after logout
- ✗ Confusing user experience
- ✗ Potential security concern (session not clearly terminated)

After Fix

- ✓ Smooth logout experience
 - ✓ Proper redirect to landing page
 - ✓ Consistent URL throughout the application
 - ✓ Clear session termination
-



Notes

1. **No Code Changes Required:** The application code was already correct. The issue was purely configuration-related.
 2. **Subscription Plans Unaffected:** As requested, no changes were made to subscription plan functionality.
 3. **Environment Variable Priority:** Cloud Run receives environment variables from GitHub Secrets during deployment via GitHub Actions.
 4. **Testing Recommendation:** Test logout flow from different roles (ADMIN, CAJA, INVENTARIO, SOPORTE) to ensure consistent behavior.
-



Related Resources

- **Service URL:** <https://crtlpyme-ean57to77a-uc.a.run.app>
 - **GitHub Repo:** <https://github.com/kbzas090/CRTLPyme>
 - **Deployment Run:** <https://github.com/kbzas090/CRTLPyme/actions/runs/19302015750>
 - **Cloud Run Console:** <https://console.cloud.google.com/run/detail/us-central1/crtlpyme/metrics?project=crtlpyme-477300>
-



Verification Checklist

- ☒ [x] NEXTAUTH_URL GitHub secret updated
 - ☒ [x] Documentation created (LOGOUT_REDIRECT_FIX.md)
 - ☒ [x] Changes committed to repository
 - ☒ [x] GitHub Actions workflow triggered
 - ☒ [x] Deployment completed successfully
 - ☒ [x] Service responding correctly (HTTP 200)
 - ☒ [x] No code changes required for subscription plans
 - ☐ [] **User to verify:** Logout redirect works correctly
 - ☐ [] **User to verify:** No 404 errors appear
-

Next Steps for User:

1. Test the logout flow as described above
2. Verify the URL stays correct after logout
3. Confirm no 404 errors appear
4. Test from multiple user roles if possible

If you encounter any issues, please provide screenshots or error messages.