

NEXTAUTH_URL Fix - Final Status Report

Problem Summary

Issue: Logout redirects failing with 404 error

Root Cause: NEXTAUTH_URL secret in Google Secret Manager is empty

Impact: Users cannot log out properly from the application

What Has Been Completed

1. Code Fix Applied

- **File Modified:** `cloudbuild.yaml`
- **Change:** Removed NEXTAUTH_URL from Secret Manager, added as direct environment variable
- **Value Set:** NEXTAUTH_URL=`https://crtlpyme-ean57to77a-uc.a.run.app`
- **Commit:** `c495938` on `main` branch
- **Status:**  Successfully pushed to GitHub

2. Current Service Status

- **Service Name:** `crtlpyme`
 - **Service URL:** `https://crtlpyme-ean57to77a-uc.a.run.app`
 - **Current Revision:** `crtlpyme-00045-2nl`
 - **NEXTAUTH_URL Source:** Still loading from Secret Manager (empty value)
 - **Status:**  **Deployment NOT yet applied** - Service still using old configuration
-

IMMEDIATE ACTION REQUIRED

The code fix is ready in GitHub, but **you need to trigger a deployment** to apply it to the running service.

Deployment Options

Option 1: Check for Automatic Cloud Build Trigger (Recommended - Check First)

1. Open Cloud Build Console:

`https://console.cloud.google.com/cloud-build/builds?project=crtlpyme-477300`

2. Look for a build that started after the commit time (just now)

3. If you see a build in progress:

-  Wait for it to complete (10-15 minutes)
-  Skip to "Verification Steps" below

4. If NO build is running:
 - ⚠ No automatic trigger is configured
 - → Proceed to Option 2 or 3
-

Option 2: Manual Deployment via GCP Console (Easiest)

1. **Open Cloud Run Console:**

`https://console.cloud.google.com/run/detail/us-central1/crtlpyme?project=crtlpyme-477300`

2. Click **“EDIT & DEPLOY NEW REVISION”** button at the top
 3. **Scroll to “Variables y secretos” (Variables and Secrets)** section
 4. **Find NEXTAUTH_URL** in the list:
 - If it shows as a “Secret reference”, click the **✗** to remove it
 - Click **“+ ADD VARIABLE”** button
 - Name: `NEXTAUTH_URL`
 - Value: `https://crtlpyme-ean57to77a-uc.a.run.app`
 5. **Scroll to bottom and click “DEPLOY”**
 6. **Wait for deployment** (5-10 minutes)
 - You’ll see a progress indicator
 - Wait until it shows **“✓ Serving traffic”**
-

Option 3: Deploy via gcloud CLI (If you have gcloud configured)

```
# Authenticate (if not already)
gcloud auth login

# Set project
gcloud config set project crtlpyme-477300

# Update the service with direct environment variable
gcloud run services update crtlpyme \
  --region=us-central1 \
  --update-env-vars=NEXTAUTH_URL=https://crtlpyme-ean57to77a-uc.a.run.app \
  --remove-secrets=NEXTAUTH_URL

# Wait for deployment to complete
```

Option 4: Trigger Cloud Build from GitHub (Alternative)

If you have Cloud Build connected to GitHub:

1. **Go to Cloud Build Triggers:**

`https://console.cloud.google.com/cloud-build/triggers?project=crtlpyme-477300`

2. **Find the trigger** for the CRTLPyme repository
3. Click **“RUN”** button

4. Select:

- Branch: `main`
- Commit: `c495938` (or latest)

5. Click “RUN TRIGGER”**6. Monitor the build** in Cloud Build console

Verification Steps (After Deployment)

1. Check Service Configuration

Run this command to verify NEXTAUTH_URL is set correctly:

```
gcloud run services describe crtlpyme \
  --region=us-central1 \
  --format="get(spec.template.spec.containers[0].env)"
```

Expected: You should see `NEXTAUTH_URL=https://crtlpyme-ean57to77a-uc.a.run.app` in the output

2. Test Logout Functionality

1. **Visit:** `https://crtlpyme-ean57to77a-uc.a.run.app`
2. **Log in** with test credentials:
 - Email: `admin@crtlpyme.cl`
 - Password: (your test password)
3. **Click “Cerrar Sesión”** (Logout button)
4. **Expected Result:**  Should redirect to landing page (/)
5. **Previous Behavior:**  404 error page

3. Check Cloud Run Console

Visit the service page and verify:

```
https://console.cloud.google.com/run/detail/us-central1/crtlpyme?project=crtlpyme-477300
```

-  New revision is deployed
-  Service is “Serving traffic”
-  No errors in logs

Technical Details

What Changed in `cloudbuild.yaml`

BEFORE (Old Configuration):

```
# Loading from Secret Manager (empty value)
- '--set-secrets=NEXTAUTH_URL=NEXTAUTH_URL:latest'
```

AFTER (New Configuration):

```
# Direct environment variable with correct value
- '--set-env-vars=NEXTAUTH_URL=https://crtlpyme-ean57to77a-uc.a.run.app'
```

Why This Fixes the Issue

1. Old Setup:

- NextAuth.js tried to load NEXTAUTH_URL from Secret Manager
- Secret was empty → NextAuth.js had no base URL
- Logout redirect failed → 404 error

2. New Setup:

- NEXTAUTH_URL is set directly as environment variable
- Value is always available: `https://crtlpyme-ean57to77a-uc.a.run.app`
- NextAuth.js can properly construct redirect URLs
- Logout works correctly → redirects to landing page

Environment Variables After Deployment

```
# Direct Environment Variables
NODE_ENV=production
NEXT_PUBLIC_APP_NAME=CRTLpyme
GOOGLE_CLOUD_PROJECT_ID=crtlpyme-477300
NEXTAUTH_URL=https://crtlpyme-ean57to77a-uc.a.run.app ← FIXED

# Secrets (Still from Secret Manager)
DATABASE_URL → secret:DATABASE_URL:latest
NEXTAUTH_SECRET → secret:NEXTAUTH_SECRET:latest
SENDGRID_API_KEY → secret:SENDGRID_API_KEY:latest
SENDGRID_FROM_EMAIL → secret:SENDGRID_FROM_EMAIL:latest
TRANSBANK_API_KEY → secret:transbank-api-key:latest
TRANSBANK_COMMERCE_CODE → secret:transbank-commerce-code:latest
TRANSBANK_ENVIRONMENT → secret:TRANSBANK_ENVIRONMENT:latest
```

Troubleshooting

If deployment fails:

1. Check Cloud Build logs:

`https://console.cloud.google.com/cloud-build/builds?project=crtlpyme-477300`

2. Check Cloud Run logs:

`https://console.cloud.google.com/run/detail/us-central1/crtlpyme/logs?project=crtlpyme-477300`

3. Common issues:

- Build timeout → Increase timeout in cloudbuild.yaml

- Permission errors → Check service account permissions
- Container fails to start → Check application logs

If logout still doesn't work after deployment:

1. **Clear browser cache** and cookies
2. **Check browser console** for JavaScript errors
3. **Verify NEXTAUTH_URL** is set correctly:

```
bash
```

```
gcloud run services describe crtlpyme --region=us-central1 \
  --format="value(spec.template.spec.containers[0].env)" | grep NEXTAUTH_URL
```

4. **Check application logs** for NextAuth.js errors



Summary

Item	Status
Problem Identified	✅ Complete
Code Fix Created	✅ Complete
Code Pushed to GitHub	✅ Complete
Deployment Applied	⌚ PENDING - ACTION REQUIRED
Logout Fix Verified	⌚ Pending deployment



Next Steps

1. **NOW:** Choose one of the deployment options above and trigger deployment
2. **WAIT:** 5-15 minutes for deployment to complete
3. **VERIFY:** Test logout functionality
4. **CONFIRM:** Check that redirect works correctly



Support Links

- **Cloud Run Console:** <https://console.cloud.google.com/run/detail/us-central1/crtlpyme?project=crtlpyme-477300>
- **Cloud Build Console:** <https://console.cloud.google.com/cloud-build/builds?project=crtlpyme-477300>
- **GitHub Repository:** <https://github.com/kbzas090/CRTLPyme>
- **Latest Commit:** <https://github.com/kbzas090/CRTLPyme/commit/c495938>

Created: November 12, 2025

Project: CRTLPyme (crtlpyme-477300)

Service: crtlpyme (us-central1)

Fix Commit: c495938