

NEXTAUTH_URL Fix Summary

Problem Identified

- **Issue:** NEXTAUTH_URL secret in Google Secret Manager was empty
- **Impact:** Logout redirects were failing with 404 errors
- **Root Cause:** The service was trying to load NEXTAUTH_URL from Secret Manager, but the secret had no value

Solution Implemented

✓ Code Changes Pushed to GitHub

File Modified: `cloudbuild.yaml`

Changes Made:

1. **Removed** NEXTAUTH_URL from Secret Manager references:

`yaml`

`# REMOVED THIS LINE:`

`- '--set-secrets=NEXTAUTH_URL=NEXTAUTH_URL:latest'`

1. **Added** NEXTAUTH_URL as a direct environment variable:

`yaml`

`# ADDED THIS LINE:`

`- '--set-env-vars=NEXTAUTH_URL=https://crtlpyme-ean57to77a-uc.a.run.app'`

2. **Verified** service name is correct: `crtlpyme` (not `crtlpyme-app`)

Commit: `c495938`

Commit Message: "fix: Set NEXTAUTH_URL as direct environment variable"

Status: ✓ Successfully pushed to GitHub main branch

Deployment Status

Attempted Approaches

✗ Approach 1: Update Secret Manager

- **Status:** Failed
- **Reason:** Service account lacks `secretmanager.secrets.get` permission
- **Error:** 403 Permission denied

✗ Approach 2: Direct Cloud Run Update via API

- **Status:** Failed
- **Reason:** Service account lacks `artifactregistry.repositories.downloadArtifacts` permission
- **Error:** 403 Permission denied

✓ Approach 3: Update via GitHub + Cloud Build

- **Status:** Code changes pushed successfully

- **Next Step:** Deployment needs to be triggered

Required Actions

Option A: Automatic Deployment (If Cloud Build Trigger Exists)

If you have a Cloud Build trigger configured for the GitHub repository:

1. The deployment should trigger automatically from the push to `main` branch
2. Wait 5-10 minutes for the build to complete
3. Verify at: <https://console.cloud.google.com/cloud-build/builds?project=crtlpyme-477300>

Option B: Manual Deployment via GCP Console

If no automatic trigger exists, deploy manually:

1. **Go to Cloud Build:**
 - <https://console.cloud.google.com/cloud-build/builds?project=crtlpyme-477300>
2. **Trigger Manual Build:**
 - Click “Run” or “Trigger Build”
 - Select the repository: `kbzas090/CRTLPyme`
 - Branch: `main`
 - Commit: `c495938` (or latest)
3. **Monitor the Build:**
 - Build should take 10-15 minutes
 - Check logs for any errors

Option C: Deploy via gcloud CLI (If you have owner access)

```
# Authenticate with owner account
gcloud auth login

# Set project
gcloud config set project crtlpyme-477300

# Trigger Cloud Build
gcloud builds submit --config=cloudbuild.yaml

# OR update Cloud Run directly
gcloud run services update crtlpyme \
  --region=us-central1 \
  --update-env-vars=NEXTAUTH_URL=https://crtlpyme-ean57to77a-uc.a.run.app
```

Verification Steps

Once deployment completes:

1. Check Environment Variables

```
gcloud run services describe crtlpyme \
  --region=us-central1 \
  --format="value(spec.template.spec.containers[0].env)"
```

Look for: `NEXTAUTH_URL=https://crtlpyme-ean57to77a-uc.a.run.app`

2. Test Logout Functionality

1. Visit: <https://crtlpyme-ean57to77a-uc.a.run.app>
2. Log in with test credentials
3. Click “Cerrar Sesión” (Logout)
4. **Expected:** Should redirect to landing page
5. **Previous behavior:** 404 error

3. Check Service Status

- Console: <https://console.cloud.google.com/run/detail/us-central1/crtlpyme?project=crtlpyme-477300>
- Verify latest revision is deployed
- Check that service is receiving traffic

Technical Details

Current Configuration

- **Project ID:** crtlpyme-477300
- **Region:** us-central1
- **Service Name:** crtlpyme
- **Service URL:** <https://crtlpyme-ean57to77a-uc.a.run.app>
- **Latest Commit:** c495938

Environment Variables (After Deployment)

```
NODE_ENV=production
NEXT_PUBLIC_APP_NAME=CRTLPyME
GOOGLE_CLOUD_PROJECT_ID=crtlpyme-477300
NEXTAUTH_URL=https://crtlpyme-ean57to77a-uc.a.run.app ← NEW (direct value)
```

Secrets (Still from Secret Manager)

```
DATABASE_URL [🔑] secret:DATABASE_URL:latest
NEXTAUTH_SECRET [🔑] secret:NEXTAUTH_SECRET:latest
SENDGRID_API_KEY [🔑] secret:SENDGRID_API_KEY:latest
SENDGRID_FROM_EMAIL [🔑] secret:SENDGRID_FROM_EMAIL:latest
TRANSBANK_API_KEY [🔑] secret:transbank-api-key:latest
TRANSBANK_COMMERCE_CODE [🔑] secret:transbank-commerce-code:latest
TRANSBANK_ENVIRONMENT [🔑] secret:TRANSBANK_ENVIRONMENT:latest
```

Service Account Permissions Issue

The current service account (`github-actions@crtlpyme-477300.iam.gserviceaccount.com`) has limited permissions:

-  Can read Cloud Run service configuration
-  Cannot update Secret Manager
-  Cannot update Cloud Run services directly
-  Cannot access Cloud Build API

Recommendation: Keep these limited permissions for security. Use Cloud Build triggers or manual GCP Console deployment for updates.

Next Steps

1. **Immediate:** Check if Cloud Build trigger exists and if deployment started automatically
 2. **If no trigger:** Manually trigger deployment via GCP Console (Option B above)
 3. **After deployment:** Test logout functionality to confirm fix
 4. **Optional:** Set up Cloud Build trigger for automatic deployments on push to main
-

Files Modified

-  `/home/ubuntu/github_repos/CRTLPyme/cloudbuild.yaml` - Updated and pushed to GitHub
-  Commit `c495938` on `main` branch

Scripts Created

- `/home/ubuntu/fix_nextauth_url.py` - Attempted automated fix (permission issues)
 - `/home/ubuntu/update_cloudrun_nextauth.py` - Attempted direct update (permission issues)
 - `/home/ubuntu/check_cloudbuild.py` - Attempted to check build status (permission issues)
-

Status:  Code fix complete and pushed to GitHub

Deployment: ⌚ Pending (requires manual trigger or automatic Cloud Build trigger)

Expected Result: Logout redirects will work correctly after deployment