DRISHTI · EYE HEALTH

Preliminary AI Glaucoma Screening Report


Patient: janani (24cse099@vcew.ac.in)
Report Date: Oct 26, 2026, 12:37 AM | Age: 40

Report ID: DSH-MVO794BE
Screening Type: AI Fundus Assessment

Screening Classification: Glaucoma Suspect (Moderate Risk)

Glaucoma Risk Score: 86.7% | AI Confidence: 86.7%

Noticeable risk indicators observed in this fundus image. Consulting an eye specialist is strongly recommended.



Retinal Fundus Image

Key Screening Metrics & Guidance

- Cup-to-Disc Ratio (CDR): 0.69 (Enlarged cup (> 0.65))
- Screening Assessment: Glaucoma Suspect (Moderate Risk)
- Specialist Guidance: Consult a licensed ophthalmologist

Reported Clinical Risk Factors

- Age 40 or above (recommended baseline screening age)

PRELIMINARY AI-ASSISTED SCREENING / NOT A MEDICAL DIAGNOSIS

This report was produced by the Drishti automated eye screening system for preliminary guidance. It is not an official medical diagnosis. AI screening can make mistakes and is not a substitute for clinical care. Please consult a licensed ophthalmologist or eye specialist for professional examination and advice.