



NASMYTH ASIA (IN) PVT LTD.

Work Order Traceability System

Complete Project Documentation

A plain-language guide to the shop-floor system that records every work order at every station, shows where each job is right now, and turns scans into reports. Written for everyone, from operators and managers to the IT team.

Contents

1.	At a glance	What the system is and who it is for
2.	The problem it solves	Why the factory needs it
3.	Key features	Everything it can do
4.	How it works	The journey of one scan
5.	A tour of the screens	Dashboard, Current Information, Reports, Settings
6.	Built-in rules and safeguards	How mistakes are prevented
7.	Day-to-day use	Step by step, by role
8.	Installation and first run	Getting started
9.	Reports and exports	Excel and PDF files
10.	Data, backups and security	Keeping records safe
11.	Recent changes	What has been updated
12.	Technical reference	For IT staff
13.	Troubleshooting and FAQ	Common questions
14.	Limitations and next steps	Known gaps and suggestions
15.	Glossary	Terms explained

How to read this document. Sections 1–7 are for everyone and need no technical knowledge. Sections 8–10 are for the person who installs and looks after the system. Section 12 is for IT staff.

1 At a glance

The Work Order Traceability System is a Windows desktop application that tells anyone, at any moment, **which work order is at which station right now, and every station it has passed through.**

Each workstation on the shop floor has a handheld scanner. When an operator scans a work order's label, the system records the station, the date and time, and the result, and every screen updates straight away. Supervisors can look up any work order, see where every job currently sits, and export reports to Excel or PDF with one click.

Who uses it	Operators scan work orders. Supervisors and managers monitor progress, look up jobs and run reports. An administrator sets up stations and keeps the data safe.
Where it runs	One Windows 10/11 PC on the shop floor with USB scanners plugged in. No internet or server is needed.
What it keeps	A complete, time-stamped history of every scan, stored in one database file on that PC.
What it produces	Live monitoring screens, a current-position list for every work order, charts, and Excel/PDF reports.
In one sentence	"Scan it at every station, and always know where it is."




Figure 1 – The Dashboard (Live Station Monitoring), the main screen of the application

2 The problem it solves

Without a tracking system, finding out where a job is means walking the floor, asking people, or checking paper sheets. That is slow, and records get lost or written wrong.

This system replaces all of that with a single scan at each station. It answers the everyday questions of a production floor instantly:

The question	How the system answers it
"Where is work order X right now?"	Type it into Work Order Search and see its current station and status straight away.
"Which stations has it been through, and when?"	Its full history is listed with the exact date and time of every visit.
"What is sitting at each station today?"	The Current Information screen lists every work order and its location, and can be filtered by station.
"How busy was each station this week?"	Reports & Analytics shows scan counts per station and the activity trend over time.
"Is it finished?"	When a work order is scanned at the final station , it is automatically marked Completed .
"Can we prove what happened?"	Every record is written by the scanner, not by hand, and is time-stamped, so it can be relied on in a customer audit or quality investigation.

Benefits at a glance

Saves time

No walking the floor or phoning around to find a job.
The answer is one search away.

Fewer errors

Scanners don't make spelling mistakes. Bad reads and double scans are caught automatically.

Full accountability

A permanent, dated trail of where every work order has been.

Better decisions

Charts show where the workload builds up and how activity changes day to day.

3 Key features

Everything the system does, and what each feature means for you.

Feature	What it means for you
Multiple scanners on one PC	Each station has its own scanner. The system knows which scanner, and so which station, every scan came from.
Live station monitoring	Coloured tiles show every station's status (ONLINE/OFFLINE), its number of scans and the time of its last scan, updating live.
Live scan log	A running list of scans as they happen, with an OK/NG result and a short message.
Work order search	Find any work order by full or partial number in seconds.
Current positions list	One list showing where every work order is right now, with its status, filterable by station.
Full history	Every station visit for every work order, with date, time and result.
Automatic completion	A scan at the final station marks the job Completed. No extra step is needed.
Flexible routing	Work orders may visit stations in any order. Only the final station is fixed.
Mistake protection	Too-short codes are rejected, and accidental double scans are ignored.
Manual / test scan	Enter a work order by hand when a label is damaged, or to test the system.
Reports and charts	Scans per station and activity trends for any date range.
Excel and PDF export	One click creates a report file ready to email or print.
Password-protected settings	Only the administrator can change stations or delete data.
Backup and restore	Save a copy of all data, and put it back if ever needed.
Works offline	Everything runs on one PC. No internet connection is required.

4 How it works

Every scan follows the same short path, and the whole thing takes less than a second. The operator only has to point the scanner and pull the trigger. The system does the rest.




Figure 2 – The path of a single scan, from label to screen

Step by step

1. **The operator scans the work order label.** Each workstation has its own USB scanner.
2. **The system knows which station it came from.** Every scanner is linked to one station, so even with several scanners on one PC, each scan lands at the right place. Typing on an ordinary keyboard is ignored.
3. **Two quick checks run.**
 - If the code is too short to be real (fewer than 4 characters by default), it is recorded as **NG** (not good), the work order is marked **Rejected**, and the event is noted in the logs.
 - If the same work order was scanned at the same station a moment ago (within 5 seconds by default), for example from a double trigger pull, the repeat is ignored so it isn't counted twice. It is still noted in the logs.
4. **The visit is saved.** The system stores the work order, station, date and time, and updates that work order's current position.
5. **The status is set.** While a work order is moving between stations it shows **In Progress**. When it is scanned at the station marked as *final*, it becomes **Completed**.
6. **Every screen refreshes.** The station tiles, live log, current-position list and reports all show the new scan straight away.

There is no fixed order of stations. A work order may visit stations in any sequence. Only the final station is fixed, because that is the one that marks a job as done.

Worked example

Work order **NA-2609-00042** travels through the factory like this:

Time	Station	Result	Status after this scan	What a supervisor would see
09:05	ST01	OK	In Progress	"At ST01, In Progress"
10:20	ST03	OK	In Progress	"At ST03, In Progress"
11:45	ST04 (final)	OK	Completed	"Completed", with all three visits in its history

5 A tour of the screens

The application has four screens, chosen from the **MENU** on the left.

The header across the top always shows the Nasmyth logo, the company name, "Work Order Traceability System", and the current date and time. The version number is shown at the bottom of the menu.

5.1 Dashboard (Live Station Monitoring)

The everyday control-room view, the screen to leave running on the shop-floor monitor (see Figure 1).

Part of the screen	What it shows / does
Station tiles (top row)	One tile per station: code and name, ONLINE (green) or OFFLINE (switched off in Settings), number of scans since the app was opened, and the time of the last scan. The final station carries a FINAL badge.
Live Scan Log	Scans as they happen: time, station, work order, result (OK/NG coloured badge) and a short message. Clear empties the on-screen list only. Saved records are not touched.
Manual / Test Scan	Pick a station, type a work order, press Enter or Simulate . It is handled exactly like a real scan. Use it for testing, or when a label won't read.
Work Order Search	Type a full or partial work order number and press Search (or Enter).
Current Information	For the work order found or just scanned: work order, current station, status and last scan time. View Reports & Analytics jumps to the reports screen.
History	Every station that work order has visited, with time, station and result.

5.2 Current Information

The answer to "what is where right now?" for the whole factory. The top right corner shows how many work orders are in progress and how many are completed.

Nasmyth Asia (IN) Pvt Ltd.

Work Order Traceability System

Saturday, 26 September 2026

11:37:14

⚙️

MENU

Dashboard

Current Information

Reports & Analytics

Settings

Current Information

Station

All stations

▼

Refresh

Work Order	Station	Status	Result	Scans	Last Scan
NA-2609-00022	ST01	In progress	OK	3	26-09-2026 06:39:21
NA-2609-00020	ST04	Completed	OK	2	26-09-2026 05:36:03
NA-2609-00006	ST02	In progress	OK	2	26-09-2026 05:33:13
NA-2609-00003	ST04	Completed	OK	3	26-09-2026 05:08:01
NA-2609-00007	ST04	Completed	OK	4	25-09-2026 23:20:50
NA-2609-00040	ST04	Completed	OK	3	25-09-2026 21:26:02
NA-2609-00019	ST03	In progress	OK	3	25-09-2026 21:24:16
NA-2609-00031	ST01	In progress	OK	2	25-09-2026 18:08:39
NA-2609-00026	ST04	Completed	OK	4	25-09-2026 16:40:32
NA-2609-00014	ST04	Completed	OK	2	25-09-2026 15:45:03
NA-2609-00030	ST01	In progress	OK	2	25-09-2026 11:48:52
NA-2609-00033	ST04	Completed	OK	3	25-09-2026 05:50:58
NA-2609-00025	ST01	In progress	OK	2	25-09-2026 03:37:46
NA-2609-00017	ST04	Completed	OK	2	25-09-2026 00:09:07
NA-2609-00012	ST04	Completed	OK	2	24-09-2026 16:16:12
NA-2609-00010	ST04	Completed	OK	3	24-09-2026 04:23:29

Selected work order

Current station

Status

Last scan

Complete history

Time	Station	Result	Message
------	---------	--------	---------

11 in progress

29 completed

v1.0.0

Figure 3 – Current Information: every work order and where it is now

Column	Meaning
Work Order	The work order code
Station	The station it is at now (its most recent scan)
Status	In progress, Completed or Rejected
Result	Result of its last scan (OK / NG)
Scans	How many times it has been scanned in total
Last Scan	Date and time of its most recent scan

- Narrow the list with the **Station** drop-down, or type part of a work order number in the search box.
- Click any row to see that work order's details and **complete history** on the right (*Selected work order*).

5.3 Reports & Analytics

For supervisors and managers who want the bigger picture over a period of time.



Figure 4 – Reports & Analytics with the date filter and two charts

- **Date range.** Choose *From* and *To* dates and press **Apply**, or use the quick buttons **Today**, **7 days** or **30 days**. The page opens on the last 7 days by default.
- **Scans by Station.** A bar chart of how many scans each station handled in that period. It shows where the workload is.
- **Station-wise Scan Trend.** A line chart of scan activity per day. It shows busy and quiet days.
- **Export to Excel / Export to PDF.** Saves a report for the chosen dates (see section 9).
- The status bar at the bottom confirms how many scans were loaded for the chosen dates.

5.4 Settings (password protected)

Anyone can *look* at Settings, but making any change needs the administrator password.

- **Locked (normal state):** the top right shows "Locked – enter password to edit". Type the password and press **Unlock** (or Enter). Edit buttons are greyed out while locked.
- **Unlocked:** the top right shows "Unlocked", a **New password** box with a **Change password** button, and a **Lock** button.
- Settings **lock again automatically** as soon as you leave the page. Unsaved edits in the Stations table are thrown away.




Figure 5 – Settings > Stations (shown locked: edit buttons are greyed out)

Stations tab

Column / button	Purpose
Code, Name, Sequence	Station identifier (e.g. ST01), display name, and display order
Enabled	Switches the station on or off (shown as ONLINE/OFFLINE on the Dashboard)
Final	Shows which station is the final one (only one at a time)
Add station	Adds a new station row
Save changes	Saves edits made in the table
Set as final	Makes the selected station the final station
Delete	Deletes the selected station. If it already has scans you are asked to confirm, because its history is deleted too

Database tab




Figure 6 – Settings > Database

Item	Purpose
Database file	Shows where the data file is stored
Backup...	Saves a copy of all data to a file you choose (works even while locked)
Restore...	Replaces all current data with a chosen backup (needs unlock, asks to confirm)
Open folder	Opens the folder containing the database file

Logs tab



Nasmyth Asia (IN) Pvt Ltd.

Work Order Traceability System

Saturday, 26 September 2026

11:37:21

MENU

- Dashboard
- Current Information
- Reports & Analytics
- Settings**

Settings

StationsDatabaseLogs

Filter: AllRefreshDelete selectedClear allExport CSV

Time	Type	Station	Device	Barcode	Message
25/09/2026 17:48:06	Duplicate	ST03	Demo scanner ST03	NA-2609-00031	Repeat within 5s at ST03
25/09/2026 17:48:04	Raw	ST03	Demo scanner ST03	NA-2609-00031	Accepted
25/09/2026 16:40:32	Raw	ST04	Demo scanner ST04	NA-2609-00026	Accepted
25/09/2026 16:22:55	Raw	ST03	Demo scanner ST03	NA-2609-00026	Accepted
25/09/2026 16:09:27	Raw	ST01	Demo scanner ST01	NA-2609-00026	Accepted
25/09/2026 16:02:36	Raw	ST02	Demo scanner ST02	NA-2609-00026	Accepted
25/09/2026 15:45:03	Raw	ST04	Demo scanner ST04	NA-2609-00014	Accepted
25/09/2026 15:28:29	Raw	ST01	Demo scanner ST01	NA-2609-00014	Accepted
25/09/2026 11:48:52	Raw	ST01	Demo scanner ST01	NA-2609-00030	Accepted
25/09/2026 11:24:00	Raw	ST02	Demo scanner ST02	NA-2609-00030	Accepted
25/09/2026 05:50:58	Raw	ST04	Demo scanner ST04	NA-2609-00033	Accepted
25/09/2026 05:31:14	Raw	ST02	Demo scanner ST02	NA-2609-00033	Accepted
25/09/2026 05:28:30	Raw	ST01	Demo scanner ST01	NA-2609-00033	Accepted
25/09/2026 03:37:48	Duplicate	ST01	Demo scanner ST01	NA-2609-00025	Repeat within 5s at ST01

v1.0.0

Figure 7 – Settings > Logs: every scan event, including repeats set aside

Control	Purpose
Filter	Show All, or only Raw, Duplicate, Rejected, Error or Info entries
Refresh	Reloads the list
Delete selected	Deletes one entry and, if it was a recorded scan, that scan's record too (needs unlock)
Clear all	With a filter: deletes those log entries only. With "All": deletes all logs and all scan history and positions. Stations and settings are kept (needs unlock, asks to confirm)
Export CSV	Saves the visible log list as a spreadsheet file

Log type	Meaning
Raw	A normal, accepted scan
Duplicate	A repeat within a few seconds at the same station, ignored
Rejected	A code that failed a check (e.g. too short), recorded as NG
Error	An empty or unreadable scan
Info	Informational events, e.g. a scan from a device not linked to any station

6 Built-in rules and safeguards

The system checks every scan and protects its own data, so the records can be trusted without anyone watching over it.

Situation	What the system does	Why it matters
Code too short (under 4 characters)	Saves it as NG , marks the work order Rejected , notes it in the logs	Catches misreads and partial scans
Same work order scanned twice at one station within 5 seconds	Ignores the repeat and logs it as a <i>Duplicate</i>	A double trigger pull doesn't inflate counts
Empty scan	Ignores and logged as an <i>Error</i>	Nothing meaningless enters the history
Scan from a device that isn't a linked scanner (e.g. the PC keyboard)	Ignores completely	Typing in other programs never creates false records
Work order scanned at the final station	Marked Completed	"Done" is recorded automatically
Someone tries to change Settings	Asks for the administrator password, and locks again on leaving	Stops accidental or unauthorised changes
Deleting a station that has history	Warns and asks for confirmation	Prevents losing history by accident
Restoring a backup / clearing all logs	Warns that data will be replaced or deleted	Avoids wiping records by mistake

The 4-character minimum and the 5-second duplicate window are stored settings and can be adjusted by a technician if needed.

7 Day-to-day use

For most people, using the system means scanning and looking. Nobody needs to type anything during normal work.

Operators

1. When a work order arrives at your station, scan its label with your station's scanner.
2. Glance at the Dashboard. The scan appears at the top of the Live Scan Log with **OK**, and your station tile's count goes up.
3. If a label won't scan, use **Manual / Test Scan** on the Dashboard: choose your station, type the work order number, and press Enter.
4. At the final station, scanning the work order completes it. No other action is needed.

Supervisors and managers

1. **Find one job:** type its number into *Work Order Search* on the Dashboard to see where it is and where it has been.
2. **See everything in progress:** open *Current Information* and filter by station if needed.
3. **Review a period:** open *Reports & Analytics*, pick the dates, and read the two charts.
4. **Share a report:** press *Export to Excel* or *Export to PDF*. The file opens in its folder, ready to email or print.

Administrator

1. **Add or change stations** in *Settings > Stations* (unlock with the password first) and press *Save changes*.
2. **Choose the final station:** select it and press *Set as final*.
3. **Back up regularly:** *Settings > Database > Backup* saves a copy of all data. Keep copies somewhere other than this PC, such as a USB drive or network folder. A weekly backup is a sensible minimum.
4. **Change the password** after first use. The starting password is `admin`.
5. **Check the logs** if something looks wrong. Rejected, repeated and unreadable scans are all listed there.

8 Installation and first run

The system installs on a single Windows PC and sets itself up the first time it starts.

What you need

Computer	Windows 10 or 11 (64-bit)
Software to run	Microsoft .NET 8 Desktop Runtime (free from Microsoft)
Software to build from source	.NET SDK 8.0 or later
Scanners	USB barcode scanners that work as a "keyboard" (the most common type), set to send Enter after each scan

Starting the program

- Run **NasmythTraceability.exe** from the program folder, or
- Build from source (for IT staff), from the project folder:

```
dotnet build NasmythTraceability.sln -c Release
dotnet run --project src/NasmythTraceability -c Release
```

What happens the first time

- The database file is created automatically at `C:\ProgramData\Nasmyth\Traceability\traceability.db`.
- Four starting stations are created: **ST01–ST04**, with **ST04** as the final station. They can be renamed, added to or changed in Settings.
- The settings password is set to `admin`. Change it straight away.
- To try the system without scanners, use **Manual / Test Scan** on the Dashboard.

9 Reports and exports

Reports are created from **Reports & Analytics** for the selected date range, in two formats.

	Excel (.xlsx)	PDF
Best for	Further analysis, filtering, sharing numbers	Printing, emailing, archiving
Contents	Four sheets: Summary , Scans by Station , Trend , and Scans (every scan in the period)	Company header, summary figures, scans by station, and scan detail pages

- Files are saved to **Documents > Nasmyth Traceability > Exports**.
- File names include the date range and the time created, for example
Traceability_20260920_20260926_101530.xlsx .
- After saving, the folder opens automatically with the new file selected.

10 Data, backups and security

All data stays on the shop-floor PC in one database file. Nothing is sent over the internet.

Where data lives	C:\ProgramData\Nasmyth\Traceability\traceability.db
What is stored	Stations, scanner-to-station links, every scan (history), the current position of each work order, logs, and settings
Backups	Settings > Database > Backup creates a file named like traceability_backup_20260926_101530.db . Store copies away from the PC
Restore	Replaces all current data with the backup's data, including the settings password saved in that backup
Password	One administrator password protects all changes in Settings. It is stored as a one-way scrambled code (SHA-256 hash), never as readable text
Deleting data	Only possible from Settings when unlocked, and always with a confirmation prompt

Important: because all data is on one PC, a hard-disk failure without a recent backup would lose the history. Make regular backups and keep them on a different device.

11 Recent changes

The project began as the *Barcode Traceability System*. It has since been reshaped around **work orders** and simplified for everyday users.

Area	Change
Name	Renamed to Work Order Traceability System in the header, window title and reports. Existing installations pick up the new name automatically
Dashboard	"Barcode Search" is now Work Order Search . The Current Information label reads Work Order . The manual scan box now says "Type a work order"
Dashboard	Removed the Total Scans / OK / NG / OK rate counter line
Current Information	"Barcode" column and "Selected barcode" heading now read Work Order / Selected work order
Reports & Analytics	Removed the Total / OK / NG / Unique number tiles, the OK-vs-NG chart and the Recent Scans table. Two full-width charts remain
Settings	Removed the <i>General</i> tab (app name, company name, date format, font size, start-up options) and the <i>USB Scanners</i> tab
Settings	Added a password lock . Changes need the password, and it locks again on leaving
Side menu	Removed the "USB scanners (Raw Input)" text

Each change was built and checked with the application's automatic self-test, which passed.

12 Technical reference

For IT staff: how the application is built and how its data is organised.

Technology

Language / framework	C# on .NET 8, WPF desktop user interface, MVVM pattern (CommunityToolkit.Mvvm 8.4)
Database	SQLite (Microsoft.Data.Sqlite 8.0)
Excel export	ClosedXML 0.104
PDF export	PdfSharp 6.1
Scanner input	Windows Raw Input API. Every keystroke is tied to the exact USB device, so several scanners on one PC are told apart. A read ends on Enter or Tab
Configuration	<code>config.json</code> next to the program: company name, and an optional <code>databasePath</code> to move the database

Database tables

Table	Holds
<code>stations</code>	Stations, their order, on/off state, and which is final
<code>station_devices</code>	Which USB scanner belongs to which station
<code>trace_history</code>	Every station visit: work order, station, result, time
<code>current_trace</code>	Latest position, status and scan count for each work order
<code>scan_logs</code>	Raw, duplicate, rejected, error and info events
<code>settings</code>	Key/value settings, including the password hash
<code>routes</code> , <code>route_stations</code>	Kept from the original design, not used in scanning

Note: the work order code is stored in columns named `barcode` . Only the screens were renamed.

Main program parts

Part	File	Job
Scanner reader	<code>Services/Scanning/RawInputScannerService.cs</code>	Reads the USB scanners
Scan coordinator	<code>Services/ScanCoordinator.cs</code>	Runs the checks, decides what happens to each scan
Trace service	<code>Services/TraceService.cs</code>	History, current positions, logs, search
Station service	<code>Services/StationService.cs</code>	Stations and scanner links

Report service	Services/ReportService.cs	Report figures and chart data
Database service	Data/DatabaseService.cs	Database access, backup, restore
Settings service	Data/SettingsService.cs	Settings and password
Screens	Views/*.xaml , ViewModels/*.cs	Dashboard, Current Information, Reports, Settings

Command-line options

Option	Purpose
(none)	Normal start
--selftest	Automatic check: builds a temporary database, runs test scans, reports, exports and backup, prints PASS or FAIL
--seed-demo [units] [days] [--append]	Fills the configured database with sample data (default 40 work orders over 7 days). Replaces existing scan data unless --append is given. Never run it against a live production database
--wipe-data	Resets to a clean state: clears history, positions, logs and scanner links . Keeps stations and settings
--smoke	Opens and closes the main window to check it starts
--shot <file.png> [--page <name>] [--tab <n>]	Saves a screenshot of the window

13 Troubleshooting and FAQ

Answers to the questions people ask most often.

Question / problem	Answer
A scan doesn't appear on the Dashboard	Check the scanner is plugged in and linked to a station, and that the station is <i>Enabled</i> . Look in <i>Settings</i> > <i>Logs</i> for Error or Info entries.
A scan shows NG	The code was shorter than 4 characters, which usually means a misread. Rescan the label, or use Manual / Test Scan.
I scanned twice but only one scan shows	The repeat was within 5 seconds and was ignored on purpose. It appears in the logs as a Duplicate.
A work order never shows Completed	It must be scanned at the station marked <i>Final</i> in <i>Settings</i> > <i>Stations</i> .
I can't edit anything in Settings	Settings are locked. Enter the password at the top right and press Unlock.
I forgot the password	Restore a backup whose password you know, or ask IT to reset the password value in the database.
Where are my exported reports?	Documents > Nasmyth Traceability > Exports.
Can I use the normal keyboard to scan?	No. The keyboard is deliberately ignored. Use Manual / Test Scan to enter a code by hand.
Does it need the internet?	No, it runs entirely on the PC.
The station tile counts went back to 0	Tile counts are per session and restart when the app restarts. The saved history is not affected.

14 Limitations and next steps

The system is complete for single-PC tracking, but a few gaps should be known before wider roll-out.

Limitation	Effect	Suggested next step
Linking a new scanner	The screen for linking scanners to stations was removed with the USB Scanners tab. Scanners already linked keep working, but a new or replacement scanner can't be set up from the app	Bring back a simple, password-protected "Add scanner" option
Fixed display settings	Company name, date format, font size and full-screen start-up can no longer be changed in the app	Re-add them to the password-protected Settings if they need changing
One PC only	Other offices can't view data live, and a disk failure without a backup loses history	Scheduled automatic backups, or a shared network database if several PCs are needed
Leftover "Barcode" wording	The Dashboard Live Scan Log column, the Logs tab and the Excel/PDF exports still use the old term. The exports still include overall totals	Finish the rename for a consistent look

15 Glossary

Terms used in this document and in the application.

Term	Meaning
Work order	A production job, identified by the code on its label
Station	A workstation on the shop floor where a work order is processed and scanned
Final station	The last station. A scan here marks the work order as Completed
Scan	Reading a work order's label with a scanner (or entering it by hand)
OK / NG	Result of a scan: OK is accepted, NG ("not good") is rejected
In Progress / Completed / Rejected	Work order status: still moving, finished at the final station, or last scan rejected
Traceability	Being able to show where an item has been, and when
Duplicate	The same work order scanned again at the same station within a few seconds, ignored so it isn't counted twice
Log	The technical record of every scan event, including the ones set aside
Backup / Restore	Saving a copy of all data, and later putting that copy back
Database	The single file on the PC where all records are kept
Export	Saving a report as an Excel or PDF file
Session	The time from when the application is opened until it is closed

— End of document —