

Literature Survey: The Sybil-Attack in Reputation Systems

October 13, 2016

Abstract

1 Introduction

Reputation systems (described in section 2) allow entities, usually humans, to trust each other in the cyberspace based on their prior interactions (logical) or knowledge from other entities. For instance, online marketplaces such as Amazon or eBay often use a reputation system, and new buyers are more likely to buy goods from merchants with a high rating (a metric for reputation).

However, reputation systems are vulnerable to many types of attacks. The Sybil-attack, first described by Douceur[10], is an attack where an entity can assume multiple identities or Sybils, and then attack either another entity or undermine the whole reputation system (we discuss it in more details in section 3). In the marketplace example, the merchant could create multiple fake accounts and submitting a lot of positive feedback to the real account to boost the rating. It is one of the most important attacks because it leads to a large number of consequences including but not limited to spreading false information, ballot stuffing[4] and eclipse attacks[37]. Thus, preventing the Sybil-attack is likely to significantly increase the credibility of reputation systems.

Sybil-defence mechanisms come in various shapes and sizes. Some rely on a trusted third party (subsection 4.1), some introduce a cost in identity creation (subsection 4.2), some exploit the graph characteristics (subsection 4.3)

and so on. To the best of our knowledge, there does not exist a recent and comprehensive survey that focuses on the Sybil-attack in reputation systems.

To this end, we survey the defence mechanisms proposed by various reputation systems to eliminate or minimise Sybil-attacks as well as general approaches that do not depend on any specific reputation systems. Note that Sybil-attacks do not only exist in reputation systems. Wireless sensor networks for example are also vulnerable, the attacker can cripple the routing algorithm or defeat distributed storage mechanisms[29]. Thus defence mechanisms that do not apply to reputation systems are outside the scope of this work and are not covered. On the other hand, since reputation systems are often also peer-to-peer systems, we do cover the more general defence mechanisms.

Our main contributions are the following.

1. TODO
2. TODO

2 Reputation Systems

Reputation systems are of interest in many scientific domains. In evolutionary biology, scientists study indirect reciprocity[30]. In experimental economics

First the definitions

- Truster
- Trustee
- Recommender
- Recommendation

3 The Sybil-Attack

Explain the sybil-attack

4 Defences

In this section we categorise various defence techniques against the sybil-attack for reputation systems.

4.1 Trusted Third Party

TrustMe[36] eBay[32]

4.2 Costly Identity Creation

4.2.1 IP Address

4.2.2 Low reputation for new users

4.3 Graph Techniques

BarterCast[25] EigenTrust[17] Social-network[40] SybilGuard[47] SybilLimit[46] Theory[35]

4.4 Reputation Transfer

Trust-transfer[34]

4.5 Blockchain Based Techniques?

Privacy-preserving[33] Proof-of-stake[8]

4.6 Unsorted?

SybilInfer[7] Sybil-proof[5] Self-registration[9] Secure-Overlay[22] SybilProof-DHT[20]

Beth 94[3] PGP (Zimmermann) 95[49] Yu 00[45] P-GRID 01[1] CORE 02[26] XRep 02[6] Lee 03[19] Xiong 03[43] Feldman 04[11] Guha 04[12] Marti 04[24] ARA 05[13] Scrivener 05[28] Song 05[38] TrustGuard 05[39] Xiong 05[44] PowerTrust 06[48] Credence 06[42] P2PRep/Fuzzy 06[2]

Histos Sopras Regret Beta Confidant Gupta et al. PeerTrust Ismail et al. Pride FuzzyTrust Travos Gal-Oz et al. Coner et al. H-Trust RateWeb Tong and Zhang R2Trust ReDS Tulungan GRAft PerContRep

5 Related Work

Reputation Surveys: [23] [16] [15] [18] [14]

Sybil Surveys: [21] [27] [31]

Other: [41]

6 Summary

References

- [1] Karl Aberer. “P-Grid: A self-organizing access structure for P2P information systems”. In: *International Conference on Cooperative Information Systems*. Springer. 2001, pp. 179–194.
- [2] Roberto Aringhieri et al. “Fuzzy techniques for trust and reputation management in anonymous peer-to-peer systems”. In: *Journal of the American Society for Information Science and Technology* 57.4 (2006), pp. 528–537.
- [3] Thomas Beth, Malte Borchertding, and Birgit Klein. “Valuation of trust in open networks”. In: *European Symposium on Research in Computer Security*. Springer. 1994, pp. 1–18.
- [4] Rajat Bhattacharjee and Ashish Goel. “Avoiding ballot stuffing in ebay-like reputation systems”. In: *Proceedings of the 2005 ACM SIGCOMM workshop on Economics of peer-to-peer systems*. ACM. 2005, pp. 133–137.
- [5] Alice Cheng and Eric Friedman. “Sybilproof reputation mechanisms”. In: *Proceedings of the 2005 ACM SIGCOMM workshop on Economics of peer-to-peer systems*. ACM. 2005, pp. 128–132.
- [6] Ernesto Damiani et al. “A reputation-based approach for choosing reliable resources in peer-to-peer networks”. In: *Proceedings of the 9th ACM conference on Computer and communications security*. ACM. 2002, pp. 207–216.
- [7] George Danezis and Prateek Mittal. “SybilInfer: Detecting Sybil Nodes using Social Networks.” In: *NDSS*. San Diego, CA. 2009.
- [8] Richard Dennis and Gareth Owenson. “Rep on the Roll: A Peer to Peer Reputation System Based on a Rolling Blockchain”. In: (2016).

- [9] Jochen Dinger and Hannes Hartenstein. “Defending the sybil attack in p2p networks: Taxonomy, challenges, and a proposal for self-registration”. In: *First International Conference on Availability, Reliability and Security (ARES’06)*. IEEE. 2006, 8–pp.
- [10] John R Douceur. “The sybil attack”. In: *International Workshop on Peer-to-Peer Systems*. Springer. 2002, pp. 251–260.
- [11] Michal Feldman et al. “Robust incentive techniques for peer-to-peer networks”. In: *Proceedings of the 5th ACM conference on Electronic commerce*. ACM. 2004, pp. 102–111.
- [12] Ramanathan Guha et al. “Propagation of trust and distrust”. In: *Proceedings of the 13th international conference on World Wide Web*. ACM. 2004, pp. 403–412.
- [13] MyungJoo Ham and Gul Agha. “ARA: A robust audit to prevent free-riding in P2P networks”. In: *Fifth IEEE International Conference on Peer-to-Peer Computing (P2P’05)*. IEEE. 2005, pp. 125–132.
- [14] Ferry Hendriks, Kris Bubendorfer, and Ryan Chard. “Reputation systems: A survey and taxonomy”. In: *Journal of Parallel and Distributed Computing* 75 (2015), pp. 184–197.
- [15] Kevin Hoffman, David Zage, and Cristina Nita-Rotaru. “A survey of attack and defense techniques for reputation systems”. In: *ACM Computing Surveys (CSUR)* 42.1 (2009), p. 1.
- [16] Audun Jøsang, Roslan Ismail, and Colin Boyd. “A survey of trust and reputation systems for online service provision”. In: *Decision support systems* 43.2 (2007), pp. 618–644.
- [17] Sepandar D Kamvar, Mario T Schlosser, and Hector Garcia-Molina. “The eigentrust algorithm for reputation management in p2p networks”. In: *Proceedings of the 12th international conference on World Wide Web*. ACM. 2003, pp. 640–651.
- [18] Eleni Koutrouli and Aphrodite Tsalgatidou. “Taxonomy of attacks and defense mechanisms in P2P reputation systems-Lessons for reputation system designers”. In: *Computer Science Review* 6.2 (2012), pp. 47–70.
- [19] Seungjoon Lee, Rob Sherwood, and Bobby Bhattacharjee. “Cooperative peer groups in NICE”. In: *INFOCOM 2003. Twenty-Second Annual Joint Conference of the IEEE Computer and Communications. IEEE Societies*. Vol. 2. IEEE. 2003, pp. 1272–1282.

- [20] Chris Lesniewski-Lass and M Frans Kaashoek. “Whanau: A sybil-proof distributed hash table”. In: NSDI. 2010.
- [21] Brian Neil Levine, Clay Shields, and N Boris Margolin. “A survey of solutions to the sybil attack”. In: *University of Massachusetts Amherst, Amherst, MA 7* (2006).
- [22] Eng Keong Lua. “Securing peer-to-peer overlay networks from sybil attack”. In: *Communications and Information Technologies, 2007. ISCIT’07. International Symposium on*. IEEE. 2007, pp. 1213–1218.
- [23] Sergio Marti and Hector Garcia-Molina. “Taxonomy of trust: Categorizing P2P reputation systems”. In: *Computer Networks* 50.4 (2006), pp. 472–484.
- [24] Sergio Marti and Hector Garcia-Molina. “Limited reputation sharing in P2P systems”. In: *Proceedings of the 5th ACM conference on Electronic commerce*. ACM. 2004, pp. 91–101.
- [25] Michel Meulpolder et al. “Bartercast: A practical approach to prevent lazy freeriding in p2p networks”. In: *Parallel & Distributed Processing, 2009. IPDPS 2009. IEEE International Symposium on*. IEEE. 2009, pp. 1–8.
- [26] Pietro Michiardi and Refik Molva. “Core: a collaborative reputation mechanism to enforce node cooperation in mobile ad hoc networks”. In: *Advanced communications and multimedia security*. Springer, 2002, pp. 107–121.
- [27] Aziz Mohaisen and Joongheon Kim. “The Sybil attacks and defenses: a survey”. In: *arXiv preprint arXiv:1312.6349* (2013).
- [28] Animesh Nandi et al. “Scrivener: Providing incentives in cooperative content distribution systems”. In: *Proceedings of the ACM/IFIP/USENIX 2005 International Conference on Middleware*. Springer-Verlag New York, Inc. 2005, pp. 270–291.
- [29] James Newsome et al. “The sybil attack in sensor networks: analysis & defenses”. In: *Proceedings of the 3rd international symposium on Information processing in sensor networks*. ACM. 2004, pp. 259–268.
- [30] Martin A Nowak and Karl Sigmund. “Evolution of indirect reciprocity”. In: *Nature* 437.7063 (2005), pp. 1291–1298.

- [31] GV Rakesh et al. “A Survey of techniques to defend against Sybil attacks in Social Networks”. In: *International Journal of Advanced Research in Computer and Communication Engineering* 3.5 (2014).
- [32] Paul Resnick and Richard Zeckhauser. “Trust among strangers in internet transactions: Empirical analysis of ebay’s reputation system”. In: *The Economics of the Internet and E-commerce* 11.2 (2002), pp. 23–25.
- [33] Alexander Schaub et al. “A trustless privacy-preserving reputation system”. In: *IFIP International Information Security and Privacy Conference*. Springer. 2016, pp. 398–411.
- [34] Jean-Marc Seigneur, Alan Gray, and Christian Damsgaard Jensen. “Trust transfer: Encouraging self-recommendations without sybil attack”. In: *International Conference on Trust Management*. Springer. 2005, pp. 321–337.
- [35] Sven Seuken and David C Parkes. “On the Sybil-proofness of accounting mechanisms”. In: (2011).
- [36] Aameek Singh and Ling Liu. “TrustMe: anonymous management of trust relationships in decentralized P2P systems”. In: *Peer-to-Peer Computing, 2003.(P2P 2003). Proceedings. Third International Conference on*. IEEE. 2003, pp. 142–149.
- [37] Atul Singh et al. “Eclipse attacks on overlay networks: Threats and defenses”. In: *In IEEE INFOCOM*. Citeseer. 2006.
- [38] Shanshan Song et al. “Trusted P2P transactions with fuzzy reputation aggregation”. In: *IEEE Internet computing* 9.6 (2005), pp. 24–34.
- [39] Mudhakar Srivatsa, Li Xiong, and Ling Liu. “TrustGuard: countering vulnerabilities in reputation management for decentralized overlay networks”. In: *Proceedings of the 14th international conference on World Wide Web*. ACM. 2005, pp. 422–431.
- [40] Bimal Viswanath et al. “An analysis of social network-based sybil defenses”. In: *ACM SIGCOMM Computer Communication Review* 40.4 (2010), pp. 363–374.
- [41] Dan S Wallach. “A survey of peer-to-peer security issues”. In: *Software Security-Theories and Systems*. Springer, 2003, pp. 42–57.

- [42] Kevin Walsh and Emin Gün Sirer. “Experience with an object reputation system for peer-to-peer filesharing”. In: *USENIX NSDI*. Vol. 6. 2006.
- [43] Li Xiong and Ling Liu. “A reputation-based trust model for peer-to-peer e-commerce communities”. In: *E-Commerce, 2003. CEC 2003. IEEE International Conference on*. IEEE. 2003, pp. 275–284.
- [44] Li Xiong, Ling Liu, and Mustaque Ahamad. “Countering feedback sparsity and manipulation in reputation systems”. In: *Collaborative Computing: Networking, Applications and Worksharing, 2007. Collaborate-Com 2007. International Conference on*. IEEE. 2007, pp. 203–212.
- [45] Bin Yu and Munindar P Singh. “A social mechanism of reputation management in electronic communities”. In: *International Workshop on Cooperative Information Agents*. Springer. 2000, pp. 154–165.
- [46] Haifeng Yu et al. “Sybillimit: A near-optimal social network defense against sybil attacks”. In: *2008 IEEE Symposium on Security and Privacy (sp 2008)*. IEEE. 2008, pp. 3–17.
- [47] Haifeng Yu et al. “Sybilguard: defending against sybil attacks via social networks”. In: *ACM SIGCOMM Computer Communication Review*. Vol. 36. 4. ACM. 2006, pp. 267–278.
- [48] Runfang Zhou and Kai Hwang. “Powertrust: A robust and scalable reputation system for trusted peer-to-peer computing”. In: *IEEE Transactions on parallel and distributed systems* 18.4 (2007), pp. 460–473.
- [49] Philip R Zimmermann. *The official PGP user’s guide*. MIT press, 1995.