


Create and view global-route guides



```
# Batch: build pin access and save the guides
```

```
.
```

```
pin_access
```

```
global_route \
```

```
-guide_file /path/to/route.guide \
```

```
-congestion_iterations 100 -verbose
```


```
# GUI console, after loading the design:
```

```
read_guides /path/to/route.guide
```

```
draw_route_segments {*}
```

```
Run draw_route_segments only in the interactive GUI.
```

View one global-route guide




GUI console, after loading the design:

```
read_guides /path/to/route.guide
```

```
draw_route_segments {_188_}
```


Use the net name from your loaded design; this command draws a GUI overlay.

Global-route congestion and RC



```
# Preserve the congestion report and replace  
placement-only  
# wire estimates with the topology selected  
by global routing.  
global_route \  
  -guide_file results/ariane/route.guide \  
  -congestion_iterations 100 \  
  -congestion_report_file results/ariane/  
congestion.rpt \  
  -verbose  
estimate_parasitics -global_routing
```

Detailed routing and checks



```
repair_antennas -iterations 5
detailed_route \
  -output_drc \
  results/gcd/7_detailed_route_drc.rpt \
  -output_maze \
  results/gcd/7_detailed_route_maze.log \
  -no_pin_access -verbose 0
check_antennas -verbose
report_wire_length \
  -summary -global_route
```