Introduction

Edith is educational software designed to introduce new computer science students to programming. New students of any age can learn basic object-oriented programming concepts prior to learning a particular programming language in detail (syntax, data types and structures, etc.). Edith provides a graphical user interface through which users can create a "script" that animates a 2-D character, or sprite, provided by the program. The user creates the script by piecing together provided blocks of program structure in a functional way. Users may create games and share their creations with others. Similar programs (e.g., Alice) have been shown to increase the interest level and retention of students taking their first programming classes. Edith will be written primarily in JavaScript and will be available over the internet. After initial development, the software will be open-source to allow further development and additional educational opportunities.

The Visual Editor (VE) module will provide a visual programming language editor (in essence, an integrated development environment(IDE)). The VE will allow users to arrange programming elements to create an animation sequence; programming elements will include methods, variables, control statements, etc. The VE will, while enforcing syntax rules, convert the program into JavaScript, which will be used by other modules. The VE aims to create an interface that it is easy to use, and following its name will create a view that is always immediately ready to be seen. Since it will be using JavaScript, there will be no time to wait for compiling to see if the code "works," on the view of the end-user. Rather, the code, or sequence of events defined by the user will be always ready to run unless a script notifying the user otherwise.

The VE will be able to directly interact with two other Edith modules, Object Creator and Story Creator, while still being able to run independently. It will provide the Object Creator an interface for defining objects, and the Story Creator an interface for defining animations. In short, the VE will be able to run its own display view and integrate into the views of other Edith modules. The VE will provide not only an interface for the end-user to create their own code, but also for the other modules to implement code provided by the visual editor.

The user will be able to export his program in JavaScript/JavaScript Object Notation (JSON) format. JSON is an efficient data interchange text format that is language independent. The purpose of this is to again encourage learning of coding to our target users – young students who wish to learn more about what they are doing as far as coding, what their changes look like from a lower level than the visual editing.

Use Case 1	Edit variable
Primary Actor:	End-User
Preconditions:	Add method which does have a variable parameter.
Post conditions:	Variable is defined.

Main Success Scenario:

- 1. User selects variable
- 2. User changes the parameter
- 3. Check type
- 4. If it is a compatible type allow input and save parameter

Extensions:

- 2.a Invalid type data:
 - 1. Incorrect input
 - 2. User returns to step 1 or exits

Non-Function	nal	Re-
auirements	$N\epsilon$	eeded:

- Learning Experience.
- \bullet Usability.

Use Case 2	Dragging and dropping functionality for methods
Primary Actor:	End-User
Preconditions:	There is a method for which it is possible to be selected.
Postconditions:	Method is now ready to be use.

Main Success Scenario:

- 1. User creates new variable and selects it
- 2. They can now drag and drop the variable in the boundaries provided

Extensions:

- 2.a Invalid drop location:
 - 1. The user attempts to drag the variable outside of acceptable boundaries, the variable will no be "locked" inside of boundary.

 $egin{array}{ll} Non-Functional & Re-\\ quirements & Needed: \end{array}$

- $\bullet\,$ Learning Experience.
- Usability.

Use Case 3	Instantiating a Conditional Statement
Primary Actor:	End-User
Post conditions:	A conditional is instantiated

${\it Main Success Scenario:}$

- 1. A user drags and drops a conditional statement
- 2. they change the parameter (e.g. if this)
- 3. the inside of the conditional is then draged and dropped

 $egin{array}{ll} Non-Functional & Re-\\ quirements & Needed: \end{array}$

- Learning Experience.
- Usability.

Use Case 4	Instantiating a Boolean Operator
Primary Actor:	End-User
Postconditions:	A boolean operator is instantiated

Main Success Scenario:

- 1. A user drags and drops an operation (e.g. and, or, not)
- 2. the user sets the two variables or expressions

 $\begin{array}{ll} \textit{Non-Functional} & \textit{Re-} \\ \textit{quirements} & \textit{Needed:} \end{array}$

- Learning Experience.
- Usability.

Use Case 5	Connecting actions
Primary Actor:	End-User

Preconditions:	There are two or more actions on the development board.
Post conditions:	The methods are connected.

Main Success Scenario:

- 1. The method is draged and droped by the user above or below the action they want to connect to ${\bf r}$
- 2. The user releases the method

Non-Function	nal	Re-
quirements	Ne	eded:

- Learning Experience.
- Usability.

Use Case 6	Save a Program
Primary Actor:	End-User
Preconditions:	Add method which does have a variable parameter.
Postconditions:	Variable is defined.

$Main\ Success\ Scenario:$

1. The user selects save this adds the current development board to a list that the user can access

Extensions:

- 2.a Unnamed program:
 - 1. The user will name the program

Non-Functional Re-	• Usability.
quirements Needed:	

Use Case 7	Delete a method
Primary Actor:	End-User
Preconditions:	There are methods on the development board
Postconditions:	Selected methods are deleted

$Main\ Success\ Scenario:$

- 1. The user selects a method or group of methods
- 2. The user selects to delete the selected items

Extensions:

- 2.a Invalid type data:
 - 1. Incorrect input
 - 2. User returns to step 1 or exits

 $egin{array}{ll} Non-Functional & Re-\\ quirements & Needed: \end{array}$

- \bullet Learning Experience.
- Usability.

Use Case 8	Run the Program (play)
Primary Actor:	End-User
Preconditions:	Methods have been added to the development board.
Postconditions:	The program has been run and the state is maintained.

Main Success Scenario:

- 1. user selects the play button
- 2. the program is compiled and if there are no errors the program is run.

Extensions:

- 2.a Compile time errors:
 - 1. Does not run the program
 - $2.\,$ Highlights error for user

 $egin{array}{ll} Non-Functional & Re-\\ quirements & Needed: \end{array}$

- Learning Experience.
- Usability.

Use Case 9	Pause the Program
Primary Actor:	End-User
Preconditions:	The program is running.

Post conditions:	The state of the program when it was paused is maintained
Main Success Scenario: 1. the user pauses th	e program
2. the program stops	and maintains the current state
Non-Functional Re-	• Learning Experience.
quirements Needed:	• Usability.
Uso Caso 10	Instantiating a Loop
	Instantiating a Loop End-User
Primary Actor:	End-User
Use Case 10 Primary Actor: Preconditions:	End-User Add method which does have a variable parameter.
Primary Actor: Preconditions: Postconditions:	End-User
Primary Actor: Preconditions: Postconditions: Main Success Scenario:	End-User Add method which does have a variable parameter.

1. User returns to step 1 or exits $\frac{1}{2}$

Non-Functional Re-	• Learning Experience.
quirements Needed:	• Usability.

Use Case 11	Creating a new Action
Primary Actor:	End-User
Preconditions:	None.
Postconditions:	If first method, the box is made, if attaching to another method, the boxes are connected

Main Success Scenario:

- 1. The user selects the new method button
- 2. Drags the method into the workbox
- 3. then the method prompts the user to give arguments for that specific action
- 4. If arguments are compatible, the method is created

Extensions:

2.a Invalid input:

1. User prompted to re-enter arguments

Non-Functional Requirements Needed:

- Learning Experience.
- Usability.

Use Case 12	Connecting actions
Primary Actor:	End-User
Preconditions:	There are two actions on the development board.
Postconditions:	The methods are connected

Main Success Scenario:

- 1. The action is selected by the user
- 2. The action is dragged above or below the action they want to connect to
- 3. Release to connect

Extensions:

- 2.a Invalid Action Placement:
 - 1. If the user misses the action while dropping another one on it or the user drops the action in a place out of the frames range, the action will be returned to where it got picked up from.

 $egin{array}{ll} Non-Functional & Re-\\ quirements & Needed: \end{array}$

- Learning Experience.
- Usability.

Use Case 13 Save a collection of methods

Primary Actor:	End-User
Preconditions:	There is a method to be saved on the board.
Postconditions:	The method is saved

Main Success Scenario:

- 1. The user selects the method or the set of actions that they want to save. The method gets highlighted
- 2. The user clicks the save button
- 3. Method is added to list of actions that the User can access.
- 4. User is prompted to name method
- 5. Method is created after it is named

Extensions:

- 2.a Invalid Action Sequence:
 - 1. If the user selects the set of actions, and then clicks somewhere other than the save button, the set of actions becomes deselected

 $egin{array}{ll} Non-Functional & Re-\\ quirements & Needed: \end{array}$

- Learning Experience.
- Usability.

Use Case 14	Delete a Method
Primary Actor:	End-User
Preconditions:	There is a method to be deleted on the board.
Postconditions:	The method is dleted

Main Success Scenario:

- 1. The user selects the method or the set of actions that they want to save. The method gets highlighted
- 2. The user clicks the delete button
- 3. Method is deleted

Extensions:

2.a Invalid Action Sequence:

1. If the user selects the set of actions, and then clicks somewhere other than the delete button, the set of actions becomes deselected

 $egin{array}{ll} Non-Functional & Re-\\ quirements & Needed: \end{array}$

- Learning Experience.
- Usability.

Non-Functional Requirements

Usability

Training should not be required for users to effectively use the module. Module documentation and basic age-specific computer knowledge should provide sufficient guidance. The module should allow the user to recover from errors with informative and understandable error messages.

Documentation

The module will provide documentation that allows users to easily begin using the system.

Modifiability

The module will have the flexibility to allow feature expansion over time.

Privacy

The user's work will remain private/secure unless the user chooses to share it.

$Learning\ Experience$

In order to support the learning of young computing students, the module will provide a sufficiently "pleasant" interface.

Platform

Users will be able to run the module from Windows or Mac

Open Source

After initial development, the source code will be open and redistributed with improvements by anyone.