

Story Creator Intermediate Report

Brandon Roberts, Nate Olderman, Billy Rathje, DJ
Maguddayao, Kyle Dybdal

October 17, 2013

1 Design Specification

1.1 Flow of Events

The Story Creator module will be utilizing the Object Creator module, Visual Editor module, and the Animation modules work through the Sharing Framework.

The Sharing Framework will provide a database of the objects that were given to it by the Object Creators and a canvas to display the entire view. These objects will be in the form of a .png and have a file that contains the methods and attributes that work for the particular object. We will use the object .png itself to be placed on the story frame in order to display it to the storyteller. To do this we will retrieve the information about the object from the Sharing Framework and then use the drawObject(...) method in order to display it on the frame. Specifically we will be setting the original position where the object appears on the story panel.

After the object is present on the story panel we will retrieve methods provided by the Visual Editor that were selected and edited by the storyteller. We will then allow the storyteller to provide the parameters to these methods by the use of a drop down menu or by typing in the exact value (in the visual editor frame) they wish the method to use. We will take the methods with parameters from the Visual Editor module and add the time that the user specified the action to occur. The objects and their methods will be sent to the Animation module in a JSON format to interact with the objects at the specified time.

1.2 Interfaces and Code Flow

Design Outline:

Sharing Framework interface

---Object and Methods

-----Provided interface for VE (objects and the methods they have)

-----Visual Editor interface for changing the methods

-----Create Specific Object with time and parameters

-----Interface to take master object and make JSON object
-----Animation to move specified object

The Story Creator module will implement an interface made by the Sharing Framework in order to retrieve objects and their associated methods. This will be a required interface because the sharing framework will need to provide methods for downloading images and JSON representations of methods developed in the visual editor. The Story Creation Framework will need to request data from the server - the server will not notify the Story Creation Framework when it receives new objects - which is why the interface is a required interface. The interface should include methods for downloading a .png by name, downloading methods for a .png by name, and getting the number of images and methods on the server.

The JSON methods and the png image downloaded from the server will need to be combined into an object. This will involve a 'master' object combining object data with new data developed in the process of making a story. The master object stores all information about objects on the canvas, including associated methods, animation timing, and the png file. As the storyteller works on the story, new information will be added to the fields about methods and animation timing.

The Story Creator module will utilize two interfaces for communicating with the Visual Editor. One is a provided interface that allows the visual editor to access which objects are on the canvas to attach methods to them. The other is a required interface that attaches methods developed in the Visual Editor to objects made in the canvas. This allows the objects downloaded from the server to be given new or updated methods.

We will then attach the specific time and parameters provided by the storyteller to the unique 'master' object that is created by the various components integrated in the story creator.

This 'master' object will be sent to the Animation Framework via a provided Animation Interface. The interface, provided by the Storyteller Framework, will allow the Animation Framework to access a JSON representation of the objects developed in the Story Creator.

——Possibly drop down box of the objects methods when right click

1.3 Design Rational

We chose to use this architecture so that we would be able to easily retrieve the objects from the Sharing Framework as well as the methods that the objects can use. It will then be very simple to combine the objects taken from the Sharing Framework interface and combine it with the storyteller modified methods that the Visual Editor interface will provide.

1.4 Detailed formal spec

- 'Master' Object Class (aka. 'StoryObject')
The master object class includes all the data necessary for the Animation Framework to animate an object. It has fields for:

- Object's name ('name')
- Object's .png name ('pngName')
- Object's Methods (Array of string 'methods')
- Object's Timing Parameters (Dictionary of 'methods' at 'times')

It should have the following methods:

- "String getJSONRepresentation(String name)" – Makes JSON representation of object named 'name'
- Getters and setters for each field

- Required Sharing Framework Interface The Sharing Framework interface is a required interface that the Sharing Framework must make available to the Storyteller Framework for downloading objects and their associated methods, specified in JSON, from the server

Methods:

- fileHandle getPngObject(String name) – Returns a .png file with the name, "name," from the server. Throws an exception if the file does not exist.
- String getJSONMethodsForObject(String name) – Returns a JSON

file with the methods associated with the object named, 'name'.

- `int getNumberOfImagesAndMethods()` – Returns the number of images and methods on the server. Useful for iterating through all images and/or methods.

- Required Visual Editor Interface

The Visual Editor interface is an interface that the Visual Editor Framework must implement to communicate methods developed by the programmer to the Story Teller Framework. When the programmer develops new methods for an object or changes an object's methods, these methods must be attached to the object in the canvas. This interface allows the Story Teller Framework to access a JSON representation of the new methods.

Methods:

- `String getJSONRepresentationOfMethods(String storyObjectName)`
– Returns a JSON representation of the new methods developed in the Visual Editor for the object named, 'storyObjectName'.

- Provided Visual Editor Interface

The Storycreator Framework will provide the Visual Editor Framework with an interface for accessing objects currently on the canvas for which it can develop new methods. The Visual Editor framework will most likely first call `getAllObjectsOnCanvas` to see which objects are currently on the canvas, then it will call `getJSONRepresentationOfMethods` for one of the available objects to get a JSON representation of the methods already attached to the given object.

Methods:

`String[] getAllObjectsOnCanvas()` – Returns an array of 'master' objects corresponding to all the objects on the canvas.

`String getJSONRepresentationOfMethods(String storyObjectName)` – Returns a JSON representation of the methods currently attached to an object named 'storyObjectName'. The reverse of the method in the

required interface.

- **Provided Animation Interface**

The Animation Framework will need to access JSON representations of the 'master' object, which contains all timing, method, and other information for each object in the canvas. The interface is fairly straightforward:

Methods:

- String getJSONRepresentationOfStoryObject(String storyObjectName)
- Returns a JSON representation of the StoryObject named 'storyObjectName' with all the information necessary for the Animation Framework to animate the object.

1.5 UML

1.6 Design interface

We have no interface. We will be implementing the Visual Editor interface in order to retrieve the parameters for modified methods.

1.7 Design details and restrictions

We will begin every file name with "sc." We will also need a folder for each component of the system (Visual Editor, Sharing Framework, Object Creator, and Animation Framework). The Story Creator will also place the .png of the object in a folder labeled by name for that object. This folder will contain another folder for all of the methods for the specific object(named by "objectNameMethods"). Where applicable we will also use camel casing instead of using underscore.

2 Project Status

Nothing.....




Figure 1: Gantt Chart