### BANDPASS DEPENDENCE OF X-RAY TEMPERATURES IN GALAXY CLUSTERS

KENNETH W. CAVAGNOLO<sup>1,2</sup>, MEGAN DONAHUE<sup>1</sup>, G. MARK VOIT<sup>1</sup>, AND MING SUN<sup>1</sup>

Draft version December 13, 2007

#### **ABSTRACT**

We explore the band dependence of the inferred X-ray temperature of the intracluster medium (ICM) for 193 well-observed ( $N_{photons} > 1500$ ) galaxy clusters selected from the Chandra Data Archive. If the hot gas in a cluster is nearly isothermal in the projected region of interest, the X-ray temperature inferred from a broadband (0.7-7.0 keV) spectrum should be identical to the X-ray temperature inferred from a hard-band (2.0-7.0 keV) spectrum. However, if there is soft X-ray emission contributed by unresolved cooler lumps of gas, the temperature of a best-fit single-component thermal model will be cooler for a broad-band spectrum than for a hard-band spectrum. Using this difference as a diagnostic, the ratio of best-fitting hard-band and broad-band temperatures may indicate presence of cooler gas even when the X-ray spectrum itself may not have sufficient signal-to-noise to resolve multiple temperature components. To test this possible diagnostic, we extract X-ray spectra from an annular region between R = 70 kpc and  $R = R_{2500}$ ,  $R_{5000}$  for each cluster in our archival sample. We compare the X-ray temperatures inferred from single-temperature fits of global spectra when the energy range of the fit is 0.7-7.0 keV (broad) and when the energy range is 2.0/(1+z)-7.0 keV (hard). We find that the hard-band temperature is significantly higher, on average, than the broad-band temperature. Upon further exploration, we find this ratio,  $T_{HBR} = T_{2.0-7.0}/T_{0.7-7.0}$ , is enhanced preferentially for clusters which are known merging systems. Clusters with temperature decrements in their cores (known as cool-core clusters) tend to have best-fit hard-band temperatures that are statistically consistent with their best-fit broad-band temperatures. We show, using simulated spectra, that this test is sensitive to cool components with emission measures > 10%of the hot component.

Subject headings: catalogs – galaxies: clusters: general – X-rays: galaxies: clusters – cosmology: observations – methods: data analysis

## 1. INTRODUCTION

The normalization, shape, and evolution of the cluster mass function are useful for measuring cosmological parameters (e.g. Evrard 1989; Wang & Steinhardt 1998; Haiman et al. 2001; Wang et al. 2004). Cluster evolution tests the effect of dark matter and dark energy on the evolution of dark matter haloes, and therefore provides a complementary and distinct constraint on cosmological parameters to those tests which constrain them geometrically (e.g. supernovae Riess et al. 1998, 2007 and baryon acoustic oscillations Eisenstein et al. 2005).

However, clusters are a useful cosmological tool only if we can infer cluster masses from observable properties such as X-ray luminosity, X-ray temperature, lensing shear, optical luminosity, or galaxy velocity dispersion. Empirically, the relationship of mass and these observable properties is well-established (Voit 2005). However, if we could identify a "2nd parameter" – possibly reflecting the degree of relaxation in the cluster – we could improve the utility of clusters as cosmological probes by parameterizing and reducing the scatter in mass-observable scaling relations.

Toward this end, we desire to understand the dynamical state of a cluster more quantitatively than simply identifying which clusters appear to be relaxed and those which appear to be unrelaxed, because most clusters are likely to have a dynamical state which is somewhere in between (O'Hara et al. 2006; Kravtsov et al. 2006). The degree to which a cluster is virialized must be quantified within simulations and then observationally calibrated with an unbiased statistical sample of

clusters.

One study that examined how relaxation affects the observable properties of clusters was conducted by Mathiesen & Evrard 2001 (hereafter ME01) using the ensemble of simulations by Mohr & Evrard 1997. ME01 found that most clusters which had experienced a recent merger were cooler than the cluster mass-observable scaling relations predicted. They attributed this to the presence of cool, spectroscopically unresolved accreting subclusters which introduced energy into the ICM and which have a long timescale for dissipation. The consequence was an under-prediction of cluster binding masses of 15 – 30% (Mathiesen & Evrard 2001).

One method of quantifying cluster substructure employs the ratios of X-ray surface brightness moments to quantify the degree of relaxation (Buote & Tsai 1995, 1996; Jeltema et al. 2005). Although an excellent tool, power ratios suffer from being aspect dependent (Jeltema et al. 2007; Ventimiglia et al. 2008). The work of ME01 suggested a complementary measure of substructure which does not depend on projected perspective. They found hard-band (2.0-9.0 keV) temperatures were  $\sim 20\%$  hotter than broad-band (0.5-9.0 keV) temperatures. This result can be interpreted in several ways. One interpretation is that the cooler broad-band temperature is caused by unresolved accreting cool subclusters which are contributing significant amounts of line emission to the softband (E < 2 keV). This effect has been studied and confirmed by Mazzotta et al. (2004) and Vikhlinin (2006) using simulated Chandra and XMM-Newton spectra. The other way to view this temperature ratio skewing is that a hotter hard-band temperature is being caused by shock heating from accretion.

ME01 suggested that this temperature skewing, and consequently the fingerprint of merging, could be detected utilizing the energy resolution and soft-band sensitivity of *Chandra*.

<sup>&</sup>lt;sup>1</sup> Department of Physics and Astronomy, Michigan State University, BPS Building, East Lansing, MI 48824

<sup>&</sup>lt;sup>2</sup> cavagnolo@pa.msu.edu

They proposed selecting a sufficiently large sample of clusters covering a broad dynamical range, fitting a single-component temperature to the hard band and broad-band, and then checking for a net skew above unity in the hard-band to broad-band temperature ratio.

In this paper we present the findings of just such a temperature-ratio test using *Chandra* archival data. We find the hard-band temperature exceeds the broad-band temperature, on average, by  $\sim 16\%$  in multiple flux-limited samples of X-ray clusters from the *Chandra* archive. This mean excess is weaker than the 20% predicted by ME01, but is significant at the  $12\sigma$  level nonetheless. Hereafter, we refer to the hard-band to broad-band temperature ratio as  $T_{HBR}$ . We also find that non-cool core systems and mergers tend to have higher values of  $T_{HBR}$ . This study suggests that  $T_{HBR}$  is an indicator of a cluster's temporal proximity to the most recent merger event.

This paper proceeds in the following manner. In §2 we outline sample-selection criteria and *Chandra* observations selected under these criteria. Data reduction and handling of the X-ray background is discussed in §3. Spectral extraction is discussed in §4 while fitting and simulated spectra are discussed in §5. Results and discussion of our analysis are presented in §6. A summary of our work is presented in §7. For this work we have assumed a flat  $\Lambda$ CDM Universe with cosmology  $\Omega_M = 0.3$ ,  $\Omega_{\Lambda} = 0.7$ , and  $H_0 = 70$  km s<sup>-1</sup> Mpc<sup>-1</sup>. All quoted uncertainties are at the 1.6 $\sigma$  level (90% confidence).

#### 2. SAMPLE SELECTION

Our sample is selected from observations publicly available in the Chandra X-ray Telescope's Data Archive (CDA). Our initial selection pass came from the ROSAT Brightest Cluster Sample (Ebeling et al. 1998), RBC Extended Sample (Ebeling et al. 2000), and ROSAT Brightest 55 Sample (Edge et al. 1990; Peres et al. 1998). The portion of our sample at  $z \gtrsim 0.4$ can also be found in a combination of the Einstein Extended Medium Sensitivity Survey (Gioia et al. 1990), North Ecliptic Pole Survey (Henry et al. 2006), ROSAT Deep Cluster Survey (Rosati et al. 1995), *ROSAT* Serendipitous Survey (Vikhlinin et al. 1998), and Massive Cluster Survey (Ebeling et al. 2001). We later extended our sample to include clusters found in the REFLEX Survey (Böhringer et al. 2004). Once we had a master list of possible targets, we cross-referenced this list with the CDA and gathered observations where a minimum of  $R_{5000}$  (defined below) is fully within the CCD field of view.

 $R_{\Delta_c}$  is defined as the radius at which the average cluster density is  $\Delta_c$  times the critical density of the Universe,  $\rho_c = 3H_0^2/8\pi G$ . For our calculations of  $R_{\Delta_c}$  we adopt the relation from Arnaud et al. (2002):

$$R_{\Delta_c} = 2.71 \text{ Mpc } \beta_T^{1/2} \Delta_z^{-1/2} (1+z)^{-3/2} \left(\frac{kT_X}{10 \text{ keV}}\right)^{1/2}$$
(1)  

$$\Delta_z = \frac{\Delta_c \Omega_M}{18\pi^2 \Omega_z}$$
  

$$\Omega_z = \frac{\Omega_M (1+z)^3}{[\Omega_M (1+z)^3] + [(1-\Omega_M - \Omega_\Lambda)(1+z)^2] + \Omega_\Lambda}$$

where  $R_{\Delta_c}$  is in units of  $h_{70}^{-1}$ ,  $\Delta_c$  is the assumed density contrast of the cluster at  $R_{\Delta_c}$ , and  $\beta_T$  is a numerically determined, cosmology-independent ( $\lesssim \pm 20\%$ ) normalization for the virial relation  $GM/2R = \beta_T kT_{vir}$ . We use  $\beta_T = 1.05$  taken from Evrard et al. (1996).

The result of our CDA search is a total of 374 observations of which we use 244 for 193 clusters. The bolometric (E=0.1-100 keV) luminosities,  $L_{bol}$ , for our sample clusters plotted as a function of redshift are shown in Figure 1. These  $L_{bol}$  values are calculated from our best-fit spectral models and are limited to the region of the spectral extraction (from R=70 kpc to  $R=R_{2500}$ , or  $R_{5000}$  in the cases where no  $R_{2500}$  fit was possible).

Basic properties of our sample are listed in Table 1. For the sole purpose of defining extraction regions based on fixed overdensities as discussed in §4, fiducial temperatures and redshifts were taken from the Ph.D. thesis of Don Horner<sup>3</sup> (all redshifts confirmed with NED<sup>4</sup>). We will show later the ASCA temperatures are sufficiently close to the Chandra temperatures that  $R_{\Delta_c}$  is reliably estimated within 20%. Note that  $R_{\Delta_c}$  is only proportional to  $T^{1/2}$ , so a 20% error in the temperature leads to only a 10% error in  $R_{\Delta_c}$ , which in turn affects our final results imperceptibly. For clusters not listed in Horner's thesis, we used a literature search to find previously measured temperatures. If no published value could be located, we measured the global temperature by recursively extracting a spectrum in the region  $0.1 < r < 0.2 R_{500}$  fitting a temperature and recalculating  $R_{500}$ . This process was repeated until three consecutive iterations produced  $R_{500}$  values which differed by  $\leq 1\sigma$ . This method of temperature determination has been employed in other studies, see Sanderson et al. (2006) and Henry et al. (2006) as examples.

#### 3. CHANDRA DATA

## 3.1. Reprocessing and Reduction

All datasets were reduced utilizing the *Chandra* Interactive Analysis of Observations package (CIAO) and accompanying Calibration Database (CALDB). Using CIAO v3.3.0.1 and CALDB v3.2.2, standard data analysis was followed for each observation to apply the most up-to-date time-dependent gain correction and charge transfer inefficiency (CTI) correction (when appropriate) (Townsley et al. 2000).

Point sources were identified in an exposure-corrected events file using the adaptive wavelet tool wavdetect (Freeman et al. 2002). All point sources were then visually confirmed. A  $2\sigma$  region surrounding each point source was automatically output by wavdetect to define an exclusion mask. We then added regions for point sources which were missed by wavdetect and deleted regions for spuriously detected "sources". Spurious sources are typically faint CCD features (chip gaps and chip edges) not fully removed after dividing by the exposure map. This process results in an events file (at "level 2") that has been cleaned of point sources.

To check for contamination from background flares or periods of excessively high background, light curve analyses were performed using Maxim Markevitch's contributed CIAO script  $lc\_clean.sl^5$ . Periods with count rates  $\geq 3\sigma$  and/or a factor  $\geq 1.2$  of the mean background level of the observation were removed from the GTI file. As prescribed by Markevitch's cookbook<sup>6</sup>, ACIS front-illuminated (FI) chips were analyzed in the 0.3-12.0 keV range with time bins of 259.28 sec in length, and for the ACIS back-illuminated (BI) chips, 2.5-7.0 keV energy range with time bins of 1037.12 sec.

When a FI and BI chip were both active during an observation, we compared light curves from both chips to detect

http://asd.gsfc.nasa.gov/Donald.Horner/thesis.html

<sup>4</sup> http://nedwww.ipac.caltech.edu/

<sup>&</sup>lt;sup>5</sup> http://cxc.harvard.edu/contrib/maxim/acisbg/

<sup>&</sup>lt;sup>6</sup> http://cxc.harvard.edu/contrib/maxim/acisbg/COOKBOOK

long duration, soft-flares which can go undetected on the FI chips but show up on the BI chips. While rare, this class of flare must be filtered out of the data as it introduces a spectral component which artificially increases the best-fit temperature via a high energy tail. We find evidence for a long duration soft flare in the observations of Abell 1758 (David & Kempner 2004), CL J2302.8+0844, and IRAS 09104+4109. These flares were handled by removing the time period of the flare from the GTI file.

Defining the cluster "center" is essential for the later purpose of excluding cool cores from our spectral analysis (see §4). To determine the cluster center, we calculated the centroid of the flare cleaned, point-source free level-2 events file filtered to include only photons in the 0.7-7.0 keV range. Before centroiding, the events file is exposure corrected and "holes" created by excluding point sources are filled using interpolated values taken from a narrow annular region just outside the hole ("holes" are not filled during spectral extraction discussed in §4). Prior to centroiding we define the emission peak by heavily binning the image, finding the peak value within a circular region extending from the peak to the chip edge (defined by the radius  $R_{max}$ ), reducing  $R_{max}$  by 5%, reducing the binning by a factor of two, and finding the peak again. This process is repeated until the image is unbinned (binning factor of one). We then return to an unbinned image with an aperture centered on the emission peak with a radius  $R_{max}$  and find the centroid using CIAO's dmstat. The centroid,  $(x_c, y_c)$ , for a distribution of N good pixels with coordinates  $(x_i, y_i)$  and values  $f(x_i, y_i)$  is defined as:

$$Q = \sum_{i,j=1}^{N} f(x_i, y_i)$$

$$x_c = \frac{\sum_{i,j=1}^{N} x_i \cdot f(x_i, y_i)}{Q}$$

$$y_c = \frac{\sum_{i,j=1}^{N} y_i \cdot f(x_i, y_i)}{Q}.$$
(2)

If the centroid was within 70 kpc of the emission peak the emission peak was selected as the center, otherwise the centroid was used as the center. This selection was made to ensure all "peaky" cool cores are at the cluster center thus maximizing their exclusion later in our analysis. All cluster centers are verified by-eye.

## 3.2. X-ray Background

Because we measured a global cluster temperature, specifically looking for a temperature ratio shift in energy bands which can be contaminated by the high-energy particle background or the soft local background, it was important to carefully analyze the background and subtract it from our resulting spectra. Below we outline three steps taken in handling the background: customization of blank-sky backgrounds, re-normalization of these backgrounds for variation of hard-particle count rates, and fitting of soft background residuals.

We used the blank-sky observations of the X-ray background from Markevitch et al. (2001) and supplied within the CXC CALDB. First, we compared the flux from the diffuse soft X-ray background of the *ROSAT* All-Sky Survey (*RASS*) combined bands *R*12, *R*45, and *R*67 to the 0.7-2.0 keV flux in each extraction aperture for each observation. *RASS* combined bands give fluxes for energy ranges of 0.12-0.28 keV, 0.47-1.21 keV, and 0.76-2.04 keV respectively corresponding

to R12, R45, and R67. For the purpose of simplifying subsequent analysis, we discarded observations with an R45 flux  $\geq 10\%$  of the total cluster X-ray flux.

The appropriate blank-sky dataset for each observation was selected from the CALDB, reprocessed exactly as the observation was, and then reprojected using the aspect solutions provided with each observation. For observations on the ACIS-I array, we reprojected blank-sky backgrounds for chips I0-I3 plus chips S2 and/or S3. For ACIS-S observations, we created blank-sky backgrounds only for the target chip plus chips I2 and/or I3. The additional off-aimpoint chips were included only if they were active during the observation and had available blank-sky data sets for the observation time period. Off-aimpoint chips were cleaned for point sources and diffuse sources using the method outlined in §3.1.

The additional off-aimpoint chips were included in data reduction since they contain data which is farther from the cluster center and are therefore more useful in analyzing the observation background. For observations which did not have a matching off-aimpoint blank-sky background in the CALDB a source-free region of the active chips is located and used for background normalization. To normalize the hard particle component we measured fluxes for identical regions in the blank-sky field and target field in the 9.5-12.0 keV range. The effective area of the ACIS arrays above 9.5 keV is zero and thus the collected photons there are exclusively from the particle background.

A histogram of the ratios of the 9.5-12.0 keV count rate from an observation's off-aimpoint chip to that of the observation specific blank-sky background are presented in Figure 2. The majority of the observations are in agreement to  $\lesssim 20\%$  of the blank-sky background rate, which is small enough to not affect our analysis. Even so, we re-normalized all blank-sky backgrounds to match the observed background.

Normalization brings the observation background and blank-sky background into agreement for E > 2 keV, but even after normalization, typically, there may exist a soft excess/deficit associated with the spatially varying soft Galactic background. Following the technique detailed in Vikhlinin et al. (2005) we constructed and fit soft residuals for this component. For each observation we subtracted a spectrum of the blank-sky field from a spectrum of the off-aimpoint field to create a soft residual. The residual was fit with a solar abundance, zero redshift MeKaL model (Mewe et al. 1985, 1986; Kaastra 1992; Liedahl et al. 1995) where the normalization was allowed to be negative. The resulting best-fit temperatures for all of the soft residuals identified here were between 0.2-1.0 keV, which is in agreement with results of Vikhlinin et al. (2005). The model normalization of this background component was then scaled to the cluster sky area. The rescaled component was included as a fixed background component during fitting of a cluster's spectra.

#### 4. SPECTRAL EXTRACTION

The simulated spectra calculated by ME01 were analyzed in the energy ranges 0.5-9.0 keV and  $2.0_{rest}-9.0 \text{ keV}$ , but to make a reliable comparison with *Chandra* data we restricted our focus to a broad energy band, 0.7-7.0 keV, and a hard energy band,  $2.0_{rest}-7.0 \text{ keV}$ . We excluded data below 0.7 keV to avoid the effective area and quantum efficiency variations of the ACIS detectors, and excluded energies above 7.0 keV in which diffuse source emission is dominated by the background and *Chandra*'s effective area is small. We also accounted for cosmic redshift by shifting the lower energy

boundary of the hard-band from 2.0 keV to 2.0/(1+z) keV (henceforth, assume the 2.0 keV cut is in the rest frame).

ME01 calculated the relation between  $T_{0.5-9.0}$  and  $T_{2.0-9.0}$  using apertures of  $R_{200}$  and  $R_{500}$  in size. While it is trivial to calculate a temperature out to  $R_{200}$  or  $R_{500}$  for a simulation, such a measurement at these scales is extremely difficult with *Chandra* observations (see Vikhlinin et al. (2005) for a detailed example). Thus, we chose to extract spectra from regions with radius  $R_{5000}$  and  $R_{2500}$  when possible. Clusters analyzed only within  $R_{5000}$  are denoted in Table 1 by a dagger.

The cores of some clusters are dominated by gas at  $< T_{vir}/2$  which can greatly affect the global temperature, therefore we excised the central 70 kpc of each aperture. These excised apertures are denoted by "-CORE" in the text. Recent work by Maughan 2007 has shown excising 0.15  $R_{500}$  rather than a static 70 kpc reduces scatter in mass-observable scaling relations. But such a reduction does not affect this work as the conclusions drawn from our spectral analysis are strongly related to the uncertainties of  $T_{2.0-7.0}$  and not on the best-fit value of  $T_{0.7-7.0}$  where the effect of a cool core is the strongest.

Although some clusters are not circular in projection, but rather are elliptical or asymmetric, we found that assuming sphericity and extracting spectra from a circular annulus did not significantly change the best-fit values. For another such example see Bauer et al. (2005).

After defining annular apertures, we extracted source spectra from the target cluster and background spectra from the corresponding normalized blank-sky dataset. By standard CIAO means we created effective area functions (ARF files) and redistribution matrices (RMF files) for each cluster using a flux-weighted map (WMAP) across the entire extraction region. The WMAP was calculated over the energy range 0.3-2.0 keV to weight calibrations that vary as a function of position on the chip. Each spectrum was then binned to contain a minimum of 25 counts per channel.

#### 5. SPECTRAL ANALYSIS

#### 5.1. Fitting

Spectra were fit with XSPEC 11.3.2ag (Arnaud 1996) using a single-temperature MeKal model in combination with the photoelectric absorption model WABS (Morrison & McCammon 1983) to account for Galactic absorption. Galactic absorption values,  $N_{HI}$ , are taken from Dickey & Lockman (1990). The potential free parameters of the absorbed thermal model are  $N_{HI}$ , X-ray temperature ( $T_X$ ), metal abundance normalized to Solar (elemental ratios taken from Anders & Grevesse (1989)), and a normalization proportional to the integrated emission measure of the cluster. Results from the fitting are presented in Table 4 and Table 5. No systematic error is added during fitting and thus all quoted errors are statistical only. Clusters with multiple independent observations had their spectra fit simultaneously and are denoted by a dagger.

Additional statistical error was introduced into the fits because of uncertainty associated with the soft local background component discussed in §3.2. To estimate the sensitivity of our best-fit temperatures to this uncertainty, we used the differences between  $T_X$  for a model using the best-fit soft background normalization and  $T_X$  for models using  $\pm 1\sigma$  of the soft background normalization. The statistical uncertainty of the original fit and the additional uncertainty inferred from the range of normalizations to the soft X-ray background component were then added in quadrature to produce a final error. In all cases this additional background error on the temperature

was less than 10% of the total statistical error and therefore represents a minor inflation of the error budget.

When comparing fits with fixed Galactic column density with those where it was a free parameter, we found that neither the goodness of fit per free parameter nor the best-fit  $T_X$  were significantly different. Thus,  $N_{HI}$  was fixed at the Galactic value with the exception of three cases: Abell 399 (Sakelliou & Ponman 2004), Abell 520, and Hercules A. For these three clusters  $N_{HI}$  is a free parameter. In all fits the metal abundance was a free parameter.

After fitting we rejected several datasets as their best-fit  $T_{2.0-7.0}$  had no upper bound in the 90% confidence interval and thus were insufficient for our analysis. All fits for the clusters Abell 781, Abell 1682, CL J1213+0253, CL J1641+4001, IRAS 09104+4109, Lynx E, MACS J1824.3+4309, MS 0302.7+1658, and RX J1053+5735 were rejected. We also removed Abell 2550 from our sample after finding it to be a an anomalously cool ( $T_X \sim 2 \text{ keV}$ ) "cluster". In fact it is a line of sight set of groups as discussed by Martini et al. (2004).

### 5.2. Simulated Spectra

To quantify the effect a second, cooler gas component has on the fit of a single-component spectral model, we created an ensemble of simulated spectra for our entire sample using XSPEC. With these simulated spectra we sought to answer the question: Given the count level in each observation of our sample, how bright must a second temperature component be for it to affect the observed temperature ratio,  $T_{HBR}$ ? Put another way, we asked at what flux ratio a second gas phase skews  $T_{HBR}$  to greater than unity at the  $1\sigma$  level.

We began by adding the observation-specific background to a convolved, absorbed thermal model with two temperature components for a time period equal to the observation exposure time and adding Poisson noise. For each realization of an observation's simulated spectrum we defined the primary component to have the best-fit temperature and metallicity of the  $R_{\rm 2500-CORE}$  (or  $R_{\rm 5000-CORE}$  if no  $R_{\rm 2500-CORE}$  fit was performed), 0.7-7.0 keV fit, and we stepped the secondary component temperature over the values 0.5, 0.75, and 1.0 keV. The metallicity of the secondary component was fixed and set equal to the metallicity of the primary component.

We adjusted the normalization of the simulated twocomponent spectra to achieve equivalent count rates to those in the real spectra. We set the primary component normalization to  $K_1 = \xi \cdot K_{bf}$  where  $K_{bf}$  is the best-fit normalization of the appropriate 0.7-7.0 keV fit and  $\xi$  is a preset factor having the values 0.8, 0.85, 0.9, 0.95, 0.96, 0.97, 0.98, and 0.99. The secondary component normalization was determined through an iterative process to make real and simulated spectral count rates match.

We also simulated a control sample of single-temperature models. The control sample is a simulated version of the best-fit model. This control provides us with a statistical check of how often the actual hard-component temperature might differ from a broad-band temperature fit (i.e. if calibration effects are under control).

For each observation, we have 59 total simulated spectra: 35 single-temperature control spectra and 24 two-component simulated spectra (three second temperatures, each with 8 different  $\xi$ ). Our resulting ensemble of simulated spectra contains 11387 spectra. After generating all the spectra we followed the same fitting routine detailed in §5.1.

There are three important results from the analysis of these simulated spectra:

- 1. In the control sample, a single-temperature model rarely ( $\sim 2\%$  of the time) gives a significantly different  $T_{0.7-7.0}$  and  $T_{2.0-7.0}$ . The weighted average for the control sample is  $1.001\pm0.002$  and the standard deviation is  $\pm0.06$ . The  $T_{HBR}$  distribution for the control sample appears to have an intrinsic width which is likely associated with statistical noise of fitting in XSPEC (Dupke, private communication). This result indicates our remaining set of observations is statistically sound: our finding that  $T_{HBR}$  significantly differs from 1.0 cannot result from statistical fluctuations alone.
- 2. A second temperature component representing > 10% of the total emission must be present in order to obtain  $T_{HBR} > 1.1$  as we find in the real data.
- 3. As redshift increases, gas cooler than 1.0 keV is slowly redshifted out of the observable X-ray band. As expected, we find from our simulated spectra that for  $z \geq 0.6$ ,  $T_{HBR}$  is no longer statistically distinguishable from unity. For the 14 clusters with  $z \geq 0.6$  in our real sample we can safely conclude we are not overestimating the contribution of cool gas to the spectra and we are most likely underestimating the temperature inhomogeneity.

#### 6. RESULTS AND DISCUSSION

#### 6.1. Temperature Ratios

For each cluster we have measured a temperature ratio  $T_{HBR} = T_{2.0-7.0}/T_{0.7-7.0}$ . We find that the mean  $T_{HBR}$  for our entire sample is greater than unity at more than  $12\sigma$  significance. The weighted mean values for our sample are shown in Table 2. Presented in Figure 3 are the binned weighted means and raw  $T_{HBR}$  values for  $R_{2500-CORE}$ ,  $R_{5000-CORE}$ , and the simulated control sample. The peculiar points with  $T_{HBR} < 1$  are all statistically consistent with  $T_{HBR} = 1$ . The presence of clusters with  $T_{HBR} = 1$  suggests that systematic calibration uncertainties are not the sole reason for deviations of  $T_{HBR}$  from 1. We also find that the temperature ratio does not depend on the best-fit broad-band temperature, and that the observed dispersion of  $T_{HBR}$  is greater than the predicted dispersion arising from systematic uncertainties.

The uncertainty associated with each value of  $T_{HBR}$  is dominated by the larger error in  $T_{2.0-7.0}$ , and on average,  $\Delta T_{2.0-7.0} \approx 2.3 \Delta T_{0.7-7.0}$ . This error interval discrepancy naturally results from excluding the bulk of a cluster's emission which occurs below 2 keV. While choosing a temperature-sensitive cut-off energy for the hard-band (other than 2.0 keV) might maintain a more consistent error budget across our sample, we do not find any systematic trend in  $T_{HBR}$  or the associated errors with cluster temperature.

### 6.2. Systematics

In this study we have found the average value of  $T_{HBR}$  is significantly greater than one and that  $\sigma_{HBR} > \sigma_{control}$ , the latter result being robust against systematic uncertainties. As predicted by ME01, both of these results are expected to arise naturally from hierarchical formation of clusters. But systematic uncertainty related to *Chandra* instrumentation or other sources could shift the average value of  $T_{HBR}$  one would get from "perfect" data. In this section we consider some additional sources of uncertainty.

First, the disagreement between *XMM-Newton* and *Chandra* cluster temperatures has been noted in several independent studies, i.e. Vikhlinin et al. 2005; Snowden et al. 2007.

But the source of this discrepancy is not well understood and efforts to perform cross-calibration between XMM-Newton and Chandra have thus far not been conclusive. One possible explanation is poor calibration of Chandra at soft X-ray energies which may arise from a hydrocarbon contaminant on the High Resolution Mirror Assembly (HRMA) similar in nature to the contaminant on the ACIS detectors (Marshall et al. 2004). We have assessed this possibility by looking for systematic trends in  $T_{HBR}$  with time or temperature, as such a contaminant would most likely have a temperature and/or time dependence.

As noted in §6.1 and seen in Figure 3 we find no systematic trend with temperature either for the full sample or for a sub-sample of single-observation clusters with > 75% of the observed flux attributable to the source (higher signal-to-noise observations will be more affected by calibration uncertainty). Plotted in Figure 4 is  $T_{HBR}$  versus time for single observation clusters (clusters with multiple observations are fit simultaneously and any time effect would be washed out) and where the spectral flux is > 75% from the source. We find no systematic trend in  $T_{HBR}$  with time, which suggests that if  $T_{HBR}$  is affected by any contamination of *Chandra*'s HRMA, then the contaminant is not changing with time. Our conclusion on this matter is that the soft calibration uncertainty is not playing a dominant role in our results.

Aside from instrumental and calibration effects, some other possible sources of systematic error are signal-to-noise (S/N), redshift selection, and Galactic absorption. Presented in Figure 4 are these three parameters versus  $T_{HBR}$ . The trend in  $T_{HBR}$  with redshift is expected as the 2.0/(1+z) keV hard-band lower boundary nears convergence with the 0.7 keV broadband lower boundary at  $z\approx 1.85$ . We find no systematic trends with S/N or Galactic absorption, which might occur if the skew in  $T_{HBR}$  were a consequence of poor count statistics, inaccurate Galactic absorption, or very poor calibration. Also shown in panel four of Fig. 4 is the ratio of  $T_{HBR}$  for  $R_{2500-CORE}$  and  $R_{5000-CORE}$ . For every cluster in our sample both apertures result in  $T_{HBR}$  values which are not significantly different from one another. Our results are robust to changes in aperture size.

Also shown in Figure 4 is the ratio of *ASCA* temperatures taken from Don Horner's thesis to *Chandra* temperatures derived in this work. The spurious point below 0.5 with very large error bars is MS 2053.7-0449 which has a poorly constrained ASCA temperature of  $10.03^{+8.73}_{-3.52}$ . Our value of  $\sim 3.5$ keV for this cluster is in agreement with the recent work of Maughan et al. (2007). Not all our sample clusters have an ASCA temperature, but a sufficient number (53) are available to make this comparison reliable. Apertures used in the extraction of ASCA spectra had no core region removed and were substantially larger than  $R_{2500}$ . ASCA spectra were also fit over a broader energy range (0.6-10 keV) than we use here. Thus, we make the temperature comparison using our unexcised  $R_{2500}$ , 0.7-7.0 keV fits as these get us the closest to replicating the ASCA apertures and energy range. Our temperatures are in good agreement with those from ASCA, but we do note a trend of comparatively hotter Chandra temperatures for  $T_{Chandra} > 10$  keV. The clusters with  $T_{Chandra} > 10$  keV are Abell 1758, Abell 2163, Abell 2255, and RX J1347.5-1145.

Based on this trend, we test excluding the hottest clusters ( $T_{Chandra} > 10 \text{ keV}$  where ASCA and Chandra disagree) from our sample. The mean temperature ratio for  $R_{2500-\text{CORE}}$  remains 1.16 and the error of the mean increases from  $\pm 0.014$  to  $\pm 0.015$ , while for  $R_{5000-\text{CORE}}$   $T_{HBR}$  increases by a negligi-

ble 0.9% to  $1.15\pm0.014$ . Our results are not being influenced by the inclusion of hot clusters.

## 6.3. Using $T_{HBR}$ to Select for Relaxation

#### 6.3.1. Cool Core Versus Non-Cool Core

The process of cluster formation and virialization may robustly result in the formation of a cool core (Ota et al. 2006; Burns et al. 2007). Flux-limited surveys have found the prevalence of CCs to be 34-60% (White et al. 1997; Peres et al. 1998; Bauer et al. 2005; Chen et al. 2007) depending upon classification criteria, completeness, and possible selection biases. As discussed in §1, ME01 give us reason to believe the observed skewing of  $T_{HBR}$  to greater than unity is related to the dynamic state of a cluster. We thus sought to identify which clusters in our sample have cool cores (CC), which do not (NCC), and if the presence or absence of a cool core is correlated to  $T_{HBR}$ . We also asked about the number of CC and NCC clusters as a function of  $T_{HBR}$ . Recall that we excluded the cool core itself during spectral extraction.

To identify a CC we extracted spectra for the 50 kpc region surrounding the cluster center and then defined a temperature decrement

$$T_{dec} = T_{50} / T_{cluster} \tag{3}$$

where  $T_{50}$  is the temperature of the inner 50 kpc and  $T_{cluster}$  is the  $R_{2500-CORE}$  temperature (clusters without  $R_{2500-CORE}$  fits were excluded from this analysis). If  $T_{dec}$  was  $2\sigma$  less than unity, we defined the cluster as having a CC, otherwise the cluster was defined as NCC. We find CCs in 35% of our sample and when we lessen the significance needed for CC classification from  $2\sigma$  to  $1\sigma$ , we find 46% of our sample clusters have CCs. It's important to note the frequency of CCs in our study is consistent with other more detailed studies of CC/NCC populations.

When fitting for  $T_{50}$  we altered the method outlined in §5.1 to use XSPEC's modified Cash statistic (Cash 1979), cstat, on ungrouped spectra. This choice was made because the distribution of counts per bin in low count spectra is not Gaussian but instead Poisson. As a result, the best-fit temperature using  $\chi^2$  is typically cooler (Nousek & Shue 1989; Balestra et al. 2007). We have explored this systematic in *all* our fits and found it to be significant only in the lowest count spectra of the inner 50 kpc apertures discussed here. But for consistency, we fit all inner 50 kpc spectra using the modified Cash statistic.

With each cluster classified, we then took cuts in  $T_{HBR}$  and asked how many CC and NCC clusters were above these cuts. Figure 5 shows the normalized number of CC and NCC clusters as a function of cuts in  $T_{HBR}$ . If  $T_{HBR}$  were insensitive to the dynamical state of a cluster we expect, for normally distributed  $T_{HBR}$  values, to see the number of CC and NCC clusters decreasing in the same way. However, the number of CC clusters falls off more rapidly than the number of NCC clusters. This effect is dramatically reduced – as expected – if the core is included. If the presence of a CC is indicative of a cluster's advancement towards complete virialization, then the significantly steeper fall-off of CC clusters as a function of  $T_{HBR}$  that we observe indicates higher values of  $T_{HBR}$  are associated with a less relaxed state. This result is insensitive to our choice of significance level in the core classification.

Because of the CC/NCC definition we selected, our identification of CCs and NCCs was only as robust as the errors on  $T_{50}$  allowed. One can thus ask the question, did our loose definition bias us towards finding more NCCs than CCs? To

explore this question we simulated 20 spectra for each observation following the method outlined in §5.2 for the control sample but using the inner 50 kpc spectral best-fit values as input. For each simulated spectrum we calculated a temperature decrement (Eq. 3) and re-classified the cluster as having a CC or NCC. Using the new set of mock classifications we assigned a reliability factor,  $\psi$ , to each real classification which is simply the fraction of mock classifications which agree with the real classification. A value of  $\psi=1.0$  indicates complete agreement, and  $\psi=0.0$  indicating no agreement. When we removed clusters with  $\psi<0.9$  and repeated the analysis above, we found no significant change in the number of CC clusters as a function of  $T_{HBR}$ .

Recall that the coolest ICM gas is being redshifted out of the observable band as z increases and becomes a significant effect at  $z \ge 0.6$  (§5.2). Thus, we are likely not detecting "weak" CCs in the highest redshift clusters of our sample and consequently these cores are classified as NCCs artificially increasing the NCC population. When we excluded the 14 clusters at  $z \ge 0.6$  from this core classification analysis we found no significant change in our results.

### 6.3.2. Mergers Versus Non-Mergers

To further investigate trends in  $T_{HBR}$  we now examine a subclass of clusters with  $T_{HBR} > 1.1$  at the  $1\sigma$  level and which are identified in Table 3.  $T_{HBR} > 1.1$  is an arbitrary threshold selected to limit the number of clusters to which we pay individual attention, but which is still representative of mid to high  $T_{HBR}$  values. All of these 29 clusters have core classifications with  $\psi > 0.9$ . We define a further subclass of these culled clusters which have been identified as mergers in the literature. From Figure 6 and Table 3 we can see clusters exhibiting the highest significant values of  $T_{HBR}$  tend to be ongoing or recent mergers. At the  $2\sigma$  level, we find increasing values of  $T_{HBR}$  favor merger systems with NCCs over relaxed, CC clusters. Mergers have left a spectroscopic imprint on the ICM which is predicted by ME01 and which we observe in our sample.

Of the 29 clusters with  $T_{HBR}$  significantly > 1.1, only six have CCs. Three of those, MKW3S, 3C 28.0, and RX J1720.1+2638 have their apertures centered on the bright, dense cores in confirmed mergers. Two more clusters, Abell 2384 and RX J1525+0958, while not confirmed mergers, have morphologies which are consistent with powerful ongoing mergers. Abell 2384 has a long gas tail extending out to a gaseous clump which has presumably passed through the cluster recently. RXJ1525 has a core which is shaped like an arrowhead and is reminiscent of the bow shock seen in 1E0657-56. Abell 907 is the remaining CC of the six listed. It has no signs of being a merger system but the highly compressed surface brightness contours to the west of the core are indicative of a prominent cold front which are tell-tale signs of a subcluster merger event (Markevitch & Vikhlinin 2007).

The unclassified systems – RX J0439.0+0715, MACS J2243.3-0935, MACS J0547.0-3904, ZWCL 1215, MACS J2311+0338, and Abell 267 – have NCCs and X-ray morphologies consistent with an ongoing or post-merger scenario. Two clusters, Abell 1204 and MACS J1427.6-2521, show no signs of recent or ongoing merger activity, however, they reside at the bottom of the arbitrary  $T_{HBR}$  cut, and as evidenced by Abell 401 and Abell 1689, exceptional spherical symmetry is no guarantee of relaxation.

## 7. SUMMARY AND CONCLUSIONS

We have explored the band dependence of the inferred X-ray temperature of the ICM for 193 well-observed ( $N_{counts} > 1500$ ) clusters of galaxies selected from the *Chandra* Data Archive.

We extracted spectra from the annulus between R=70 kpc and  $R=R_{2500}$ ,  $R_{5000}$  for each cluster. We compared the X-ray temperatures inferred for single-component fits to global spectra when the energy range of the fit was 0.7-7.0 keV (broad) and when the energy range was 2.0/(1+z)-7.0 keV (hard). We found that, on average, the hard-band temperature is significantly higher than the broad-band temperature. For the  $R_{2500-\text{CORE}}$  aperture we measured a weighted average of  $T_{HBR}=1.16$  with  $\sigma=\pm0.10$  and  $\sigma_{mean}=\pm0.01$ , for the  $R_{5000-\text{CORE}}$  aperture,  $T_{HBR}=1.14$  with  $\sigma=\pm0.12$  and  $\sigma_{mean}=\pm0.01$ . We also found no systematic trends with signal-to-noise, redshift selection, or Galactic absorption in the value of  $T_{HBR}$  or the dispersion of  $T_{HBR}$ .

In addition, we simulated an ensemble of 11387 observation-specific and control spectra. From analysis of these simulations we found the observed scatter,  $\sigma_{HBR}$ , is consistent with the presence of unresolved cool ( $T_X < 1.0 \text{ keV}$ ) gas, and we also found the observational scatter is greater than the statistical scatter,  $\sigma_{control}$ . As discussed in ME01 both of these results are consistent with the process of hierarchical cluster formation.

Upon further exploration, we found that  $T_{HBR}$  is enhanced preferentially for clusters which are known merger systems and for clusters without cool cores. Clusters with temperature decrements in their cores (known as cool-core clusters) tend to have best-fit hard-band temperatures that are consistently closer to their best-fit broad-band temperatures. The correlation of  $T_{HBR}$  with the type of cluster core is insensitive to our choice of classification scheme and is robust against redshift effects. Our results qualitatively support the finding by ME01 that the temperature ratio  $T_{HBR}$  might therefore be useful for

quantifying the degree of cluster relaxation/virialization.

An additional robust test of the ME01 finding should be made with simulations by tracking  $T_{HBR}$  during hierarchical assembly of a cluster. If  $T_{HBR}$  is tightly correlated with a cluster's degree of relaxation then it, along with other methods of substructure measure, may provide a powerful metric for predicting (and therefore reducing) a cluster's expected deviation from mean mass-scaling relations. The task of reducing scatter in scaling relations will be very important if we are to reliably and accurately measure the mass of clusters.

Support for this work was provided by the National Aeronautics and Space Administration through Chandra Award Number XXX-YYY issued by the Chandra X-ray Observatory Center, which is operated by the Smithsonian Astrophysical Observatory for and on behalf of the National Aeronautics Space Administration under contract NAS8-03060. This research has made use of software provided by the Chandra X-ray Center (CXC) in the application packages CIAO, ChIPS, and Sherpa. We thank Alexey Vikhlinin for helpful insight and expert advice, attendees of the "Chandra Eight Years of Science Calibration Workshop" for stimulating discussion regarding XMM-Chandra cross-calibration, and especially Keith Arnaud for personally providing support/advice for XSPEC. This research has made use of the NASA/IPAC Extragalactic Database (NED) which is operated by the Jet Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronautics and Space Administration. This research has also made use of NASA's Astrophysics Data System. ROSAT data and software were obtained from the High Energy Astrophysics Science Archive Research Center (HEASARC), provided by NASA's Goddard Space Flight Center.

#### REFERENCES

Anders, E., & Grevesse, N. 1989, Geochim. Cosmochim. Acta, 53, 197 Andersson, K. E., & Madejski, G. M. 2004, ApJ, 607, 190

Arnaud, K. A. 1996, in ASP Conf. Ser. 101: Astronomical Data Analysis Software and Systems V, ed. G. H. Jacoby & J. Barnes, 17—+

Arnaud, M., Aghanim, N., & Neumann, D. M. 2002, A&A, 389, 1

Bagchi, J., Durret, F., Neto, G. B. L., & Paul, S. 2006, Science, 314, 791

Balestra, I., Tozzi, P., Ettori, S., Rosati, P., Borgani, S., Mainieri, V., Norman, C., & Viola, M. 2007, A&A, 462, 429

Bauer, F. E., Fabian, A. C., Sanders, J. S., Allen, S. W., & Johnstone, R. M. 2005, MNRAS, 359, 1481

Bliton, M., Rizza, E., Burns, J. O., Owen, F. N., & Ledlow, M. J. 1998, MNRAS, 301, 609

Böhringer, H., Schuecker, P., Guzzo, L., Collins, C. A., Voges, W., Cruddace, R. G., Ortiz-Gil, A., Chincarini, G., De Grandi, S., Edge, A. C., MacGillivray, H. T., Neumann, D. M., Schindler, S., & Shaver, P. 2004, A&A, 425, 367

Buote, D. A., & Tsai, J. C. 1995, ApJ, 452, 522

—. 1996, ApJ, 458, 27

Burns, J. O., Hallman, E. J., Gantner, B., Motl, P. M., & Norman, M. L. 2007, ArXiv e-prints, 708

Burns, J. O., Roettiger, K., Pinkney, J., Perley, R. A., Owen, F. N., & Voges, W. 1995, ApJ, 446, 583

Cash, W. 1979, ApJ, 228, 939

Chen, Y., Reiprich, T. H., Böhringer, H., Ikebe, Y., & Zhang, Y.-Y. 2007, A&A, 466, 805

Dahle, H., Kaiser, N., Irgens, R. J., Lilje, P. B., & Maddox, S. J. 2002, ApJS, 139, 313

David, L. P., & Kempner, J. 2004, ApJ, 613, 831

Dickey, J. M., & Lockman, F. J. 1990, ARA&A, 28, 215

Ebeling, H., Edge, A. C., Allen, S. W., Crawford, C. S., Fabian, A. C., & Huchra, J. P. 2000, MNRAS, 318, 333

Ebeling, H., Edge, A. C., Bohringer, H., Allen, S. W., Crawford, C. S., Fabian, A. C., Voges, W., & Huchra, J. P. 1998, MNRAS, 301, 881 Ebeling, H., Edge, A. C., & Henry, J. P. 2001, ApJ, 553, 668

Edge, A. C., Stewart, G. C., Fabian, A. C., & Arnaud, K. A. 1990, MNRAS, 245, 559

Eisenstein, D. J., Zehavi, I., Hogg, D. W., Scoccimarro, R., Blanton, M. R., Nichol, R. C., Scranton, R., Seo, H.-J., Tegmark, M., Zheng, Z., Anderson, S. F., Annis, J., Bahcall, N., Brinkmann, J., Burles, S., Castander, F. J., Connolly, A., Csabai, I., Doi, M., Fukugita, M., Frieman, J. A., Glazebrook, K., Gunn, J. E., Hendry, J. S., Hennessy, G., Ivezić, Z., Kent, S., Knapp, G. R., Lin, H., Loh, Y.-S., Lupton, R. H., Margon, B., McKay, T. A., Meiksin, A., Munn, J. A., Pope, A., Richmond, M. W., Schlegel, D., Schneider, D. P., Shimasaku, K., Stoughton, C., Strauss, M. A., SubbaRao, M., Szalay, A. S., Szapudi, I., Tucker, D. L., Yanny, B., & York, D. G. 2005, ApJ, 633, 560

Ettori, S., & Lombardi, M. 2003, A&A, 398, L5

Evrard, A. E. 1989, ApJ, 341, L71

Evrard, A. E., Metzler, C. A., & Navarro, J. F. 1996, ApJ, 469, 494

Feretti, L., Boehringer, H., Giovannini, G., & Neumann, D. 1997, A&A, 317, 432

Freeman, P. E., Kashyap, V., Rosner, R., & Lamb, D. Q. 2002, ApJS, 138, 185

Gioia, I. M., Maccacaro, T., Geller, M. J., Huchra, J. P., Stocke, J., & Steiner, J. E. 1982, ApJ, 255, L17

Gioia, I. M., Maccacaro, T., Schild, R. E., Wolter, A., Stocke, J. T., Morris, S. L., & Henry, J. P. 1990, ApJS, 72, 567

Girardi, M., Fadda, D., Escalera, E., Giuricin, G., Mardirossian, F., & Mezzetti, M. 1997, ApJ, 490, 56

Gómez, P. L., Hughes, J. P., & Birkinshaw, M. 2000, ApJ, 540, 726

Govoni, F., Taylor, G. B., Dallacasa, D., Feretti, L., & Giovannini, G. 2001, A&A, 379, 807

Gutierrez, K., & Krawczynski, H. 2005, ApJ, 619, 161

Haiman, Z., Mohr, J. J., & Holder, G. P. 2001, ApJ, 553, 545

Hallman, E. J., & Markevitch, M. 2004, ApJ, 610, L81

Henry, J. P., Mullis, C. R., Voges, W., Böhringer, H., Briel, U. G., Gioia, I. M., & Huchra, J. P. 2006, ApJS, 162, 304

Jeltema, T. E., Canizares, C. R., Bautz, M. W., & Buote, D. A. 2005, ApJ, 624, 606

Jeltema, T. E., Hallman, E. J., Burns, J. O., & Motl, P. M. 2007, ArXiv eprints, 708

Kaastra, J. S. 1992

Kempner, J. C., Sarazin, C. L., & Markevitch, M. 2003, ApJ, 593, 291 Kravtsov, A. V., Vikhlinin, A., & Nagai, D. 2006, ApJ, 650, 128

Krempec-Krygier, J., & Krygier, B. 1999, Acta Astronomica, 49, 403

Liedahl, D. A., Osterheld, A. L., & Goldstein, W. H. 1995, ApJ, 438, L115 Markevitch, M., Forman, W. R., Sarazin, C. L., & Vikhlinin, A. 1998, ApJ,

Markevitch, M., & Vikhlinin, A. 2007, Phys. Rep., 443, 1

Markevitch, M., Vikhlinin, A., & Mazzotta, P. 2001, ApJ, 562, L153

Marshall, H. L., Tennant, A., Grant, C. E., Hitchcock, A. P., O'Dell, S. L., & Plucinsky, P. P. 2004, in Presented at the Society of Photo-Optical Instrumentation Engineers (SPIE) Conference, Vol. 5165, X-Ray and Gamma-Ray Instrumentation for Astronomy XIII. Edited by Flanagan, Kathryn A.; Siegmund, Oswald H. W. Proceedings of the SPIE, Volume 5165, pp. 497-508 (2004)., ed. K. A. Flanagan & O. H. W. Siegmund, 497-508

Martini, P., Kelson, D. D., Mulchaey, J. S., & Athey, A. 2004, in Clusters of Galaxies: Probes of Cosmological Structure and Galaxy Evolution, ed. J. S. Mulchaey, A. Dressler, & A. Oemler

Mathiesen, B. F., & Evrard, A. E. 2001, ApJ, 546, 100

Maughan, B. J. 2007, ArXiv Astrophysics e-prints

Maughan, B. J., Jones, C., Forman, W., & Van Speybroeck, L. 2007, ArXiv Astrophysics e-prints

Mazzotta, P., Markevitch, M., Vikhlinin, A., Forman, W. R., David, L. P., & VanSpeybroeck, L. 2001, ApJ, 555, 205

Mazzotta, P., Rasia, E., Moscardini, L., & Tormen, G. 2004, MNRAS, 354,

Mercurio, A., Massarotti, M., Merluzzi, P., Girardi, M., La Barbera, F., & Busarello, G. 2003, A&A, 408, 57

Mewe, R., Gronenschild, E. H. B. M., & van den Oord, G. H. J. 1985, A&AS, 62, 197

Mewe, R., Lemen, J. R., & van den Oord, G. H. J. 1986, A&AS, 65, 511

Mohr, J. J., & Evrard, A. E. 1997, ApJ, 491, 38

Morrison, R., & McCammon, D. 1983, ApJ, 270, 119

Nousek, J. A., & Shue, D. R. 1989, ApJ, 342, 1207

O'Hara, T. B., Mohr, J. J., Bialek, J. J., & Evrard, A. E. 2006, ApJ, 639, 64

Ota, N., Kitayama, T., Masai, K., & Mitsuda, K. 2006, ApJ, 640, 673 Peres, C. B., Fabian, A. C., Edge, A. C., Allen, S. W., Johnstone, R. M., & White, D. A. 1998, MNRAS, 298, 416

Riess, A. G., Filippenko, A. V., Challis, P., Clocchiatti, A., Diercks, A., Garnavich, P. M., Gilliland, R. L., Hogan, C. J., Jha, S., Kirshner, R. P., Leibundgut, B., Phillips, M. M., Reiss, D., Schmidt, B. P., Schommer, R. A., Smith, R. C., Spyromilio, J., Stubbs, C., Suntzeff, N. B., & Tonry, J. 1998, AJ, 116, 1009

Riess, A. G., Strolger, L.-G., Casertano, S., Ferguson, H. C., Mobasher, B., Gold, B., Challis, P. J., Filippenko, A. V., Jha, S., Li, W., Tonry, J., Foley, R., Kirshner, R. P., Dickinson, M., MacDonald, E., Eisenstein, D., Livio, M., Younger, J., Xu, C., Dahlén, T., & Stern, D. 2007, ApJ, 659, 98

Rosati, P., della Ceca, R., Burg, R., Norman, C., & Giacconi, R. 1995, ApJ, 445, L11

Sakelliou, I., & Ponman, T. J. 2004, MNRAS, 351, 1439

Sanderson, A. J. R., Ponman, T. J., & O'Sullivan, E. 2006, MNRAS, 1068 Smith, G. P., Kneib, J.-P., Smail, I., Mazzotta, P., Ebeling, H., & Czoske, O. 2005, MNRAS, 359, 417

Snowden, S. L., Mushotzky, R. M., Kuntz, K. D., & Davis, D. S. 2007, ArXiv e-prints, 710

Teague, P. F., Carter, D., & Gray, P. M. 1990, ApJS, 72, 715

Townsley, L. K., Broos, P. S., Garmire, G. P., & Nousek, J. A. 2000, ApJ, 534, L139

Tucker, W., Blanco, P., Rappoport, S., David, L., Fabricant, D., Falco, E. E., Forman, W., Dressler, A., & Ramella, M. 1998, ApJ, 496, L5+

Ventimiglia, D., Voit, G. M., Borgani, S., & Donahue, M. 2008, ApJ Submitted

Vikhlinin, A. 2006, ApJ, 640, 710

Vikhlinin, A., Markevitch, M., Murray, S. S., Jones, C., Forman, W., & Van Speybroeck, L. 2005, ApJ, 628, 655

Vikhlinin, A., McNamara, B. R., Forman, W., Jones, C., Quintana, H., & Hornstrup, A. 1998, ApJ, 502, 558

Voit, G. M. 2005, Reviews of Modern Physics, 77, 207

Wang, L., & Steinhardt, P. J. 1998, ApJ, 508, 483

Wang, S., Khoury, J., Haiman, Z., & May, M. 2004, Phys. Rev. D, 70, 123008 White, D. A., Jones, C., & Forman, W. 1997, MNRAS, 292, 419

Yang, Y., Huo, Z., Zhou, X., Xue, S., Mao, S., Ma, J., & Chen, J. 2004, ApJ, 614, 692

Yuan, Q.-R., Yan, P.-F., Yang, Y.-B., & Zhou, X. 2005, Chinese Journal of Astronomy and Astrophysics, 5, 126




FIG. 1.— Bolometric luminosity ( $E=0.1-100~{\rm keV}$ ) plotted as a function of redshift for the full sample.  $L_{bol}$  values are limited to the region of spectral extraction  $R=R_{2500-{\rm CORE}}$  (or  $R=R_{5000-{\rm CORE}}$  for clusters without  $R_{2500-{\rm CORE}}$  fits). Dotted lines represent constant fluxes of  $3.0\times10^{-15}$ ,  $10^{-14}$ ,  $10^{-13}$ , and  $10^{-12}~{\rm ergs~sec}^{-1}~{\rm cm}^{-2}$ .




Fig. 2.— Ratio of target field and blank-sky field count rates in the 9.5-12.0 keV band for each observation. Vertical dashed lines represent  $\pm 20\%$  of unity.




Fig. 3.— Best-fit temperatures for the hard-band,  $T_{2.0-7.0}$ , divided by the broad-band,  $T_{0.7-7.0}$ , and plotted against the broad-band temperature. For binned data, each bin contains 25 clusters, with the exception of the highest temperature bins which contain 16 and 17 for  $R_{2500-CORE}$  and  $R_{5000-CORE}$ , respectively. The simulated data bins contain 1000 clusters with the last bin having 780 clusters. The line of equality is shown as a dashed line and the weighted mean for the full sample is shown as a dashed-dotted line. Error bars are omitted in the unbinned data for clarity. Note the net skewing of  $T_{HBR}$  to greater than unity for both apertures with no such trend existing in the simulated data. The dispersion of  $T_{HBR}$  for the real data is also much larger than the dispersion of the simulated data.




Fig. 4.— Plotted here are a few possible sources of systematic uncertainty. Error bars have been omitted in all plots for clarity. The line of equality is shown as a dashed line in all plots. (Upper-left:)  $T_{HBR}$  versus redshift for the entire sample. The trend in  $T_{HBR}$  with redshift is expected as the  $T_{2.0-7.0}$  lower boundary nears convergence with the  $T_{0.7-7.0}$  lower boundary at  $z \approx 1.85$ . Weighted values of  $T_{HBR}$  are consistent with unity starting at  $z \sim 0.6$ . (Upper-right:)  $T_{HBR}$  versus percentage of spectrum flux which is attributed to the source. We find no trend with signal-to-noise which would suggest calibration uncertainty is playing a major role in our results. (Middle-left:)  $T_{HBR}$  versus Galactic column density. We find no trend in absorption which would result if  $N_{HI}$  values are inaccurate or if we had improperly accounted for local soft contamination. (Middle-right:) Ratio of  $T_{HBR}$  for our two physically motivated apertures,  $R_{2500-CORE}$  and  $R_{5000-CORE}$ . Error bars are omitted for clarity as they all cross the line of equality. Different sized apertures do not result in significantly different values of  $T_{HBR}$  which indicates  $T_{HBR}$  is insensitive to our definition of aperture size. (Lower-left:)  $T_{HBR}$  plotted versus observation start date. The plotted points are culled from the full sample and represent only clusters which have a single observation and where the spectral flux is > 75% from the source. We note no systematic trend with time which suggests any contamination of Chandra's HRMA may not be changing with time. (Lower-right:) Ratio of Chandra temperatures derived in this work to ASCA temperatures taken from Don Horner's thesis. We note a trend of comparatively hotter Chandra temperatures for clusters > 10 keV, otherwise our derived temperatures are in good agreement with those of ASCA.




Fig. 5.— Plotted here is the normalized number of cool core (CC) and non-cool core (NCC) clusters as a function of cuts in  $T_{HBR}$ . We have defined a cluster as having a cool core (CC) when the temperature for the 50 kpc region around the cluster center divided by the temperature for  $R_{2500\text{-CORE}}$  is less than 1 at the  $2\sigma$  level. We then take cuts in  $T_{HBR}$  at the  $1\sigma$  level and ask how many CC and NCC clusters are above these cuts. The number of CC clusters falls off more rapidly than NCC clusters in this classification scheme suggesting higher values of  $T_{HBR}$  prefer less relaxed systems which do not have cool cores. This result is insensitive to our choice of significance level in both the CC classification and  $T_{HBR}$  cuts.




Fig. 6.—  $T_{HBR}$  plotted against  $T_{0.7-7.0}$  for our sample. Symbols and color coding are based on two criteria: 1) presence of a cool core (CC) and 2) value of  $T_{HBR}$  value. Black stars are clusters with a CC and  $T_{HBR}$  significantly greater than 1.1. Green upright-triangles are NCC clusters with  $T_{HBR}$  significantly greater than 1.1. Blue down-facing triangles are CC clusters and red squares are NCC clusters. We have found most, if not all, of the clusters with  $T_{HBR} \gtrsim 1.1$  are merger systems. Note that the cut at  $T_{HBR} > 1.1$  is arbitrary and there are more merger systems in our sample then just those highlighted in this figure. However it is rather suggestive that clusters with the highest values  $T_{HBR}$  share a common dynamic state.

TABLE 1 SUMMARY OF SAMPLE

Cluster	Obs.ID	R.A.	Dec.	ЕхрТ	Mode	ACIS	z	$L_{bol}$ .
(1)	(2)	hr:min:sec	°:':" (4)	ksec (5)	(6)	(7)	(8)	$10^{44} \text{ ergs s}^{-1}$ (9)
1E0657 56	3184	06:58:29.627	-55:56:39.79	87.5	VF	I3	0.296	52.48
1E0657 56	5356	06:58:29.619	-55:56:39.35	97.2	VF	I2	0.296	52.48
1E0657 56	5361	06:58:29.670	-55:56:39.80	82.6	VF	I3	0.296	52.48
1RXS J2129.4-0741	3199	21:29:26.274	-07:41:29.18	19.9	VF	I3	0.570	20.58
1RXS J2129.4-0741 2PIGG J0011.5-2850	3595 5797	21:29:26.281 00:11:21.623	-07:41:29.36 -28:51:14.44	19.9 19.9	VF VF	I3 I3	0.570 0.075	20.58 2.15
2PIGG J0311.8-2655 †	5799	03:11:33.904	-26:54:16.48	39.6	VF	13	0.062	0.25
2PIGG J2227.0-3041	5798	22:27:54.560	-30:34:34.84	22.3	VF	12	0.073	0.81
3C 220.1 3C 28.0	839 3233	09:32:40.218 00:55:50.401	+79:06:29.46 +26:24:36.47	18.9 49.7	F VF	S3 I3	0.610 0.195	3.25 4.78
3C 295	2254	14:11:20.280	+52:12:10.55	90.9	VF	I3	0.193	6.92
3C 388	5295	18:44:02.365	+45:33:29.31	30.7	VF	I3	0.092	0.52
4C 55.16	4940 4945	08:34:54.923	+55:34:21.15	96.0 55.3	VF VF	S3 S3	0.242 0.094	5.90 1.41
ABELL 0013 † ABELL 0068	3250	00:13:37.883 00:37:06.309	-19:30:09.10 +09:09:32.28	55.3 10.0	VF	I3	0.094	12.70
ABELL 0119 †	4180	00:56:15.150	-01:14:59.70	11.9	VF	I3	0.044	1.39
ABELL 0168	3203	01:14:57.909	+00:24:42.55	40.6	VF	I3	0.045	0.23
ABELL 0168 ABELL 0209	3204 3579	01:14:57.925 01:31:52.565	+00:24:42.73	37.6 10.0	VF VF	I3 I3	0.045 0.206	0.23 10.96
ABELL 0209 ABELL 0209	522	01:31:52.505	-13:36:39.25	10.0	VF	I3	0.206	10.96
ABELL 0267	1448	01:52:29.181	+00:57:34.43	7.9	F	I3	0.230	8.62
ABELL 0267	3580	01:52:29.180 02:39:53.169	+00:57:34.23	19.9	VF F	I3 S3	0.230 0.375	8.62 11.95
ABELL 0370 ABELL 0383	515 2321	02:48:03.364	-01:34:36.96 -03:31:44.69	88.0 19.5	г F	S3	0.373	5.32
ABELL 0399	3230	02:57:54.931	+13:01:58.41	48.6	VF	10	0.072	4.37
ABELL 0401	518	02:58:56.896	+13:34:14.48	18.0	F	I3	0.074	8.39
ABELL 0478 ABELL 0514	6102 3578	04:13:25.347 04:48:19.229	+10:27:55.62 -20:30:28.79	10.0 44.5	VF VF	I3 I3	0.088 $0.072$	16.39 0.66
ABELL 0514 ABELL 0520	4215	04:54:09.711	+02:55:23.69	66.3	VF	I3	0.202	12.97
ABELL 0521	430	04:54:07.004	-10:13:26.72	39.1	VF	S3	0.253	9.77
ABELL 0586	530 3194	07:32:20.339	+31:37:58.59	10.0	VF VF	I3 S3	0.171 0.288	8.54 10.78
ABELL 0611 ABELL 0644 †	2211	08:00:56.832 08:17:25.225	+36:03:24.09 -07:30:40.03	36.1 29.7	VF VF	33 I3	0.288	6.95
ABELL 0665	3586	08:30:59.231	+65:50:37.78	29.7	VF	13	0.181	13.37
ABELL 0697	4217	08:42:57.549	+36:21:57.65	19.5	VF	I3	0.282	26.10
ABELL 0773 ABELL 0781	5006 534	09:17:52.566 09:20:25.431	+51:43:38.18 +30:30:07.56	19.8 9.9	VF VF	I3 I3	0.217 0.298	12.87 0.00
ABELL 0907	3185	09:58:21.880	-11:03:52.20	48.0	VF	I3	0.153	6.19
ABELL 0963	903	10:17:03.744	+39:02:49.17	36.3	F	S3	0.206	10.65
ABELL 1063S ABELL 1068 †	4966 1652	22:48:44.294 10:40:44.520	-44:31:48.37 +39:57:10.28	26.7 26.8	VF F	I3 S3	0.354 0.138	71.09 4.19
ABELL 1201 †	4216	11:12:54.489	+13:26:08.76	39.7	г VF	S3	0.158	3.52
ABELL 1204	2205	11:13:20.419	+17:35:38.45	23.6	VF	13	0.171	3.92
ABELL 1361 †	2200	11:43:39.827	+46:21:21.40	16.7	F	S3	0.117	2.16
ABELL 1423 ABELL 1651	538 4185	11:57:17.026 12:59:22.830	+33:36:37.44 -04:11:45.86	9.8 9.6	VF VF	I3 I3	0.213 0.084	7.01 6.66
ABELL 1664 †	1648	13:03:42.478	-24:14:44.55	9.8	VF	S3	0.128	2.59
ABELL 1682	3244	13:06:50.764	+46:33:19.86	9.8	VF	I3	0.226	0.00
ABELL 1689 ABELL 1689	1663 5004	13:11:29.612 13:11:29.606	-01:20:28.69 -01:20:28.61	10.7 19.9	F VF	I3 I3	0.184 0.184	24.71 24.71
ABELL 1689	540	13:11:29.595	-01:20:28.47	10.3	F	I3	0.184	24.71
ABELL 1758	2213	13:32:42.978	+50:32:44.83	58.3	VF	S3	0.279	21.01
ABELL 1763	3591 5289	13:35:17.957	+40:59:55.80 +26:35:24.01	19.6	VF VF	I3	0.187 0.062	9.26 7.59
ABELL 1795 † ABELL 1835	3289 495	13:48:52.829 14:01:01.951	+02:52:43.18	15.0 19.5	vr F	I3 S3	0.062	39.38
ABELL 1914	3593	14:26:01.399	+37:49:27.83	18.9	VF	I3	0.171	26.25
ABELL 1942	3290	14:38:21.878	+03:40:12.97	57.6	VF	I2	0.224	2.27
ABELL 1995 ABELL 2029 †	906 6101	14:52:57.758 15:10:56.163	+58:02:51.34 +05:44:40.89	0.0 9.9	F VF	S3 I3	0.319 0.076	10.19 13.90
ABELL 2034	2204	15:10:11.003	+33:30:46.46	53.9	VF	I3	0.113	6.45
ABELL 2065 †	31821	15:22:29.220	+27:42:46.54	0.0	VF	I3	0.073	2.92
ABELL 2069 ABELL 2111	4965 544	15:24:09.181 15:39:41.432	+29:53:18.05 +34:25:12.26	55.4 10.3	VF F	I2 I3	0.116 0.230	3.82 7.45
ABELL 2111 ABELL 2125	2207	15:41:14.154	+66:15:57.20	81.5	VF	I3	0.230	0.77
ABELL 2163	1653	16:15:45.705	-06:09:00.62	71.1	VF	I1	0.170	49.11
ABELL 2204 †	499 6104	16:32:45.437	+05:34:21.05	10.1	F	S3	0.152	20.77
ABELL 2204 ABELL 2218	6104 1666	16:32:45.428 16:35:50.831	+05:34:20.89 +66:12:42.31	9.6 48.6	VF VF	I3 I0	0.152 0.171	22.03 8.39
ABELL 2219 †	896	16:40:21.069	+46:42:29.07	42.3	F	S3	0.226	33.15
ABELL 2255	894	17:12:40.385	+64:03:50.63	39.4	F	I3	0.081	3.67
ABELL 2256 † ABELL 2259	1386 3245	17:03:44.567 17:20:08.299	+78:38:11.51 +27:40:11.53	12.4 10.0	F VF	I3 I3	0.058 0.164	4.65 5.37
ABELL 2261	5007	17:22:27.254	+32:07:58.60	24.3	VF	I3	0.224	17.49
ABELL 2294	3246	17:24:10.149	+85:53:09.77	10.0	VF	I3	0.178	10.35

TABLE 1 — Continued

Cluster	Obs.ID	R.A.	Dec.	ExpT	Mode	ACIS	z	L <sub>bol</sub> .
(1)	(2)	hr:min:sec (3)	°:':" (4)	ksec (5)	(6)	(7)	(8)	10 <sup>44</sup> ergs s <sup>-1</sup> (9)
ABELL 2384	4202	21:52:21.178	-19:32:51.90	31.5	VF	I3	0.095	1.95
ABELL 2390 †	4193	21:53:36.825	+17:41:44.38	95.1	VF	S3	0.230	31.02
ABELL 2409 ABELL 2537	3247 4962	22:00:52.567 23:08:22.313	+20:58:34.11 -02:11:29.88	10.2 36.2	VF VF	I3 S3	0.148 0.295	7.01 10.16
ABELL 2550	2225	23:11:35.806	-21:44:46.70	59.0	VF	S3	0.154	0.58
ABELL 2554 †	1696	23:12:19.939	-21:30:09.84	19.9	VF	S3	0.110	1.57
ABELL 2556 † ABELL 2631	2226 3248	23:13:01.413 23:37:38.560	-21:38:04.47 +00:16:28.64	19.9 9.2	VF VF	S3 I3	0.086 0.278	1.43 12.59
ABELL 2667	2214	23:51:39.395	-26:05:02.75	9.6	VF	S3	0.278	19.91
ABELL 2670	4959	23:54:13.687	-10:25:08.85	39.6	VF	13	0.076	1.39
ABELL 2717	6974	00:03:11.996	-35:56:08.01	19.8	VF	I3	0.048	0.26
ABELL 2744 ABELL 3128 †	2212 893	00:14:14.396 03:29:50.918	-30:22:40.04 -52:34:51.04	24.8 19.6	VF F	S3 I3	0.308 0.062	29.00 0.35
ABELL 3158 †	3201	03:42:54.675	-53:37:24.36	24.8	VF	13	0.059	3.01
ABELL 3158 †	3712	03:42:54.683	-53:37:24.37	30.9	VF	I3	0.059	3.01
ABELL 3164 ABELL 3376	6955 3202	03:46:16.839 06:02:05.122	-57:02:11.38 -39:57:42.82	13.5 44.3	VF VF	I3 I3	0.057 0.046	0.19 0.75
ABELL 3376	3450	06:02:05.162	-39:57:42.87	19.8	VF	I3	0.046	0.75
ABELL 3391 †	4943	06:26:21.511	-53:41:44.81	18.4	VF	13	0.056	1.44
ABELL 3921	4973	22:49:57.829	-64:25:42.17	29.4	VF	I3	0.093	3.37
AC 114 CL 0024+17	1562 929	22:58:48.196 00:26:35.996	-34:47:56.89 +17:09:45.37	72.5 39.8	F F	S3 S3	0.312 0.394	10.90 2.88
CL 1221+4918	1662	12:21:26.709	+49:18:21.60	79.1	VF	I3	0.700	8.65
CL J0030+2618	5762	00:30:34.339	+26:18:01.58	17.9	VF	13	0.500	3.41
CL J0152-1357	913	01:52:42.141	-13:57:59.71	36.5	F F	I3	0.831 0.630	13.30
CL J0542.8-4100 CL J0848+4456	914 1708	05:42:49.994 08:48:48.235	-40:59:58.50 +44:56:17.11	50.4 61.4	г VF	I3 I1	0.630	6.18 0.62
CL J0848+4456	927	08:48:48.252	+44:56:17.13	125.1	VF	I1	0.574	0.62
CL J1113.1-2615	915	11:13:05.167	-26:15:40.43	104.6	F	I3	0.730	2.22
CL J1213+0253 CL J1226.9+3332	4934 3180	12:13:34.948 12:26:58.373	+02:53:45.45 +33:32:47.36	18.9 31.7	VF VF	I3 I3	0.409 0.890	0.00 30.76
CL J1226.9+3332 CL J1226.9+3332	5014	12:26:58.372	+33:32:47.18	32.7	VF	I3	0.890	30.76
CL J1641+4001	3575	16:41:53.704	+40:01:44.40	46.5	VF	13	0.464	0.00
CL J2302.8+0844	918	23:02:48.156	+08:43:52.74	108.6	F	I3	0.730	2.93
DLS J0514-4904 EXO 0422-086 †	4980 4183	05:14:40.037 04:25:51.271	-49:03:15.07 -08:33:36.42	19.9 10.0	VF VF	I3 I3	0.091 0.040	0.68 0.65
HERCULES A †	1625	16:51:08.161	+04:59:32.44	14.8	VF	S3	0.154	3.27
IRAS 09104+4109	509	09:13:45.481	+40:56:27.49	9.1	F	S3	0.442	0.00
LYNX E LYNX E	17081 9271	08:48:58.851 08:48:58.858	+44:51:51.44 +44:51:51.46	61.4 125.1	VF VF	I2 I2	1.260 1.260	0.00 0.00
MACS J0011.7-1523	3261	00:11:42.965	-15:23:20.79	21.6	VF	I3	0.360	10.75
MACS J0011.7-1523	6105	00:11:42.957	-15:23:20.76	37.3	VF	13	0.360	10.75
MACS J0025.4-1222 MACS J0025.4-1222	3251 5010	00:25:29.368 00:25:29.399	-12:22:38.05 -12:22:38.10	19.3 24.8	VF VF	I3 I3	0.584 0.584	13.00 13.00
MACS J0025.4-1222 MACS J0035.4-2015	3262	00:25:29:599	-20:15:46.06	21.4	VF	I3	0.364	19.79
MACS J0111.5+0855	3256	01:11:31.515	+08:55:39.21	19.4	VF	13	0.263	0.64
MACS J0152.5-2852	3264	01:52:34.479	-28:53:38.01	17.5	VF	I3	0.341	6.33
MACS J0159.0-3412 MACS J0159.8-0849	5818 3265	01:59:00.366 01:59:49.453	-34:13:00.23 -08:50:00.90	9.4 17.9	VF VF	I3 I3	0.458 0.405	18.92 26.31
MACS J0159.8-0849	6106	01:59:49.422	-08:50:00.42	35.3	VF	13	0.405	26.31
MACS J0242.5-2132	3266	02:42:35.906	-21:32:26.30	11.9	VF	I3	0.314	12.74
MACS J0257.1-2325 MACS J0257.1-2325	1654 3581	02:57:09.130 02:57:09.152	-23:26:06.25 -23:26:06.21	19.8 18.5	F VF	I3 I3	0.505 0.505	21.72 21.72
MACS J0257.6-2209	3267	02:57:41.024	-22:09:11.12	20.5	VF	I3	0.322	10.77
MACS J0308.9+2645	3268	03:08:55.927	+26:45:38.34	24.4	VF	13	0.324	20.42
MACS J0329.6-0211	3257	03:29:41.681	-02:11:47.67	9.9	VF	I3	0.450	12.82
MACS J0329.6-0211 MACS J0329.6-0211	3582 6108	03:29:41.688 03:29:41.681	-02:11:47.81 -02:11:47.57	19.9 39.6	VF VF	I3 I3	0.450 0.450	12.82 12.82
MACS J0404.6+1109	3269	04:04:32.491	+11:08:02.10	21.8	VF	I3	0.355	3.90
MACS J0417.5-1154	3270	04:17:34.686	-11:54:32.71	12.0	VF	I3	0.440	37.99
MACS J0429.6-0253 MACS J0451.9+0006	3271 5815	04:29:36.088 04:51:54.291	-02:53:09.02 +00:06:20.20	23.2 10.2	VF VF	I3 I3	0.399 0.430	11.58 8.20
MACS J0451.9+0000 MACS J0455.2+0657	5813	04:55:17.426	+06:57:47.15	9.9	VF	I3	0.430	9.77
MACS J0520.7-1328	3272	05:20:42.052	-13:28:49.38	19.2	VF	13	0.340	9.63
MACS J0547.0-3904	3273	05:47:01.582	-39:04:28.24	21.7	VF	I3	0.210	1.59
MACS J0553.4-3342 MACS J0717.5+3745	5813 1655	05:53:27.200 07:17:31.654	-33:42:53.02 +37:45:18.52	9.9 19.9	VF F	I3 I3	0.407 0.548	32.68 46.58
MACS J0717.5+3745	4200	07:17:31.651	+37:45:18.46	59.2	VF	I3	0.548	46.58
MACS J0744.8+3927	3197	07:44:52.802	+39:27:24.41	20.2	VF	I3	0.686	24.67
MACS J0744.8+3927 MACS J0744.8+3927	3585 6111	07:44:52.779 07:44:52.800	+39:27:24.41 +39:27:24.41	19.9 49.5	VF VF	I3 I3	$0.686 \\ 0.686$	24.67 24.67
MACS J0744.8+3927 MACS J0911.2+1746	3587	09:11:11.325	+17:46:31.06	49.5 17.9	VF VF	I3	0.541	10.52
MACS J0911.2+1746	5012	09:11:11.309	+17:46:30.92	23.8	VF	I3	0.541	10.52
MACS J0949+1708	3274	09:49:51.824	+17:07:05.62	14.3	VF	I3	0.382	19.19
MACS J1006.9+3200	5819	10:06:54.668	+32:01:34.61	10.9	VF	I3	0.359	6.06

TABLE 1 — Continued

Cluster	Obs.ID	R.A.	Dec.	ExpT	Mode	ACIS	z	$L_{bol}$ .
(1)	(2)	hr:min:sec (3)	°:':" (4)	ksec (5)	(6)	(7)	(8)	$10^{44} \text{ ergs s}^{-1}$ (9)
MACS J1105.7-1014	5817	11:05:46.462	-10:14:37.20	10.3	VF	I3	0.466	11.29
MACS J1108.8+0906	3252	11:08:55.393	+09:05:51.16	9.9	VF	I3	0.449	8.96
MACS J1108.8+0906 MACS J1115.2+5320	5009 3253	11:08:55.402 11:15:15.632	+09:05:51.14 +53:20:03.71	24.5 8.8	VF VF	I3 I3	0.449 0.439	8.96 14.29
MACS J1115.2+5320	5008	11:15:15.646	+53:20:03.74	18.0	VF	13	0.439	14.29
MACS J1115.2+5320	5350	11:15:15.632	+53:20:03.37	6.9	VF	I3	0.439	14.29
MACS J1115.8+0129 MACS J1131.8-1955	3275 3276	11:15:52.048 11:31:56.011	+01:29:56.56 -19:55:55.85	15.9 13.9	VF VF	I3 I3	0.120 0.307	1.47 17.45
MACS J1149.5+2223	1656	11:49:35.856	+22:23:55.02	18.5	VF	13	0.544	21.60
MACS J1149.5+2223	3589	11:49:35.848	+22:23:55.05	20.0	VF	I3	0.544	21.60
MACS J1206.2-0847 MACS J1226.8+2153	3277 3590	12:06:12.276 12:26:51.207	-08:48:02.40 +21:49:55.22	23.5 19.0	VF VF	I3 I3	0.440 0.370	37.02 2.63
MACS J1311.0-0310	3258	13:11:01.665	-03:10:39.50	14.9	VF	I3	0.494	10.03
MACS J1311.0-0310	6110	13:11:01.680	-03:10:39.75	63.2	VF	13	0.494	10.03
MACS J1319+7003 MACS J1427.2+4407	3278 6112	13:20:08.370 14:27:16.175	+70:04:33.81 +44:07:30.33	21.6 9.4	VF VF	I3 I3	0.328 0.477	7.03 14.18
MACS J1427.6-2521	3279	14:27:39.389	-25:21:04.66	16.9	VF	I3	0.220	1.55
MACS J1621.3+3810	3254	16:21:25.552	+38:09:43.56	9.8	VF	13	0.461	11.49
MACS J1621.3+3810 MACS J1621.3+3810	3594 6109	16:21:25.558 16:21:25.535	+38:09:43.44 +38:09:43.34	19.7 37.5	VF VF	I3 I3	0.461 0.461	11.49 11.49
MACS J1621.3+3810 MACS J1621.3+3810	6172	16:21:25.559	+38:09:43.63	29.8	VF	I3	0.461	11.49
MACS J1731.6+2252	3281	17:31:39.902	+22:52:00.55	20.5	VF	13	0.366	9.32
MACS J1824.3+4309	3255	18:24:18.444	+43:09:43.39	14.9	VF	I3	0.487	0.00
MACS J1931.8-2634 MACS J2046.0-3430	3282 5816	19:31:49.656 20:46:00.522	-26:34:33.99 -34:30:15.50	13.6 10.0	VF VF	I3 I3	0.352 0.413	23.14 5.79
MACS J2049.9-3217	3283	20:49:56.245	-32:16:52.30	23.8	VF	13	0.325	8.71
MACS J2211.7-0349	3284	22:11:45.856	-03:49:37.24	17.7	VF	13	0.270	22.11
MACS J2214.9-1359 MACS J2214.9-1359	3259 5011	22:14:57.467 22:14:57.481	-14:00:09.35 -14:00:09.39	19.5 18.5	VF VF	I3 I3	0.503 0.503	24.05 24.05
MACS J2228+2036	3285	22:28:33.241	+20:37:11.42	19.9	VF	I3	0.303	17.92
MACS J2229.7-2755	3286	22:29:45.358	-27:55:38.41	16.4	VF	13	0.324	9.49
MACS J2243.3-0935 MACS J2245.0+2637	3260 3287	22:43:21.537 22:45:04.547	-09:35:44.30 +26:38:07.88	20.5 16.9	VF VF	I3 I3	0.101 0.304	0.78 9.36
MACS J2243.0+2037 MACS J2311+0338	3288	23:11:33.213	+03:38:06.51	13.6	VF	I3	0.304	10.98
MKW3S	900	15:21:51.930	+07:42:31.97	57.3	VF	13	0.045	1.14
MS 0016.9+1609 MS 0302.7+1658	520 525	00:18:33.503 03:05:31.614	+16:26:12.99 +17:10:02.06	67.4 10.0	VF VF	I3 I3	0.541 0.424	32.94 0.00
MS 0440.5+0204 †	4196	04:43:09.952	+02:10:18.70	59.4	VF	S3	0.424	2.17
MS 0451.6-0305	902	04:54:11.004	-03:00:52.19	44.2	F	S3	0.539	33.32
MS 0735.6+7421	4197	07:41:44.245	+74:14:38.23	45.5	VF	S3	0.216	7.57
MS 0839.8+2938 MS 0906.5+1110	2224 924	08:42:55.969 09:09:12.753	+29:27:26.97 +10:58:32.00	29.8 29.7	F VF	S3 I3	0.194 0.163	3.10 4.64
MS 1006.0+1202	925	10:08:47.194	+11:47:55.99	29.4	VF	13	0.221	4.75
MS 1008.1-1224	926	10:10:32.312	-12:39:56.80	44.2	VF	I3	0.301	6.44
MS 1054.5-0321 MS 1455.0+2232	512 4192	10:56:58.499 14:57:15.088	-03:37:32.76 +22:20:32.49	89.1 91.9	F VF	S3 I3	0.830 0.259	27.22 10.25
MS 1621.5+2640	546	16:23:35.522	+26:34:25.67	30.1	F	13	0.426	6.49
MS 2053.7-0449	1667	20:56:21.295	-04:37:46.81	44.5	VF	13	0.583	2.96
MS 2053.7-0449 MS 2137.3-2353	551 4974	20:56:21.297 21:40:15.178	-04:37:46.80 -23:39:40.71	44.3 57.4	F VF	I3 S3	0.583 0.313	2.96 11.28
MS J1157.3+5531 †	4964	11:59:52.295	+55:32:05.61	75.1	VF	S3	0.081	0.12
NGC 6338 †	4194	17:15:23.036	+57:24:40.29	47.3	VF	13	0.028	0.13
PKS 0745-191 RBS 0797	6103 2202	07:47:31.469 09:47:12.971	-19:17:40.01 +76:23:13.90	10.3 11.7	VF VF	I3 I3	0.103 0.354	18.41 26.07
RDCS 1252-29	4198	12:52:54.221	-29:27:21.01	163.4	VF	I3	1.237	2.28
RX J0232.2-4420	4993	02:32:18.771	-44:20:46.68	23.4	VF	13	0.284	18.17
RX J0340-4542	6954 527	03:40:44.765	-45:41:18.41 +05:20:43.11	17.9	VF VF	I3 I3	0.082	0.33
RX J0439+0520 RX J0439.0+0715	527 1449	04:39:02.218 04:39:00.710	+07:16:07.65	9.6 6.3	vr F	I3	0.208 0.230	3.57 9.44
RX J0439.0+0715	3583	04:39:00.710	+07:16:07.63	19.2	VF	13	0.230	9.44
RX J0528.9-3927	4994 3106	05:28:53.039	-39:28:15.53	22.5	VF VE	I3	0.263	12.99
RX J0647.7+7015 RX J0647.7+7015	3196 3584	06:47:50.029 06:47:50.014	+70:14:49.66 +70:14:49.69	19.3 20.0	VF VF	I3 I3	0.584 0.584	26.48 26.48
RX J0819.6+6336 †	2199	08:19:26.007	+63:37:26.53	14.9	F	S3	0.119	0.98
RX J0910+5422	2452	09:10:44.478	+54:22:03.77	65.3	VF	I3	1.100	1.33
RX J1053+5735 RX J1347.5-1145	4936 3592	10:53:39.844 13:47:30.593	+57:35:18.42 -11:45:10.05	92.2 57.7	F VF	S3 I3	1.140 0.451	0.00 100.36
RX J1347.5-1145	507	13:47:30.598	-11:45:10.03	10.0	F	S3	0.451	100.36
RX J1350+6007	2229	13:50:48.038	+60:07:08.39	58.3	VF	I3	0.804	2.19
RX J1423.8+2404 RX J1423.8+2404	1657 4195	14:23:47.759 14:23:47.763	+24:04:40.45 +24:04:40.63	18.5 115.6	VF VF	I3 S3	0.545 0.545	15.84 15.84
RX J1425.8+2404 RX J1504.1-0248	5793	15:04:07.415	-02:48:15.70	39.2	VF	I3	0.343	34.64
RX J1525+0958	1664	15:24:39.729	+09:57:44.42	50.9	VF	I3	0.516	3.29
RX J1532.9+3021 RX J1532.9+3021	1649 1665	15:32:55.642 15:32:55.641	+30:18:57.69 +30:18:57.31	9.4 10.0	VF VF	S3 I3	0.345 0.345	20.77 20.77
101 J 1 J J L . J T J U L 1	1005	10.04.00.041	150.10.57.51	10.0	A T.	1.5	U.J+J	20.11

TABLE 1 — Continued

Cluster	Obs.ID	R.A.	Dec.	ExpT	Mode	ACIS	z	$L_{bol}$ .
(1)	(2)	hr:min:sec (3)	°:′:″ (4)	ksec (5)	(6)	(7)	(8)	$10^{44} \text{ ergs s}^{-1}$ (9)
-		17.16.40.015	. (7.09.25.90		E	12		
RX J1716.9+6708	548	17:16:49.015	+67:08:25.80	51.7	F	I3	0.810	8.04
RX J1720.1+2638	4361	17:20:09.941	+26:37:29.11	25.7	VF	I3	0.164	11.39
RX J1720.2+3536	3280	17:20:16.953	+35:36:23.63	20.8	VF	I3	0.391	13.02
RX J1720.2+3536	6107	17:20:16.949	+35:36:23.68	33.9	VF	13	0.391	13.02
RX J1720.2+3536	7225	17:20:16.947	+35:36:23.69	2.0	VF	I3	0.391	13.02
RX J2011.3-5725	4995	20:11:26.889	-57:25:09.08	24.0	VF	I3	0.279	2.77
RX J2129.6+0005	552	21:29:39.944	+00:05:18.83	10.0	VF	I3	0.235	12.56
S0463	6956	04:29:07.040	-53:49:38.02	29.3	VF	13	0.099	22.19
S0463	7250	04:29:07.063	-53:49:38.11	29.1	VF	13	0.099	22.19
TRIANG AUSTR †	1281	16:38:22.712	-64:21:19.70	11.4	F	I3	0.051	9.41
V 1121.0+2327	1660	11:20:57.195	+23:26:27.60	71.3	VF	I3	0.560	3.28
ZWCL 1215	4184	12:17:40.787	+03:39:39.42	12.1	VF	13	0.075	3.49
ZWCL 1358+6245	516	13:59:50.526	+62:31:04.57	54.1	F	S3	0.328	12.42
ZWCL 1953	1659	08:50:06.677	+36:04:16.16	24.9	F	I3	0.380	17.11
ZWCL 3146	909	10:23:39.735	+04:11:08.05	46.0	F	I3	0.290	29.59
ZWCL 5247	539	12:34:21.928	+09:47:02.83	9.3	VF	I3	0.229	4.87
ZWCL 7160	543	14:57:15.158	+22:20:33.85	9.9	F	13	0.258	10.14
ZWICKY 2701	3195	09:52:49.183	+51:53:05.27	26.9	VF	S3	0.230	5.19
ZwCL 1332.8+5043	5772	13:34:20.698	+50:31:04.64	19.5	VF	I3	0.620	4.46
ZwCl 1332.8+3043 ZwCl 0848.5+3341	4205	08:51:38.873			VF VF	S3		
ZWC1 0646.5+3341	4205	08:31:38.873	+33:31:08.00	11.4	٧٢	33	0.371	4.58

Note. — (1) Cluster name, (2) CDA observation identification number, (3) R.A. of cluster center, (4) Dec. of cluster center, (5) nominal exposure time, (6) observing mode, (7) CCD location of centroid, (8) redshift, (9) NRAO absorbing Galactic neutral hydrogen column density, (10) bolometric luminosity.  $\dagger$  indicates clusters analyzed within  $R_{5000}$  only.

TABLE 2
WEIGHTED AVERAGES FOR VARIOUS APERTURES

Aperture	[0.7-7.0] keV	[2.0-7.0] keV . Without Core .	T <sub>HBR</sub>	[0.7-7.0] keV	[2.0-7.0] keV . With Core .	<i>T<sub>HBR</sub></i>
R <sub>2500</sub> R <sub>5000</sub> Simulated Control	4.94±0.02 4.83±0.02 3.853±0.004 4.782±0.004	6.26±0.07 6.11±0.07 4.457±0.009 5.143±0.008	1.16±0.01 1.14±0.01 1.131±0.002 1.001±0.002	4.47±0.02 4.27±0.02	5.45±0.05 5.29±0.05	1.13±0.01 1.14±0.01

Note. — Quoted errors are standard deviation of the mean calculated using an unbiased estimator for weighted samples. Simulated sample has been culled to include only  $T_2$ =0.75 keV.

TABLE 3 Clusters with  $T_{HBR} > 1.1$  at the  $1\sigma$  level.

Name	$T_{HBR}$	Merger?	Core Class	$T_{dec}$	X-ray Morphology	Ref.
RX J1525+0958	$1.86^{+0.83}_{-0.51}$	Y	CC	$0.42^{+0.14}_{-0.08}$	Arrowhead shape w/ no visible core	[24]
MS 1008.1-1224	1 50±0.37	Y	NCC	0 03+0.19	Wide gas tail extending ≈550 kpc north	[1]
ABELL 2034	$1.40^{+0.14}_{-0.11}$	Y	NCC	$1.07^{+0.11}_{-0.09}$	Prominent cold front, gas tail extending south	[2]
ABELL 401	$1.37^{-0.11}_{-0.10}$	Y	NCC	$1.07_{-0.09}^{+0.12}$ $1.13_{-0.10}^{+0.12}$	Highly spherical w/ possible cold front to north	[3]
ABELL 1689	$1.36^{-0.19}_{-0.12}$	Y	NCC	$0.95^{+0.09}_{-0.07}$	Exceptionally spherical w/ bright central core	[6],[7]
RX J0439.0+0715	$1.30_{-0.12}$ $1.42_{-0.18}^{+0.24}$	Unknown	NCC	$0.00 \pm 0.11$	Bright core w/ possible cold front to north	[24]
ABELL 3376	$1.33^{+0.11}_{-0.10}$	Y	NCC		Highly disturbed w/ broad gas tail to west	[4],[5]
ABELL 2255	$1.32^{+0.12}_{-0.10}$	Y	NCC	$0.97^{+0.07}_{-0.07}$ $1.48^{+0.32}_{-0.23}$	Spherical w/ compressed isophotes west of core	[8],[9]
ABELL 2218	$1.36^{+0.19}_{-0.15}$	Y	NCC	$1.39^{+0.23}_{-0.19}$	Spherical, core of cluster elongated NW-SE	[10]
ABELL 1763	$1.48^{+0.39}_{-0.26}$	Y	NCC	$0.83^{+0.17}_{-0.13}$	Elongated ENE-SSW w/ cold front to west of core	[11],[12]
MACS J2243.3-0935	$1.76^{-0.81}_{-0.55}$	Unknown	NCC	$0.83_{-0.13}^{+0.14}$ $1.73_{-0.32}^{+0.44}$	No core, highly flattened along WNW-ESE axis	[24]
ABELL 2069	$1.32^{+0.17}_{-0.14}$	Y	NCC	$1.00^{+0.18}_{-0.14}$	No core, highly elongated NNW-SSE	[13]
ABELL 2384	$1.31^{+0.16}_{-0.14}$	Unknown	CC	0 =010.03	Gas tail extending 1.1 Mpc from core	[24]
ABELL 168	-0.14	Y	NCC	$0.59_{-0.03}^{+0.03}$ $1.16_{-0.10}^{+0.14}$	Highly disrupted and irregular	[14],[15]
ABELL 209	$1.38^{+0.28}_{-0.22}$	Y	NCC	$1.08^{+0.22}_{-0.17}$	Asymmetric core structure w/ possible cold front	[16]
ABELL 665	$1.29^{+0.15}_{-0.13}$	Y	NCC	$1.14^{+0.19}_{-0.15}$ $1.04^{+0.10}_{-0.08}$	Wide, broad gas tail extending north w/ prominent cold front	[17]
1E0657-56	1.21+0.06	Y	NCC	$1.04^{+0.10}_{-0.08}$	The famous "Bullet Cluster"	[18]
MACS J0547.0-3904	1.51 <sub>-0.05</sub> 1.51 <sub>-0.36</sub>	Unknown	NCC	$0.79^{+0.11}_{-0.09}$	Bright core w/ gas spur extending NW	[24]
ZWCL 1215	$1.31^{+0.21}_{-0.18}$	Unknown	NCC	$0.79_{-0.09}^{+0.09}$ $0.95_{-0.12}^{+0.15}$	No core, flattened along NE-SW axis	[24]
ABELL 1204	$1.31_{-0.18}$ $1.26_{-0.14}^{+0.17}$	Unknown	NCC	$0.93_{-0.12}^{+0.05}$ $0.96_{-0.05}^{+0.05}$	Highly spherical w/ bright centralized core	[24]
MKW3S		Y	CC	$0.96^{+0.05}_{-0.05}$ $0.87^{+0.02}_{-0.02}$	High mass group, egg shaped w/ bright core	[19]
MACS J2311+0338.	$1.54^{+0.68}_{-0.42}$	Unknown	NCC	$0.87^{+0.02}_{-0.02}$ $0.69^{+0.20}_{-0.15}$	Elongated N-S w/ disc-like core elongated toward gas clump	[24]
ABELL 267	$1.33^{+0.27}_{-0.21}$	Unknown	NCC	1 00±0.20	Elongated NNE-SSW w/ cold front to north	[24]
RX J1720.1+2638	$1.33_{-0.21}$ $1.22_{-0.11}^{+0.12}$	Y	CC	$0.73^{+0.04}_{-0.04}$	Highly spherical w/ bright peaky core and cold front	[20]
ABELL 907		Unknown	CC	0.03±0.03	NW-SW elongation and western cold front	[24]
ABELL 514		Y	NCC	$0.77_{-0.03}$ $1.56_{-0.40}^{+1.07}$	Very diffuse and disrupted	[21]
ABELL 1651	$1.24^{+0.16}_{-0.13}$	Y	NCC	$1.07^{+0.10}_{-0.00}$	Spherical w/ compressed isophotes to SW	[22]
3C 28.0	$1.23^{+0.14}_{-0.12}$	Y	CC	$0.54^{+0.03}_{-0.03}$	Obvious merger w/ $\sim$ 1 Mpc gas tail	[23]
MACS J1427.6-2521	$1.80^{+1.13}_{-0.69}$	Unknown	NCC	$0.85^{+0.19}_{-0.14}$	Highly spherical w/ bright peaky core	[24]

NOTE. — Clusters ordered by lower limit of  $T_{HBR}$ . [1] Ettori & Lombardi (2003), [2] Kempner et al. (2003), [3] Yuan et al. (2005), [4] Markevitch et al. (1998), [5] Bagchi et al. (2006), [6] Teague et al. (1990), [7] Andersson & Madejski (2004), [8] Burns et al. (1995), [9] Feretti et al. (1997), [10] Girardi et al. (1997), [11] Dahle et al. (2002), [12] Smith et al. (2005), [13] Gioia et al. (1982), [14] Hallman & Markevitch (2004), [15] Yang et al. (2004), [16] Mercurio et al. (2003), [17] Gómez et al. (2000), [18] Tucker et al. (1998), [19] Krempec-Krygier & Krygier (1999), [20] Mazzotta et al. (2001), [21] Govoni et al. (2001), [22] Bliton et al. (1998), [23] Gutierrez & Krawczynski (2005), [24] this work.

TABLE 4 Summary of Excised  $R_{2500}$  Spectral Fits

Cluster	R <sub>CORE</sub>	R <sub>2500</sub>	$N_{HI}$	T <sub>77</sub>	T <sub>27</sub>	$T_{HBR}$	Z <sub>77</sub>	$\chi^2_{red,77}$	$\chi^2_{red,27}$	% Source
(1)	kpc (2)	kpc (3)	$10^{20} \text{ cm}^{-2}$ (4)	keV (5)	keV (6)	(7)	$Z_{\odot}$ (8)	(9)	(10)	(11)
•				11.99 +0.27	14.54 +0.67		0.29+0.03			
1E0657 56 † 1RXS J2129.4-0741 †	69 68	687 504	6.53 4.36	8.22 <sup>+1.18</sup>	$8.10^{+1.47}_{-1.10}$	$1.21^{+0.06}_{-0.05}$ $0.99^{+0.23}_{-0.18}$	$0.29_{-0.02}^{+0.03}$ $0.43_{-0.17}^{+0.18}$	1.24 1.07	1.11 1.05	92 80
2PIGG J0011.5-2850	70	547	2.18	5.15 +0.25 5.15 +0.25	6.10 - 1.10 $6.20 + 0.79$ $-0.65$	$0.99_{-0.18}$ $1.20_{-0.16}^{+0.16}$	$0.43_{-0.17}$ $0.26_{-0.08}^{+0.09}$	1.07	1.03	70
2PIGG J2227.0-3041	70	378	1.11	$2.80^{+0.15}_{-0.24}$	$2.97^{+0.34}_{-0.65}$	1.06 +0.13	$0.20_{-0.08}$ $0.35^{+0.09}$	1.16	1.15	69
3C 220.1	70	437	1.91	$9.26^{+14.71}_{-2.08}$	$8.00^{+17.66}$	$0.86^{+1.49}_{-0.20}$	$0.00^{+0.52}_{-0.08}$	1.15	1.39	61
3C 28.0	70	420	5.71	$5.53^{+0.29}_{-0.27}$	6 81 +0.71	1 23 +0:14	$0.30^{+0.08}_{-0.07}$	0.98	0.88	87
3C 295	69	466	1.35	$5.16^{+0.42}_{-0.39}$	5.93 <sup>+0.84</sup> <sub>-0.69</sub>	1.15 +0.19	$0.38^{+0.12}_{-0.01}$	0.91	0.93	79
3C 388	70	419	6.11	$3.23^{+0.23}_{-0.21}$	$3.26^{+0.49}_{-0.37}$	$1.01^{+0.17}_{-0.13}$	$0.51_{-0.14}^{+0.16}$	0.95	0.95	68
4C 55.16	70	425	4.00	$4.98^{+0.17}_{-0.17}$	5.54 +0.46	1.11 +0.09	$0.49_{-0.07}^{+0.07}$	0.89	0.80	58
ABELL 0068	69	652	4.60	9.01 + 1.53	$9.13^{+2.60}_{-1.71}$	1.01 +0.34 -0.23	$0.46^{+0.24}_{-0.22}$	1.15	1.13	79
ABELL 0168 †	69	382	3.27	$2.56^{+0.11}_{-0.08}$	$3.36^{+0.37}_{-0.35}$	1.31 +0.16 1.31 +0.14 1.38 +0.28	$0.29^{+0.06}_{-0.04}$	1.07	1.03	40
ABELL 0209 †	70	609	1.68	$7.30^{+0.59}_{-0.51}$	$10.07^{+1.91}_{-1.41}$	$1.38^{+0.28}_{-0.22}$	$0.23^{+0.10}_{-0.09}$	1.12	1.11	82
ABELL 0267 †	69	545	2.74	$6.70^{+0.56}_{-0.47}$	$8.88^{+1.68}_{-1.27}$	1.33 +0.27	$0.32^{+0.11}_{-0.11}$	1.18	1.15	82
ABELL 0370	71	517	3.37	$7.35^{+0.72}_{-0.84}$	$10.35^{+1.89}_{-2.27}$	$1.41^{+0.29}_{-0.35}$	$0.45^{+0.06}_{-0.23}$	1.08	1.04	39
ABELL 0383	69	424	4.07	$4.91^{+0.29}_{-0.27}$	5.42 +0.74	$1.10^{+0.16}_{-0.13}$	$0.44^{+0.11}_{-0.11}$	0.97	0.90	64
ABELL 0399	70	546	$7.57^{+0.71}_{-0.71}$	7.95 -0.31	8.87 +0.55 -0.50	-0.08	0.30+0.05	1.12	0.99	82
ABELL 0401	70	643	12.48	$6.37_{-0.19}^{+0.19}$	8.71 +0.72 -0.61 8.62 +0.58	$1.37^{+0.12}_{-0.10}$ $1.18^{+0.09}_{-0.00}$	$0.26^{+0.06}_{-0.06}$ $0.45^{+0.06}_{-0.06}$	1.44	1.05	78
ABELL 0478	70 70	597	30.90	2.60 +0.18	-0.54	-0.08	-0.05	1.05	0.95	91 56
ABELL 0514 ABELL 0520	70 69	495 576	$3.14$ $1.06^{+1.06}_{-1.05}$	$3.60^{+0.18}_{-0.18}$ $9.29^{+0.67}_{-0.60}$	$4.55_{-0.50}^{+0.63}$ $9.88_{-0.73}^{+0.85}$	$1.26^{+0.19}_{-0.15}$ $1.06^{+0.12}_{-0.10}$	$0.30^{+0.09}_{-0.08}$ $0.37^{+0.07}_{-0.07}$	1.08 1.11	0.97 1.04	56 87
ABELL 0520 ABELL 0521	69	535	6.17	$7.03^{+0.59}_{-0.53}$	o 20 +1.62	$1.00_{-0.10}^{+0.10}$ $1.19_{-0.20}^{+0.25}$	$0.37_{-0.07}$ $0.39^{+0.13}$	1.11	1.04	49
ABELL 0586	70	635	4.71	$6.47^{+0.53}_{-0.47}$	0 06 +1.46	1 25 +0.25	$0.56^{+0.17}_{-0.16}$	0.91	0.81	82
ABELL 0611	69	524	4.99	$7.06^{+0.55}_{-0.48}$	$7.97^{+1.09}_{-0.91}$	1 13 +0.18	$0.35^{+0.11}_{-0.16}$	0.97	0.98	54
ABELL 0665	69	618	4.24	$7.45^{+0.38}_{-0.34}$	$9.61^{+1.02}_{-0.95}$	1.29 +0:13	$0.31^{+0.06}_{-0.7}$	1.02	0.93	87
ABELL 0697	70	611	3.34	9 52 +0:87	12.24 +2.05	1 20 +0.25	$0.37^{+0.12}_{-0.07}$	1.08	1.02	89
ABELL 0773	69	614	1.46	7.83 +0.66	$9.75  {}^{-1.63}_{-1.27}$	1 25 +0:24	$0.44^{+0.12}_{-0.12}$	1.06	1.09	84
ABELL 0781	69	661	1.90	$5.81^{-0.57}_{-0.79}$	$7.50^{+3.57}_{-1.81}$	$1.29_{-0.19}^{+0.65}$ $1.29_{-0.36}^{+0.65}$	$0.31_{-0.20}^{+0.24}$	1.38	1.61	74
ABELL 0907	70	488	5.69	$5.59_{-0.18}^{+0.18}$	6 60 +0.47	$1.20^{+0.09}_{-0.08}$	$0.42^{+0.06}_{-0.05}$	1.13	0.99	88
ABELL 0963	70	543	1.39	$6.73^{+0.32}_{-0.30}$	6.98 <sup>+0.66</sup> <sub>-0.57</sub>	$1.04^{+0.11}_{-0.10}$	$0.29^{+0.07}_{-0.08}$	1.06	1.02	64
ABELL 1063S	70	650	1.77	$11.96^{+0.88}_{-0.79}$	$13.70^{+1.68}_{-1.38}$	$1.15^{+0.16}_{-0.14}$ $1.26^{+0.17}_{-0.14}$	$0.38^{+0.09}_{-0.09}$	1.02	0.98	90
ABELL 1204	70	419	1.44	3.63 <sup>+0.18</sup> -0.16 6.01 <sup>+0.75</sup>	$4.58  \substack{+0.57 \\ -0.45}$	1.26 +0.17	$0.31^{+0.09}_{-0.09}$	1.06	0.90	88
ABELL 1423	70	614	1.60	0.01 -0.64	7.53 +2:35	1.25 +0.42 -0.29 1.24 +0.16	0.30+0.18	0.87	0.65	78
ABELL 1651	70	595	2.02	6.26 <sup>+0.30</sup> <sub>-0.27</sub>	$7.78^{+0.90}_{-0.76}$	-0.13	$0.42^{+0.09}_{-0.09}$ $0.60^{+0.40}_{-0.33}$	1.19	1.20	86
ABELL 1682	70 70	624	1.10 1.87	$7.06^{+1.76}_{-1.26}$ $9.48^{+0.38}_{-0.25}$	$10.30^{+8.85}_{-3.42}$ $12.89^{+1.23}_{-1.01}$	$1.46^{+1.31}_{-0.55}$ $1.36^{+0.14}_{-0.12}$	$0.60^{+0.06}_{-0.33}$ $0.36^{+0.06}_{-0.05}$	1.19	1.33	64 91
ABELL 1689 † ABELL 1758	70 70	681 573	1.09	$9.48_{-0.35}$ $12.14_{-0.02}^{+1.15}$	$12.89_{-1.01}$ $11.16_{-2.14}^{+3.08}$	$0.92^{+0.27}_{-0.12}$	$0.56_{-0.05}^{+0.13}$	1.13 1.21	1.02 1.09	58
ABELL 1758 ABELL 1763	69	562	0.82	$7.78^{+0.67}_{-0.60}$	$11.10_{-2.14}$ $11.49_{-1.84}^{+2.89}$	$0.92_{-0.19}$ $1.48_{-0.39}^{+0.39}$	$0.30_{-0.13}$ $0.25^{+0.11}$	1.12	0.92	36 84
ABELL 1835	69	571	2.36	$9.77^{+0.57}_{-0.52}$	11.00 +1.23	1.13 +0.14	$0.23_{-0.10}$ $0.31_{-0.07}^{+0.08}$	0.98	1.02	86
ABELL 1914	70	698	0.97	$9.62^{+0.52}_{+0.55}$	11 42 +1.26	1.19 +0.15	$0.30^{+0.08}_{-0.07}$	1.07	1.03	92
ABELL 1942	70	474	2.75	$4.77^{-0.49}_{-0.38}$	$5.49^{+0.98}_{-0.74}$	$1.15^{+0.13}_{+0.22}$	$0.33^{+0.12}_{-0.07}$	1.06	1.04	70
ABELL 1995	70	366	1.44	$8.37  \substack{-0.33 \\ +0.70}_{-0.61}$	9 23 +1:44	$1.10^{-0.18}_{-0.16}$	$0.39^{+0.12}_{-0.11}$	1.02	0.96	74
ABELL 2034	69	594	1.58	$7.15  \substack{+0.23 \\ -0.22}$	$10.02^{+0.92}_{-0.75}$	$1.40_{-0.16}^{+0.16}$ $1.40_{-0.11}^{+0.17}$ $1.32_{-0.14}^{+0.17}$	$0.32^{+0.05}_{-0.05}$	1.22	1.00	84
ABELL 2069	69	623	1.97	8.37 -0.61 7.15 +0.23 -0.22 6.50 +0.33 -0.29	10.02 ±0.92 8.61 ±1.02 8.61 ±1.02 11.10 ±4.67 3.76 ±0.98 21.30 ±1.77 10.57 ±1.47 10.57 ±1.47 10.03 ±1.23 10.03 ±0.99 8.10 ±0.66 8.10 ±0.66 6.40 ±1.53 6.40 ±1.53 6.40 ±1.53	$1.32^{+0.17}_{-0.14}$	0.32+0.05 0.26+0.08 0.26+0.08 0.13+0.19 0.31+0.18 0.10+0.06 0.37+0.10 0.37+0.10	1.04	0.96	71
ABELL 2111	69	592	2.20	$6.50_{-0.29}^{+0.30}$ $7.13_{-0.95}^{+1.29}$ $2.88_{-0.27}^{+0.30}$	$11.10^{+4.67}_{-3.05}$	$1.32_{-0.14}^{+0.14}$ $1.56_{-0.48}^{+0.71}$ $1.31_{-0.26}^{+0.37}$	$0.13^{+0.19}_{-0.13}$	1.06	0.88	76
ABELL 2125	69	370	2.75	$2.88^{+0.30}_{-0.27}$	$3.76^{+0.98}_{-0.65}$	$1.31^{+0.37}_{-0.26}$	$0.31^{+0.18}_{-0.16}$	1.26	1.30	61
ABELL 2163	69	751	12.04		$21.30^{+1.77}_{-1.47}$	$1.31^{+0.37}_{-0.26}$ $1.11^{+0.11}_{-0.09}$ $1.22^{+0.19}_{-0.16}$	$0.10^{+0.06}_{-0.06}$	1.37	1.26	90
ABELL 2204	70	574	5.84	19.20 +0.80 8.65 +0.58 7.35 +0.39 7.35 +0.39	$10.57^{+1.48}_{-1.23}$	1.22 +0.19	$0.37^{+0.10}_{-0.09}$	0.95	1.00	90
ABELL 2218	70	557	3.12		10.03 +1.26	1.22 +0.19 1.36 +0.19 1.36 +0.15 1.32 +0.12 1.32 +0.28 1.24 +0.28 -0.21	$0.37_{-0.09}^{+0.10}$ $0.22_{-0.06}^{+0.07}$ $0.30_{-0.06}^{+0.06}$ $0.41_{-0.14}^{+0.14}$	1.01	0.90	87
ABELL 2255	70	571	2.53	$6.12_{-0.19}^{+0.20}$ $5.18_{-0.32}^{+0.46}$	8.10 +0.00	1.32 +0.12	0.30-0.06	1.13	0.95	76
ABELL 2259	70	481	3.70		$6.40^{+1.33}_{-0.95}$ $9.30^{+1.21}_{-0.91}$	1 22 +0 18	0.41+0.14	1.05	1.01	85
ABELL 2261 ABELL 2294	70 69	577 572	3.31 6.10		$9.30_{-0.91}^{+0.91}$ $11.07_{-2.11}^{+3.19}$ $6.22_{-0.60}^{+0.72}$	$1.22_{-0.14}^{+0.14}$ $1.11_{-0.25}^{+0.36}$ $1.31_{-0.14}^{+0.16}$	$0.41_{-0.14}^{+0.14}$ $0.36_{-0.08}^{+0.08}$ $0.53_{-0.21}^{+0.21}$ $0.23_{-0.07}^{+0.07}$	0.99 1.07	0.95 0.95	90 82
ABELL 2384	69	436	2.99		6 22 +0.72	1 31 +0.16	0.33-0.21	1.07	0.93	82 81
ABELL 2409	69	512	6.72		$6.22_{-0.60}^{+0.60}$ $6.77_{-0.82}^{+0.99}$ $7.81_{-0.93}^{+1.15}$	1 1 4 +0 19	$0.23_{-0.07}^{+0.07}$ $0.37_{-0.11}^{+0.13}$ $0.40_{-0.13}^{+0.13}$ $0.33_{-0.08}^{+0.09}$	1.13	0.92	88
ABELL 2537	68	497	4.26		7.81 +1.15	1.14 -0.16 0.93 +0.16 -0.13 1.05 +0.23 -0.17	$0.40^{+0.11}$	0.91	0.84	46
ABELL 2550	69	349	2.03			$1.05^{-0.13}_{-0.23}$	$0.33^{+0.09}_{-0.00}$	1.26	1.11	34
ABELL 2631	70	631	3.74	$2.06_{-0.11}^{+0.12}$ $7.06_{-0.84}^{+1.06}$		$1.11^{+0.35}_{-0.24}$	$0.34^{+0.19}_{-0.19}$	0.97	0.88	83
ABELL 2667	69	524	1.64			1.05 -0.17 1.11 +0.35 1.10 +0.18 1.10 -0.15	$0.33_{-0.08}^{+0.19}$ $0.34_{-0.18}^{+0.11}$ $0.36_{-0.11}^{+0.11}$	1.17	1.08	76
ABELL 2670	69	451	2.88		7.45 + 0.88 $4.65 + 0.42$ $3.17 + 0.58$ $10.20 + 1.38$ $10.20 + 1.38$	1.10 -0.15 1.18 +0.11 1.21 +0.23 1.21 -0.18	$0.36_{-0.11}^{+0.01}$ $0.42_{-0.06}^{+0.08}$ $0.48_{-0.10}^{+0.13}$ $0.24_{-0.09}^{+0.10}$	1.13	1.07	70
ABELL 2717	69	298	1.12		$3.17^{+0.58}_{-0.43}$	$1.21^{+0.23}_{-0.18}$	$0.48^{+0.13}_{-0.10}$	0.88	0.87	55
ABELL 2744	68	620	1.82	$2.63^{+0.17}_{-0.16}$ $9.18^{+0.68}_{-0.60}$	$10.20^{+1.38}_{-1.10}$	$1.11^{+0.17}_{-0.14}$	$0.24^{+0.10}_{-0.09}$	0.99	0.90	67
ABELL 3164	69	433	2.55	$9.18_{-0.60}^{+0.06}$ $2.83_{-0.26}^{+0.13}$ $4.48_{-0.12}^{+0.11}$	$10.20_{-1.10}^{+1.36}$ $3.81_{-1.42}^{+3.56}$ $5.95_{-0.42}^{+0.47}$		0.20+0.33	0.88	0.94	29
ABELL 3376 †	69	463	5.21	$4.48^{+0.11}_{-0.12}$	$5.95^{+0.47}_{-0.42}$	$1.35_{-0.52}^{+0.12}$ $1.33_{-0.10}^{+0.11}$	$0.39_{-0.21}^{+0.05}$ $0.39_{-0.08}^{+0.05}$	1.16	1.09	63

TABLE 4 — Continued

Charter   New									2	2	
CI   C  C  C  C  C  C  C  C  C  C  C  C  C	Cluster	$R_{CORE}$		$N_{HI}$	$T_{77}$	$T_{27}$	$T_{HBR}$	$Z_{77}$	$\chi^2_{red,77}$	$\chi^2_{red,27}$	% Source
CL. 02214-1918	(1)						(7)	Z <sub>⊙</sub> (8)	(9)	(10)	(11)
CL. 02214-1918					5 70 ±0.24	6 65 +0.65	1 17 +0.12	` '	- '		
CL. 02214-1918						8 30 +1.03		0.31_0.07			
CL 12903-2618 69 753 4.10 4.63 127 5.18 125 1.10 1.25 13 0.26 18 0.94 0.93 62 1.00 1.23 37 CL 10152-1357 69 375 1.45 7.33 1.27 7.31 1.31 1.00 1.00 0.00 1.00 1.23 37 CL 10152-1357 69 375 1.45 7.33 1.27 7.31 1.31 1.00 1.00 0.00 1.00 1.00 1.00 1					-0.44		-0.13	0.20_0.09			
CL 10030-2618 69 753 4.10 4.63 1.73 1.12 1.2 769 0.26 1.25 1.00 1.23 37 6 1.10 1.21 3.15 69 375 1.45 7.33 1.45 1.04 1.15 1.00 1.23 37 6 1.10 1.12 3.15 69 375 1.45 7.33 1.45 1.04 1.15 1.04 1.04 1.04 1.04 1.04 1.04 1.04 1.04					6.62 +1:24	-5.10	-0.57	0.00_0.33			
CL 10152-1857 69 375 145 733 278 731 281 100 450 000 000 88 100 36 6CL 10848-44561 68 306 253 4.53 19 557 14 10 433 016 89 100 36 6CL 10848-44561 68 306 253 4.53 19 557 14 10 433 016 89 100 000 88 100 36 6CL 10848-44561 68 306 253 4.53 19 557 14 10 433 016 89 100 000 88 100 20 093 58 10 00 10 10 10 10 10 10 10 10 10 10 10						-1.31	-0.25	$0.34_{-0.18}$			
CL 108428-44100						-1.90	_X-5-X	0.20_0.26			
CL.19684-4456† 68 306 2.53 4.53 ±57 5.24 1.22 ±58 0.00 ±68 0.02 ± 0.03 ± 85 CL.1121-2015 69 417 5.51 4.19 ±48 4.10 ±47 0.09 ±68 0.00 ±68 0					$6.07^{+1.47}$	-2.04	-y.37	-8.88			
CLJII13-12615 69 417 5.51 4.19 150 419 10.0 427 0.98 150 0.66 150 4.3 0.06 150 6.6 150 150 150 150 150 150 150 150 150 150						-1.41	-0.29	-0.10			
CL.11213-09332 † 70 450 1.37 11.81 43.31 55 0.05 4.32 10.05 30 0.06 0.05 0.48 0.62 56   CL.11240-33323 † 70 450 1.37 11.81 4.39 11.29 4.30 11.2	· ·				_1.13	-1.74	-U-49	$0.46^{+0.63}_{-0.44}$			
CL.11641-44001 69 224 1.09 3.29 68 57.57 58 10 .77 52 12 0.77 52 1.63 1.77 74 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0		69	362	1.78	$4.83  {}^{+3.25}_{-1.65}$	$5.05^{+3.43}_{-2.32}$	$1.05^{-0.42}_{-0.60}$	$0.06^{+0.95}_{-0.06}$	0.48	0.62	56
CL 1230 28-0844	CL J1226.9+3332 †	70	450	1.37	$11.81^{+2.25}_{-1.70}$	$11.29_{-1.77}^{+2.45}$	$0.96^{+0.28}_{-0.20}$	$0.21^{+0.21}_{-0.21}$	0.81	0.86	86
DLS B051-4904	CL J1641+4001	69	234		-0.54	-2.01		$0.77^{+0.92}_{-0.59}$			74
MACS 1001.7-1523 † 69 452 2.08 6.4-3 88 6.7-3 88 1.04 81 0.05 0.09 87  MACS 1001.7-1523 † 69 452 2.08 6.4-3 88 6.7-3 88 1.04 81 0.05 0.09 0.92 80  MACS 10025.4-1222 † 69 454 2.72 6.33 88 6.01 88 0.02 88 0.03 88 0.09 0.92 80  MACS 1011.5-0855 69 417 4.18 4.11 1.05 7.04 80 9.31 1.25 1.25 1.25 1.25 1.25 1.25 1.25 1.2	CL J2302.8+0844	69	493		-1.32		$1.10^{+0.56}_{-0.54}$	$0.13^{+0.33}_{-0.13}$	0.89	0.97	50
MACS 10025.4-1222; f 69	DLS J0514-4904	69				0.14 -1.34	-0.54	-0.20			
MACS 10053-4-2015 69 527 1.55 7.46 99 3.31 1.88 12.5 3.37 1.58 0.94 0.93 90 MACS 1011.5+0855 69 447 4.18 4.11 1.68 3.72 1.32 1.28 30 0.22 30 1.10 1.0 1.02 84 MACS 10152-52852 69 440 1.54 10.90 1.74 1.28 1.28 1.28 1.28 1.28 1.28 1.28 1.28	·				-0.43		-0.12	$0.30^{+0.10}_{-0.09}$			
MACS J0115-6855 69 417 4.18 4.11 6.165 7.24 1.29 0.11 1.20 1.10 6.8 0.65 49  MACS J0152-2852 69 440 1.46 5.64 0.05 7.24 1.29 0.11 1.20 3.1 1.10 0.88 0.65 49  MACS J0159-0.3412 69 549 1.54 10.90 1.73 1.46 1.73 1.34 1.33 0.26 1.10 0.87 0.87 0.92 81  MACS J0159-8.0849 † 69 587 2.01 9.16 0.77 1.98 1.13 1.34 1.33 0.26 1.10 0.87 0.87 0.92 81  MACS J0159-8.0849 † 69 587 2.01 9.16 0.77 1.98 1.13 1.34 1.33 0.26 1.08 1.09 90  MACS J0159-8.0849 † 69 587 2.01 9.16 0.77 1.07 1.07 1.07 1.07 1.07 1.07 1.07	'				-X-4X	-0.85	-0.17	$0.37^{+0.16}_{-0.15}$			
MACS IDIS25-2882 69 440 1.46 5.64 -0.37 14.27 13.28 3.0 0.22 0.21 1.10 1.02 84 MACS IDIS9.0-3412 69 549 1.54 10.90 0.23 14.65 5.79 1.34 0.35 0.22 0.28 0.87 0.92 81 MACS IDIS9.0-3412 69 587 2.01 9.16 0.27 14.65 5.79 1.34 0.35 0.30 0.36 0.87 0.92 81 MACS IDIS9.0-8404 7 69 587 2.01 9.16 0.27 14.65 5.79 1.34 0.35 0.30 0.36 0.88 1.09 90 MACS IDIS9.1-2325 7 70 579 2.09 9.25 1.38 10.16 0.35 0.34 0.34 0.34 0.38 1.09 90 MACS IDIS9.1-2325 7 70 579 2.09 9.25 1.38 10.16 0.35 0.34 0.34 0.34 0.38 1.09 90 1.08 84 MACS IDIS9.1-2325 7 70 579 2.09 9.25 1.38 10.16 0.35 0.34 0.34 0.34 0.38 1.34 0.34 0.34 0.38 1.34 0.34 0.34 0.34 0.34 0.34 0.34 0.34 0					-y.go	7.31 -1.29	-V-41	-0.12			
MACS 10159.0-3412 69 549 1.54 10.90 371 1.45 12.91 12.91 12					-1.05	$3.72_{-1.29}$	$0.91_{-0.39}$				
MACS 10159.8-0849 † 69					$3.04_{-0.70}$	7.24 -1.59	-0.34	-0.17			
MACS 10242.5-2132 69 497 2.71 5.8 268 2.6 2.8 1.0 2.8 2.8 2.8 84  MACS 10257.1-2325 † 70 579 2.09 9.25 1.01 10.16 1.4 1.10 1.0 1.0 1.10 1.10 1.12 1.26 84  MACS 10308.9-2645 69 539 11.88 10.54 1.28 11.38 2.18 1.08 8.23 1.08 8.2					-2,33	-5.39	-y.58	-0.26			
MACS J0257.1-2325 † 70 579 2.09 9.25   28	'				9.16 -0.63	-0.96	-0.13	-0.09			
MACS 10357.6-2209 68 540 2.02 8.02 - 102 8.17 - 103					-0.32	-0,55	70.21	-0.15			
MACS J0308-9-2645 69 539 11.88 10.54-138 11.88 216 0.97 1.01 87 MACS J0309-6-0211† 71 419 6.21 6.30 491 7.50 498 11.9 491 0.41-28 11.0 1.17 86 MACS J0404-6+1109 71 473 14.96 6.30 491 7.50 498 11.9 491 0.41-28 11.0 1.17 86 MACS J0417-5-1154 70 430 4.00 11.07 498 14.90 493 1.35 493 0.33 491 1.07 0.97 94 MACS J0429-6-0253 68 495 5.70 5.66 494 14.90 493 1.35 493 1.35 493 0.33 491 1.07 0.97 94 MACS J0429-6-0253 68 495 5.70 5.66 494 7.65 5.80 498 7.70 498 1.25 1.25 1.35 83 MACS J0451-9-0006 69 440 7.65 5.80 498 7.72 498 1.21 493 0.35 491 1.25 1.35 83 MACS J0452-04567 68 461 10.45 7.22 498 8.25 218 1.14 493 0.36 493 1.25 1.35 83 MACS J0453-3904 69 363 4.08 3.58 494 5.41 498 1.29 493 0.36 493 1.35 493 1.					-1.01	-1.34	-0.21				
MACS J0329-6-0211 † 71 419 6.21 6.30 -0.49 7.50 -0.88 1.19 -0.41 -0.10 1.17 86 MACS J0404.6+1109 71 473 14.96 5.77 -0.48 14.90 -0.23 1.07 -0.88 14.90 -0.23 1.07 -0.89 14.90 -0.23 1.07 -0.89 14.90 -0.23 1.07 -0.89 14.90 -0.23 1.07 -0.89 14.90 -0.23 1.07 -0.89 14.90 -0.23 1.07 -0.97 94 MACS J0429-6-0253 68 495 5.70 5.66 -0.48 6.71 -0.28 1.19 -0.26 0.35 -0.18 1.21 1.12 82 MACS J0451.9+0006 69 440 7.65 5.80 -0.28 1.07 -0.28 1.19 -0.26 0.35 -0.18 1.21 1.12 82 MACS J0451.9+0006 69 440 7.65 5.80 -0.28 1.21 -0.28 1.19 -0.28 0.35 -0.18 1.25 1.35 83 MACS J0451.9+0006 69 440 7.65 5.80 -0.28 1.25 1.25 1.35 83 MACS J0552.9+0557 68 461 10.45 7.25 -0.28 1.22 -0.28 1.14 -0.38 0.51 -0.33 1.25 1.35 83 MACS J0552.7+0557 68 461 10.45 7.25 -0.08 1.25 1.25 1.35 83 MACS J0554.7-3.90 4.09 492 8.88 6.35 -0.88 8.22 -0.28 1.14 -0.38 0.05 -0.33 1.23 1.38 86 MACS J0547.0-390 4.09 69 363 4.08 3.38 40.8 8.25 -0.18 1.29 -0.28 0.04 0.09 1.12 1.23 1.38 86 MACS J0553.4-3342 69 663 2.88 13.14 -0.28 1.24 1.25 1.25 1.25 0.09 1.12 1.23 1.38 86 MACS J0553.4-3342 69 663 2.88 13.14 -0.28 1.25 1.25 1.25 0.09 1.12 1.23 1.38 86 MACS J0544.8-3927 7 71 539 4.66 6.75 12.77 -0.09 13.21 -0.28 1.00 -0.29 1.00					-0.00	-1,30.	-0.20				
MACS J0404.6+1109 71 473 14.96 5.77 474 6.15 286 1.07 281 0.24 282 0.85 0.78 73 MACS J0417.5-1154 70 430 4.00 11.07 14.99 14.90 1.23 1.35 283 1.35					-1.07	7 50 +0.83	1 10 +0.16	-N-14			
MACS J0417.5-1154 70 430 4.00 11.07   1.08	'				-0.41			-0.09			
MACS J0451.9-0006 69 440 7.65 5.80 t		70	430	4.00	$11.07^{-0.88}_{-1.49}$	$14.90^{-1.30}_{-2.24}$	$1.35^{+0.51}_{-0.34}$	$0.33^{+0.19}_{-0.10}$		0.97	94
MACS J0451.9-0006 69 440 7.65 5.80 t	MACS J0429.6-0253	68	495	5.70	$5.66^{+0.64}_{-0.54}$	$6.71_{-0.08}^{+1.26}$	$1.19^{+0.26}_{-0.21}$	$0.35^{+0.14}_{-0.13}$	1.21	1.12	82
MACS J0520.7-1328 69 492 8.88 6.35 <sup>1</sup> 681 8.22 <sup>1</sup> 718 1.29 <sup>1</sup> 638 0.43 4.76 1.23 1.38 86 MACS J0547.0-3904 69 363 4.08 5.58 <sup>1</sup> 637 5.41 <sup>1</sup> 143 1.51 <sup>1</sup> 635 0.09 <sup>1</sup> 618 1.16 1.42 75 MACS J0553.4-3342 69 663 2.88 13.14 <sup>1</sup> 38 1.38 6.643 1.05 <sup>1</sup> 638 0.57 <sup>1</sup> 633 0.80 0.76 87 MACS J0717.5+3745 † 70 565 6.75 12.77 <sup>1</sup> 710 13.21 <sup>1</sup> 710 13	MACS J0451.9+0006	69	440	7.65	$5.80^{+1.46}_{-1.03}$	$7.02^{+3.29}_{-1.80}$	. X + 2 1	$0.51^{+0.33}_{-0.29}$	1.25	1.35	83
MACS J0547.0-3904 69 363 4.08 3.58 0.37 5.41 1.18 1.12 1.33 0.09-0.09 1.16 1.42 75 MACS J0553.4-3332 69 663 2.88 13.14 1.38 1.34 1.18 1.51 1.33 0.09-0.09 0.80 0.76 87 MACS J0717.5+3745 † 70 565 6.75 12.77 1.100 13.21 1.33 1.03 0.03 0.03 0.00 0.90 0.88 MACS J0714.8+3927 † 71 539 4.66 8.09 0.07 8.77 1.04 1.08 0.03 0.00 0.01 1.14 1.18 82 MACS J0911.2+1746 † 69 518 3.55 7.51 1.09 0.07 8.77 1.09 0.05 0.03 0.00 0.01 1.14 1.18 82 MACS J0911.2+1746 † 69 518 3.55 7.51 1.09 0.07 8.77 1.09 0.05 0.00 0.00 0.00 0.00 0.00 0.00 0	MACS J0455.2+0657	68	461	10.45		$8.25  \substack{+3.98 \\ -2.10}$	$1.14^{+0.64}_{-0.36}$	$0.56^{+0.37}_{-0.33}$	0.83	0.94	82
MACS J0553.4-3342 69 663 2.88 13.14	MACS J0520.7-1328	69	492		0.55 -0.67	$8.22^{+2.18}_{-1.45}$		$0.43^{+0.17}_{-0.16}$	1.23	1.38	86
MACS J0717.5+3745 † 70 565 6.75 12.77 -170 13.21 -133 1.03 -18 1.0					-0,57	-1,18_	-0.36	-0.02			
MACS J0744.8-3927 † 71 539 4.66 8.09 0.66 8.07 1.09 1.321 1.09 1.03 0.32-0.10 0.93 0.84 78 MACS J0911.2+1746 † 69 518 3.55 7.51 1.09 7.17 1.20 0.95 1.03 0.32 0.10 0.93 0.84 78 MACS J0949+1708 69 556 3.17 9.16 1.38 9.11 1.5 0.99 0.30 0.37 0.21 0.17 0.93 0.84 78 MACS J1006.9+3200 69 491 1.83 7.89 1.24 1.55 0.99 0.30 0.37 0.20 0.89 0.84 89 MACS J1005.7-1014 70 481 4.58 7.54 1.37 8.05 1.37 8.05 1.02 1.03 0.38 0.15 0.13 1.84 1.15 76 MACS J1105.7-1014 70 481 4.58 7.54 1.37 8.05 1.37 8.05 1.02 1.03 0.38 0.15 0.13 1.84 1.15 76 MACS J11105.7-1014 70 481 4.58 7.54 1.53 1.03 0.38 0.15 0.13 0.33 0.22 0.25 1.17 1.27 81 MACS J1118.8+0906 † 71 471 2.52 6.52 0.82 7.31 1.29 1.12 0.32 0.29 0.17 0.95 0.80 80 MACS J1115.2+5320 † 70 527 0.98 8.91 1.12 9.58 1.20 0.32 0.30 0.37 0.32 0.99 0.70 0.95 0.80 80 MACS J1115.8+0129 69 448 4.36 6.78 1.17 1.27 8.1 1.10 1.20 0.32 0.30 0.30 0.37 0.07 0.31 0.99 0.93 0.88 75 MACS J11149.5+2223 † 69 505 2.32 7.65 0.89 8.13 1.10 1.20 0.10 1.27 0.38 0.42 0.17 1.00 1.00 87 MACS J1126.8+2153 70 469 1.82 4.21 1.00 1.21 0.07 1.25 1.12 0.24 0.33 0.37 0.33 0.15 0.07 0.07 0.10 0.97 65 MACS J1126.8+2153 70 469 1.82 4.21 1.00 1.21 0.07 1.25 1.12 0.25 0.32 0.33 0.33 0.13 0.96 1.05 93 MACS J1310-0310 † 69 425 2.18 5.76 0.38 5.91 0.03 0.39 0.03 0.09 0.09 0.09 0.09 72 0.09 0.09 0.09 0.09 0.09 0.09 0.09 0.0						-3.44	-0.33	-0.33			
MACS J0911.2-11746 † 69 518 3.55 7.51 1.09 6.09 7.17 1.16 0.95 0.95 0.84 89  MACS J0949+1708 69 556 3.17 9.16 1.13 9.11 1.27 0.99 0.95 0.30 0.37 0.30 0.89 0.84 89  MACS J1006.9+3200 69 491 1.83 7.89 1.8 8.05 1.5 0 1.02 1.03 0.37 0.30 0.89 0.84 89  MACS J1105.7-1014 70 481 4.58 7.54 1.23 7.78 1.33 1.02 0.35 0.37 0.30 0.29 0.31 1.17 1.27 81  MACS J1108.8-0906 † 71 471 2.52 6.52 1.53 7.78 1.33 1.12 1.03 0.33 0.22 0.32 1.17 1.27 81  MACS J1115.2+5320 † 70 527 0.98 8.91 1.12 9.58 1.33 1.12 1.03 0.33 0.29 0.37 0.35 0.88 75  MACS J1115.8+0129 69 448 4.36 6.78 1.17 8.27 1.36 1.08 0.33 0.37 0.30 0.99 0.88 75  MACS J1114.9-5+2223 † 69 505 2.32 7.65 0.89 8.13 1.13 0.10 0.00 0.00 0.00 0.00 87  MACS J1206.2-0847 70 519 4.15 10.21 0.97 8.81 1.01 1.00 0.00 87  MACS J1206.2-0847 70 519 4.15 10.21 0.97 8.81 1.04 1.03 0.00 0.00 0.00 0.00 87  MACS J1311.0-0310 † 69 425 2.18 5.76 0.88 5.91 1.03 0.30 0.30 0.30 0.30 0.98 0.88 72  MACS J1427.2-4407 70 467 1.53 7.99 0.89 8.37 1.03 0.37 0.33 0.39 0.38 1.02 0.81 67  MACS J1427.2-4407 70 467 1.53 7.99 0.46 8.50 0.2 0.37 0.38 0.39 0.38 1.02 0.81 67  MACS J1427.2-4407 70 469 6.11 4.66 0.03 8.50 0.02 0.30 0.30 0.30 0.30 0.86 73  MACS J1427.6-2521 70 409 6.11 4.66 0.03 8.70 0.03 0.03 0.37 0.38 0.39 0.86 73  MACS J1427.6-2521 70 409 6.11 4.66 0.03 8.70 0.03 0.03 0.37 0.38 0.39 0.86 73  MACS J1427.6-2521 70 409 6.11 4.66 0.03 8.37 0.03 0.03 0.03 0.03 0.03 0.86 73  MACS J1427.6-2521 70 409 6.11 4.66 0.03 8.37 0.03 0.03 0.03 0.03 0.03 0.86 73  MACS J1427.6-2521 70 409 6.11 4.66 0.03 8.37 0.03 0.03 0.03 0.03 0.03 0.86 73  MACS J1427.6-2521 70 409 6.11 4.66 0.03 8.37 0.03 0.03 0.03 0.03 0.03 0.86 73  MACS J1427.6-2521 70 409 6.11 4.66 0.03 8.37 0.03 0.03 0.03 0.03 0.03 0.86 73  MACS J1427.6-2521 70 409 6.11 4.66 0.03 8.37 0.03 0.03 0.03 0.03 0.03 0.03 0.86 73  MACS J1427.6-2521 70 409 6.11 4.66 0.03 8.37 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0	'					71,20	-0.13				
MACS J10949+1708 69 556 3.17 9.16 1/33 9.11 1/2 1/37 0.99 10.30 0.37 10.30 0.89 0.84 89 MACS J1006.9+3200 69 491 1.83 7.89 1/2 1/8 8.05 1/35 10.02 1/038 0.15 1/03 1.84 1.15 76 MACS J1108.8+0906 † 71 471 2.52 6.52 1/039 7.78 1/37 1.12 1/12 1.17 1.27 81 MACS J1108.8+0906 † 71 471 2.52 6.52 1/039 7.31 1/139 1.12 1/033 0.29 1/038 0.99 0.88 80 MACS J1115.2+5320 † 70 527 0.98 8.91 1/12 9.58 1/12 1.08 1/039 0.29 1/038 0.99 0.88 75 MACS J1115.8+0129 69 448 4.36 6.78 1/13 8.27 1/139 1.12 1/033 0.07 1/13 0.93 0.88 75 MACS J11149.5+2223 † 69 505 2.32 7.65 1/039 8.13 1/130 1.12 1/033 0.07 1/130 1.00 0.97 65 MACS J1126.2-0847 70 519 4.15 10.21 1/130 1.12 1/130 1.27 1/130 1.27 1/130 1.00 1.00 87 MACS J126.8+2153 70 469 1.82 4.21 1/107 1.21 1/107 1.00 1.00 87 MACS J1311.0-0310 † 69 425 2.18 5.76 1/130 5.02 1/130 1.00 1.00 1.00 1.00 0.98 70 MACS J1311.0-0310 † 69 425 2.18 5.76 1/130 5.02 1/130 1.00 1.00 1.00 0.98 72 MACS J1427.2-4407 70 467 1.14 9.80 1/130 1.03 1/130 1.03 1/130 0.39 1/130 0.96 0.98 72 MACS J1427.6-2521 70 409 6.11 4.66 1/130 1.03 1/130 1.03 1/130 1.25 1.24 74 MACS J131.8-2634 70 535 9.13 1.09 6.11 4.66 1/038 7.09 1/130 1.03 1/130 1.25 1.24 74 MACS J131.8-2634 70 535 9.13 6.97 1/130 1.03 1/130 1.03 1/130 0.96 0.98 72 MACS J126.6-333 0.00 1/130 0.96 0.98 72 MACS J129.8-2634 70 535 9.13 6.97 1/130 0.39 1.03 1/130 0.96 0.98 72 MACS J129.8-2634 70 535 9.13 6.97 1/130 0.39 1.03 1/130 0.96 0.98 72 MACS J129.8-2634 70 535 9.13 6.97 1/130 0.39 1.03 1/130 0.96 0.98 72 MACS J129.8-2634 70 535 9.13 6.97 1/130 0.39 1.03 1/130 0.96 0.98 72 MACS J129.8-2634 70 535 9.13 6.97 1/130 0.39 1.09 1.10 0.95 0.86 90 MACS J224.9-339 70 663 5.86 1.30 1/130 1.46 1.32 1.32 1.32 1.32 1.32 1.32 1.32 1.32	'				8.09 -0.66	0.77 -0.87	-0.14	-0.10			
MACS J1006.9+3200 69 491 1.83 7.89 + 1.75 8.05 + 1.75 1.02 + 0.88 1.15 76  MACS J1105.7-1014 70 481 4.58 7.54 + 1.23 7.78 + 3.43 7.78 + 3.43 1.02 + 0.88 1.02 + 0.83 1.02 + 0.	'				-V-22	-1.4V	-0.20	0.21-0.17			
MACS J1105.7-1014 70 481 4.58 7.54 \( \frac{12}{12} \) 7.78 \( \frac{13}{12} \) 3 1.03 \( \frac{10}{10} \) 3 1.02 \( \frac{10}{12} \) 1.17 1.27 81  MACS J1108.8+0906 \( \frac{1}{7} \) 71 471 2.52 6.52 \( \frac{15}{12} \) 40.32 7.31 \( \frac{1}{11} \) 87 1.12 \( \frac{10}{0.33} \) 0.29 \( \frac{1}{0.18} \) 0.95 0.80 80  MACS J1115.8+0129 69 448 4.36 6.78 \( \frac{1}{11} \) 72 7.2 \( \frac{1}{10} \) 8.64 \( \frac{1}{12} \) 1.12 \( \frac{1}{0.33} \) 0.37 \( \frac{1}{0.05} \) 0.93 0.88 75  MACS J1119.5+0129 69 448 4.36 6.78 \( \frac{1}{11} \) 17 8.27 \( \frac{1}{2} \) 1.08 \( \frac{1}{0.22} \) 0.37 \( \frac{1}{0.05} \) 0.93 0.88 75  MACS J1119.5+2223 \( \frac{1}{6} \) 69 505 2.32 7.65 \( \frac{1}{0.05} \) 8.64 \( \frac{1}{12} \) 1.10 \( \frac{1}{15} \) 1.12 \( \frac{1}{0.05} \) 0.07 \( \frac{1}{0.05} \) 0.07 \( \frac{1}{0.05} \) 1.00 1.00 87  MACS J1206.2-0847 70 519 4.15 10.21 \( \frac{1}{10} \) 1.02 \( \frac{1}{15} \) 1.25 \( \frac{1}{12} \) 1.23 \( \frac{1}{0.05} \) 0.23 \( \frac{1}{0.05} \) 0.37 \( \frac{1}{0.05} \) 0.96 1.05 93  MACS J1311.0-0310 \( \frac{1}{6} \) 9 425 2.18 5.76 \( \frac{1}{0.05} \) 9.3 10.3 \( \frac{1}{0.05} \) 1.19 \( \frac{1}{0.05} \) 0.39 \( \frac{1}{0.05} \) 0.39 \( \frac{1}{0.05} \) 0.96 0.98 72  MACS J1427.2+4407 70 467 1.41 9.80 \( \frac{1}{3.57} \) 1.03 \( \frac{1}{0.05} \) 1.03 \( \frac{1}{0.05					-1.18	-1.33	-0.21	0.37-0.20			
MACS J1108.8+0906 † 71 471 2.52 6.52 +034 7.31 +136					ニオ・4号	74.43	-0.50	0.15_0.15			
MACS J1115.2+5320 † 70 527 0.98 8.91 + 1.22					-Y-S1	-1.97	1.03 <sub>-0.33</sub> 1.12 +0.33	0.22_0.22			
MACS J1115.8+0129 69 448 4.36 6.78 + 1.17 1 8.27 + 3.27 1 1.22 + 0.35 0.07 + 0.07 1.00 0.97 65 MACS J1131.8-1955 70 576 4.49 8.64 + 1.23 11.01 + 3.61 1.27 + 0.36 0.42 + 0.17 1.00 1.00 87 MACS J1149.5+2223 † 69 505 2.32 7.65 + 0.89 8.13 + 1.36 1.06 + 0.22 0.20 + 0.12 1.00 1.09 87 MACS J1206.2-0847 70 519 4.15 10.21 + 0.09 12.51 + 1.87 1.23 + 0.02 0.23 + 0.13 + 0.09 1.05 93 MACS J1206.2-0847 70 469 1.82 4.21 + 1.00 79 12.51 + 1.87 1.23 + 0.02 0.23 + 0.13 + 0.09 1.05 93 MACS J1311.0-0310 † 69 425 2.18 5.76 + 0.42 5.03 + 0.03					-0.62	-1.29	1.12 -0.24	-0.17			
MACS J1206.2-0847 70 519 4.15 10.21 -0.97 12.51 -1.87 1.23 -0.22 0.33 -0.13 0.96 1.05 93 MACS J1226.8+2153 70 469 1.82 4.21 +1.09 5.02 +3.29 1.19 +0.84 0.23 +0.33 +0.13 0.96 1.05 93 MACS J1311.0-0310 † 69 425 2.18 5.76 +0.48 5.91 +0.73 1.03 +0.13 0.39 +0.13 0.96 0.98 72 MACS J1319+7003 69 476 1.53 7.99 +2.08 10.62 +3.35 1.03 +0.43 0.39 +0.13 0.96 0.98 72 MACS J1427.2+4407 70 467 1.41 9.80 +3.87 10.35 +3.36 10.30 +0.09 0.98 0.67 0.50 MACS J1427.2+4407 70 469 6.11 4.66 +0.53 10.35 +3.36 10.35 +0					6.78 +1.17	8.27 +3.27	1.22 +0.53	$0.07^{+0.21}_{-0.18}$			
MACS J1206.2-0847 70 519 4.15 10.21 -0.97 12.51 -1.87 1.23 -0.22 0.33 -0.13 0.96 1.05 93 MACS J1226.8+2153 70 469 1.82 4.21 +1.09 5.02 +3.29 1.19 +0.84 0.23 +0.33 +0.13 0.96 1.05 93 MACS J1311.0-0310 † 69 425 2.18 5.76 +0.48 5.91 +0.73 1.03 +0.13 0.39 +0.13 0.96 0.98 72 MACS J1319+7003 69 476 1.53 7.99 +2.08 10.62 +3.35 1.03 +0.43 0.39 +0.13 0.96 0.98 72 MACS J1427.2+4407 70 467 1.41 9.80 +3.87 10.35 +3.36 10.30 +0.09 0.98 0.67 0.50 MACS J1427.2+4407 70 469 6.11 4.66 +0.53 10.35 +3.36 10.35 +0						11 01 +3.61		$0.42^{+0.17}$			
MACS J1319+7003 69 476 1.53 7.99 +2.08 10.62 +7.35 1.33 +0.98 0.30 +0.29 1.25 1.24 74 MACS J1427.2+4407 70 467 1.41 9.80 +3.87 10.35 +6.30 1.06 +0.77 0.00 +0.00 0.67 0.50 84 MACS J1427.6-2521 70 409 6.11 4.66 +0.95 8.37 +5.00 1.80 +1.13 0.18 +0.27 1.19 1.39 68 MACS J1621.3+3810 † 69 505 1.07 7.12 +0.66 7.09 +0.92 1.00 +0.16 0.34 +0.11 0.93 0.86 73 MACS J1731.6+2252 70 500 6.48 7.45 +1.32 10.99 +4.67 1.48 +0.88 0.35 +0.19 1.20 1.07 84 MACS J1931.8-2634 70 535 9.13 6.97 +0.17 0.99 1.11 +0.27 0.27 +0.11 0.95 0.86 90 MACS J2046.0-3430 70 370 4.98 4.64 +1.18 5.49 +2.29 1.18 +0.38 0.20 +0.32 0.89 1.11 82 MACS J2049.9-3217 69 523 5.99 6.83 +0.84 0.84 0.84 0.84 0.84 0.84 0.84 0.85 0.20 +0.32 0.89 1.11 82 MACS J2211.7-0349 70 663 5.86 11.30 +1.46 13.82 +3.54 1.22 +0.35 0.15 +0.15 0.99 1.06 87 MACS J2214.9-1359 † 70 531 3.32 9.78 +1.38 10.45 +2.19 1.07 0.23 0.39 0.16 0.99 1.06 87 MACS J2228+2036 70 546 4.52 7.86 +1.08 1.08 1.08 1.07 +0.27 0.23 0.39 0.16 0.99 1.00 88 MACS J2228+2036 70 546 4.52 7.86 +1.08 1.08 1.08 1.17 +0.27 0.23 0.39 0.16 0.99 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +1.38 0.20 +0.35 0.03 +0.19 1.00 1.08 85 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +1.38 0.20 +0.35 0.03 +0.19 1.00 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +0.35 0.03 +0.01 0.09 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +0.35 0.03 +0.01 0.09 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +0.35 0.03 +0.01 0.09 0.00 0.00 0.00 0.00 0.00 0.00					7.65 +0.89	8.13 +1.36	$1.06^{+0.28}_{-0.17}$	$0.20^{+0.12}$			
MACS J1319+7003 69 476 1.53 7.99 \( \frac{12.08}{1.43} \) 10.62 \( \frac{1.32}{3.22} \) 1.33 \( \frac{10.98}{0.47} \) 0.30 \( \frac{10.28}{0.22} \) 1.25 1.24 74 MACS J1427.2+4407 70 467 1.41 9.80 \( \frac{1.48}{2.53} \) 10.35 \( \frac{16.30}{6.30} \) 1.06 \( \frac{10.77}{0.70} \) 0.00 \( \frac{10.04}{0.00} \) 0.67 0.50 84 MACS J1427.6-2521 70 409 6.11 4.66 \( \frac{10.95}{0.72} \) 8.37 \( \frac{15.00}{2.96} \) 1.80 \( \frac{11.3}{0.34} \) 0.18 \( \frac{10.17}{0.12} \) 1.19 1.39 68 MACS J1621.3+3810 \( \frac{1}{1} \) 69 505 1.07 7.12 \( \frac{10.66}{0.66} \) 7.09 \( \frac{10.92}{0.75} \) 1.00 \( \frac{10.16}{0.16} \) 0.34 \( \frac{10.11}{0.11} \) 0.93 0.86 73 MACS J1731.6+2252 70 500 6.48 7.45 \( \frac{11.32}{0.99} \) 10.99 \( \frac{14.67}{0.75} \) 1.48 \( \frac{10.8}{0.83} \) 0.35 \( \frac{10.11}{0.11} \) 0.93 0.86 73 MACS J2046.0-3430 70 370 4.98 4.64 \( \frac{11.18}{0.81} \) 6.97 \( \frac{10.72}{0.12} \) 7.72 \( \frac{1.31}{0.61} \) 1.11 \( \frac{10.27}{0.27} \) 0.27 \( \frac{10.11}{0.01} \) 0.95 0.86 90 MACS J2049.9-3217 69 523 5.99 6.83 \( \frac{10.82}{0.82} \) 6.83 \( \frac{10.82}{0.82} \) 8.94 \( \frac{1.48}{0.82} \) 8.94 \( \frac{1.48}{0.82} \) 1.31 \( \frac{10.32}{0.43} \) 0.43 \( \frac{10.17}{0.01} \) 0.99 0.92 83 MACS J2211.7-0349 70 663 5.86 11.30 \( \frac{1.46}{0.82} \) 1.32 \( \frac{1.38}{0.82} \) 3.43 \( \frac{1.31}{0.43} \) 1.35 \( \frac{1.32}{0.45} \) 1.35 \( \frac{1.31}{0.43} \) 1.24 1.26 88 MACS J2214.9-1359 \( \frac{7}{0.92} \) 70 546 4.52 7.86 \( \frac{1.08}{0.80} \) 9.17 \( \frac{1.08}{0.80} \) 1.77 \( \frac{1.32}{0.39} \) 1.10 \( \frac{1.32}{0.39} \) 1.11 \( \frac{1.22}{0.39} \) 1.124 \( \fr	'		519		$10.21^{-0.13}_{-0.07}$	$12.51^{-1.04}_{-1.87}$	$1.23^{+0.28}_{-0.22}$	$0.33^{+0.13}_{-0.13}$			
MACS J1319+7003 69 476 1.53 7.99 +2.08 10.62 +7.35 1.33 +0.98 0.30 +0.29 1.25 1.24 74 MACS J1427.2+4407 70 467 1.41 9.80 +3.87 10.35 +6.30 1.06 +0.77 0.00 +0.00 0.67 0.50 84 MACS J1427.6-2521 70 409 6.11 4.66 +0.95 8.37 +5.00 1.80 +1.13 0.18 +0.27 1.19 1.39 68 MACS J1621.3+3810 † 69 505 1.07 7.12 +0.66 7.09 +0.92 1.00 +0.16 0.34 +0.11 0.93 0.86 73 MACS J1731.6+2252 70 500 6.48 7.45 +1.32 10.99 +4.67 1.48 +0.88 0.35 +0.19 1.20 1.07 84 MACS J1931.8-2634 70 535 9.13 6.97 +0.17 0.99 1.11 +0.27 0.27 +0.11 0.95 0.86 90 MACS J2046.0-3430 70 370 4.98 4.64 +1.18 5.49 +2.29 1.18 +0.38 0.20 +0.32 0.89 1.11 82 MACS J2049.9-3217 69 523 5.99 6.83 +0.84 0.84 0.84 0.84 0.84 0.84 0.84 0.85 0.20 +0.32 0.89 1.11 82 MACS J2211.7-0349 70 663 5.86 11.30 +1.46 13.82 +3.54 1.22 +0.35 0.15 +0.15 0.99 1.06 87 MACS J2214.9-1359 † 70 531 3.32 9.78 +1.38 10.45 +2.19 1.07 0.23 0.39 0.16 0.99 1.06 87 MACS J2228+2036 70 546 4.52 7.86 +1.08 1.08 1.08 1.07 +0.27 0.23 0.39 0.16 0.99 1.00 88 MACS J2228+2036 70 546 4.52 7.86 +1.08 1.08 1.08 1.17 +0.27 0.23 0.39 0.16 0.99 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +1.38 0.20 +0.35 0.03 +0.19 1.00 1.08 85 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +1.38 0.20 +0.35 0.03 +0.19 1.00 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +0.35 0.03 +0.01 0.09 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +0.35 0.03 +0.01 0.09 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +0.35 0.03 +0.01 0.09 0.00 0.00 0.00 0.00 0.00 0.00	MACS J1226.8+2153	70	469	1.82	$4.21  \substack{+1.07 \\ -0.80}$		$1.19^{+0.84}_{-0.43}$	$0.23^{+0.38}_{-0.23}$	1.02	0.81	67
MACS J1319+7003 69 476 1.53 7.99 +2.08 10.62 +7.35 1.33 +0.98 0.30 +0.29 1.25 1.24 74 MACS J1427.2+4407 70 467 1.41 9.80 +3.87 10.35 +6.30 1.06 +0.77 0.00 +0.00 0.67 0.50 84 MACS J1427.6-2521 70 409 6.11 4.66 +0.95 8.37 +5.00 1.80 +1.13 0.18 +0.27 1.19 1.39 68 MACS J1621.3+3810 † 69 505 1.07 7.12 +0.66 7.09 +0.92 1.00 +0.16 0.34 +0.11 0.93 0.86 73 MACS J1731.6+2252 70 500 6.48 7.45 +1.32 10.99 +4.67 1.48 +0.88 0.35 +0.19 1.20 1.07 84 MACS J1931.8-2634 70 535 9.13 6.97 +0.17 0.99 1.11 +0.27 0.27 +0.11 0.95 0.86 90 MACS J2046.0-3430 70 370 4.98 4.64 +1.18 5.49 +2.29 1.18 +0.38 0.20 +0.32 0.89 1.11 82 MACS J2049.9-3217 69 523 5.99 6.83 +0.84 0.84 0.84 0.84 0.84 0.84 0.84 0.85 0.20 +0.32 0.89 1.11 82 MACS J2211.7-0349 70 663 5.86 11.30 +1.46 13.82 +3.54 1.22 +0.35 0.15 +0.15 0.99 1.06 87 MACS J2214.9-1359 † 70 531 3.32 9.78 +1.38 10.45 +2.19 1.07 0.23 0.39 0.16 0.99 1.06 87 MACS J2228+2036 70 546 4.52 7.86 +1.08 1.08 1.08 1.07 +0.27 0.23 0.39 0.16 0.99 1.00 88 MACS J2228+2036 70 546 4.52 7.86 +1.08 1.08 1.08 1.17 +0.27 0.23 0.39 0.16 0.99 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +1.38 0.20 +0.35 0.03 +0.19 1.00 1.08 85 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +1.38 0.20 +0.35 0.03 +0.19 1.00 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +0.35 0.03 +0.01 0.09 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +0.35 0.03 +0.01 0.09 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.31 7.20 +0.35 0.03 +0.01 0.09 0.00 0.00 0.00 0.00 0.00 0.00	MACS J1311.0-0310 †	69	425	2.18	= 7c +0:48			$0.39^{+0.13}_{-0.11}$	0.96	0.98	72
MACS J1427.2+4407 70 467 1.41 9.80 \( \frac{1.58}{2.58} \) 10.35 \( \frac{1.93}{2.56} \) 1.06 \( \frac{1.07}{0.01} \) 0.00 \( \frac{1.03}{0.00} \) 0.67 0.50 84 MACS J1427.6-2521 70 409 6.11 4.66 \( \frac{1.05}{0.05} \) 8.37 \( \frac{1.50}{2.06} \) 1.80 \( \frac{1.13}{0.05} \) 0.18 \( \frac{1.01}{0.01} \) 1.19 1.39 68 MACS J1621.3+3810 \( \frac{1}{1} \) 69 505 1.07 7.12 \( \frac{1.06}{0.66} \) 7.09 \( \frac{1.02}{0.75} \) 1.00 \( \frac{1.06}{0.16} \) 0.34 \( \frac{1.01}{0.01} \) 0.93 0.86 73 MACS J1731.6+2252 70 500 6.48 7.45 \( \frac{1.32}{0.05} \) 9.13 6.97 \( \frac{1.07}{0.02} \) 1.09 \( \frac{1.45}{0.05} \) 1.11 \( \frac{1.02}{0.05} \) 0.35 \( \frac{1.01}{0.01} \) 1.20 1.07 84 MACS J1931.8-2634 70 535 9.13 6.97 \( \frac{1.07}{0.02} \) 7.72 \( \frac{1.31}{0.05} \) 1.11 \( \frac{0.27}{0.02} \) 0.27 \( \frac{0.11}{0.01} \) 0.95 0.86 90 MACS J2046.0-3430 70 370 4.98 4.64 \( \frac{1.18}{0.05} \) 6.83 \( \frac{0.82}{0.85} \) 8.94 \( \frac{1.26}{0.05} \) 1.8 \( \frac{0.32}{0.05} \) 0.27 \( \frac{0.12}{0.01} \) 0.95 0.86 90 MACS J2211.7-0349 70 663 5.86 11.30 \( \frac{1.46}{0.05} \) 1.38 \( \frac{0.32}{0.05} \) 1.38 \( \frac{0.32}{0.05} \) 1.38 \( \frac{0.32}{0.05} \) 0.15 \( \frac{0.15}{0.05} \) 1.24 1.26 88 MACS J2214.9-1359 \( \frac{1}{7} \) 70 531 3.32 9.78 \( \frac{1.36}{0.05} \) 1.38 \( \frac{0.35}{0.05} \) 1.77 \( \frac{0.27}{0.05} \) 0.23 \( \frac{0.14}{0.05} \) 0.99 1.00 88 MACS J2228+2036 70 546 4.52 7.86 \( \frac{1.08}{0.05} \) 9.17 \( \frac{0.05}{0.05} \) 1.77 \( \frac{0.27}{0.05} \) 1.76 \( \frac{0.05}{0.05} \) 0.39 \( \frac{0.16}{0.05} \) 1.08 85 MACS J2224.3-0935 70 550 4.31 4.09 \( \frac{0.05}{0.05} \) 1.37 \( \frac{0.05}{0.05} \) 1.10 \( \frac{0.05}{0.05} \)	MACS J1319+7003	69	476	1.53	7 00 +2.08		$1.33^{+0.98}_{-0.47}$	$0.30^{+0.29}_{-0.28}$	1.25	1.24	74
MACS J1621.3+3810 † 69 505 1.07 7.12 + 0.66 7.09 + 0.92 1.00 + 0.16 0.34 + 0.11 0.93 0.86 73 MACS J1731.6+2252 70 500 6.48 7.45 + 1.32 10.99 + 4.67 1.48 + 0.68 0.35 + 0.19 1.20 1.07 84 MACS J1731.8+2634 70 535 9.13 6.97 + 0.72 + 0.72 + 0.72 + 0.12 0.95 0.86 90 MACS J2046.0-3430 70 370 4.98 4.64 + 1.18 5.49 + 2.29 1.18 + 0.38 0.20 + 0.32 0.89 1.11 82 MACS J2049.9-3217 69 523 5.99 6.83 + 0.84 0.84 0.84 0.84 0.84 0.84 0.84 0.84	MACS J1427.2+4407	70	467	1.41	$9.80^{+3.87}_{-2.53}$	$10.35 ^{+6.30}_{-3.26}$		$0.00^{+0.34}_{-0.00}$	0.67	0.50	84
MACS J1621.3+3810 † 69 505 1.07 7.12 1.08 7.09 1.09 1.00 1.00 1.00 1.00 1.00 1.00 1	MACS J1427.6-2521	70	409	6.11		8.37 +5.00		$0.18^{+0.27}_{-0.18}$	1.19	1.39	68
MACS J1731.6+2252 70 500 6.48 7.45 1.32 10.99 1.20 1.48 1.83 0.35 1.11 1.20 1.07 84 MACS J1931.8-2634 70 535 9.13 6.97 1.02 7.72 1.31 1.11 1.12 0.27 0.27 1.11 0.95 0.86 90 MACS J2046.0-3430 70 370 4.98 4.64 1.18 5.49 1.29 1.18 1.20 0.27 1.11 0.95 0.89 1.11 82 MACS J2049.9-3217 69 523 5.99 6.83 1.83 1.84 1.84 1.85 1.84 1.85 1.85 1.85 1.85 1.85 1.85 1.85 1.85	,				$7.12^{+0.66}_{-0.55}$	$7.09^{+0.92}_{-0.75}$		$0.34^{+0.11}_{-0.11}$			
MACS J2046.0-3430 70 370 4.98 4.64 +1.18 5.49 +2.29 1.18 +0.38 0.20 +0.32 0.89 1.11 82 MACS J2049.9-3217 69 523 5.99 6.83 +0.84 8.94 +1.48 1.31 +0.34 0.43 +0.17 0.99 0.92 83 MACS J2211.7-0349 70 663 5.86 11.30 +1.46 13.82 +3.54 1.22 +0.35 0.15 +0.13 1.24 1.26 88 MACS J2214.9-1359 † 70 531 3.32 9.78 +1.38 10.45 +2.19 1.07 +0.27 0.23 +0.14 0.99 1.06 87 MACS J2228 +2036 70 546 4.52 7.86 +1.08 9.17 +2.06 1.17 +0.27 0.39 +0.14 0.99 1.00 88 MACS J2229.7-2755 69 466 1.34 5.01 +0.35 5.79 +1.17 +0.27 0.39 +0.15 0.39 +0.15 0.99 1.00 88 MACS J22243.3-0935 70 550 4.31 4.09 +0.35 5.79 +1.17 +0.27 0.39 +0.15 0.39 +0.15 0.99 1.08 85 MACS J2243.3-0935 70 550 4.31 4.09 +0.45 0.45 0.45 0.45 0.39 +0.15 0.03 +0.15 0.99 5.1 0.99 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.45 0.45 0.45 0.45 0.03 +0.15					$7.45^{+1.32}_{-0.99}$	$10.99^{+4.67}_{-2.46}$	$1.48^{+0.08}_{-0.38}$				
MACS J2046.0-3430 70 370 4.98 4.64 +1.18 5.49 +2.29 1.18 +0.38 0.20 +0.32 0.89 1.11 82 MACS J2049.9-3217 69 523 5.99 6.83 +0.84 8.94 +1.48 1.31 +0.34 0.43 +0.17 0.99 0.92 83 MACS J2211.7-0349 70 663 5.86 11.30 +1.46 13.82 +3.54 1.22 +0.35 0.15 +0.13 1.24 1.26 88 MACS J2214.9-1359 † 70 531 3.32 9.78 +1.38 10.45 +2.19 1.07 +0.27 0.23 +0.14 0.99 1.06 87 MACS J2228 +2036 70 546 4.52 7.86 +1.08 9.17 +2.06 1.17 +0.27 0.39 +0.14 0.99 1.00 88 MACS J2229.7-2755 69 466 1.34 5.01 +0.35 5.79 +1.17 +0.27 0.39 +0.15 0.39 +0.15 0.99 1.00 88 MACS J22243.3-0935 70 550 4.31 4.09 +0.35 5.79 +1.17 +0.27 0.39 +0.15 0.39 +0.15 0.99 1.08 85 MACS J2243.3-0935 70 550 4.31 4.09 +0.45 0.45 0.45 0.45 0.39 +0.15 0.03 +0.15 0.99 5.1 0.99 1.00 88 MACS J2243.3-0935 70 550 4.31 4.09 +0.45 0.45 0.45 0.45 0.03 +0.15						$7.72^{+1.31}_{-0.99}$	1.11 +0.22	$0.27^{+0.11}_{-0.12}$			
MACS J2214.9-1359 † 70 531 3.32 9.78 \( \frac{11.38}{1.09} \) 10.45 \( \frac{+2.19}{-1.56} \) 1.07 \( \frac{+0.27}{-0.20} \) 0.23 \( \frac{+0.14}{0.14} \) 0.99 1.06 87 MACS J2228+2036 70 546 4.52 7.86 \( \frac{+1.08}{-1.08} \) 9.17 \( \frac{+2.19}{-1.56} \) 1.17 \( \frac{+0.27}{-0.20} \) 0.39 \( \frac{+0.14}{0.16} \) 0.99 1.00 88 MACS J2229.7-2755 69 466 1.34 5.01 \( \frac{+0.39}{0.08} \) 5.79 \( \frac{+1.18}{0.16} \) 1.16 \( \frac{+0.25}{0.08} \) 0.55 \( \frac{+0.19}{0.18} \) 1.05 1.08 85 MACS J2243.3-0935 70 550 4.31 4.09 \( \frac{+0.34}{0.08} \) 6.72 \( \frac{+0.27}{0.08} \) 1.76 \( \frac{+0.27}{0.86} \) 0.03 \( \frac{+0.14}{0.016} \) 0.99 51					4.64 +1.18	5.49 +2.29	1.18 +0.38				
MACS J2214.9-1359 † 70 531 3.32 9.78 \( \frac{11.38}{1.09} \) 10.45 \( \frac{+2.19}{-1.56} \) 1.07 \( \frac{+0.27}{-0.20} \) 0.23 \( \frac{+0.14}{0.14} \) 0.99 1.06 87 MACS J2228+2036 70 546 4.52 7.86 \( \frac{+1.08}{-1.08} \) 9.17 \( \frac{+2.19}{-1.56} \) 1.17 \( \frac{+0.27}{-0.20} \) 0.39 \( \frac{+0.14}{0.16} \) 0.99 1.00 88 MACS J2229.7-2755 69 466 1.34 5.01 \( \frac{+0.39}{0.08} \) 5.79 \( \frac{+1.18}{0.16} \) 1.16 \( \frac{+0.25}{0.08} \) 0.55 \( \frac{+0.19}{0.18} \) 1.05 1.08 85 MACS J2243.3-0935 70 550 4.31 4.09 \( \frac{+0.34}{0.08} \) 6.72 \( \frac{+0.27}{0.08} \) 1.76 \( \frac{+0.27}{0.86} \) 0.03 \( \frac{+0.14}{0.016} \) 0.99 51						8.94 <sup>+2.06</sup> -1.48	1.31 +0.34	-0.13			
MACS J2228+2036 70 546 4.52 7.86 108 9.17 12.0 1.17 10.33 0.39 10.19 0.99 1.00 88 MACS J2229.7-2755 69 466 1.34 5.01 10.30 5.79 1.11 1.16 10.33 0.55 1.19 1.05 1.08 85 MACS J2243.3-0935 70 550 4.31 4.09 10.31 7.20 1.31 1.16 10.33 0.30 10.31 1.17 0.92 51					125/	10 15 +7 19	1.22 +0.33	0.00+0.14			
MACS J2229.7-2755 69 466 1.34 $5.01_{-0.43}^{+0.50}$ $5.79_{-0.86}^{+1.11}$ $1.16_{-0.25}^{+0.25}$ $0.55_{-0.18}^{+0.19}$ $1.05$ 1.08 85 MACS J2243.3-0935 70 550 4.31 $4.09_{-0.45}^{+0.51}$ $7.20_{-0.45}^{+3.17}$ $1.76_{-0.55}^{+0.81}$ $0.03_{-0.03}^{+0.15}$ $1.17$ $0.92$ 51	· ·					0.45 -1.56	1.07 -0.20				
MACS J2243.3-0935 70 550 4.31 $4.09_{-0.45}^{+0.51}$ $7.20_{-2.12}^{+3.17}$ $1.76_{-0.55}^{+0.81}$ $0.03_{-0.03}^{+0.15}$ $1.17$ $0.92$ 51					5 01 +0.50	5.17 -1.46 5.70 +1.11	1.17 -0.22	0.59-0.15			
MACS J2245.0+2637 70 452 5.50 6.06 \(\frac{+0.63}{-0.54}\) 6.76 \(\frac{+1.24}{-0.93}\) 1.12 \(\frac{+0.25}{-0.18}\) 0.60 \(\frac{+0.03}{-0.18}\) 0.94 1.09 88  MACS J2311+0338 69 348 5.23 8.14 \(\frac{+1.45}{-1.16}\) 12.53 \(\frac{+5.10}{-5.08}\) 1.54 \(\frac{+0.82}{-0.48}\) 0.46 \(\frac{+0.20}{-0.20}\) 1.07 1.15 88  MKW3S 69 338 3.05 3.91 \(\frac{+0.06}{-0.06}\) 4.58 \(\frac{+0.18}{-0.18}\) 1.17 \(\frac{+0.05}{-0.05}\) 0.34 \(\frac{+0.02}{-0.04}\) 1.38 0.97 86						7 20 +3.17	1.10 <sub>-0.20</sub> 1.76 <sup>+0.81</sup>	0.55-0.18			
MACS J2311+0338 69 348 5.23 8.14+\(\frac{1.16}{-1.16}\) 12.53+\(\frac{5.10}{0.18}\) 1.54+\(\frac{0.05}{0.05}\) 0.46+\(\frac{0.02}{0.20}\) 1.07 1.15 88  MKW3S 69 338 3.05 3.91+\(\frac{0.06}{0.06}\) 4.58+\(\frac{0.18}{0.18}\) 1.17+\(\frac{0.05}{0.05}\) 0.34+\(\frac{0.03}{0.00}\) 1.38 0.97 86						6.76 +1.24	1.12 +0.24	$0.60^{+0.20}_{-0.03}$			
MKW3S 69 338 3.05 $3.91_{-0.06}^{+0.06}$ $4.58_{-0.18}^{+0.18}$ $1.17_{-0.05}^{+0.05}$ $0.34_{-0.04}^{+0.03}$ $1.38$ $0.97$ $86$					0 1 4 ±1.40	$12.53 \stackrel{-0.93}{\stackrel{+5.10}{\sim}}$	1 = 1 +().68	$0.46^{+0.22}$			
					$3.91^{-1.10}_{-0.06}$	$4.58_{-0.18}^{+0.18}$	$1.17^{-0.42}_{-0.05}$	$0.34^{+0.03}_{-0.04}$			

TABLE 4 — Continued

Cluster	$R_{CORE}$	$R_{2500}$	$N_{HI}$	T <sub>77</sub>	T <sub>27</sub>	$T_{HBR}$	Z <sub>77</sub>	$\chi^2_{red,77}$	$\chi^2_{red,27}$	% Source
	kpc	kpc	$10^{20}~{\rm cm}^{-2}$	keV	keV		$Z_{\odot}$		,	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
MS 0016.9+1609	69	549	4.06	$8.94^{+0.71}_{-0.62}$	$9.78^{+1.09}_{-0.90}$	$1.09^{+0.15}_{-0.13}$	$0.29^{+0.09}_{-0.08}$	0.91	0.88	83
MS 0302.7+1658	68	354	10.95	$3.27  {}^{+1.05}_{-0.64}$	$9.78^{+1.09}_{-0.90}$ $2.60^{+1.23}_{-0.55}$	$1.09_{-0.13}^{+0.13}$ $0.80_{-0.23}^{+0.45}$	$0.81^{+1.56}_{-0.73}$	1.14	1.12	70
MS 0451.6-0305	69	514	5.68	8.90 <sup>+0.85</sup> <sub>-0.72</sub>	10 //3 +1.59	$1.17^{+0.21}$	$0.37^{+0.11}_{-0.11}$	1.00	0.93	60
MS 0735.6+7421	69	491	3.40	5.55 + 0.24	$6.34^{+0.57}_{-0.50}$	$1.14^{+0.17}_{-0.10}$	$0.35^{+0.07}_{-0.06}$	1.05	1.05	62
MS 0839.8+2938	70	415	3.92	$4.68  \substack{+0.32 \\ -0.29}$	5.05 +0.82	1.08 +0.19	$0.35_{-0.06}$ $0.46_{-0.12}^{+0.13}$	0.90	0.87	60
MS 0906.5+1110	70	616	3.60	$5.38  \substack{+0.33 \\ -0.29}$	$6.76^{+0.92}_{-0.77}$	$1.26^{+0.19}_{-0.16}$	$0.27^{+0.09}_{-0.09}$	1.21	1.08	75
MS 1006.0+1202	69	557	3.63	$5.61^{+0.51}_{-0.43}$	7.48 +1.66 -1.22 0.01 +1.95	$1.33^{+0.32}_{-0.24}$	$0.24^{+0.11}_{-0.12}$	1.30	1.34	75
MS 1008.1-1224	69	549	6.71	$5.65  ^{+0.43}_{-0.43}$		$1.59^{+0.37}_{-0.27}$	$0.26^{+0.11}_{-0.10}$	1.21	0.98	78
MS 1054.5-0321	69	535	3.69	$9.38^{+1.72}_{-1.34}$	$9.01_{-1.38}^{-1.38}$ $9.91_{-1.77}^{+2.66}$	$1.06^{+0.34}_{-0.24}$	$0.13^{+0.17}_{-0.13}$	1.02	1.03	41
MS 1455.0+2232	70	436	3.35	$4.77^{+0.13}_{-0.13}$	$5.31_{-1.77}^{-1.77}$ $5.37_{-0.22}^{+0.36}$	$1.13^{+0.08}_{-0.06}$	$0.13_{-0.13}^{+0.05}$ $0.44_{-0.05}^{+0.05}$	1.29	1.10	90
MS 1621.5+2640	69	515	3.59	$6.11^{+0.95}_{-0.76}$	$6.22^{+1.56}_{-1.10}$	$1.02^{+0.30}_{-0.22}$	$0.40^{+0.23}_{-0.21}$	1.02	1.21	68
MS 2053.7-0449 †	69	538	5.16	$3.66^{+0.81}_{-0.60}$	$4.07^{+1.23}_{-0.83}$	$1.11^{+0.42}_{-0.29}$	$0.39_{-0.33}^{+0.38}$	0.97	1.07	58
MS 2137.3-2353	69	501	3.40	$6.01^{+0.52}_{-0.46}$	$7.48^{+1.68}_{-1.09}$	$1.24^{+0.30}_{-0.20}$	$0.45^{+0.13}_{-0.14}$	1.12	1.25	55
PKS 0745-191	69	651	40.80	$8.13^{+0.37}_{-0.34}$	$9.68^{+0.83}_{-0.72}$	$1.19^{+0.12}_{-0.10}$	$0.38^{+0.06}_{-0.06}$	1.02	0.98	89
RBS 0797	70	494	2.22	$7.68  \substack{+0.92 \\ -0.77}$	$9.08_{-0.72}$ $9.05_{-1.33}^{+1.80}$	1 10 +0.27	$0.32^{+0.14}_{-0.12}$	1.07	1.06	89
RDCS 1252-29	68	264	6.06	$4.25^{+1.82}_{-1.14}$	$4.47^{+2.16}_{-1.29}$	$1.16_{-0.21}$ $1.05_{-0.41}^{+0.68}$	$0.79^{+1.01}_{-0.62}$	1.07	1.17	50
RX J0232.2-4420	69	569	2.53	$7.83^{+0.77}_{-0.68}$	$9.92^{+2.11}_{-1.44}$	$1.27^{+0.30}_{-0.21}$	$0.36^{+0.12}_{-0.13}$	1.13	1.09	85
RX J0340-4542	69	395	1.63	$3.16^{+0.38}_{-0.35}$	$2.80^{+0.94}_{-0.57}$	$0.89^{+0.32}_{-0.21}$	$0.62^{+0.31}_{-0.25}$	1.27	1.22	43
RX J0439+0520	69	454	10.02	$4.60^{+0.64}_{-0.59}$	$4.95^{+1.28}_{-0.88}$	$1.08^{+0.32}_{-0.24}$	$0.44^{+0.29}_{-0.24}$	1.03	1.14	77
RX J0439.0+0715 †	69	533	11.16	$5.63^{+0.36}_{-0.32}$	$8.02^{+1.25}_{-0.88}$	$1.42^{+0.24}_{-0.18}$	$0.32^{+0.10}_{-0.08}$	1.28	1.16	82
RX J0528.9-3927	69	641	2.36	$7.89  \substack{-0.32 \\ +0.36}$	$8.91_{-1.42}^{+2.30}$	$1.13^{+0.32}_{-0.21}$	$0.27^{+0.14}_{-0.14}$	0.92	0.93	83
RX J0647.7+7015 †	69	513	5.18	$11.28^{-0.76}_{-1.45}$	$11.01^{+2.17}_{-1.63}$	$0.98^{+0.25}_{-0.19}$	$0.20^{+0.17}_{-0.17}$	1.02	1.00	80
RX J0910+5422 †	70	235	2.07	$4.53  {}^{+3.02}_{-1.70}$	5.98 + 5.30	$1.32^{+1.46}_{-0.74}$	$0.00^{+0.73}_{-0.00}$	0.90	0.71	31
RX J1053+5735	71	241	0.59	$7.03^{+17.25}_{-3.46}$	$5.06^{+12.74}_{-2.48}$	$0.72^{+2.53}_{-0.50}$	$0.55^{+2.26}_{-0.55}$	1.48	1.27	16
RX J1347.5-1145 †	68	607	4.89	$14.62 \begin{array}{l} +0.97 \\ -0.79 \end{array}$	$16.62^{2.70}_{-1.24}$	$1.14^{+0.13}_{-0.10}$	$0.32^{+0.08}_{-0.07}$	1.12	1.12	93
RX J1350+6007	68	320	1.77	$4.48^{+2.32}_{-1.49}$	$5.31 \pm 3.02$	$1.19^{+0.91}_{-0.61}$	$0.13^{+1.23}_{-0.13}$	0.82	0.72	57
RX J1423.8+2404 †	70	423	2.65	$6.64^{+0.38}_{-0.34}$	$7.01^{+0.59}_{-0.51}$	1.06 +0.11	$0.37^{+0.07}_{-0.07}$	1.02	0.98	86
RX J1504.1-0248	69	628	6.27	$8.00^{+0.27}_{-0.24}$	$8.92^{+0.52}_{-0.46}$	1.11 +0.08	$0.40^{+0.04}_{-0.05}$	1.29	1.25	91
RX J1525+0958	71	399	2.96	$3.67^{+0.60}_{-0.44}$	6.70 +2:72	1.83 +0.80	$0.68^{+0.36}_{-0.29}$	1.27	0.93	78
RX J1532.9+3021 †	69	458	2.21	$6.03^{+0.42}_{-0.38}$	$6.95^{+0.88}_{-0.72}$	$1.15^{+0.77}_{-0.14}$	0.42+0:11	0.94	1.05	73
RX J1716.9+6708	68	466	3.71	$5.71^{+1.47}_{-0.38}$	$5.77^{+1.88}_{-1.28}$	$1.13_{-0.14}^{+0.14}$ $1.01_{-0.20}^{+0.42}$	$0.42_{-0.10}$ $0.68_{-0.35}^{+0.42}$	0.79	0.74	55
RX J1720.1+2638	70	510	4.02	$6.37^{+0.28}_{-0.26}$	$7.78^{+0.69}_{-0.61}$	$1.01_{-0.29}$ $1.22_{-0.11}^{+0.12}$	$0.35^{+0.07}_{-0.06}$	1.10	1.02	90
RX J1720.2+3536 †	70	453	3.35	$7.21^{+0.26}_{-0.46}$	6.97 +0.76	0.97 +0:13	$0.41^{+0.18}_{-0.10}$	1.12	1.09	85
RX J2011.3-5725	70	399	4.76	$3.94^{+0.46}_{-0.45}$	$4.40^{+1.20}_{-0.59}$	$1.12^{+0.33}_{-0.23}$	$0.34^{+0.21}_{-0.18}$	0.94	1.09	76
RX J2129.6+0005	70	690	4.30	$5.91^{+0.54}_{-0.47}$	$7.02^{+1.30}_{-0.81}$	1.19 +0.25	$0.45^{+0.18}_{-0.15}$	1.21	1.07	80
S0463 †	69	415	1.06	$3.10^{+0.29}_{-0.25}$	$3.10^{ -0.59}_{ -0.52}$	$1.00^{+0.19}_{-0.19}$	$0.24^{+0.13}_{-0.11}$	1.10	1.07	47
V 1121.0+2327	71	426	1.30	$3.60^{+0.62}_{-0.46}$	$4.08^{+1.09}_{-0.80}$	1 13 +0.36	$0.36^{+0.29}_{-0.24}$	1.21	1.19	66
ZWCL 1215	69	392	1.76	$6.62^{+0.39}_{-0.36}$	$8.67^{-0.30}_{+1.29}$	1.13 -0.27	$0.29^{+0.09}_{-0.09}$	1.17	1.04	88
ZWCL 1358+6245	69	530	1.94	10.66 +1.48	10.19 +4.83	$0.96^{+0.47}_{-0.22}$	$0.47^{+0.19}$	1.08	1.04	55
ZWCL 1953	69	732	3.10	$7.37  {}^{+1.00}_{-0.78}$	$10.44^{+3.25}_{-2.20}$	$1.42^{-0.23}_{-0.33}$	$0.19^{+0.13}_{-0.13}$	0.84	0.78	74
ZWCL 3146	70	722	2.70	$7.48^{-0.18}_{-0.32}$	8.61 +0.66	$1.15^{-0.33}_{-0.00}$	$0.31^{+0.05}_{-0.06}$	1.03	0.98	86
ZWCL 5247	69	609	1.70	$5.06^{+0.85}_{+0.85}$	5 91 +2:09	$1.17^{+0.46}_{-0.20}$	$0.22^{+0.21}_{-0.12}$	0.83	0.72	74
ZWCL 7160	70	637	3.10	$4.53^{+0.40}_{-0.25}$	$5.16^{+1.01}_{-0.77}$	$1.14^{+0.30}_{+0.24}$	$0.40^{+0.15}_{-0.14}$	0.94	0.92	80
ZWICKY 2701	69	445	0.83	$5.21  {}^{+0.34}_{-0.30}$	5.68 +0.85	1.09 +0.18	0.43+0.13	0.89	0.94	57
ZwCL 1332.8+5043	71	616	1.10	$3.62^{-0.30}_{-1.30}$	$3.84^{-0.86}_{-1.48}$	1 06 +1.93	$0.76^{+12.45}_{-0.76}$	0.24	0.29	48
ZwCl 0848.5+3341	70	497	1.12	$6.83^{+2.18}_{-1.33}$	$7.24^{-1.48}_{+5.11}$	$1.06_{-0.54}^{-0.54}$ $1.06_{-0.39}^{+0.82}$	$0.56^{+0.54}_{-0.45}$	0.82	0.93	37

Note. — Note: '77' refers to 0.7-7.0 keV band, '27' refers to 2.0-7.0 keV band. (1) Cluster name, (2) excluded core region in kpc, (3)  $R_{2500}$  in kpc, (3) absorbing, Galactic neutral hydrogen column density, (4,5) best-fit MeKaL temperatures, (6) best-fit 77 MeKaL abundance, (7)  $T_{0.7-7.0}/T_{2.0-7.0}$  also called  $T_{HBR}$ , (8,9) reduced  $\chi^2$  statistics, (10) percent of emission attributable to source. † indicates cluster with multiple independent, simultaneously fit spectra.

TABLE 5 SUMMARY OF EXCISED  $R_{5000}$  Spectral Fits

Cluster	R <sub>CORE</sub>	R <sub>5000</sub>	N <sub>HI</sub>	T <sub>77</sub>	T <sub>27</sub>	$T_{HBR}$	Z <sub>77</sub>	$\chi^2_{red,77}$	$\chi^2_{red,27}$	% Source
(1)	kpc (2)	kpc (3)	$10^{20} \text{ cm}^{-2}$ (4)	keV (5)	keV (6)	(7)	Z <sub>⊙</sub> (8)	(9)	(10)	(11)
1E0657 56 †	69	486	6.53	$11.81^{+0.29}_{-0.27}$	$14.13^{+0.58}_{-0.53}$	$1.20^{+0.06}_{-0.05}$	$0.29^{+0.03}_{-0.03}$	1.22	1.10	95
1RXS J2129.4-0741 †	68	358	4.36	$8.47^{+1.31}_{-1.04}$	Q 57 +1.73	1 01 +0.26	$0.29_{-0.03}$ $0.51_{-0.19}^{+0.20}$	1.16	1.27	87
2PIGG J0011.5-2850	70	387	2.18	$5.25 \begin{array}{l} +0.29 \\ -0.27 \end{array}$	$6.21^{+0.83}_{-0.68}$	$1.18^{+0.17}_{-0.14}$	n 22+0.09	1.08	1.01	78
2PIGG J0311.8-2655	69	320	1.46	$3.35^{+0.25}_{-0.22}$	$3.67^{+0.71}_{-0.54}$	$1.10^{+0.23}_{-0.18}$	$0.23_{-0.08}$ $0.33_{-0.11}^{+0.13}$	1.03	1.10	51
2PIGG J2227.0-3041	70	267	1.11	$2.81^{+0.16}_{-0.15}$	$2.99^{+0.36}_{-0.28}$	$1.06^{+0.14}_{-0.11}$	$0.35^{+0.11}_{-0.08}$	1.14	1.10	77
3C 220.1	70	308	1.91	$7.81^{+7.50}_{-3.00}$	$7.49^{+11.53}_{-3.50}$	$0.96^{+0.77}_{-0.38}$	$0.00^{+0.56}_{-0.00}$	0.79	0.76	64
3C 28.0	70	297	5.71	$5.18^{+0.28}_{-0.27}$	$7.11^{+1.15}_{-0.90}$	1.37 <sup>+0.23</sup> <sub>-0.19</sub>	$0.30^{+0.09}_{-0.07}$	0.96	0.77	90
3C 295	69	329	1.35	5.35 <sup>+0.48</sup> -0.41 2.27 <sup>+0.24</sup>	$8.06^{+2.35}_{-1.52}$	1.51 -0.31	$0.29^{+0.12}_{-0.10}$	1.01	1.07	86
3C 388	70	297	6.11	3.27 -0.21	-0.51	-0.17	$0.43^{+0.16}_{-0.13}$	1.09	1.04	76
4C 55.16	70	300	4.00	$4.88^{+0.16}_{-0.16}$	5.11 +0.44	$1.05^{+0.10}_{-0.09}$	$0.52^{+0.07}_{-0.07}$	0.93	0.85	71
ABELL 0013	70	404	2.03	$6.84^{+0.36}_{-0.36}$ 9 72 +1.82	9.29 <sup>+1.37</sup> -1.08 10.89 <sup>+5.21</sup>	$1.36^{+0.21}_{-0.17}$	$0.55^{+0.10}_{-0.12}$	1.14	1.10	56
ABELL 0110	69	460	4.60	-1.36	$10.89^{+5.21}_{-2.85}$ $6.20^{+0.74}_{-0.50}$	1.12 +0.58	$0.41^{+0.24}_{-0.23}$	1.08	1.03	87 75
ABELL 0119	69 60	399	3.30 3.27	5.86 <sup>+0.28</sup> <sub>-0.27</sub>	$\begin{array}{c} 6.20  \substack{+0.74 \\ -0.59} \\ 3.37  \substack{+0.48 \\ -0.48} \end{array}$	$1.06^{+0.14}_{-0.11}$ $1.32^{+0.20}_{-0.17}$	$0.44^{+0.10}_{-0.10}$	0.98	0.89	75 44
ABELL 0168 †	69 70	270 430	1.68	$2.56^{+0.13}_{-0.10}$ $7.32^{+0.65}_{-0.56}$	10.05 +2.33	$1.32_{-0.17}^{+0.17}$ $1.37_{-0.24}^{+0.34}$	$0.32_{-0.05}^{+0.05}$ $0.21^{+0.11}$	1.03 1.07	0.97 1.15	88
ABELL 0209 † ABELL 0267 †	69	385	2.74	6.46 +0.51	7 46 +1.22	1.15 +0.21	$0.21_{-0.10}$ $0.37_{-0.12}$	1.18	1.13	88
ABELL 0370	71	365	3.37	8.74 <sup>+0.98</sup>	10 15 +2.17	$1.13_{-0.16}^{+0.16}$ $1.16_{-0.21}^{+0.28}$	0.37-0.11	1.05	1.02	50
ABELL 0370 ABELL 0383	69	299	4.07	4.95 <sup>+0.30</sup>	$5.92^{+1.05}_{-0.85}$	1.20 +0.22	$0.37_{-0.13}$ $0.43^{+0.12}$	1.12	1.10	75
ABELL 0399	70	386	8.33 <sup>+0.82</sup> <sub>-0.80</sub>	7.93 +0.38	8.86 <sup>+0.67</sup>	1 12 +0:18	$0.32^{+0.06}$	1.06	0.96	87
ABELL 0401	70	454	12.48	6.54 +0.22	9.37 +0.91	1 43 +0.15	$0.29^{+0.07}_{-0.06}$	1.53	1.10	85
ABELL 0478	70	422	30.90	$7.27^{+0.26}_{-0.25}$	8.19 +0.56	$1.13^{+0.09}_{-0.08}$	$0.47^{+0.06}_{-0.06}$	1.02	0.93	95
ABELL 0514	70	350	3.14	$3.85  \substack{+0.27 \\ -0.25}$	$4.92^{-0.30}_{-0.76}$	$1.28^{ +0.28}_{ -0.21}$	$0.29^{+0.12}_{-0.11}$	1.00	1.01	58
ABELL 0520	69	408	$1.14^{+1.16}_{-1.14}$	$9.15 \begin{array}{l} +0.73 \\ -0.63 \end{array}$	$10.43^{+1.41}_{-1.06}$	$1.14^{+0.18}_{-0.14}$	$0.36^{+0.07}_{-0.07}$	1.12	1.01	91
ABELL 0521	69	378	6.17	$7.31  \substack{+0.79 \\ -0.64}$	$9.01^{-1.00}_{-1.87}$	1 23 +0.53	$0.48^{+0.17}_{-0.16}$	1.11	0.95	55
ABELL 0586	70	449	4.71	$6.43^{+0.55}_{-0.49}$	$8.06^{+1.51}_{-1.14}$	$1.25_{-0.28}^{+0.26}$ $1.25_{-0.20}^{+0.26}$	$0.50^{+0.15}_{-0.15}$	0.88	0.81	87
ABELL 0611	69	369	4.99	$6.79^{+0.51}_{-0.46}$	6.88 <sup>+1:23</sup> -0.95 8.08 <sup>+0.44</sup>	$1.01^{+0.20}_{-0.16}$	$0.32^{+0.10}_{-0.10}$	1.04	1.07	67
ABELL 0644	69	411	6.31	$7.81^{+0.20}_{-0.19}$	-0.39	$1.03^{+0.06}_{-0.06}$	$0.42^{+0.05}_{-0.04}$	1.15	1.05	92
ABELL 0665	69	437	4.24	$7.35^{+0.19}_{-0.37}$	$10.43^{+1.76}_{-1.31}$	$1.42^{+0.25}_{-0.19}$	$0.29^{+0.07}_{-0.07}$	1.07	0.94	91
ABELL 0697	70	433	3.34	$9.78^{+0.99}_{-0.85}$	$14.71^{+4.47}_{-2.90}$	$1.50^{+0.48}_{-0.32}$	$0.48^{+0.13}_{-0.13}$	1.06	0.95	93
ABELL 0773	69	434	1.46	8.08 +0.74 -0.65	11.24 <sup>+2.84</sup> -1.94	$1.39^{+0.37}_{-0.26}$	$0.37^{+0.12}_{-0.12}$	1.03	0.96	89
ABELL 0907	70 70	345	5.69	5.60 +0.19	0.20 -0.44	1.12 <sup>+0.10</sup> <sub>-0.09</sub> 1.10 <sup>+0.15</sup>	$0.46^{+0.06}_{-0.06}$	1.17	1.02	92
ABELL 10638	70 70	385	1.39 1.77	6.97 <sup>+0.35</sup> -0.32	$7.65^{+1.00}_{-0.82}$ $14.04^{+1.83}_{-1.47}$	$1.10^{+0.15}_{-0.13}$ $1.18^{+0.18}_{-0.15}$	$0.29^{+0.08}_{-0.07}$ $0.38^{+0.10}$	1.13	1.12 0.98	74 94
ABELL 1063S ABELL 1068	70 70	458 304	0.71	$11.94^{+0.91}_{-0.80}$ $4.67^{+0.18}_{-0.18}$	$5.49^{+0.71}_{-0.58}$	1.18 -0.15 1.18 +0.16	0.38-0.09	1.01 0.92	0.98	94 77
ABELL 1008 ABELL 1201	69	401	1.85	5.74 <sup>+0.44</sup>	5.49 -0.58 5.99 <sup>+1.39</sup>	1.18 -0.13	$0.37_{-0.07}$ $0.35^{+0.13}$	1.06	1.10	50
ABELL 1201 ABELL 1204	70	295	1.44	$3.74_{-0.40}$ $3.67_{-0.16}^{+0.18}$	$4.72^{+0.75}_{-0.57}$	$1.04_{-0.18}^{+0.18}$ $1.29_{-0.17}^{+0.21}$	0.33_0.11	1.11	0.92	92
ABELL 1361	70	316	2.18	$5.07_{-0.16}^{+0.16}$ $5.14_{-0.74}^{+1.00}$	7 24 +8:23	$1.41^{+1.62}_{-0.59}$	$0.32_{-0.09}$ $0.29^{+0.31}$	1.10	0.82	61
ABELL 1423	70	435	1.60	$6.04^{+0.82}_{-0.69}$	7.93 +4.09	$1.31^{+0.58}_{-0.58}$	$0.33^{+0.20}_{-0.27}$	0.95	0.91	84
ABELL 1651	70	421	2.02	$6.30^{+0.32}_{-0.28}$	$7.46^{+0.99}_{-0.01}$	$1.18^{+0.17}_{-0.14}$	$0.44^{+0.09}$	1.13	1.17	91
ABELL 1664	70	291	8.47	$4.26^{+0.30}_{-0.26}$	$4.91  {}^{+1.05}_{-0.80}$	1.15 +0.26	$0.31^{+0.12}_{-0.11}$	1.07	1.08	70
ABELL 1689 †	70	480	1.87	$9.76^{-0.20}_{-0.38}$	$12.97^{-0.80}_{-1.05}$	$1.33^{+0.14}_{-0.12}$	$0.35^{+0.06}_{-0.05}$	1.14	1.04	94
ABELL 1758	70	406	1.09	9.66 <sup>+0.75</sup> <sub>-0.64</sub> 7.74 <sup>+0.73</sup> <sub>-0.64</sub>	$9.90^{+1.22}_{-1.89}$	$1.02^{+0.15}_{-0.21}$	$0.48^{+0.11}_{-0.11}$	1.03	0.96	68
ABELL 1763	69	396	0.82	$7.74^{+0.73}_{-0.64}$	9.90 +1.92 9.90 +1.89 12.56 +6.70 6.85 +0.42 6.85 +0.38 11.99 +1.96 11.97 +1.90 5.94 +2.24 5.94 +2.24 9.41 +1.87	$1.02^{+0.15}_{-0.21}$ $1.62^{+0.88}_{-0.42}$	$0.48_{-0.11}^{+0.11} \\ 0.22_{-0.12}^{+0.11} \\ 0.33_{-0.05}^{+0.04}$	1.16	1.02	89
ABELL 1795	69	449	1.22	$7.74_{-0.64}^{+0.73}$ $6.05_{-0.15}^{+0.15}$	$6.85^{+0.42}_{-0.38}$	$1.62^{+0.88}_{-0.42}$ $1.13^{+0.07}_{-0.07}$	$0.33^{+0.04}_{-0.05}$	1.19	1.03	93
ABELL 1835	69	404	2.36	$6.05_{-0.15}^{+0.13}$ $9.55_{-0.51}^{+0.55}$	$11.99^{+1.96}_{-1.44}$		0.33+0.04 0.35+0.07 0.35+0.08 0.32+0.07 0.37+0.15 0.33+0.12 0.40+0.06 -0.06	0.91	0.88	91
ABELL 1914	70	494	0.97	$9.55^{+0.55}_{-0.51}$ $9.73^{+0.58}_{-0.51}$ $4.96^{+0.45}_{-0.39}$	$11.97^{+1.90}_{-1.40}$	1.26 -0.17 1.23 +0.21 1.20 +0.46 1.20 +0.45 1.11 +0.25 1.11 -0.18	$0.32^{+0.08}_{-0.07}$	1.11	1.03	95
ABELL 1942	70	334	2.75		5.94 +2.24	1.20 +0.46	$0.37^{+0.15}_{-0.14}$	1.04	0.87	77
ABELL 1995	70	260	1.44	8.50 <sup>+0.83</sup> <sub>-0.71</sub> 8.20 <sup>+0.32</sup> <sub>-0.29</sub>	$9.41^{+1.87}_{-1.32}$ $9.90^{+0.90}_{-0.73}$		$0.33^{+0.12}_{-0.12}$	1.05	1.02	81
ABELL 2029	69	434	3.26		1100	1.21 +0.12 1.36 +0.16 -0.12 1.11 +0.09 1.31 +0.23 1.31 +0.23	$0.40_{-0.06}^{+0.06}$ $0.34_{-0.05}^{+0.05}$ $0.28_{-0.05}^{+0.05}$ $0.24_{-0.08}^{+0.08}$	1.07	1.03	94
ABELL 2034	69 70	420	1.58		9.96 -0.84	1.36 -0.12	0.34-0.05	1.17	1.02	90
ABELL 2065	70	370	2.96	5.75 <sup>+0.19</sup> <sub>-0.17</sub> 6.33 <sup>+0.36</sup> <sub>-0.32</sub>	0.39 <sub>-0.41</sub> 9.20 ±1.36	1.11 -0.08	0.28_0.05	1.11	1.01	89
ABELL 2069 ABELL 2111	69 69	441 418	1.97 2.20		9.96 +1.09 6.39 +0.46 8.29 +1.36 7.18 +6.73 2.52 3.69 +1.99 -0.81	1 25 +1 21	$0.24_{-0.08}^{+0.06}$ $0.16_{-0.16}^{+0.30}$ $0.36_{-0.20}^{+0.25}$ $0.09_{-0.05}^{+0.06}$	1.14 1.06	1.15 0.97	78 74
ABELL 2111 ABELL 2125	69	262	2.75	$5.74_{-0.97}^{+1.43}$ $3.09_{-0.31}^{+0.37}$	3 69 +1.99	1.25 -0.49 1.19 +0.66 1.04 +0.12 -0.11	0.10_0.16	1.06	1.22	68
ABELL 2163	69	531	12.04			1.04 +0.12	$0.09^{+0.06}$	1.33	1.25	93
ABELL 2204 †	70	406	5.84	9.35 <sup>+0.43</sup> <sub>-0.41</sub>			$0.09_{-0.05}^{+0.07}$ $0.37_{-0.07}^{+0.07}$ $0.22_{-0.06}^{+0.07}$	0.95	0.97	86
ABELL 2218	70	394	3.12	9.35 +0.43 7.37 +0.40 7.37 -0.37	$9.36^{+1.42}_{-0.77}$		$0.22^{+0.07}$	1.00	0.91	91
ABELL 2219	70	463	1.76	$7.37_{-0.37}^{+0.40}$ $12.60_{-0.61}^{+0.65}$ $6.37_{-0.23}^{+0.24}$	9.36 <sup>+1.42</sup> 12.54 <sup>+1.52</sup> <sub>-1,21</sub>		0.21+0.07	1.02	0.98	81
ABELL 2255	70	404	2.53	$6.37^{+0.24}_{-0.23}$	$7.70^{+0.79}_{-0.69}$		$0.31_{-0.07}^{+0.07}$ $0.34_{-0.07}^{+0.06}$ $0.31_{-0.07}^{+0.07}$	0.93	0.84	81
ABELL 2256	69	423	4.05		$12.54^{+1.32}_{-1.21}$ $7.70^{+0.79}_{-0.69}$ $7.30^{+0.69}_{-0.63}$	$1.21_{-0.12}^{+0.13}$ $1.29_{-0.12}^{+0.13}$	$0.31^{+8.87}_{-0.07}$	1.61	1.44	79
ABELL 2259	70	339	3.70	$5.66_{-0.17}^{+0.19}$ $5.07_{-0.40}^{+0.46}$		1 00 +0 27	$0.31_{-0.07}^{+0.07}$ $0.40_{-0.14}^{+0.16}$ $0.40_{-0.09}^{+0.09}$ $0.57_{-0.24}^{+0.25}$	0.92	0.92	90
ABELL 2261	70	408	3.31		5.49 -0.91 9.84 +1.94 -1.30 12.33 +5.72 -3.05	$1.08_{-0.20}^{+0.20}$ $1.25_{-0.18}^{+0.26}$ $1.18_{-0.33}^{+0.58}$	$0.40^{+0.09}_{-0.09}$	0.98	0.95	94
ABELL 2294	69	404	6.10	$7.86_{-0.47}^{+0.51}$ $10.49_{-1.30}^{+1.75}$	$12.33  ^{+5.72}_{-3.05}$	$1.18^{+0.58}_{-0.33}$	$0.57^{+0.25}_{-0.24}$	1.16	1.08	88

TABLE 5 — Continued

Cluster	$R_{CORE}$	R <sub>5000</sub>	$N_{HI}$	T <sub>77</sub>	T <sub>27</sub>	$T_{HBR}$	Z <sub>77</sub>	$\chi^2_{red,77}$	$\chi^2_{red,27}$	% Source
(1)	kpc (2)	kpc (3)	$10^{20} \text{ cm}^{-2}$ (4)	keV (5)	keV (6)	(7)	Z <sub>⊙</sub> (8)	(9)	(10)	(11)
ABELL 2384	69	309	2.99	$4.53^{+0.22}_{-0.21}$ $10.85^{+0.34}_{-0.21}$	$6.78^{+1.13}_{-0.89}$ $10.53^{+0.62}_{-0.53}$	1.50 +0.26 -0.21	$0.15^{+0.07}_{-0.06}$	0.99	0.88	86
ABELL 2390	69	447	6.71		$10.53^{+0.62}_{-0.53}$	$0.07 \pm 0.06$	0.25+0.05	1.15	1.03	81
ABELL 2409	69	362	6.72	5 03 +0.45	5.87 <sup>+0.95</sup> <sub>-0.76</sub>	0.00 +0.18	$0.35^{+0.13}_{-0.11}$	1.05	0.76	92
ABELL 2537	68	351	4.26	8.83 <sup>+0.87</sup> <sub>-0.74</sub>	7 83 +1.54	$0.99_{-0.14}^{+0.16}$ $0.89_{-0.15}^{+0.20}$	0.39+0.14	0.93	0.83	59
ABELL 2550	69	247	2.03	$2.12^{+0.11}_{-0.11}$	2.56 <sup>+0.69</sup> <sub>-0.49</sub> 6.46 <sup>+1.93</sup>	$1.21^{+0.33}_{-0.24}$ $1.21^{+0.37}_{-0.24}$	$0.36^{+0.10}_{-0.08}$	1.34	1.14	47
ABELL 2554	70	398	2.04	5.35 <sup>+0.45</sup> <sub>-0.40</sub> 3.57 <sup>+0.16</sup>	$6.46^{+1.93}_{-1.24}$	-0.25	$0.35^{+0.15}_{-0.13}$	0.93	0.79	40
ABELL 2556	70	323	2.02	$\frac{3.37}{-0.15}$	$6.46_{-1.24}^{+1.24}$ $4.07_{-0.46}^{+0.56}$ $0.18_{-3.17}^{+3.17}$	-0.14	$0.36^{+0.07}_{-0.07}$	0.99	0.95	58
ABELL 2631	70	446	3.74	7.10 -0.94	9.18 -1.96	-0.32	$0.34^{+0.20}_{-0.19}$	1.03	0.99	89
ABELL 2667	69	371	1.64	$0.08_{-0.43}$	$7.35^{+1.27}_{-1.05}$ $4.75^{+0.50}_{-0.41}$	-0.17	$0.41^{+0.12}_{-0.12}$	1.05	0.95	84
ABELL 2717	69	319	2.88	$3.96^{+0.13}_{-0.13}$ $2.59^{+0.17}_{-0.16}$		1.20 +0.13	$0.45^{+0.08}_{-0.07}$	1.16	1.09	80
ABELL 2717 ABELL 2744	69 68	210 439	1.12 1.82	9.82 <sup>+0.89</sup>	$3.18^{+0.59}_{-0.44}$ $11.21^{+2.76}_{-0.41}$	$1.23^{+0.24}_{-0.19}$ $1.14^{+0.30}_{-0.20}$	$0.53^{+0.14}_{-0.12}$ $0.30^{+0.12}_{-0.12}$	0.90 0.88	0.95 0.73	67 74
ABELL 3128	69	305	1.59	$3.04^{+0.23}_{-0.21}$	$3.48^{+0.73}_{-0.54}$	$1.14_{-0.20}$ $1.14_{+0.26}$	$0.30_{-0.12}$ $0.33_{-0.10}^{+0.13}$	1.05	1.13	64
ABELL 3158 †	70	381	1.60	$5.04_{-0.21}^{+0.08}$ $5.08_{-0.08}^{+0.08}$	$6.26^{+0.26}_{-0.24}$	1 23 +0.05	$0.33_{-0.10}$ $0.40^{+0.03}$	1.05	0.97	89
ABELL 3164	69	306	2.55	$2.40^{+0.65}$	$3.19^{+5.68}$	1.33 +2.39	$0.40_{-0.03}$ $0.23^{+0.32}$	1.19	1.59	30
ABELL 3376 †	69	327	5.21	4.44 +0.14	5.94 +0.55	1.34 +0.13	$0.36^{+0.06}_{-0.06}$	1.18	1.13	65
ABELL 3391	69	397	5.46	$5.72^{+0.13}_{-0.13}$	6.44 +0.80	1 13 +0.15	0.11+0.08	1.00	0.97	67
ABELL 3921	70	378	3.07	$5.69^{+0.25}_{-0.24}$	$6.74^{+0.71}_{-0.58}$	$1.13_{-0.13}^{+0.13}$ $1.18_{-0.11}^{+0.14}$	$0.11_{-0.07}$ $0.34_{-0.07}^{+0.08}$	0.93	0.85	84
AC 114	69	373	1.44	$7.75^{-0.24}_{-0.50}$	$9.76^{\frac{-0.28}{+2.28}}_{-1.55}$	$1.26_{-0.22}^{+0.31}$	$0.36^{+0.11}_{-0.10}$	1.01	0.95	63
CL 0024+17	70	296	4.36	$4.75^{+1.07}_{-0.76}$	$7.14^{+5.42}_{-2.83}$	$1.50^{+1.19}_{-0.64}$	$0.58^{+0.35}_{-0.30}$	1.07	0.97	44
CL 1221+4918	68	300	1.44	6.73 <sup>+1.29</sup> -1.02 4.48 <sup>+2.43</sup>	$7.60^{+4.33}_{-2.01}$	$1.13^{+0.68}$	$0.32^{+0.20}_{-0.19}$	0.92	0.69	73
CL J0030+2618	69	532	4.10	$4.48^{+2.43}_{-1.40}$	$3.77^{+9.73}_{-1.96}$	$0.84^{+2.22}_{-0.51}$	$0.00^{+0.37}_{-0.00}$	1.01	0.85	51
CL J0152-1357	69	266	1.45	$7.20^{+7.14}_{-2.48}$	0.07 -2.51	$0.64_{-0.45}$	$0.00^{+0.63}_{-0.00}$	2.97	3.26	49
CL J0542.8-4100	68	300	3.59	$^{3.03}$ $_{-0.90}$	$5.93^{+3.52}_{-1.76}$	-0.35	$0.25^{+0.24}_{-0.22}$	0.67	0.58	72
CL J0848+4456 †	68	215	2.53	$3.73^{+1.47}_{-0.85}$	4.96 <sup>+2.82</sup> -1.81 4.70 <sup>+1.15</sup>	1.33 +0.92	$0.17^{+0.98}_{-0.17}$	0.87	0.82	64
CL J1113.1-2615	69	295	5.51	$4.74^{+1.52}_{-0.98}$	4.79 -1.26	1.01 -0.34	$0.53^{+0.52}_{-0.37}$	1.02	1.01	32
CL J1226.9+3332 †	70	316 347	1.37	13.02 <sup>+2.69</sup> <sub>-2.00</sub> 5 94 +1.73	$12.33^{+2.78}_{-2.13}$ $6.58^{+8.08}_{-2.67}$	0.93 -0.22	$0.18^{+0.23}_{-0.18}$	0.75	0.80	91 56
CL J2302.8+0844 DLS J0514-4904	69 69	344	5.05 2.52	5.94 <sup>+1.73</sup> -1.86 4.94 <sup>+0.61</sup>	$6.38_{-2.67}^{+2.67}$ $6.26_{-1.30}^{+2.33}$	$1.11^{+1.40}_{-0.57}$ $1.27^{+0.50}_{-0.20}$	$0.10^{+0.29}_{-0.10}$ $0.35^{+0.27}_{-0.22}$	0.94 0.86	1.01 1.03	63
EXO 0422-086	70	294	6.22	$3.41^{+0.14}_{-0.13}$	3 44 +0:37	1.01 +0.12	$0.33_{-0.23}$ $0.37^{+0.08}$	0.86	0.93	80
HERCULES A	69	313	$1.49^{+2.01}_{-1.49}$	5 28 +0.60	4 50 +0:88	0.85 +0:19	$0.42^{+0.15}$	0.98	0.98	70
LYNX E †	68	185	2.53	$4.14^{+5.16}_{-0.50}$	$3.06^{+3.86}_{-0.70}$	0.74 +1:31	$3.10^{+33.81}$	0.27	0.44	66
MACS J0011.7-1523 †	69	320	2.08	6 73 +0.55	7 27 +0:99	1 08 +0:17	$0.27^{+0.10}_{-0.00}$	0.90	0.95	92
MACS J0025.4-1222 †	69	321	2.72	6 65 +1:07	C 21 +1.38	$0.95^{+0.26}_{-0.20}$	$0.39^{+0.22}_{-0.19}$	0.66	0.75	86
MACS J0035.4-2015	69	373	1.55	$7.72^{+0.88}_{-0.74}$	$9.39^{+1.91}_{-1.35}$	$0.93_{-0.20}^{+0.20}$ $1.22_{-0.21}^{+0.28}$	$0.39^{+0.14}_{-0.13}$	1.02	1.05	94
MACS J0111.5+0855	69	294	4.18	$4.12^{+1.60}_{-1.04}$	4 16 +2.96	$1.01^{+0.82}_{-0.43}$	$0.00^{+0.43}_{-0.00}$	0.79	1.23	62
MACS J0152.5-2852	69	311	1.46	5.75 <sup>+1.05</sup> 5.75 <sup>+0.78</sup>	$7.70^{+3.21}_{-1.89}$	$1.34^{+0.61}_{-0.38}$	$0.28^{+0.22}_{-0.21}$	0.84	0.58	90
MACS J0159.0-3412	69	388	1.54	$10.99^{+5.87}_{-2.95}$	12.74 +12.45 10.27 +1.29	$1.16^{+1.29}_{-0.53}$	$0.50^{+0.52}_{-0.50}$	1.35	1.34	85
MACS J0159.8-0849 †	69	414	2.01	$9.36^{+0.77}_{-0.67}$	$\frac{10.57}{-1.04}$	$1.11^{+0.17}_{-0.14}$	$0.29^{+0.09}_{-0.09}$	1.05	1.01	94
MACS J0242.5-2132	69	351	2.71	$5.48^{+0.62}_{-0.51}$	5.99 +2.04 -1.19	1.09 +0.39 -0.24 1.14 +0.27	$0.32^{+0.16}_{-0.15}$	1.08	1.06	92
MACS J0257.1-2325 †	70	409	2.09	$9.42^{+1.37}_{-1.05} \ 8.09^{+1.10}_{-0.88}$	10.76 +2.05	-0.22	$0.14_{-0.13}^{+0.13}$ $0.41_{-0.18}^{+0.19}$	1.03	1.13	90
MACS J0257.6-2209	68	382	2.02	10 -1 11 20	$7.90^{+1.64}_{-1.20}$ $11.12^{+2.23}_{-1.68}$	0.98 +0.24	0.41-0.19	1.13	1.24	90
MACS 10308.9+2645	69 71	381	11.88	$10.64^{+1.36}_{-1.14}$ $6.44^{+0.50}_{-0.45}$	$11.12^{+2.23}_{-1.68}$ $7.55^{+0.88}_{-0.73}$	1.05 -0.19	0.37-0.15	0.96	0.97	92
MACS J0329.6-0211 † MACS J0404.6+1109	71 71	296 334	6.21 14.96		$7.55_{-0.73}^{+0.88}$ $7.40_{-1.93}^{+3.63}$	0.98 +0.24 1.05 +0.25 -0.19 1.17 +0.16 -0.14 1.07 +0.61 -0.34	0.41 <sup>+0.19</sup> 0.37 <sup>+0.15</sup> 0.40 <sup>+0.10</sup> 0.22 <sup>+0.27</sup> 0.41 <sup>+0.23</sup> 0.41 <sup>+0.23</sup> 0.34 <sup>+0.15</sup> -0.14	1.12 0.96	1.16 0.92	91 80
MACS J0404.0+1109 MACS J0417.5-1154	70	303	4.00	10 44 ±2.08	$7.40_{-1.93}^{+3.03}$ $14.46_{-3.41}^{+5.92}$ $7.48_{-1.64}^{+2.65}$	4 20 10 62	0.22_0.22	1.10	1.17	96
MACS J0429.6-0253	68	349	5.70		$7.48^{+2.65}$		$0.34^{+0.15}$	1.02	0.78	89
MACS J0451.9+0006	69	312	7.65	5 76 +1.77				1.03	1.33	89
MACS J0455.2+0657	68	326	10.45			$1.16^{+0.80}_{-0.40}$ $1.19^{+0.90}_{-0.43}$	10.35	1.04	1.24	88
MACS J0520.7-1328	69	347	8.88		8.35 +2.49 9.41 +3.38 9.41 +3.38 5.82 +2.97 5.82 -1.66		$0.33^{+0.16}_{-0.16}$	1.22	1.33	91
MACS J0547.0-3904	69	256	4.08		$5.82^{+2.97}_{-1.66}$		$0.24^{+0.21}_{-0.17}$	1.14	1.21	83
MACS J0553.4-3342	69	470	2.88	$13.90^{+5.89}_{-3.28}$	$14.59  {}^{+11.16}_{-4.72}$		$0.38^{+0.39}_{-0.38}$	1.22	1.10	91
MACS J0717.5+3745 †	70	400	6.75	3.70 -0.37 13.90 +5.89 -3.28 13.30 +1.44 -1.21 8.58 +0.85 -0.73	$\begin{array}{c} 1.52 - 1.66 \\ 14.59 + 11.16 \\ -4.72 \\ 12.82 + 1.70 \\ -1.39 \\ 9.32 + 1.20 \\ -0.96 \\ 7.88 + 2.11 \\ -1.44 \end{array}$	$0.96^{+0.17}_{-0.14}$	$0.48_{-0.31}^{+0.33}$ $0.33_{-0.16}^{+0.16}$ $0.24_{-0.17}^{+0.21}$ $0.38_{-0.38}^{+0.39}$ $0.32_{-0.13}^{+0.12}$ $0.30_{-0.11}^{+0.11}$	0.91	0.87	91
MACS J0744.8+3927 †	71	379	4.66	$8.58^{+0.85}_{-0.73}$	$9.32^{+1.20}_{-0.96}$	$0.96^{+0.17}_{-0.14}$ $1.09^{+0.18}_{-0.15}$	$0.30^{+0.11}_{-0.11}$	1.14	1.19	89
MACS J0911.2+1746 †	69	367	3.55	8.58 +0.83 -0.73 7.71 +1.55 -1.16	$7.88^{+2.11}_{-1.44} \ 10.29^{+5.60}_{-2.41}$	$1.09^{+0.18}_{-0.15}$ $1.02^{+0.34}_{-0.24}$ $1.15^{+0.66}_{-0.31}$	$0.30^{+0.11}_{-0.11}$ $0.22^{+0.20}_{-0.20}$ $0.48^{+0.23}_{-0.22}$	0.77	0.77	85
MACS J0949+1708	69	395	3.17	0.04 ±1.5/	10 20 +2.00		$0.48^{+0.23}_{-0.22}$	0.74	0.58	93
MACS J1006.9+3200	69 70	348	1.83	7.03 +2.66 -1.64 7.73 +2.85 -1.73	6.53 +4.61 6.53 +4.61 6.61 +3.02 6.61 -1.79	0.93 +0.74 -0.37 0.86 +0.50 -0.30		1.64	1.53	81
MACS 11108 8 10006 #	70 71	341	4.58					1.27	1.08	87
MACS 11115 2+5320 #	71 70	331	2.52	$6.80^{+1.21}_{-0.93}$ $9.58^{+1.85}_{-1.37}$		1 00 +0 10	0.24-0.19	1.08 0.94	1.01 0.91	86 82
MACS J1115.2+5320 † MACS J1115.8+0129	70 69	373 317	0.98 4.36		9.00 -1.81	1.02 -0.24	$0.24_{-0.19}^{+0.19}$ $0.37_{-0.21}^{+0.22}$ $0.07_{-0.07}^{+0.19}$	0.94	0.91	82 77
MACS J1113.8+0129 MACS J1131.8-1955	70	408	4.36		9.80 -1.81 9.39 +4.77 -2.84 9.45 +2.52 -1.68	$1.02_{-0.24}^{+0.24}$ $1.38_{-0.45}^{+0.74}$ $1.09_{-0.23}^{+0.34}$	a 0 10	1.07	1.02	91
MACS J1131.6-1933 MACS J1149.5+2223 †	69	359	2.32	7 77 +0.94	0 26 +1.51	$1.08^{-0.23}_{+0.24}$		0.87	0.94	75
MACS J1206.2-0847	70	368	4.15	9.98 +1.27	11.93 +2.56 -1.88	$1.09_{-0.23}^{+0.24}$ $1.08_{-0.18}^{+0.24}$ $1.20_{-0.22}^{+0.30}$	$0.25_{-0.13}^{+0.12} \\ 0.32_{-0.14}^{+0.13}$	1.02	1.15	95
		- 50		-1.01	-1.88	0.22				

TABLE 5 — Continued

Cluster	$R_{CORE}$	$R_{5000}$	$N_{HI}$	T <sub>77</sub>	T <sub>27</sub>	$T_{HBR}$	Z <sub>77</sub>	$\chi^2_{red,77}$	$\chi^2_{red,27}$	% Source
(1)	kpc (2)	kpc (3)	$10^{20} \text{ cm}^{-2}$ (4)	keV (5)	keV (6)	(7)	$Z_{\odot}$ (8)	(9)	(10)	(11)
MACS J1226.8+2153	70	333	1.82		5 84 +3.45	1 20 +0.81	0.00+0.28	1.32	1.36	78
MACS J1220.0+2133 MACS J1311.0-0310 †	69	300	2.18	$4.86^{+1.58}_{-1.08}$ $5.73^{+0.46}_{-0.46}$	$5.84^{+3.45}_{-2.14}$ $5.92^{+0.70}_{-0.60}$	$1.20_{-0.51}$ $1.03_{-0.15}^{+0.15}$	$0.00^{+0.28}_{-0.00}$ $0.44^{+0.12}_{-0.12}$	0.93	1.00	83
MACS J1311.0-0310   MACS J1319+7003	69	337	1.53	8.08 +2.14	$10.12^{+5.50}_{-0.60}$	$1.03_{-0.13}^{+0.76}$ $1.25_{-0.42}^{+0.76}$	$0.44_{-0.12}$ $0.10^{+0.25}$	1.00	1.07	82
	70	331	1.33	-1.56	8.83 <sup>+5.55</sup>	1.03 +0.80	$0.10_{-0.10}$ $0.14^{+0.36}$	0.68	0.58	90
MACS J1427.2+4407	70	289	6.11	$8.61^{+4.04}_{-2.23}$ $4.43^{+0.86}_{-0.64}$	5.54 <sup>+3.81</sup>	$1.03_{-0.42}$ $1.25_{-0.44}^{+0.89}$	$0.14_{-0.14}$ $0.21^{+0.26}$	1.08	1.15	79
MACS J1427.6-2521	69	357	1.07	$7.49^{+0.73}_{-0.63}$	$7.75^{+1.12}_{-0.00}$	1.03 +0.18	$0.21_{-0.21}$ $0.35^{+0.13}$	0.98	0.92	82
MACS J1621.3+3810 †	70	353	6.48	8.19 <sup>+1.88</sup>	$10.50^{+4.76}$	1.03 -0.15	$0.33_{-0.12}$ $0.49^{+0.27}$	1.16	0.92	82 87
MACS J1731.6+2252	68	246	4.52	4.13 +1.87	$4.76^{+10.39}_{-1.86}$	$1.28_{-0.36}$ $1.15_{+2.57}^{+2.57}$	$0.49_{-0.25}$ $0.76^{+2.14}$	0.52	0.98	78
MACS J1824.3+4309 MACS J1931.8-2634	70	377	9.13	$6.85^{+0.73}_{-0.61}$	$6.86^{+1.58}_{-1.15}$	1.13 -0.53	$0.76_{-0.75}$ $0.23^{+0.12}$	1.02	1.07	76 94
MACS J2046.0-3430	70 70	263	4.98	$5.02^{+1.95}_{-1.04}$	$6.80_{-1.15}^{-1.15}$ $6.23_{-2.20}^{+2.57}$	1.00 -0.19	$0.23_{-0.11}$ $0.23^{+0.55}$	1.02	1.07	94 89
MACS J2040.0-3430 MACS J2049.9-3217	69	371	5.99	$7.88^{+1.22}_{-1.08}$	$0.23_{-2.30}$ $11.48_{-2.42}^{+4.02}$	$1.46^{+0.53}_{-0.53}$	$0.23_{-0.23}$ $0.37^{+0.18}$	0.94	0.90	89
MACS J2211.7-0349	70	469	5.86	$11.13^{+1.45}_{-0.98}$	$13.77  {}^{+3.49}_{-2.40}$	$1.40_{-0.36}^{+0.35}$ $1.24_{-0.35}^{+0.35}$	$0.37_{-0.16}$ $0.18^{+0.14}$	1.33	1.34	93
MACS J2211.7-0349 MACS J2214.9-1359 †	70	376	3.32	9.87 <sup>+1.54</sup>	$9.97^{+2.17}_{-1.50}$	1.01 +0.27	$0.18_{-0.14}$ $0.31^{+0.17}$	1.03	1.01	93 92
MACS J2228+2036	70	387	4.52	7.79 +1.14	$10.04^{+3.96}$	$1.01_{-0.19}$ $1.29_{-0.22}^{+0.54}$	$0.31_{-0.17}$ $0.41^{+0.18}$	0.84	0.96	92 92
MACS J2229.7-2755	69	330	1.34	5.25 +0.54	$6.07^{+1.76}_{-1.18}$	1.16 +0.32	0.59+0.20	0.98	1.02	91
MACS J2223.7-2735 MACS J2243.3-0935	70	389	4.31	$5.23_{-0.46}$ $5.15_{-0.54}^{+0.65}$	8.81 <sup>+4.31</sup>	1.71 +0.86	$0.05^{+0.19}_{-0.19}$	1.38	1.02	66
MACS J2245.0+2637	70	320	5.50	$6.05^{+0.66}_{-0.56}$	$7.05^{+1.31}_{-1.00}$	1.17 -0.55	$0.03_{-0.05}$ $0.64^{+0.21}$	0.78	0.95	92
MACS J2243.0+2037 MACS J2311+0338	69	247	5.23	$7.60^{+1.60}$	$11.76^{+8.05}_{-1.08}$	1.55 +1.11	$0.04_{-0.20}$ $0.44^{+0.24}$	1.21	0.96	92
MKW3S	69	239	3.05	3.93 +0.06	$4.58^{+0.19}_{-0.17}$	1.17 +0.05	$0.44_{-0.22}$ $0.35^{+0.02}$	1.21	0.93	88
	69	388	4.06	$9.11^{+0.79}_{-0.68}$	-0.17	$1.17_{-0.05}$ $1.29_{-0.35}^{+0.35}$	$0.33_{-0.03}^{+0.10}$	0.91	0.93	88
MS 0016.9+1609 MS 0440.5+0204	70	477	9.10	5.99 <sup>+0.91</sup>	$11.73^{+2.98}_{-1.84}$ $4.45^{+1.61}_{-1.37}$	$0.74^{+0.29}_{-0.25}$	$0.32_{-0.09}$ $0.66^{+0.32}$	0.91	0.92	28
	69	363	5.68	$9.25^{+0.89}_{-0.73}$	$\begin{array}{c} 4.43 \\ -1.37 \\ 11.55 \\ ^{+2.88} \end{array}$	$0.74_{-0.25}$ $1.25_{-0.23}^{+0.33}$	0.00_0.29	0.89	0.74	28 71
MS 0451.6-0305	69	347	3.40	5.54 +0.24	6.47 +0.75	1.17 +0.14	$0.42_{-0.11}$ $0.35^{+0.07}$	1.09	1.08	71 74
MS 0735.6+7421 MS 0839.8+2938	70	293	3.40	4.63 +0.30	$4.64^{+0.05}_{-0.71}$	1.17 -0.13	0.33_0.07	0.97	0.91	69
MS 0906.5+1110	70 70	436	3.60	5.56 <sup>+0.34</sup>	6.04 +1.23	1.25 +0.23	$0.49_{-0.13}^{+0.10}$ $0.34_{-0.10}^{+0.10}$	1.20	0.91	82
MS 1006.0+1202	69	393	3.63	5.79 <sup>+0.54</sup>	$7.76^{+2.25}$	1.34 +0.41	$0.34_{-0.10}$ $0.28^{+0.12}$	1.20	1.24	82 82
MS 1008.1-1224	69	388	6.71	$5.76^{+0.46}_{-0.47}$	$9.88^{+2.54}_{-1.70}$	$1.72^{+0.29}_{-0.33}$	0.20-0.12	1.29	1.08	83
MS 1054.5-0321	69	378	3.69	$9.76^{+1.69}_{-0.47}$	14 17 +12.06	1 45 +1.26	$0.16^{+0.16}$	1.05	0.85	51
MS 1455.0+2232	70	308	3.35	$4.81^{+0.13}_{-0.12}$	5 81 <sup>-4.93</sup>	1 21 +0.09	$0.16_{-0.16}$ $0.46^{+0.05}$	1.34	1.12	94
MS 1621.5+2640	69	363	3.59	5.72 +0.90	5 10 +2:04	0.89 +0.38	$0.37^{+0.23}_{-0.05}$	1.00	0.98	74
MS 2053.7-0449 †	69	381	5.16	$4.68^{+1.04}_{-0.75}$	5.37 +1:73	$1.15^{+0.45}_{-0.25}$	$0.26^{+0.26}$	0.99	0.94	65
MS 2137.3-2353	69	355	3.40	$6.00^{+0.75}_{-0.47}$	$7.56^{+2.79}$	1.26 +0.48	$0.35^{+0.13}_{-0.12}$	1.08	1.28	69
MS J1157.3+5531	70	272	1.22	3.28 +0.36	$10.57^{+6.42}_{-2.22}$	3.22 +1.99	$0.76^{+0.30}$	1.22	1.15	37
NGC 6338	70	254	2.60	$2.34^{+0.08}_{-0.07}$	$3.03^{+0.30}_{-0.24}$	1 20 +0.14	$0.24^{+0.04}_{-0.03}$	1.06	1.00	54
PKS 0745-191	69	460	40.80	$8.30^{-0.07}_{-0.36}$	$9.69  \substack{+0.84 \\ -0.73}$	$1.17^{+0.12}_{-0.10}$	$0.42^{+0.06}_{-0.07}$	1.01	0.97	93
RBS 0797	70	350	2.22	$7.63^{+0.94}_{-0.77}$	$8.62^{+2.60}_{-1.60}$	1.13 +0.37	$0.25^{+0.13}_{-0.12}$	1.06	0.83	93
RDCS 1252-29	68	188	6.06	$4.63^{+2.39}_{-1.41}$	$4.94^{+9.84}_{-2.82}$	1.07 + 2.20	$1.14^{-0.13}_{-0.22}$	1.36	0.28	60
RX J0232.2-4420	69	402	2.53	$7.92^{-1.41}_{-0.74}$	$10.54^{+2.53}_{-1.74}$	$1.33^{+0.35}_{-0.25}$	$0.38^{+0.13}_{-0.13}$	1.05	0.98	91
RX J0340-4542	69	279	1.63	$3.10^{+0.43}_{-0.38}$	$2.75^{+1.15}_{-0.67}$	$0.89 \pm 0.39$	$0.63^{+0.39}_{-0.28}$	1.22	1.30	48
RX J0439+0520	69	322	10.02	$4.67  {}^{+0.58}_{-0.47}$	$5.37  {}^{+2.03}_{-1.24}$	$1.15^{+0.46}_{-0.29}$	$0.36^{+0.22}_{-0.20}$	0.91	0.81	85
RX J0439.0+0715 †	69	376	11.16	$5.65 \begin{array}{l} +0.38 \\ -0.34 \end{array}$	$8.21^{+1.29}_{-0.96}$	$1.45^{+0.25}_{-0.19}$	$0.34_{-0.09}^{+0.09}$	1.32	1.14	87
RX J0528.9-3927	69	452	2.36	$7.96^{+1.01}_{-0.81}$	$9.84^{+2.92}_{-1.81}$	$1.24^{+0.40}_{-0.26}$	$0.26^{+0.14}_{-0.15}$	0.96	1.04	88
RX J0647.7+7015 †	69	362	5.18	$7.96^{+1.01}_{-0.81}$ $11.46^{+2.05}_{-1.58}$ $3.92^{+0.46}_{-0.40}$	9.84 +2.92 11.18 +2.46 11.18 +2.46 11.18 +2.46 1.77 3.24 +1.26 5.00 +5.09 -2.03 17.32 +1.73 17.32 +1.73	$1.24^{+0.40}_{-0.26}$ $0.98^{+0.28}_{-0.20}$	$0.26^{+0.14}_{-0.15}$ $0.24^{+0.18}_{-0.20}$	1.00	0.92	88
RX J0819.6+6336	70	308	4.11	$3.92^{+0.46}_{-0.40}$	$3.24^{+1.26}_{-0.66}$	$0.98^{+0.28}_{-0.20}$ $0.83^{+0.34}_{-0.19}$	$0.24^{+0.18}_{-0.20} \ 0.16^{+0.17}_{-0.14}$	1.00	1.00	50
RX J0910+5422 †	70	165	2.07	$3.92^{+0.46}_{-0.40}$ $4.08^{+3.11}_{-1.34}$	$5.00^{+5.09}_{-2.03}$	$1.23^{+1.56}_{-0.64}$	$0.43^{+1.89}_{-0.43}$	0.64	0.56	42
RX J1347.5-1145 †	68	431	4.89	$15.12^{+1.03}_{-0.86}$	$17.32^{+1.73}_{-1.40}$	$1.15^{+0.14}_{-0.11}$	$0.33^{+0.07}_{-0.08}$	1.12	1.11	96
RX J1350+6007	68	227	1.77	$4.08^{+3.11}_{-1.34}$ $15.12^{+1.03}_{-0.86}$ $4.22^{+3.13}_{-1.53}$	$17.32_{-1.40}^{+1.73}$ $3.29_{-1.93}^{+10.52}$ $7.19_{-0.52}^{+0.59}$	$\begin{array}{c} 0.83  \substack{+0.34 \\ -0.19} \\ 1.23  \substack{+1.56 \\ -0.64} \\ 1.15  \substack{+0.14 \\ -0.11} \\ 0.78  \substack{+2.56 \\ -0.54} \\ 1.04  \substack{+0.10 \\ -0.09} \end{array}$	$0.16^{+0.17}_{-0.14}$ $0.43^{+1.89}_{-0.43}$ $0.33^{+0.07}_{-0.08}$ $0.63^{+5.75}_{-0.63}$ $0.38^{+0.07}_{-0.08}$	1.00	0.14	66
RX J1423.8+2404 †	70	301	2.65		$7.19^{+0.59}_{-0.52}$	$1.04^{+0.10}_{-0.09}$	$0.38^{+0.07}_{-0.08}$	0.94	0.90	90
RX J1504.1-0248	69	445	6.27	6.90 -0.37 8.02 +0.26 -0.25 6.06 +0.43 -0.39 6.51 +1.79 -1.24	7.19 +0.59 8.52 +0.58 7.20 +0.94 -0.77 6.21 +4.03 -2.26	$1.04 \stackrel{+0.10}{-0.09}$ $1.06 \stackrel{+0.08}{-0.07}$ $1.19 \stackrel{+0.18}{-0.15}$ $0.95 \stackrel{+0.67}{-0.39}$	$0.39^{+0.04}_{-0.05}$	1.25	1.17	95
RX J1532.9+3021 †	69	323	2.21	$6.06^{+0.43}_{-0.39}$	$7.20^{+0.94}_{-0.77}$	$1.19^{+0.18}_{-0.15}$	$0.46^{+0.10}_{-0.11}$ $0.56^{+0.39}_{-0.32}$	0.92	1.02	83
RX J1716.9+6708	68	328	3.71	$6.51^{+1.79}_{-1.24}$	$6.21^{+4.03}_{-2.26}$	$0.95^{+0.67}_{-0.39}$	$0.56^{+0.39}_{-0.32}$	0.84	0.92	63
RX J1720.1+2638	70	361	4.02		TU.81		$0.37^{+0.07}_{-0.07}$	1.04	0.96	94
RX J1720.2+3536 †	70	320	3.35	$6.33^{+0.29}_{-0.25}$ $7.34^{+0.59}_{-0.50}$	$7.71_{-0.72}^{+0.84}$ $7.40_{-0.71}^{+0.86}$ $3.93_{-0.70}^{+0.98}$	$1.01^{+0.14}_{-0.12}$	$0.43^{+0.11}_{-0.11}$	1.03	0.94	91
RX J2011.3-5725	70	283	4.76		$3.93^{+0.98}_{-0.70}$	$0.96^{+0.26}_{-0.19}$	$0.41^{+0.24}_{-0.20}$	0.95	1.08	84
RX J2129.6+0005	70	488	4.30	$4.10^{+0.47}_{-0.39}$ $6.01^{+0.55}_{-0.46}$	$3.93_{-0.70}^{+0.70}$ $7.19_{-1.21}^{+1.68}$ $3.92_{-0.94}^{+1.16}$	$1.22 \stackrel{+0.14}{-0.12} \\ 1.01 \stackrel{+0.14}{-0.12} \\ 0.96 \stackrel{+0.26}{-0.19} \\ 1.20 \stackrel{+0.30}{-0.22}$	$0.56_{-0.32}^{+0.07}$ $0.37_{-0.07}^{+0.07}$ $0.43_{-0.11}^{+0.11}$ $0.41_{-0.20}^{+0.16}$ $0.51_{-0.15}^{+0.16}$	1.29	1.34	87
S0463 †	69	294	1.06		$3.92^{+1.16}_{-0.94}$	$1.20^{+0.38}_{-0.32}$	0.00+0.18	1.08	1.08	54
TRIANG AUSTR	70	516	13.27	$3.26_{-0.38}^{+0.33}$ $9.37_{-0.30}^{+0.32}$	14 (0 ±1 18	$1.20^{+0.38}_{-0.32}$ $1.57^{+0.14}_{-0.13}$	$0.23_{-0.15}^{+0.04}$ $0.09_{-0.04}^{+0.36}$ $0.46_{-0.28}^{+0.36}$	0.01	1.89	88
V 1121.0+2327	71	302	1.30	$9.37^{+0.32}_{-0.30}$ $4.17^{+0.78}_{-0.60}$	$14.68^{+1.18}_{-1.08}$ $4.70^{+3.00}_{-1.17}$			1.09	0.87	74
ZWCL 1215	69	277	1.76	$4.17_{-0.60}^{+0.60}$ $6.63_{-0.40}^{+0.45}$ $9.70_{-0.94}^{+1.16}$	$7.64^{+1.34}_{-1.00}$		$0.46^{+0.30}_{-0.28}$ $0.37^{+0.11}_{-0.11}$	1.10	1.04	91
ZWCL 1358+6245	69	375	1.94		9.04 +2.09	$0.93^{+0.24}_{-0.18}$	$0.57^{+0.19}_{-0.19}$	1.03	0.90	65
ZWCL 1953	69 70	517	3.10	9.70 <sup>+1.16</sup> <sub>-0.94</sub> 8.28 <sup>+1.25</sup> <sub>-0.96</sub> 7.46 <sup>+0.32</sup> <sub>-0.30</sub>	9.04 +2.09 -1.46 15.12 +11.45 8.99 +0.94 -0.78	1.15 +0.17 0.93 +0.24 -0.18 1.83 +1.41 -0.69 1.21 +0.14	$0.20^{+0.14}_{-0.15}$	0.87	0.74	82
ZWCL 5247	70	512	2.70	7.46 +0.32 4.00 +0.86	8.99 <sup>+0.94</sup> -0.78 4.39 <sup>+2.30</sup> -1.21	$0.00 \pm 0.50$	$\begin{array}{c} 0.37^{+0.11}_{-0.11} \\ 0.57^{+0.19}_{-0.19} \\ 0.20^{+0.14}_{-0.05} \\ 0.31^{+0.06}_{-0.05} \\ 0.37^{+0.30}_{-0.25} \\ 0.36^{+0.14}_{-0.14} \end{array}$	1.06	0.97	91
ZWCL 5247	69 70	430	1.70	$4.89_{-0.65}^{+0.86}$ $4.64_{-0.37}^{+0.41}$	$\begin{array}{c} 4.39  {}^{+2.30}_{-1.21} \\ 6.82  {}^{+2.26}_{-1.44} \end{array}$	$0.90_{-0.27}^{+0.50}$ $1.47_{-0.33}^{+0.50}$	0.37-0.30	1.09	0.93	78
ZWCL 7160	70	451	3.10	$4.64_{-0.37}^{+0.41}$	$6.82_{-1.44}^{+2.26}$	$1.47^{+0.30}_{-0.33}$	$0.36^{+0.14}_{-0.14}$	0.94	0.76	87

TABLE 5 — Continued

Cluster	R <sub>CORE</sub>	R <sub>5000</sub> kpc	$N_{HI}$ $10^{20} \text{ cm}^{-2}$	T <sub>77</sub> keV	T <sub>27</sub> keV	$T_{HBR}$	Z <sub>77</sub> Z <sub>⊙</sub>	$\chi^2_{red,77}$	$\chi^2_{red,27}$	% Source
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
ZWICKY 2701	69	315	0.83	5.08 <sup>+0.32</sup> <sub>-0.30</sub> 3.82 <sup>+3.34</sup> <sub>-1.42</sub>	$4.96^{+0.87}_{-0.69}$ $2.86^{+3.96}_{1.21}$	$0.98^{+0.18}_{-0.15}$	$0.45^{+0.13}_{-0.11}$	0.95	0.76	70
ZwCL 1332.8+5043	71	434	1.10	$3.82^{+3.34}_{-1.42}$		$0.75 \pm 1.23$	0.16+4.75	0.71	0.95	60
ZwCl 0848.5+3341	70	350	1.12	$6.54^{+2.04}_{-1.27}$	$6.41^{+3.79}_{-1.88}$	$0.73^{+0.42}_{-0.42}$ $0.98^{+0.66}_{-0.34}$	$0.10_{-0.16}^{+0.16}$ $0.59_{-0.48}^{+0.59}$	0.89	1.01	47

NOTE. — Note: '77' refers to 0.7-7.0 keV band, '27' refers to 2.0-7.0 keV band. (1) Cluster name, (2) excluded core region in kpc, (3)  $R_{5000}$  in kpc, (3) absorbing, Galactic neutral hydrogen column density, (4,5) best-fit MeKaL temperatures, (6) best-fit 77 MeKaL abundance, (7)  $T_{0.7-7.0}/T_{2.0-7.0}$  also called  $T_{HBR}$ , (8,9) reduced  $\chi^2$  statistics, (10) percent of emission attributable to source. † indicates cluster with multiple independent, simultaneously fit spectra.