

October 31, 2007

Prof. Max Bonamente  
University of Alabama in Huntsville  
John Wright Dr.  
Huntsville, Al 35899

Dear Prof. Bonamente:

Please accept the attached application for your postdoctoral position in galaxy cluster studies advertised in the October 2007 edition of the AAS Job Register. For my thesis, entitled '*Feedback, Evolution, and Dynamics in Galaxy Clusters*', I am studying the connection of feedback mechanisms – such as AGN, star formation, and radiative cooling in cluster cores – to gas entropy, and the role of this feedback in altering global properties of the ICM and impacting galaxy formation. I have also been studying a method for quantifying the virialization state of clusters through the band dependence of X-ray temperatures. For my thesis I assembled a sample of 350 archival *Chandra* observations for 276 clusters. The results of this laborious task have been many and are detailed in the research summary.

My expertise in X-ray astronomy, with *Chandra* specifically, ideally suits me to further study the evolution of galaxy clusters and mass-observable relations as tools for conducting tests of cosmological models and toward a better understanding of the cluster mass distribution as a function of redshift. Adaptation of my skill sets to study clusters in the radio, optical, and infrared is the next step in my career and should come with a short learning curve thanks to my existing, mature programming ability. I am a great asset for anyone studying clusters both for my technical skills and to furthering their research objectives. I feel the post-doctoral position under your advisory at UAH/NSSTC is an excellent fit for me, and your research goals will benefit from my addition.

Along with this letter are my curriculum vitae, a list of publications, a summary of past and current research, and a brief description of possible research directions. Letters of recommendation from Megan Donahue, Mark Voit, and Jack Baldwin are available via their contact information provided at the end of my CV. Please do not hesitate to contact me if there is any further information I can provide as you review my application.

Thank you for your consideration.

Sincerely,

A handwritten signature in black ink, appearing to read 'Ken Cavagnolo', written over a light gray rectangular background.

Kenneth W. Cavagnolo  
Michigan State University

## KENNETH W. CAVAGNOLO

**Office Address**

Michigan State University  
 Department of Physics & Astronomy  
 Biomedical Physical Sciences Building  
 East Lansing, MI 48824-2320  
 Phone: 1-517-355-9200 ext.2443

**Mailing Address**

1111 Kimberly Dr, Apt. 7, Lansing MI 48912  
 Phone: 1-517-285-9062  
 Fax: 1-517-353-4500  
 E-mail: [cavagnolo@pa.msu.edu](mailto:cavagnolo@pa.msu.edu)  
 Web: [www.pa.msu.edu/people/cavagnolo/](http://www.pa.msu.edu/people/cavagnolo/)

**Education**      **Michigan State University**      2005 - Present

Ph.D. Astrophysics, Expected May-August 2008  
 Thesis Title: "Feedback, Evolution, and Dynamics in Clusters of Galaxies"  
 Thesis Advisors: Dr. Megan Donahue & Dr. G. Mark Voit

**Michigan State University**      2002 - 2005

M.S. Astrophysics

**Georgia Institute of Technology**      1998 - 2002

B.S. Physics *Cum Laude*

**Research**      **Graduate Research Assistant**      2003 - Present

**Experience** Supervisor: Dr. Megan Donahue, *Mich. St. Univ.*  
 Studying clusters of galaxies via their X-ray properties to  
 investigate feedback mechanisms, galaxy evolution, and the process  
 of cluster virialization.

**Graduate Research Assistant**      2002 - 2003

Supervisor: Dr. Jack Baldwin, *Mich. St. Univ.*  
 Analyzing echelle spectra for use in studies of *s*-process abundances  
 in planetary nebulae.

**Undergraduate Research Assistant**      2000 - 2002

Supervisor: Dr. James Sowell, *Georgia Tech*  
 Obtaining orbital solution for the eclipsing Algol binary ET Tau via  
 UVB light curves and spectroscopic radial velocity curves.

- Research**      • LARGE SCALE STRUCTURE FORMATION AND COSMOLOGY  
**Interests**      • GALAXY CLUSTER EVOLUTION  
                      • FEEDBACK MECHANISMS IN GALAXY CLUSTERS  
                      • SUNYAEV-ZEL'DOVICH EFFECT  
                      • GALAXY FORMATION

**Teaching**      **Substitute Instructor**      Fall 2006

**Experience** Course: "Visions of the Universe"  
 Gave lectures covering stellar evolution, supernovae, white dwarves,  
 neutron stars, and black holes.

**Physics Tutor**      Summer 2003

Course: "Introductory Honors Physics I & II"

Tutored physics students taking introductory physics courses such as classical mechanics, optics, and electromagnetism.

### Graduate Teaching Assistant

2002 - 2003

Course: "Visions of the Universe"

Directed and supervised laboratories for non-calculus based astronomy course.

### Honors

- College of Natural Science Dissertation Fellow 2007 - Present
- American Astronomical Society Member 2002 - Present
- American Physical Society Member 2002 - Present
- NASA Center for Astronomy Education Participant 2007
- Sigma Pi Sigma National Honor Society 2001 - Present
- Dean's List, Georgia Tech 1998-2002

### Scientific Skills

- Profound skills in reducing and analyzing data taken with *Chandra* X-ray Telescope.
- Extensive experience with CIAO and CALDB.
- Familiarity with multiwavelength analysis packages: AIPS, IRAF, and PyRAF.
- Fluent in Perl, IDL, and HTML.
- Working knowledge of Bash, C, CSH, Flash, Fortran, MySQL, and Supermongo.
- Mastery of multiple computing architectures: UNIX/Linux, Windows, and Macintosh.
- Expert of computer troubleshooting, maintenance, and system construction.

### First Author Refereed Papers

*"Feedback Mechanisms in Galaxy Clusters and Alteration of ICM Entropy"*

**Cavagnolo, Kenneth W.**; Donahue, Megan; Voit, G. Mark; and Sun, Ming  
2008, in prep.

*"Library of Galaxy Cluster Entropy Profiles"*

**Cavagnolo, Kenneth W.**; Donahue, Megan; Voit, G. Mark; and Sun, Ming  
2007, in prep.

*"X-ray Band Dependence of X-ray Temperatures in Galaxy Clusters"*

**Cavagnolo, Kenneth W.**; Donahue, Megan; Voit, G. Mark; and Sun, Ming  
2007, near ApJ submission.

### Other Refereed Papers

*"Star Formation, Radio Sources, Cooling X-Ray Gas and Galaxy Interactions in the Brightest Cluster Galaxy in 2A0335+096"*

Donahue, Megan; Sun, Ming; O'Dea, Christopher P.; Voit, G. Mark; **Cavagnolo, Kenneth W.**

[2007AJ....134...14D](#)

*"Entropy Profiles in the Cores of Cooling Flow Clusters of Galaxies"*

Donahue, Megan; Horner, Donald J.; **Cavagnolo, Kenneth W.**; Voit, G. Mark  
[2006ApJ...643..730D](#)

*"s-Process Abundances in Planetary Nebulae"*

Sharpee, Brian; Zhang, Yong; Williams, Robert; Pellegrini, Eric; **Cavagnolo, Kenneth**; Baldwin, Jack A.; Phillips, Mark; Liu, Xiao-Wei

[2007ApJ...659.1265S](#)

### Presented Work & Talks

*"Library of Galaxy Cluster Entropy Profiles: A Study in Feedback"*

**Cavagnolo, Kenneth W.**; Donahue, Megan; Voit, G. Mark; and Sun, Ming  
2008 Winter Meeting of the American Astronomical Society, Thesis Talk and Poster

*"The Entropy-Feedback Connection and Quantifying Cluster Virialization"*

**Cavagnolo, Kenneth W.**; Donahue, Megan; Voit, G. Mark; and Sun, Ming  
2007 Eight Years of Science with Chandra Symposium, Poster

*"Chandra Studies of Dark Matter and Galaxy Formation: Signatures from the Intra-cluster Medium"*

Donahue, Megan; Sun, M.; **Cavagnolo, K.**; Voit, G.

2006 Winter Meeting of the American Astronomical Society, Poster

*"Abundances of s-process elements in planetary nebulae: Br, Kr & Xe"*

Zhang, Y.; Williams, R.; Pellegrini, E.; **Cavagnolo, K.**; Baldwin, J. A.; Sharpee, B.; Phillips, M.; Liu, X.-W.

2006 IAU Symposium, Proceeding

*"Studies of Entropy Distributions in X-ray Luminous Clusters of Galaxies"*

**Cavagnolo, K. W.**; Donahue, M. E.; Voit, G. M.; Sun, M.; Evrard, A. E.

2005 Winter Meeting of the American Astronomical Society, Poster

*"Entropy Distributions in the Cores of Nearby X-ray Luminous Clusters of Galaxies"*

**Cavagnolo, K. W.**; Donahue, M. E.; Voit, G. M.; Horner, D. J.; Evrard, A. E.

2004 Winter Meeting of the American Astronomical Society, Poster

*"Radio-Free Cluster Cooling Flows"*

Donahue, M. E.; Voit, G. M.; **Cavagnolo, K.**

2004 Winter Meeting of the American Astronomical Society, Poster

## References

DR. MEGAN DONAHUE  
Department of Physics & Astronomy  
Michigan State University  
East Lansing, MI 48823  
(517)-355-9200 ext. 2418  
[donahue@pa.msu.edu](mailto:donahue@pa.msu.edu)

DR. G. MARK VOIT  
Department of Physics & Astronomy  
Michigan State University  
East Lansing, MI 48823  
(517)-355-9200 ext. 2419  
[voit@pa.msu.edu](mailto:voit@pa.msu.edu)

DR. JACK BALDWIN  
Department of Physics & Astronomy  
Michigan State University  
East Lansing, MI 48823  
(517)-355-9200 ext. 2411  
[baldwin@pa.msu.edu](mailto:baldwin@pa.msu.edu)

## Personal Interests

- Academic: environmental sciences, "Cradle2Cradle" design, and urban planning.
- Athletics: triathlons, baseball, and everything Georgia Tech.
- Hobbies: reading, building model airplanes, and raising bonsai trees.

## Summary of Research

The general process of galaxy cluster formation through hierarchical merging is well understood, but many details, such as the impact of feedback sources on the cluster environment and radiative cooling in the cluster core, are not. My thesis research has focused on studying these details via X-ray properties of the ICM in clusters of galaxies. I have paid particular attention to ICM entropy distribution, the process of virialization, and the role of AGN feedback in shaping large scale cluster properties.

### Mining the CDA

My primary research makes use of a 350 observation sample (276 clusters) taken from the *Chandra* archive. Of these 276 clusters, 16 lie in the redshift range  $0.6 < z < 1.2$ . Ongoing and future X-ray surveys will be heavily focused on the cluster population at  $z > 1.0$ . By gaining experience with low count, low surface brightness clusters now I am amply prepared to work with much larger datasets of these objects in the future. In addition, this massive undertaking necessitated the creation of a robust reduction and analysis pipeline which 1) interacts with mission specific software, 2) utilizes analysis software (i.e. XSPEC, IDL), 3) incorporates calibration and software updates, and 4) is highly automated. Because my pipeline is written in a very general manner, adding pre-packaged analysis tools from missions such as *XMM*, *Spitzer*, and *VLA* will be straightforward. Most importantly, my pipeline deemphasizes data reduction and accords me the freedom to move quickly into an analysis phase and generating publishable results.

### Quantifying Cluster Virialization

Cluster mass functions and the evolution of the cluster mass function are useful for measuring cosmological parameters. Cluster evolution tests the effect of dark matter and dark energy on the evolution of dark matter halos, and therefore provides a complementary and distinct constraint on cosmological parameters to those tests which constrain them geometrically (e.g. supernovae and baryon acoustic oscillations).

However, clusters are a useful cosmological tool only if we can infer cluster masses from observable properties such as X-ray luminosity, X-ray temperature, lensing shear, optical luminosity, and galaxy velocity dispersion. Empirically, the relationship of mass and these observable properties is well-established. However, if we could identify a “3rd parameter” – possibly reflecting the degree of relaxation in the cluster – we could improve the utility of clusters as cosmological probes.

One method of quantifying cluster substructure – a property of clusters which results in the underestimate of cluster temperatures and therefore cluster mass – employs the ratios of X-ray surface brightness moments to quantify the degree of relaxation. Although an excellent tool, power ratio suffers from being aspect dependent, much like other substructure measures such as axial ratio or centroid variation. The work of [1] found an auxiliary measure of substructure which does not depend on perspective and could be combined with power ratio, axial ratio, and centroid variation to yield a more robust metric for quantifying a cluster’s degree of relaxation.

I have studied this auxiliary measure: the bandpass dependence in determining X-ray temperatures and what this dependence tells us about the virialization state of a cluster. The ultimate goal of this project is to find an aspect-independent measure for a cluster’s dynamic state. I have investigated the net temperature skew in my sample of the hard-band ( $2.0_{rest}$ -7.0 keV) and full-band (0.7-7.0 keV) temperature ratio for core-excised apertures. I have found this temperature ratio is statistically connected to mergers and the presence of cool cores. Having confirmed the prediction of [1], the next step is to make a comparison to the predicted distribution of temperature ratios and their relationship to putative cool lumps and/or non-thermal soft X-ray emission in cluster

simulations. This will be carried out by a fellow graduate student as part of his thesis and funded by a successful *Chandra* theory proposal by Dr. Mark Voit which cites my work. In addition, this project has produced a first author paper which is near ApJ submission.

## Cluster Feedback and ICM Entropy

The picture of the ICM entropy-feedback connection emerging from my work suggests that cD radio luminosity and  $H\alpha$  emission are anti-correlated with cluster central entropy. I have explored these relations with my thesis sample and am finding a trend of high central entropy favoring low  $L_{H\alpha}$  and low  $L_{Radio}$ . I have also found the distribution central entropy and central cooling times are bimodal - a result which has implications for the timescales of feedback mechanisms operating in the core of clusters. The newest result from my work is a correlation between cD black hole mass and central entropy, which is more evidence feedback is regulated by AGN activity. These results fit well with the current framework for AGN heating and cooling flow retardation through the inflation of bubbles in the ICM and star formation in the cores of cooling flows. In addition, I am exploring the dependence of the X-ray loud AGN distribution on redshift and amount of cluster substructure.

This work has been very fruitful thus far: I am a co-author for two refereed journal papers ([2], [3]), generated new and unique work each year ([4], [5], [6], [7], [8], [9]), a first author paper which is in draft, and another first author paper in preparation containing my thesis results. I have also contributed to several successful *Chandra*, *XMM*, *Suzaku*, and *Subaru* proposals in addition to writing my own high scoring - although unsuccessful - *Chandra* proposal for time observing an amazing ULIRG. I am also planning  $H\alpha$  imaging observations for several previously unobserved clusters with MSU's SOAR telescope.

## Future Work

Looking ahead, the natural extension of my thesis is to further study questions regarding cluster environments and their impact on galaxy formation and participating in the analysis of large samples of clusters found in SZE surveys and followed up with X-ray observations. More specifically, I'd like to use these samples to measure the evolution of the cluster mass function as a direct means of breaking the degeneracy between  $\Omega_M$  and  $\sigma_8$ . Combined with complimentary surveys (specifically those using the SZE which will yield tens of thousands of cluster candidates) X-ray surveys will help further constrain the fundamental parameters defining the current cosmological model.

But, the detailed analysis of the cluster population at redshifts greater than  $z \sim 1$  will be very difficult, and establishing the self similar model as a reliable tool for calibrating the cluster mass function will lead to better studies of hierarchical structure formation and dark energy. In addition, if we are to use SZE as effectively as desired SZE flux must be calibrated to accurately predict cluster mass. But even calibration is not enough, we must also understand the scatter in scaling relations. And to this end one needs two components: verification of cluster candidates and methods for quantifying deviation from mean mass-scaling relations (such as those discussed earlier or the  $Y_X$  parameter of [10]). But the simple application of existing metrics which have been calibrated to low- $z$  samples or high resolution simulations may begin to breakdown as spatial and spectroscopic information is reduced at high redshifts, or if there is evolution in scaling relations with redshift. I look forward to being a part of generating new, novel solutions to these problems.

With potentially enumerable, unbiased samples of clusters emerging from SZE surveys and low flux, all-sky X-ray surveys, the entropy distribution and signatures of feedback culled from these samples could tell us a great deal about the evolution of clusters and galaxy formation. Many questions remain unanswered in this area, such as: What are the micro-physics of ICM heating, including the thermalization of mechanical work done by bubbles and the effect of non-thermal

sources like cosmic rays. How prevalent are cold fronts and can they be used as an indicator of merger activity and onset of feedback? Also of interest are how accretion onto the cD SMBH is regulated by large-scale ICM properties, what the AGN energy injection function looks like, and how it correlates with cluster environment. It will also be useful to have a low-scatter, universal relation between jet power and radio power – a tool which can then be directly applied to understanding both cluster feedback and could possibly be useful in SZE studies.

There are also exciting theoretical cluster feedback model developments on the horizon which will need observational investigation. Developments such as: how exactly are AGN fueled – through a combination of hot/cold accretion ([11]), mergers, and consumption of low entropy gas via cooling; or is there a universal mode underlying all these processes? Does accretion of the hot ICM/ISM proceed via Bondi-eque flows or is it more like Eddington accretion? What is the efficiency of accretion and is energy return from a SMBH really the presumed  $\sim 10\%$ ? Why do we see steep metallicity gradients in the ICM/ISM when some amount of turbulent mixing should take place? How is feedback energy distributed symmetrically throughout the ICM?

Models of cluster formation, evolution, feedback, and dynamics are converging such that use of clusters in high precision cosmology is possible. I have the skill sets necessary to make meaningful and unique contributions both now and in the future of this field.

## References

- [1] B. F. Mathiesen and A. E. Evrard. Four Measures of the Intracluster Medium Temperature and Their Relation to a Cluster’s Dynamical State. *ApJ*, 546:100–116, January 2001.
- [2] M. Donahue, M. Sun, C. P. O’Dea, G. M. Voit, and K. W. Cavagnolo. Star Formation, Radio Sources, Cooling X-Ray Gas, and Galaxy Interactions in the Brightest Cluster Galaxy in 2A0335+096. *AJ*, 134:14–25, July 2007.
- [3] M. Donahue, D. J. Horner, K. W. Cavagnolo, and G. M. Voit. Entropy Profiles in the Cores of Cooling Flow Clusters of Galaxies. *ApJ*, 643:730–750, June 2006.
- [4] K. W. Cavagnolo, M. Donahue, G. M. Voit, and M. Sun. Library of Galaxy Cluster Entropy Profiles: A Study in Feedback. In *Bulletin of the American Astronomical Society*, Bulletin of the American Astronomical Society, January 2008.
- [5] K. W. Cavagnolo, M. Donahue, G. M. Voit, and M. Sun. The Entropy-Feedback Connection and Quantifying Cluster Virialization. Eight Years of Science with Chandra Symposium, October 2007.
- [6] M. Donahue, M. Sun, K. Cavagnolo, and G. Voit. Chandra Studies of Dark Matter and Galaxy Formation: Signatures from the Intracluster Medium. In *Bulletin of the American Astronomical Society*, volume 38 of *Bulletin of the American Astronomical Society*, pages 998–+, December 2006.
- [7] K. W. Cavagnolo, M. E. Donahue, G. M. Voit, M. Sun, and A. E. Evrard. Studies of Entropy Distributions in X-ray Luminous Clusters of Galaxies. In *Bulletin of the American Astronomical Society*, volume 37 of *Bulletin of the American Astronomical Society*, pages 1393–+, December 2005.
- [8] K. W. Cavagnolo, M. E. Donahue, G. M. Voit, D. J. Horner, and A. E. Evrard. Entropy Distributions in the Cores of Nearby X-ray Luminous Clusters of Galaxies. In *Bulletin of the American Astronomical Society*, volume 36 of *Bulletin of the American Astronomical Society*, pages 1595–+, December 2004.

- [9] M. E. Donahue, G. M. Voit, and K. Cavagnolo. Radio-Free Cluster Cooling Flows. In *Bulletin of the American Astronomical Society*, volume 36 of *Bulletin of the American Astronomical Society*, pages 1445–+, December 2004.
- [10] A. V. Kravtsov, A. Vikhlinin, and D. Nagai. A New Robust Low-Scatter X-Ray Mass Indicator for Clusters of Galaxies. *ApJ*, 650:128–136, October 2006.
- [11] M. J. Hardcastle, D. A. Evans, and J. H. Croston. Hot and cold gas accretion and feedback in radio-loud active galaxies. *MNRAS*, 376:1849–1856, April 2007.