

KC Race Centre: Regular Weekend vs Sprint Weekend

Detailed instructions for changing the Race Centre schedule and recap between normal race weekends and sprint weekends.

Important: make a backup before you edit

1. Open your project in VS Code.
2. In the left file list, open src/content/nextRaceContent.js.
3. Before changing anything, copy the whole file and save a backup somewhere safe. A simple backup name is nextRaceContent-backup.js.
4. The main switch is one line near the top of the file. Most weekends you should only change that one line.

1. The main weekend-format switch

Near the top of src/content/nextRaceContent.js, find this line:

```
const WEEKEND_FORMAT = "regular";
```

This line tells the Race Centre which list of sessions to use.

For a regular race weekend

```
const WEEKEND_FORMAT = "regular";
```

A regular weekend should show these sessions:

- Practice 1
- Practice 2
- Practice 3
- Qualifying
- Race

For a sprint race weekend

```
const WEEKEND_FORMAT = "sprint";
```

A sprint weekend should show these sessions:

- Practice 1
- Sprint Qualifying
- Sprint Race
- Qualifying
- Race

Use lowercase exactly: regular or sprint. Do not use Regular, Sprint, normal, or Regular Weekend. The code checks the exact word.

2. Why your previous issue happened

The page looked wrong because the regular and sprint branches were reversed. That meant regular was loading Sprint Qualifying and Sprint Race. The correct rule is simple:

```
WEEKEND_FORMAT === "regular"
  ? [regular weekend sessions]
  : [sprint weekend sessions]
```

In plain English: if WEEKEND_FORMAT is regular, use the regular schedule. Otherwise, use the sprint schedule.

3. Correct sessions section

In the nextRaceContent object, find the sessions section. The regular branch must be first if the condition says WEEKEND_FORMAT === "regular".

```
sessions:
  WEEKEND_FORMAT === "regular"
  ? [
    {
      id: "p1",
      type: "practice",
      label: "Practice 1",
      time: "8:30 AM ADT",
      trackNote: "",
      extraNote: "",
      results: parseLapPaste(PASTE_P1),
    },
    {
      id: "p2",
      type: "practice",
      label: "Practice 2",
      time: "12:00 PM ADT",
      trackNote: "",
      extraNote: "",
      results: parseLapPaste(PASTE_P2),
    },
    {
      id: "p3",
      type: "practice",
      label: "Practice 3",
      time: "7:30 AM ADT",
      trackNote: "",
      extraNote: "",
      results: parseLapPaste(PASTE_P3),
    },
    {
      id: "q",
      type: "qualifying",
      label: "Qualifying",
      time: "11:00 AM ADT",
      trackNote: "",
      extraNote: "",
      results: parseQualifyingPaste(PASTE_Q),
    },
    {
      id: "race",
      type: "race",
      label: "Race",
      time: "10:00 AM ADT",
      trackNote: "",
      extraNote: "",
      results: parseRacePaste(PASTE_RACE),
    },
  ],
  : [
```

```

{
  id: "p1",
  type: "practice",
  label: "Practice 1",
  time: "",
  trackNote: "",
  extraNote: "",
  results: parseLapPaste(PASTE_P1),
},
{
  id: "sq",
  type: "sprint_shootout",
  label: "Sprint Qualifying",
  time: "",
  trackNote: "",
  extraNote: "",
  results: parseQualifyingPaste(PASTE_SQ),
},
{
  id: "sprint",
  type: "sprint_race",
  label: "Sprint Race",
  time: "",
  trackNote: "",
  extraNote: "",
  results: parseRacePaste(PASTE_SPRINT),
},
{
  id: "q",
  type: "qualifying",
  label: "Qualifying",
  time: "",
  trackNote: "",
  extraNote: "",
  results: parseQualifyingPaste(PASTE_Q),
},
{
  id: "race",
  type: "race",
  label: "Race",
  time: "",
  trackNote: "",
  extraNote: "",
  results: parseRacePaste(PASTE_RACE),
},
],

```

4. What each field means

Field	What it does	Example
id	A short internal name used by the code.	p1, p2, p3, q, race, sq, sprint
type	Tells the Race Centre which result table to use.	practice, qualifying, race, sprint_shootout, sprint_race
label	The name visitors see on the page.	Practice 1, Sprint Race, Race
time	The session time shown on the schedule.	8:30 AM ADT
results	Tells the code which paste box to read for that session.	parseLapPaste(PASTE_P1)

5. Correct paste boxes for each weekend type

Regular weekend paste boxes

- Practice 1 results go into PASTE_P1.
- Practice 2 results go into PASTE_P2.
- Practice 3 results go into PASTE_P3.
- Qualifying results go into PASTE_Q.
- Race results go into PASTE_RACE.

Sprint weekend paste boxes

- Practice 1 results go into PASTE_P1.
- Sprint Qualifying results go into PASTE_SQ.
- Sprint Race results go into PASTE_SPRINT.
- Qualifying results go into PASTE_Q.
- Race results go into PASTE_RACE.

6. Correct raceWeekendRecap section

The recap section controls the written report boxes for each session. It should follow the same weekend format as the schedule.

Use this logic:

```
sections:
  WEEKEND_FORMAT === "sprint"
    ? [sprint recap sections]
    : [regular recap sections],
```

This means: if the weekend is a sprint weekend, use Practice, Sprint Qualifying, Sprint Race, Qualifying, Race. Otherwise, use Practice 1, Practice 2, Practice 3, Qualifying, Race.

Important: in your uploaded file, the recap condition used "Sprint" with a capital S. That will not match if your switch is lowercase "sprint". Use lowercase consistently.

7. Correct raceWeekendRecap pattern

```
sections:
  WEEKEND_FORMAT === "sprint"
    ? [
      { heading: "Practice", items: [{ title: "", summary: "", url: "" }] },
```

```

    { heading: "Sprint Qualifying", items: [{ title: "", summary: "", url: "" }] },
    { heading: "Sprint Race", items: [{ title: "", summary: "", url: "" }] },
    { heading: "Qualifying", items: [{ title: "", summary: "", url: "" }] },
    { heading: "Race", items: [{ title: "", summary: "", url: "" }] },
  ]
: [
  { heading: "Practice 1", items: [{ title: "", summary: "", url: "" }] },
  { heading: "Practice 2", items: [{ title: "", summary: "", url: "" }] },
  { heading: "Practice 3", items: [{ title: "", summary: "", url: "" }] },
  { heading: "Qualifying", items: [{ title: "", summary: "", url: "" }] },
  { heading: "Race", items: [{ title: "", summary: "", url: "" }] },
],

```

8. Step-by-step: changing from regular to sprint

1. Open src/content/nextRaceContent.js.
2. Find const WEEKEND_FORMAT near the top of the file.
3. Change regular to sprint, using lowercase letters.
4. Check the sessions section. The sprint branch should include Practice 1, Sprint Qualifying, Sprint Race, Qualifying, Race.
5. Update the session times for the sprint weekend.
6. Check raceWeekendRecap. It should show Practice, Sprint Qualifying, Sprint Race, Qualifying, Race.
7. Save the file with Ctrl + S.
8. Run npm start.
9. Open the Race Centre page and check the schedule on laptop size.
10. Check the same Race Centre page on mobile size.
11. If both show Sprint Qualifying and Sprint Race, the sprint setup is working.

9. Step-by-step: changing from sprint back to regular

1. Open src/content/nextRaceContent.js.
2. Find const WEEKEND_FORMAT near the top.
3. Change sprint to regular, using lowercase letters.
4. Check the schedule on the page. It should show Practice 1, Practice 2, Practice 3, Qualifying, Race.
5. If Sprint Qualifying or Sprint Race still appears, the branches are reversed or the wrong word is being checked.
6. Save the file.
7. Run npm start and test both laptop and mobile views.

10. Quick troubleshooting

Problem	Most likely cause	Fix
Regular weekend shows Sprint Qualifying	Qualifying branches are reversed.	Make WEEKEND_FORMAT === "regular" point to P1, P2, P3, Q, R
Sprint weekend shows Practice 1 and Practice 2	These Practices set to regular.	Change const WEEKEND_FORMAT to "sprint".
Recap headings do not match schedule	raceWeekendRecap condition or headings are not using the same pattern in section 7.	Use the same pattern in section 7.
Mobile and laptop schedules look different	Usability layout is using different hard-coded data	Check your RacePage.js and only link to RaceContent.js for consistency
Nothing changes after saving	Browser may need refresh or npm server may need restart	Refresh the page. If still wrong, stop npm start and run it again.

11. Final rule to remember

Most of the time, you should only change this one line:

```
const WEEKEND_FORMAT = "regular"; // normal race weekend
const WEEKEND_FORMAT = "sprint";  // sprint race weekend
```

Do not swap large blocks of code unless something is already wrong. The switch at the top should do the work for you.