

Introduction to Apache Spark

Patrick Wendell - Databricks



What is Spark?

Fast and Expressive Cluster Computing
Engine Compatible with Apache Hadoop

Up to **10x** faster on disk,
100x in memory

Efficient

- General execution graphs
- In-memory storage

2-5x less code

Usable

- Rich APIs in Java, Scala, Python
- Interactive shell



Spark Programming Model

Key Concept: RDD's

Write programs in terms of operations on distributed datasets

Resilient Distributed Datasets

- Collections of objects spread across a cluster, stored in RAM or on Disk
- Built through parallel transformations
- Automatically rebuilt on failure

Operations

- Transformations (e.g. map, filter, groupBy)
- Actions (e.g. count, collect, save)



Example: Log Mining

Load error messages from a log into memory, then interactively search for various patterns

E Transformed RDD


```
lines = spark.textFile("hdfs://...")
errors = lines.filter(lambda s: s.startswith("ERROR"))
messages = errors.map(lambda s: s.split("\t")[2])
messages.cache()
```

```
messages.filter(lambda s: "mysql" in s).count()
messages.filter(lambda s: "php" in s).count()
```

...

Full-text search of Wikipedia


- 60GB on 20 EC2 machine
- 0.5 sec vs. 20s for on-disk



More RDD Operators

- map
- filter
- groupBy
- sort
- union
- join
- leftOuterJoin
- rightOuterJoin
- reduce
- count
- fold
- reduceByKey
- groupByKey
- cogroup
- cross
- zip
- sample
- take
- first
- partitionBy
- mapWith
- pipe
- save
- ...


Scaling Down



Fault Recovery


RDDs track *lineage* information that can be used to efficiently recompute lost data

```
msgs = textFile.filter(lambda s: s.startsWith("ERROR"))  
               .map(lambda s: s.split("\t")[2])
```



Under The Hood: DAG Scheduler

- General task graphs
- Automatically pipelines functions
- Data locality aware
- Partitioning aware to avoid shuffles




= RDD



= cached partition

Software Components

- Spark runs as a library in your program (1 instance per app)
- Runs tasks locally or on cluster
 - Mesos, YARN or standalone mode
- Accesses storage systems via Hadoop InputFormat API
 - Can use HBase, HDFS, S3, ...



CONCLUSION

Conclusion

- Spark offers a rich API to make data analytics *fast*: both fast to write and fast to run
- Achieves 100x speedups in real applications
- Growing community with 25+ companies contributing