

## THREE OPERATIONAL QUESTIONS

## Q1

## Office threat

Is there an event with extreme likelihood to affect an office (shelter / evacuate level)?

DETECTION PROBLEM

## Q2

## Traveler threat

Is there an event with extreme likelihood to affect a traveling employee?

DETECTION PROBLEM

## Q3

## Business continuity

Is there an event affecting enough employees to disrupt operations?

RESPONSE PROBLEM

## THREE OPERATING MODES (AUTO-DETECTED FROM URL)

## LIVE

`localhost:8000`

Real polling from local backend. JWT login required.

## BARE PAGES

`kcheyne-dev.github.io/...`


Static seed alerts only. Stakeholder demo.

## DEMO

any URL with `#api=mock`

Cycling alerts + mock people-data. Tabletop exercises.

## THE DASHBOARD AT A GLANCE



## WORKFLOW AT A GLANCE

#### STEP 1 — MONITOR

##### Watch the dashboard

- Office bubbles colored by highest active severity
- Alert feed: **By Office** or **Timeline**
- Status strip: 🚨 office-relevant filter (default) or 🌐 all global
- Sources health: **X/15** active

HIGH

USGS

M5.7 ESE of Ol'ga, Russia

Sea of Japan · 12m

#### STEP 3 — RESPOND

##### Send Crisis Comm

- Pick offices, channels, template
- Smart-suggest fires the right template
- Edit message, hit **Send**

COMPOSE · TYO

Template: **Shelter — Earthquake**

Channels: 🗨️ Slack · ✉️ Email

EARTHQUAKE: Drop, Cover, Hold On until shaking stops. Stay clear of windows...

Send to 1 office ▶

For Q3 events: 🚨 **Declare BCI** in header.

#### STEP 2 — DETECT

##### Click an alert

- **Click card** → zoom map, read summary
- **Details** → full alert page (new tab)
- 🚨 **Crisis** → pre-load Compose with smart-suggested template

EXTREME

USGS

M6.5 — 28 km E of San Francisco

SFO

412

Crisis

#### STEP 4 — TRACK

##### Incident lifecycle

- Per-employee OK / HELP / no-response
- **End Incident** with closure note
- 📄 **Export Report** (HTML + JSON)

Details

Comms

Responses

Notes

Log

Tokyo M5.8 earthquake

TYO · 96 employees · 1 traveler · Open

✓ 89 OK · ⚠️ 2 HELP · 5 pending

##### 🚨 Smart-suggest on Crisis click

|                            |                                    |
|----------------------------|------------------------------------|
| USGS / EMSC quake          | → <b>Shelter — Earthquake</b>      |
| NWS Tornado / Severe Storm | → <b>Shelter — Severe Weather</b>  |
| Active shooter / armed     | → <b>Shelter — Active Threat</b>   |
| Bomb / suspicious package  | → <b>Evacuation — Bomb</b>         |
| Wildfire                   | → <b>Evacuation — Fire</b>         |
| Civil unrest at traveler   | → <b>Safety Check — Traveler</b>   |
| Travel Advisory            | → <b>Travel — Advisory Upgrade</b> |
| <i>Default fallback</i>    | → <b>Safety Check — Office</b>     |

Override the suggestion in the dropdown at any time.

##### Severity tiers

EXTREME

mass impact, shelter or evacuate

HIGH

significant office or traveler impact likely

MODERATE

awareness; possible localized impact

LOW

informational; no immediate action

##### Sort = severity-dominant + recency penalty

Score base: ext 1000 · high 100 · mod 10 · low 1. Decays 1 per hour aged. Fresh Extreme always outranks 12-hour-old High.

**SHELTER**  
 Generic · Earthquake · Severe Weather · Active Threat · Civil Unrest

**EVACUATE**  
 Generic · Fire · Bomb

**CHECK-IN**  
 Office · Traveler

**ALL CLEAR**  
 Generic

**BC ANNOUNCE**  
 Generic · Major Quake · Terror / Mass-Casualty

**BC CHECK-IN**  
 Country-wide

**CLOSURE**  
 Directive

**TRAVEL**  
 Suspension · Advisory Upgrade

**Declare BCI (Q3 flow)**  
 Operator-declared for terror, mass-casualty, major quake, hurricane, geopolitical events.

- Event type + title**
- Countries** (chip picker) or geo-fence
- Review **Exposure in Scope**
- Glance at **Country Risk Profile**
- Pick **BC template**
- Acknowledge → **Declare**

**Risk Profile (header button)**  
 Select countries → Live Hazards (now) + ACLED context (last 30 days) + WHO outbreaks.

Country Risk Profile · last 30 days · ACLED

Vetted civil-unrest and conflict counts. Note: ACLED has a typical 5-14 day publication lag — this is contextual baseline, not real-time detection.

Search country... **All** Americas EMEA APAC 24 of 24 countries

Click one or more country chips below to see aggregated ACLED counts.

COUNTRIES BY EVENT COUNT · CLICK TO ADD/REMOVE

|             |     |        |     |           |     |             |     |         |     |        |     |
|-------------|-----|--------|-----|-----------|-----|-------------|-----|---------|-----|--------|-----|
| Ukraine     | 439 | Russia | 183 | Israel    | 167 | Yemen       | 158 | Sudan   | 144 | Mexico | 141 |
| India       | 103 | Brazil | 68  | USA       | 56  | France      | 24  | Germany | 16  | Spain  | 11  |
| Italy       | 10  | Canada | 6   | Australia | 5   | South Korea | 5   | Ireland | 3   | Japan  | 3   |
| Netherlands | 3   | UAE    | 2   | Singapore | 1   | Switzerland | 1   | Iceland | 0   |        |     |

Country chips sorted by ACLED event count, heat-colored badges (red/orange/gray). Click chips to add to selection. ACLED is context, not trigger — 5-14 day publication lag.

**Declare BCI modal**

**Declare Business Continuity Incident**

Use this when a macro-level event has occurred and you need to coordinate response across an affected region.

EVENT TYPE: Major earthquake

EVENT TITLE: Concise headline operators will see

GEOGRAPHIC SCOPE: Use the currently drawn geo-fence (overrides country picks) | Redraw fence | X Clear fence

Australia Brazil Canada France Germany Iceland India Ireland Israel Italy Japan Mexico Netherlands Singapore South Korea Spain Switzerland UAE UK USA

EXPOSURE IN SCOPE: 0 offices (none) 0 office headcount 0 travelers 0 remote employees 0 total exposed

COUNTRY RISK PROFILE · ACLED · last 30 days

Pick one or more countries above for a quick read, or [browse the full Risk Profile](#).

RECOMMENDED TEMPLATE: BC Announcement — Generic

ADDITIONAL CONTEXT (OPTIONAL): Anything the templated message doesn't cover. Will be appended to the message body when sent.

Cancel Declare

Event type · Title · Country chips (or geo-fence) · Exposure readout · Risk Profile context line · Recommended template · Acknowledgment · Declare.

**Compose with linked incident**

New BCI Safety Alerts

Map Tools | Timeline | Risk Profile | Declare BCI | Incident

ALERT FEED: Timeline

SELECT OFFICE: Select office

CHANNELS: Select channel

RECIPIENTS: Select recipients

MESSAGE: Compose your safety message. Safety may be used for critical events and emergencies.

SEND & LOG TO INCIDENT

INCIDENTS: No incidents in this flow

Compose panel — Linked-incident banner, office picker, channels, recipients, template, message, send. Multi-message flows track as one incident.

### Data feels old

Backend likely stopped polling. Run in scratch terminal:

```
psql postgres://nrse:nrsa@localhost:5432/nrsa -c "SELECT primary_source_id, COUNT(*) FILTER (WHERE NOT is
```

`time_since_newest` should be minutes-to-hours. If **days**, restart backend:

```
cd "...backend" && npm run dev
```

### Dashboard stuck on seed alerts (live mode)

In DevTools Console:

```
localStorage.clear()
```

Then `Cmd+Shift+R`. Sign in when the modal appears.

### "Invalid credentials" on login

Reset from `backend/`:

```
npm run create-user -- --email=<email> --password=<pw> --role=cmt
```

### Am I in live or mock mode?

Check the URL bar for `#api=mock`. Hash persists across page navigations.

In Console: `ALERTS[0].id` returns a UUID for live data, or a short string ( `a5`, `demo-...`, `test-...` ) for mock/seed.

---

For full detail see [user-manual.html](#) · threshold rules [severity-thresholds.md](#) · system synopsis [build-synopsis.md](#)  
Living document. Edit [docs/quick-reference.html](#), update the date, commit, push. Hosted version updates within ~30 seconds.