

LLM-Driven Fuzzing

Automatic Harness Generation for Crypto Libraries

Konstantinos Chousos

July, 2025

Lorem ipsum odor amet, consectetur adipiscing elit. Habitasse congue tempus erat rhoncus sapien interdum dolor nec. Posuere habitant metus tellus erat eu. Risus ultricies eu rhoncus, conubia euismod convallis commodo per. Nam tellus quisque maximus dui eleifend; arcu aptent. Nisi rutrum primis luctus tortor tempor maecenas. Donec curae cras dolor; malesuada ultricies scelerisque. Molestie class tincidunt quis gravida ut proin. Consequat lacinia arcu justo leo maecenas nunc neque ex. Platea eros ullamcorper nullam rutrum facilisis.

Preface

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis sagittis posuere ligula sit amet lacinia. Duis dignissim pellentesque magna, rhoncus congue sapien finibus mollis. Ut eu sem laoreet, vehicula ipsum in, convallis erat. Vestibulum magna sem, blandit pulvinar augue sit amet, auctor malesuada sapien. Nullam faucibus leo eget eros hendrerit, non laoreet ipsum lacinia. Curabitur cursus diam elit, non tempus ante volutpat a. Quisque hendrerit blandit purus non fringilla. Integer sit amet elit viverra ante dapibus semper. Vestibulum viverra rutrum enim, at luctus enim posuere eu. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.

Nunc ac dignissim magna. Vestibulum vitae egestas elit. Proin feugiat leo quis ante condimentum, eu ornare mauris feugiat. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris cursus laoreet ex, dignissim bibendum est posuere iaculis. Suspendisse et maximus elit. In fringilla gravida ornare. Aenean id lectus pulvinar, sagittis felis nec, rutrum risus. Nam vel neque eu arcu blandit fringilla et in quam. Aliquam luctus est sit amet vestibulum eleifend. Phasellus elementum sagittis molestie. Proin tempor lorem arcu, at condimentum purus volutpat eu. Fusce et pellentesque ligula. Pellentesque id tellus at erat luctus fringilla. Suspendisse potenti.

Etiam maximus accumsan gravida. Maecenas at nunc dignissim, euismod enim ac, bibendum ipsum. Maecenas vehicula velit in nisl aliquet ultricies. Nam eget massa interdum, maximus arcu vel, pretium erat. Maecenas sit amet tempor purus, vitae aliquet nunc. Vivamus cursus urna velit, eleifend dictum magna laoreet ut. Duis eu erat mollis, blandit magna id, tincidunt ipsum. Integer massa nibh, commodo eu ex vel, venenatis efficitur ligula. Integer convallis lacus elit, maximus eleifend lacus ornare ac. Vestibulum scelerisque viverra urna id lacinia. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Aenean eget enim at diam bibendum tincidunt eu non purus. Nullam id magna ultrices, sodales metus viverra, tempus turpis.

Acknowledgments

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis sagittis posuere ligula sit amet lacinia. Duis dignissim pellentesque magna, rhoncus congue sapien finibus mollis. Ut eu sem laoreet, vehicula ipsum in, convallis erat. Vestibulum magna sem, blandit pulvinar augue sit amet, auctor malesuada sapien. Nullam faucibus leo eget eros hendrerit, non laoreet ipsum lacinia. Curabitur cursus diam elit, non tempus ante volutpat a. Quisque hendrerit blandit purus non fringilla. Integer sit amet elit viverra ante dapibus semper. Vestibulum viverra rutrum enim, at luctus enim posuere eu. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.

Table of contents

1	Introduction	1
1.1	Neurosymbolic AI	2
1.2	Large Language Models (LLMs)	3
	Bibliography	5

1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis sagittis posuere ligula sit amet lacinia. Duis dignissim pellentesque magna, rhoncus congue sapien finibus mollis. Ut eu sem laoreet, vehicula ipsum in, convallis erat. Vestibulum magna sem, blandit pulvinar augue sit amet, auctor malesuada sapien. Nullam faucibus leo eget eros hendrerit, non laoreet ipsum lacinia. Curabitur cursus diam elit, non tempus ante volutpat a. Quisque hendrerit blandit purus non fringilla. Integer sit amet elit viverra ante dapibus semper. Vestibulum viverra rutrum enim, at luctus enim posuere eu. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. [1], [2].

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis sagittis posuere ligula sit amet lacinia. Duis dignissim pellentesque magna, rhoncus congue sapien finibus mollis. Ut eu sem laoreet, vehicula ipsum in, convallis erat. Vestibulum magna sem, blandit pulvinar augue sit amet, auctor malesuada sapien. Nullam faucibus leo eget eros hendrerit, non laoreet ipsum lacinia. Curabitur cursus diam elit, non tempus ante volutpat a. Quisque hendrerit blandit purus non fringilla. Integer sit amet elit viverra ante dapibus semper. Vestibulum viverra rutrum enim, at luctus enim posuere eu. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Nunc ac dignissim magna. Vestibulum vitae egestas elit. Proin feugiat leo quis ante condimentum, eu ornare mauris feugiat. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris cursus laoreet ex, dignissim bibendum est posuere iaculis. Suspendisse et maximus elit. In fringilla gravida ornare. Aenean id lectus pulvinar, sagittis felis nec, rutrum risus. Nam vel neque eu arcu blandit fringilla et in quam. Aliquam luctus est sit amet vestibulum eleifend. Phasellus elementum sagittis molestie. Proin tempor lorem arcu, at condimentum purus volutpat eu. Fusce et pellentesque ligula. Pellentesque id tellus at erat luctus fringilla. Suspendisse potenti. Etiam maximus accumsan gravida. Maecenas at nunc dignissim, euismod enim ac, bibendum ipsum. Maecenas vehicula velit in nisl aliquet ultricies. Nam eget massa interdum, maximus arcu vel, pretium erat. Maecenas sit amet tempor purus, vitae aliquet nunc. Vivamus cursus urna velit, eleifend dictum magna laoreet ut. Duis eu erat mollis, blandit magna id, tincidunt ipsum. Integer massa nibh, commodo eu ex vel, venenatis efficitur ligula. Integer convallis lacus elit, maximus eleifend lacus ornare ac. Vestibulum scelerisque viverra urna id lacinia. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Aenean eget enim at diam bibendum tincidunt eu non purus. Nullam id magna ultrices, sodales metus viverra, tempus turpis. Duis ornare ex ac iaculis pretium. Maecenas sagittis odio id erat pharetra, sit amet consectetur quam sollicitudin. Vivamus pharetra quam purus, nec sagittis risus pretium at. Nullam feugiat, turpis ac accumsan interdum, sem tellus blandit neque, id vulputate diam quam semper nisl. Donec sit amet enim at neque porttitor aliquet. Phasellus facilisis nulla eget placerat eleifend. Vestibulum non egestas eros, eget lobortis ipsum. Nulla rutrum massa eget enim aliquam, id porttitor erat luctus. Nunc sagittis quis eros eu sagittis. Pellentesque dictum, erat at pellentesque sollicitudin, justo augue pulvinar metus, quis rutrum est mi nec felis. Vestibulum efficitur mi lorem, at elementum

purus tincidunt a. Aliquam finibus enim magna, vitae pellentesque erat faucibus at. Nulla mauris tellus, imperdiet id lobortis et, dignissim condimentum ipsum. Morbi nulla orci, varius at aliquet sed, facilisis id tortor. Donec ut urna nisi. Aenean placerat luctus tortor vitae molestie. Nulla at aliquet nulla. Sed efficitur tellus orci, sed fringilla lectus laoreet eget. Vivamus maximus quam sit amet arcu dignissim, sed accumsan massa ullamcorper. Sed iaculis tincidunt feugiat. Nulla in est at nunc ultricies dictum ut vitae nunc. Aenean convallis vel diam at malesuada. Suspendisse arcu libero, vehicula tempus ultrices a, placerat sit amet tortor. Sed dictum id nulla commodo mattis. Aliquam mollis, nunc eu tristique faucibus, purus lacus tincidunt nulla, ac pretium lorem nunc ut enim. Curabitur eget mattis nisl, vitae sodales augue. Nam felis massa, bibendum sit amet nulla vel, vulputate rutrum lacus. Aenean convallis odio pharetra nulla mattis consequat. Ut ut condimentum augue, nec eleifend nisl. Sed facilisis egestas odio ac pretium. Pellentesque consequat magna sed venenatis sagittis. Vivamus feugiat lobortis magna vitae accumsan. Pellentesque euismod malesuada hendrerit. Ut non mauris non arcu condimentum sodales vitae vitae dolor. Nullam dapibus, velit eget lacinia rutrum, ipsum justo malesuada odio, et lobortis sapien magna vel lacus. Nulla purus neque, hendrerit non malesuada eget, mattis vel erat. Suspendisse potenti.¹.

1.1 Neurosymbolic AI

Listing 1.1 A simple function that does something interesting if it receives the input “HI!”.

```
cat << EOF > test_fuzzer.cc
#include <stdint.h>
#include <stddef.h>
extern "C" int LLVMFuzzerTestOneInput(const uint8_t *data, size_t size) {
    if (size > 0 && data[0] == 'H')
        if (size > 1 && data[1] == 'I')
            if (size > 2 && data[2] == '!')
                __builtin_trap();
    return 0;
}
EOF
# Build test_fuzzer.cc with asan and link against libFuzzer.
clang++ -fsanitize=address,fuzzer test_fuzzer.cc
# Run the fuzzer with no corpus.
./a.out
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis sagittis posuere ligula sit amet lacinia. Duis dignissim pellentesque magna, rhoncus congue sapien finibus mollis. Ut eu sem laoreet, vehicula ipsum in, convallis erat. Vestibulum magna sem, blandit pulvinar augue sit amet, auctor malesuada sapien. Nullam faucibus leo eget eros hendrerit, non laoreet ipsum lacinia. Curabitur cursus diam elit, non tempus ante volutpat a. Quisque hendrerit blandit purus non fringilla. Integer

¹testing footnotes

sit amet elit viverra ante dapibus semper. Vestibulum viverra rutrum enim, at luctus enim posuere eu. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.

Nunc ac dignissim magna. Vestibulum vitae egestas elit. Proin feugiat leo quis ante condimentum, eu ornare mauris feugiat. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris cursus laoreet ex, dignissim bibendum est posuere iaculis. Suspendisse et maximus elit. In fringilla gravida ornare. Aenean id lectus pulvinar, sagittis felis nec, rutrum risus. Nam vel neque eu arcu blandit fringilla et in quam. Aliquam luctus est sit amet vestibulum eleifend. Phasellus elementum sagittis molestie. Proin tempor lorem arcu, at condimentum purus volutpat eu. Fusce et pellentesque ligula. Pellentesque id tellus at erat luctus fringilla. Suspendisse potenti.

Etiam maximus accumsan gravida. Maecenas at nunc dignissim, euismod enim ac, bibendum ipsum. Maecenas vehicula velit in nisl aliquet ultricies. Nam eget massa interdum, maximus arcu vel, pretium erat. Maecenas sit amet tempor purus, vitae aliquet nunc. Vivamus cursus urna velit, eleifend dictum magna laoreet ut. Duis eu erat mollis, blandit magna id, tincidunt ipsum. Integer massa nibh, commodo eu ex vel, venenatis efficitur ligula. Integer convallis lacus elit, maximus eleifend lacus ornare ac. Vestibulum scelerisque viverra urna id lacinia. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Aenean eget enim at diam bibendum tincidunt eu non purus. Nullam id magna ultrices, sodales metus viverra, tempus turpis.

Duis ornare ex ac iaculis pretium. Maecenas sagittis odio id erat pharetra, sit amet consectetur quam sollicitudin. Vivamus pharetra quam purus, nec sagittis risus pretium at. Nullam feugiat, turpis ac accumsan interdum, sem tellus blandit neque, id vulputate diam quam semper nisl. Donec sit amet enim at neque porttitor aliquet. Phasellus facilisis nulla eget placerat eleifend. Vestibulum non egestas eros, eget lobortis ipsum. Nulla rutrum massa eget enim aliquam, id porttitor erat luctus. Nunc sagittis quis eros eu sagittis. Pellentesque dictum, erat at pellentesque sollicitudin, justo augue pulvinar metus, quis rutrum est mi nec felis. Vestibulum efficitur mi lorem, at elementum purus tincidunt a. Aliquam finibus enim magna, vitae pellentesque erat faucibus at. Nulla mauris tellus, imperdiet id lobortis et, dignissim condimentum ipsum. Morbi nulla orci, varius at aliquet sed, facilisis id tortor. Donec ut urna nisi.

1.2 Large Language Models (LLMs)

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis sagittis posuere ligula sit amet lacinia. Duis dignissim pellentesque magna, rhoncus congue sapien finibus mollis. Ut eu sem laoreet, vehicula ipsum in, convallis erat. Vestibulum magna sem, blandit pulvinar augue sit amet, auctor malesuada sapien. Nullam faucibus leo eget eros hendrerit, non laoreet ipsum lacinia. Curabitur cursus diam elit, non tempus ante volutpat a. Quisque hendrerit blandit purus non fringilla. Integer sit amet elit viverra ante dapibus semper. Vestibulum viverra rutrum enim, at luctus enim posuere eu. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.

Nunc ac dignissim magna. Vestibulum vitae egestas elit. Proin feugiat leo quis ante condimentum, eu ornare mauris feugiat. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris cursus laoreet ex, dignissim bibendum est posuere iaculis. Suspendisse et maximus elit. In fringilla gravida ornare. Aenean id lectus pulvinar, sagittis felis nec, rutrum

risus. Nam vel neque eu arcu blandit fringilla et in quam. Aliquam luctus est sit amet vestibulum eleifend. Phasellus elementum sagittis molestie. Proin tempor lorem arcu, at condimentum purus volutpat eu. Fusce et pellentesque ligula. Pellentesque id tellus at erat luctus fringilla. Suspendisse potenti.

Etiam maximus accumsan gravida. Maecenas at nunc dignissim, euismod enim ac, bibendum ipsum. Maecenas vehicula velit in nisl aliquet ultricies. Nam eget massa interdum, maximus arcu vel, pretium erat. Maecenas sit amet tempor purus, vitae aliquet nunc. Vivamus cursus urna velit, eleifend dictum magna laoreet ut. Duis eu erat mollis, blandit magna id, tincidunt ipsum. Integer massa nibh, commodo eu ex vel, venenatis efficitur ligula. Integer convallis lacus elit, maximus eleifend lacus ornare ac. Vestibulum scelerisque viverra urna id lacinia. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Aenean eget enim at diam bibendum tincidunt eu non purus. Nullam id magna ultrices, sodales metus viverra, tempus turpis.

Duis ornare ex ac iaculis pretium. Maecenas sagittis odio id erat pharetra, sit amet consectetur quam sollicitudin. Vivamus pharetra quam purus, nec sagittis risus pretium at. Nullam feugiat, turpis ac accumsan interdum, sem tellus blandit neque, id vulputate diam quam semper nisl. Donec sit amet enim at neque porttitor aliquet. Phasellus facilisis nulla eget placerat eleifend. Vestibulum non egestas eros, eget lobortis ipsum. Nulla rutrum massa eget enim aliquam, id porttitor erat luctus. Nunc sagittis quis eros eu sagittis. Pellentesque dictum, erat at pellentesque sollicitudin, justo augue pulvinar metus, quis rutrum est mi nec felis. Vestibulum efficitur mi lorem, at elementum purus tincidunt a. Aliquam finibus enim magna, vitae pellentesque erat faucibus at. Nulla mauris tellus, imperdiet id lobortis et, dignissim condimentum ipsum. Morbi nulla orci, varius at aliquet sed, facilisis id tortor. Donec ut urna nisi.

Aenean placerat luctus tortor vitae molestie. Nulla at aliquet nulla. Sed efficitur tellus orci, sed fringilla lectus laoreet eget. Vivamus maximus quam sit amet arcu dignissim, sed accumsan massa ullamcorper. Sed iaculis tincidunt feugiat. Nulla in est at nunc ultricies dictum ut vitae nunc. Aenean convallis vel diam at malesuada. Suspendisse arcu libero, vehicula tempus ultrices a, placerat sit amet tortor. Sed dictum id nulla commodo mattis. Aliquam mollis, nunc eu tristique faucibus, purus lacus tincidunt nulla, ac pretium lorem nunc ut enim. Curabitur eget mattis nisl, vitae sodales augue. Nam felis massa, bibendum sit amet nulla vel, vulputate rutrum lacus. Aenean convallis odio pharetra nulla mattis consequat.

Bibliography

- [1] V. J. M. Manes, H. Han, C. Han, *et al.* “The Art, Science, and Engineering of Fuzzing: A Survey.” arXiv: [1812.00140](https://arxiv.org/abs/1812.00140) [cs]. (Apr. 7, 2019), [Online]. Available: <http://arxiv.org/abs/1812.00140>, pre-published.
- [2] S. Yao, D. Yu, J. Zhao, *et al.* “Tree of Thoughts: Deliberate Problem Solving with Large Language Models.” arXiv: [2305.10601](https://arxiv.org/abs/2305.10601) [cs]. (Dec. 3, 2023), [Online]. Available: <http://arxiv.org/abs/2305.10601>, pre-published.
- [3] A. Fioraldi, D. Maier, H. Eißfeldt, and M. Heuse, “AFL++: Combining incremental steps of fuzzing research,” in *14th USENIX Workshop on Offensive Technologies (WOOT 20)*, USENIX Association, Aug. 2020.
- [4] “AI-Powered Fuzzing: Breaking the Bug Hunting Barrier,” Google Online Security Blog. (), [Online]. Available: <https://security.googleblog.com/2023/08/ai-powered-fuzzing-breaking-bug-hunting.html>.
- [5] “American fuzzy lop.” (), [Online]. Available: <https://lcamtuf.coredump.cx/afl/>.
- [6] R. Anderson, “Why cryptosystems fail,” in *Proceedings of the 1st ACM Conference on Computer and Communications Security - CCS '93*, Fairfax, Virginia, United States: ACM Press, 1993, pp. 215–227, ISBN: 978-0-89791-629-5. DOI: [10.1145/168588.168615](https://doi.org/10.1145/168588.168615). [Online]. Available: <http://portal.acm.org/citation.cfm?doid=168588.168615>.
- [7] A. Arya, O. Chang, J. Metzman, K. Serebryany, and D. Liu, *OSS-Fuzz*, Apr. 8, 2025. [Online]. Available: <https://github.com/google/oss-fuzz>.
- [8] D. Babić, S. Bucur, Y. Chen, *et al.*, “FUDGE: Fuzz driver generation at scale,” in *Proceedings of the 2019 27th ACM Joint Meeting on European Software Engineering Conference and Symposium on the Foundations of Software Engineering*, Tallinn Estonia: ACM, Aug. 12, 2019, pp. 975–985, ISBN: 978-1-4503-5572-8. DOI: [10.1145/3338906.3340456](https://doi.org/10.1145/3338906.3340456). [Online]. Available: <https://dl.acm.org/doi/10.1145/3338906.3340456>.
- [9] J. Bader, S. Seohyun Kim, F. Sifei Luan, S. Chandra, and E. Meijer, “AI in Software Engineering at Facebook,” *IEEE Software*, vol. 38, no. 4, pp. 52–61, Jul. 2021, ISSN: 1937-4194. DOI: [10.1109/MS.2021.3061664](https://doi.org/10.1109/MS.2021.3061664). [Online]. Available: <https://ieeexplore.ieee.org/document/9360852>.
- [10] A. Behrouz, P. Zhong, and V. Mirrokni. “Titans: Learning to Memorize at Test Time.” arXiv: [2501.00663](https://arxiv.org/abs/2501.00663) [cs]. (Dec. 31, 2024), [Online]. Available: <http://arxiv.org/abs/2501.00663>, pre-published.
- [11] A. Bondarenko, D. Volk, D. Volkov, and J. Ladish. “Demonstrating specification gaming in reasoning models.” arXiv: [2502.13295](https://arxiv.org/abs/2502.13295) [cs]. (Feb. 18, 2025), [Online]. Available: <http://arxiv.org/abs/2502.13295>, pre-published.

- [12] B. Bullwinkel, A. Minnich, S. Chawla, *et al.* “Lessons From Red Teaming 100 Generative AI Products.” arXiv: [2501.07238 \[cs\]](https://arxiv.org/abs/2501.07238). (Jan. 13, 2025), [Online]. Available: <http://arxiv.org/abs/2501.07238>, pre-published.
- [13] C. Cadar, D. Dunbar, and D. Engler, “KLEE: Unassisted and Automatic Generation of High-Coverage Tests for Complex Systems Programs,” presented at the USENIX Symposium on Operating Systems Design and Implementation, Dec. 8, 2008. [Online]. Available: <https://www.semanticscholar.org/paper/KLEE%3A-Unassisted-and-Automatic-Generation-of-Tests-Cadar-Dunbar/0b93657965e506dfbd56fbc1c1d4b9666b1d01c8>.
- [14] K. Dewey, J. Roesch, and B. Hardekopf, “Fuzzing the Rust typechecker using CLP,” in *2015 30th IEEE/ACM International Conference on Automated Software Engineering (ASE)*, IEEE, 2015, pp. 482–493. [Online]. Available: https://ieeexplore.ieee.org/abstract/document/7372036/?casa_token=OUvykOgorF8AAAAA:TJMcYid8CykRaxGcrTxO04ZLYs4UPA6fM9YoAq5fXHlllPDIWIC_tClo0sEbLg-OnrEKMP5g.
- [15] J. Flach and L. C. Lamb. “A Neural Lambda Calculus: Neurosymbolic AI meets the foundations of computing and functional programming.” arXiv: [2304.09276](https://arxiv.org/abs/2304.09276). (Apr. 18, 2023), [Online]. Available: <http://arxiv.org/abs/2304.09276>, pre-published.
- [16] D. Ganguly, S. Iyengar, V. Chaudhary, and S. Kalyanaraman. “Proof of Thought : Neurosymbolic Program Synthesis allows Robust and Interpretable Reasoning.” arXiv: [2409.17270](https://arxiv.org/abs/2409.17270). (Sep. 25, 2024), [Online]. Available: <http://arxiv.org/abs/2409.17270>, pre-published.
- [17] W. Gao, V.-T. Pham, D. Liu, O. Chang, T. Murray, and B. I. Rubinstein, “Beyond the Coverage Plateau: A Comprehensive Study of Fuzz Blockers (Registered Report),” in *Proceedings of the 2nd International Fuzzing Workshop*, ser. FUZZING 2023, New York, NY, USA: Association for Computing Machinery, Jul. 17, 2023, pp. 47–55, ISBN: 979-8-4007-0247-1. DOI: [10.1145/3605157.3605177](https://doi.org/10.1145/3605157.3605177). [Online]. Available: <https://dl.acm.org/doi/10.1145/3605157.3605177>.
- [18] A. d’Avila Garcez and L. C. Lamb. “Neurosymbolic AI: The 3rd Wave.” arXiv: [2012.05876](https://arxiv.org/abs/2012.05876). (Dec. 16, 2020), [Online]. Available: <http://arxiv.org/abs/2012.05876>, pre-published.
- [19] M. Gaur and A. Sheth. “Building Trustworthy NeuroSymbolic AI Systems: Consistency, Reliability, Explainability, and Safety.” arXiv: [2312.06798](https://arxiv.org/abs/2312.06798). (Dec. 5, 2023), [Online]. Available: <http://arxiv.org/abs/2312.06798>, pre-published.
- [20] *Google/atheris*, Google, Apr. 9, 2025. [Online]. Available: <https://github.com/google/atheris>.
- [21] *Google/clusterfuzz*, Google, Apr. 9, 2025. [Online]. Available: <https://github.com/google/clusterfuzz>.
- [22] G. Grov, J. Halvorsen, M. W. Eckhoff, B. J. Hansen, M. Eian, and V. Mavroeidis. “On the use of neurosymbolic AI for defending against cyber attacks.” arXiv: [2408.04996](https://arxiv.org/abs/2408.04996). (Aug. 9, 2024), [Online]. Available: <http://arxiv.org/abs/2408.04996>, pre-published.
- [23] “Heartbleed Bug” (), [Online]. Available: <https://heartbleed.com/>.
- [24] A. Herrera, H. Gunadi, S. Magrath, M. Norrish, M. Payer, and A. L. Hosking, “Seed selection for successful fuzzing,” in *Proceedings of the 30th ACM SIGSOFT International Symposium on Software Testing and Analysis*, Virtual Denmark: ACM, Jul. 11, 2021, pp. 230–243, ISBN: 978-1-4503-8459-9. DOI: [10.1145/3460319.3464795](https://doi.org/10.1145/3460319.3464795). [Online]. Available: <https://dl.acm.org/doi/10.1145/3460319.3464795>.

- [25] M. Heuse, H. Eißfeldt, A. Fioraldi, and D. Maier, *AFL++*, version 4.00c, Jan. 2022. [Online]. Available: <https://github.com/AFLplusplus/AFLplusplus>.
- [26] “How to Prevent the next Heartbleed.” (), [Online]. Available: <https://dwheeler.com/essays/heartbleed.html>.
- [27] L. Huang, P. Zhao, H. Chen, and L. Ma. “Large language models based fuzzing techniques: A survey.” (2024), [Online]. Available: <https://arxiv.org/abs/2402.00350>, pre-published.
- [28] R. I. T. Jensen, V. Tawosi, and S. Alamir. “Software Vulnerability and Functionality Assessment using LLMs.” arXiv: [2403.08429](https://arxiv.org/abs/2403.08429). (Mar. 13, 2024), [Online]. Available: <http://arxiv.org/abs/2403.08429>, pre-published.
- [29] S. Y. Kim, Z. Fan, Y. Noller, and A. Roychoudhury. “Codexity: Secure AI-assisted Code Generation.” version 1. arXiv: [2405.03927](https://arxiv.org/abs/2405.03927). (May 7, 2024), [Online]. Available: <http://arxiv.org/abs/2405.03927>, pre-published.
- [30] D. Lazar, H. Chen, X. Wang, and N. Zeldovich, “Why does cryptographic software fail? a case study and open problems,” in *Proceedings of 5th Asia-Pacific Workshop on Systems*, ser. APSys ’14, New York, NY, USA: Association for Computing Machinery, Jun. 25, 2014, pp. 1–7, ISBN: 978-1-4503-3024-4. DOI: [10.1145/2637166.2637237](https://doi.org/10.1145/2637166.2637237). [Online]. Available: <https://doi.org/10.1145/2637166.2637237>.
- [31] H.-P. H. Lee, A. Sarkar, L. Tankelevitch, *et al.*, “The Impact of Generative AI on Critical Thinking: Self-Reported Reductions in Cognitive Effort and Confidence Effects From a Survey of Knowledge Workers,” 2025. [Online]. Available: https://hankhplee.com/papers/genai_critical_thinking.pdf.
- [32] “libFuzzer – a library for coverage-guided fuzz testing. – LLVM 21.0.0git documentation.” (), [Online]. Available: <https://llvm.org/docs/LibFuzzer.html>.
- [33] J. C. R. Licklider, “Man-Computer Symbiosis,” *IRE Transactions on Human Factors in Electronics*, vol. HFE-1, no. 1, pp. 4–11, Mar. 1960, ISSN: 2168-2836. DOI: [10.1109/THFE.1960.4503259](https://doi.org/10.1109/THFE.1960.4503259). [Online]. Available: <https://ieeexplore.ieee.org/document/4503259>.
- [34] H. Li, “Language models: Past, present, and future,” *Commun. ACM*, vol. 65, no. 7, pp. 56–63, Jun. 21, 2022, ISSN: 0001-0782. DOI: [10.1145/3490443](https://doi.org/10.1145/3490443). [Online]. Available: <https://dl.acm.org/doi/10.1145/3490443>.
- [35] D. Liu, O. Chang, J. metzman, M. Sablotny, and M. Maruseac, *OSS-fuzz-gen: Automated fuzz target generation*, version <https://github.com/google/oss-fuzz-gen/tree/v1.0>, May 2024. [Online]. Available: <https://github.com/google/oss-fuzz-gen>.
- [36] V. Luong, S. Dinh, S. Raghavan, *et al.* “DANA: Domain-Aware Neurosymbolic Agents for Consistency and Accuracy.” arXiv: [2410.02823](https://arxiv.org/abs/2410.02823). (Sep. 27, 2024), [Online]. Available: <http://arxiv.org/abs/2410.02823>, pre-published.
- [37] C. Meyer and J. Schwenk. “Lessons Learned From Previous SSL/TLS Attacks - A Brief Chronology Of Attacks And Weaknesses.” (2013), [Online]. Available: <https://eprint.iacr.org/2013/049>, pre-published.
- [38] I. Mirzadeh, K. Alizadeh, H. Shahrokhi, O. Tuzel, S. Bengio, and M. Farajtabar. “GSM-Symbolic: Understanding the Limitations of Mathematical Reasoning in Large Language Models.” arXiv: [2410.05229](https://arxiv.org/abs/2410.05229). (Oct. 7, 2024), [Online]. Available: <http://arxiv.org/abs/2410.05229>, pre-published.

- [39] *Needham–Schroeder protocol*, in *Wikipedia*, Mar. 20, 2024. [Online]. Available: https://en.wikipedia.org/w/index.php?title=Needham%E2%80%93Schroeder_protocol&oldid=1214650104.
- [40] N. Nethercote and J. Seward, “Valgrind: A framework for heavyweight dynamic binary instrumentation,” *SIGPLAN Not.*, vol. 42, no. 6, pp. 89–100, Jun. 10, 2007, issn: 0362-1340. doi: [10.1145/1273442.1250746](https://doi.org/10.1145/1273442.1250746). [Online]. Available: <https://doi.org/10.1145/1273442.1250746>.
- [41] OSS-Fuzz Maintainers. “Introducing LLM-based harness synthesis for unfuzzed projects,” OSS-Fuzz blog. (May 27, 2024), [Online]. Available: <https://blog.oss-fuzz.com/posts/introducing-llm-based-harness-synthesis-for-unfuzzed-projects/>.
- [42] “OSS-Fuzz Documentation,” OSS-Fuzz. (), [Online]. Available: <https://google.github.io/oss-fuzz/>.
- [43] N. Perry, M. Srivastava, D. Kumar, and D. Boneh. “Do Users Write More Insecure Code with AI Assistants?” arXiv: [2211.03622](https://arxiv.org/abs/2211.03622). (Dec. 18, 2023), [Online]. Available: <http://arxiv.org/abs/2211.03622>, pre-published.
- [44] V. J. Reddi, A. Settle, D. A. Connors, and R. S. Cohn, “PIN: A binary instrumentation tool for computer architecture research and education,” in *Proceedings of the 2004 Workshop on Computer Architecture Education: Held in Conjunction with the 31st International Symposium on Computer Architecture*, ser. WCAE ’04, New York, NY, USA: Association for Computing Machinery, Jun. 19, 2004, 22–es, ISBN: 978-1-4503-4733-4. DOI: [10.1145/1275571.1275600](https://doi.org/10.1145/1275571.1275600). [Online]. Available: <https://dl.acm.org/doi/10.1145/1275571.1275600>.
- [45] A. Sheth, K. Roy, and M. Gaur. “Neurosymbolic AI – Why, What, and How.” arXiv: [2305.00813](https://arxiv.org/abs/2305.00813) [cs]. (May 1, 2023), [Online]. Available: <http://arxiv.org/abs/2305.00813>, pre-published.
- [46] T. Simonite, “This Bot Hunts Software Bugs for the Pentagon,” *Wired*, Jun. 1, 2020, issn: 1059-1028. [Online]. Available: <https://www.wired.com/story/bot-hunts-software-bugs-pentagon/>.
- [47] D. Tilwani, R. Venkataramanan, and A. P. Sheth. “Neurosymbolic AI approach to Attribution in Large Language Models.” arXiv: [2410.03726](https://arxiv.org/abs/2410.03726). (Sep. 30, 2024), [Online]. Available: <http://arxiv.org/abs/2410.03726>, pre-published.
- [48] I. Tzachristas. “Creating an LLM-based AI-agent: A high-level methodology towards enhancing LLMs with APIs.” version 2. arXiv: [2412.13233](https://arxiv.org/abs/2412.13233) [cs]. (Dec. 21, 2024), [Online]. Available: <http://arxiv.org/abs/2412.13233>, pre-published.
- [49] A. Vaswani, N. Shazeer, N. Parmar, *et al.* “Attention Is All You Need.” arXiv: [1706.03762](https://arxiv.org/abs/1706.03762) [cs]. (Aug. 1, 2023), [Online]. Available: <http://arxiv.org/abs/1706.03762>, pre-published.
- [50] D. Wang, G. Zhou, L. Chen, D. Li, and Y. Miao. “ProphetFuzz: Fully Automated Prediction and Fuzzing of High-Risk Option Combinations with Only Documentation via Large Language Model.” arXiv: [2409.00922](https://arxiv.org/abs/2409.00922) [cs]. (Sep. 1, 2024), [Online]. Available: <http://arxiv.org/abs/2409.00922>, pre-published.
- [51] S. Yao, J. Zhao, D. Yu, *et al.* “ReAct: Synergizing Reasoning and Acting in Language Models.” arXiv: [2210.03629](https://arxiv.org/abs/2210.03629). (Mar. 10, 2023), [Online]. Available: <http://arxiv.org/abs/2210.03629>, pre-published.
- [52] A. Zebaze, B. Sagot, and R. Bawden. “Tree of Problems: Improving structured problem solving with compositionality.” arXiv: [2410.06634](https://arxiv.org/abs/2410.06634). (Oct. 9, 2024), [Online]. Available: <http://arxiv.org/abs/2410.06634>, pre-published.

- [53] C. Zhang, Y. Zheng, M. Bai, *et al.*, “How Effective Are They? Exploring Large Language Model Based Fuzz Driver Generation,” in *Proceedings of the 33rd ACM SIGSOFT International Symposium on Software Testing and Analysis*, Sep. 11, 2024, pp. 1223–1235. doi: [10.1145/3650212.3680355](https://doi.org/10.1145/3650212.3680355). arXiv: [2307.12469](https://arxiv.org/abs/2307.12469) [cs]. [Online]. Available: <http://arxiv.org/abs/2307.12469>.
- [54] P. Y. Zhong, H. He, O. Khattab, C. Potts, M. Zaharia, and H. Miller. “A Guide to Large Language Model Abstractions,” Two Sigma. (Jan. 16, 2024), [Online]. Available: <https://www.twosigma.com/articles/a-guide-to-large-language-model-abstractions/>.