

FGE LEVEL 0 — MASTER ANCHOR MODE

img2text Prompt Structure + Matrix Attachment Schema

ID: FGE-ENG-009-HD1-v1-b (rideable sibling of the -a JSON contract) **Doctrine:** Full injection. No fragmentation. The anchor IS the character. Once locked, the anchor does not change.

1 • THE FROZEN BOUNDARY

One rule governs everything downstream:

IMMUTABLE (locked at gate)		MUTABLE (per output product)
gospel	(physical geometry)	wardrobe
signature	(non-negotiable)	scene
psych_core	(personality/behavior)	lighting
material_fingerprint	(theme claim)	camera/lens
		all n+ material modifiers
		chaos mode, HDRI, skins

The contract schema (the -a file) is **v1 and frozen**. Dark Obsidian Glass Skin, Labradorite, Cracked Calacatta, Chaos Mode — every modifier you'll ever add lands in `n_extensions` or overrides `mutable_surface` per generation. Nothing ever adds a field to the core blocks. That's what keeps the engine lightweight while features stack.

2 • THE MASTER ANCHOR PROMPT (paste-ready)

This is the img2text invocation. It replaces the auto-input chain with a structured pass. Stages run in order; each stage feeds the next; output is one JSON instance of the Level 0 contract.

```
MASTER ANCHOR MODE — LEVEL 0 EXTRACTION
Target: [attached image]
Output: one JSON instance conforming to FGE-ENG-009 Level 0 Contract.
Full injection. No fragmentation. Resist the urge to shorten.
```

STAGE 1 – INGEST (observe, don't interpret)

Describe only what is measurable in the image: proportions, geometry, surfaces, light behavior. No adjectives of mood. No story yet.

STAGE 2 – GOSPEL EXTRACTION (immutable block)

Estimate fixed geometry using these conventions:

- All measurements numeric, in cm. Height first; derive proportions from it.
- Complexion as a const string including warm/cool spectrum bias (this powers drift detection later).
- Hair by color + structure + cut. Cut, not mood.
- Face geometry as ratios and shapes, not beauty language.

STAGE 3 – SIGNATURE LOCK

Name exactly ONE non-negotiable feature and its render rule – how it must appear in every output. If it could be cropped out or forgotten, it is not the signature. Choose again.

STAGE 4 – MATERIAL FINGERPRINT

Assign primary material from the Material Universe doctrine (Obsidian / Kintsugi / Pearl / Mystic Pearl / Dragon Glass / ...). Define how light behaves on this character. Declare the theme_claim for registry collision check.

STAGE 5 – PSYCH SEED (immutable block)

Decode behavior by HOW, not what:

- core_drive: one sentence.
- vocal_anchor: cadence, register, habit – never catchphrases.
- 3 to 7 behavioral_anchors: posture, hands, distance, silence.
- relational_logic: how they handle power, trust, pressure.

These never change in any output product. Write them like law.

STAGE 6 – MUTABLE SURFACE (defaults only)

wardrobe_default (by cut), scene_default, lighting_default, camera_convention. Mark every field as overridable.

STAGE 7 – COMPILE THE ANCHOR

Emit two forms, both reconstructable-from-prompt-alone:

- anchor.full ~700 characters (full injection form)
- anchor.compact ~500 characters (tight-space form)

Test: could a model that has never seen the image rebuild this character from the anchor text alone? If no, recompile.

STAGE 8 – VALIDATE & EMIT

Self-score the 8-item checklist. Compute drift_score (target ≥ 0.90).

Set lock_status = DRAFT. Populate matrix_binding

(atom_id, connection_map, value_scores, production_status = Draft).

Output the complete JSON instance. Nothing else.

Batch mode: same prompt, array of targets, one contract instance per image. The contract is the unit of batch — never merge instances.

Gate rule (human step, never automated): DRAFT → REVIEW → LOCKED. Only the operator locks. Lock freezes gospel, signature, psych_core, material_fingerprint forever. Mutations after lock = new character, new char_id.

3 • MODIFIER GRAMMAR (how novelty stays out of structure)

Your invocation style survives intact — it just binds to the contract:

```
[LOCKED CONTRACT FGE-CHAR-0NN]
ON [output product]
WITH (n+ Dark Obsidian Glass Skin)
      (n+ Labradorite Labradorescence)
      (n+ Clear Pearl Thin-Film Iridescence)
      (n+ HDRI Studio)
      (n+ CHAOS MODE)
```

Modifiers read mutable_surface and n_extensions ; they may not read-write core blocks. CSK validation re-scores every modified output against the locked anchor — that’s where Dual-Engine validation lives: Engine A renders, Engine B scores drift against gospel. Below 0.90, the output fails the gate, not the character.

4 • MATRIX ATTACHMENT SCHEMA (how the registry rides into skill sessions)

registry.py can’t enter a Grok session. The matrix XLSX can. Binding:

Level 0 Contract field	Matrix column
matrix_binding.atom_id	Atom ID (CHAR- [NAME] -GOSPEL- [NNN])
meta.source_image_ref + char_id	Source Reference
— (constant: "Gospel Measurement")	Atom Type

(operator: the drop/product it serves)	Primary Use Case
(operator: docx/pptx/pdf...)	Target Formats
the entire JSON instance	Machine Schema (JSON)
matrix_binding.connection_map	Connection Map (JSON)
matrix_binding.value_scores (4 cols)	Value Catalog / Narrative / Collector / Brand
validation.checklist + drift_score	Quality Gate Criteria
n_extensions.n1 ... n5	N+1 ... N+5 Extension
meta.lock_status → Draft/Review/Gated	Production Status
meta.version_hash / created	Version Hash / Last Updated
meta.char_id, related scene atoms	Related Atom IDs

The closed loop (run this cycle)

1. **EXPORT** — registry state → matrix rows (one-time seed: claimed themes, char_ids, registered books) so collision checks work inside the session.
2. **ATTACH** — matrix XLSX rides into every skill session via the Spreadsheets skill.
3. **RUN** — Master Anchor Mode emits contract instances; each appends one Draft row.
4. **GATE** — operator reviews; Draft → Gated. Only Gated rows generate documents.
5. **INGEST** — Gated rows flow back: new char_id registered, theme claimed, translation-layer ID assigned (next free FGE-CHR-NNN).
6. **COMPOUND** — documents produced from Gated rows get their own atom rows. The matrix grows itself.

Collision rule: a contract may not claim a theme already in the registry export. The session checks the attached matrix; the registry remains final authority at ingest.

5 • WHAT v2 WOULD NEED (so v1 stays frozen)

The contract only ever versions for *structural* reasons — a new immutable block, never a new feature. Foreseeable v2 triggers: multi-character ensemble contracts, companion binding, or the 1000-point anthropometric pipeline replacing estimated gospel.

Everything else — every skin, mode, material, product type — is n_extensions on v1. If you find yourself wanting to edit the schema for a feature, the feature belongs in the extension layer by definition.

FGE-ENG-009 · Level 0 Contract v1 · machine form (-a) and rideable form (-b) kept in sync per Publishing Studio Constitution.