

```

# -*- coding: utf-8 -*-
"""
FGE Coffee Table Lookbook - BUILD / LAYOUT LAYER
Reads data.py, emits HTML, renders to print-ready PDF via Chromium.
Page: 2:3 portrait. Trim 10x15in. We render at 1000x1500 CSS px (multiply for DPI)
"""

import base64, os
from playwright.sync_api import sync_playwright
import data as D

ASSETS = "assets"
PAGE_W, PAGE_H = 1000, 1500          # 2:3 ratio CSS canvas
SPREAD_W = PAGE_W * 2                # centerfold

def b64(path):
    with open(os.path.join(ASSETS, path), "rb") as f:
        ext = "png" if path.lower().endswith("png") else "jpeg"
        return f"data:image/{ext};base64," + base64.b64encode(f.read()).decode()

# ----- shared style -----
GOLD = "#c9a24b"
GOLD_HI = "#e7cf8f"
INK = "#0a0a0d"
PAPER = "#111016"

FONTS = """
@import url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:ital,wgh
"""

def gold_frame_svg(w, h):
    """Ornate corner frame in the Image-2 style, crisp vector."""
    inset = 26
    return f"""
<svg class="frame" viewBox="0 0 {w} {h}" preserveAspectRatio="none" xmlns="http://
<defs>
  <linearGradient id="g" x1="0" y1="0" x2="1" y2="1">
    <stop offset="0" stop-color="{GOLD_HI}"/><stop offset="0.5" stop-color="{GO
    <stop offset="1" stop-color="#8a6d2c"/>
  </linearGradient>
</defs>
<rect x="{inset}" y="{inset}" width="{w-2*inset}" height="{h-2*inset}" fill="no
<rect x="{inset+8}" y="{inset+8}" width="{w-2*inset-16}" height="{h-2*inset-16}
  {''.join(corner(x,y,fx,fy,w,h,inset) for x,y,fx,fy in [(0,0,1,1),(1,0,-1,1),(0,
</svg>"""

```

```

def corner(cx, cy, fx, fy, w, h, inset):
    x = inset+10 if cx==0 else w-inset-10
    y = inset+10 if cy==0 else h-inset-10
    L = 70
    return f"""
<g transform="translate({x},{y}) scale({fx},{fy})">
  <path d="M0,0 L{L},0 M0,0 L0,{L}" stroke="url(#g)" stroke-width="3"/>
  <path d="M14,14 q26,2 40,40" fill="none" stroke="url(#g)" stroke-width="1.4"
  <circle cx="0" cy="0" r="5" fill="url(#g)"/>
  <path d="M-2,-2 l-10,-10 14,14 114,4 z" fill="url(#g)" opacity="0.9"/>
</g>"""

WATERMARK = f"""<div class="wm">FGE</div>"""

BASE_CSS = f"""
{FONTS}
* {{ margin:0; padding:0; box-sizing:border-box; }}
body {{ font-family:'EB Garamond',serif; color:#e8e3d8; background:{INK}; }}
.page {{ width:{PAGE_W}px; height:{PAGE_H}px; position:relative; overflow:hidden;
        background:{PAPER}; page-break-after:always; }}
.page:last-child {{ page-break-after:auto; }}
.spread {{ width:{SPREAD_W}px; height:{PAGE_H}px; position:relative; overflow:hid
        background:{INK}; page-break-after:always; }}
.frame {{ position:absolute; inset:0; width:100%; height:100%; pointer-events:non
.wm {{ position:absolute; bottom:50%; left:50%; transform:translate(-50%,50%);
        font-family:'Cormorant Garamond',serif; font-size:340px; font-weight:600;
        color:{GOLD}; opacity:0.05; letter-spacing:8px; z-index:1; user-select:non
/* furniture */
.hdr,.ftr {{ position:absolute; left:54px; right:54px; display:flex; justify-cont
        font-family:'EB Garamond',serif; font-size:13px; letter-spacing:3px; text-
        color:{GOLD}; opacity:0.78; z-index:6; }}
.hdr {{ top:38px; }} .ftr {{ bottom:38px; }}
.ftr .pg {{ opacity:0.9; }}
.disp {{ font-family:'Cormorant Garamond',serif; }}
"""

# ----- page builders -----
def cover():
    c = D.COVER
    return f"""
<div class="page" style="background:#0c0c10;">
  
  <div style="position:absolute;inset:0;background:
        linear-gradient(180deg,rgba(8,8,11,.55) 0%,rgba(8,8,11,0) 30%,rgba(8,8,11,
        {gold_frame_svg(PAGE_W,PAGE_H)}

```

```

<div style="position:absolute;top:120px;left:0;right:0;text-align:center;z-index:5">
  <div style="font-size:16px;letter-spacing:9px;color:{GOLD};opacity:.85;text-align:center">
    <h1 class="disp" style="font-size:104px;font-weight:500;letter-spacing:6px;color:{GOLD};line-height:1;margin-top:14px;text-shadow:0 2px 30px rgba(0,0,0,.6);">{c[0]}
    <div class="disp" style="font-size:30px;font-style:italic;color:#efe9da;opacity:.85;text-align:center">{c[1]}
  </div>
  <div style="position:absolute;bottom:96px;left:0;right:0;text-align:center;z-index:6">
    <div style="font-size:13px;letter-spacing:5px;color:{GOLD};text-transform:uppercase">{s[0]}
    <div style="font-size:12px;letter-spacing:3px;color:#cfc8b8;opacity:.75;text-align:center">{s[1]}
  </div>
</div>""

```

```

def intro():
    i = D.INTRO
    stats = "".join(
        f"<div style='display:flex;justify-content:space-between;padding:9px 0;box-sizing:border-box'"
        f"<span style='font-size:13px;letter-spacing:2px;text-transform:uppercase'"
        f"<span class='disp' style='font-size:17px;color:#efe9da;'>{v}</span></div>"
        for k,v in i['stats'])
    body = "".join(f"<p style='margin-bottom:16px;'>{p}</p>" for p in i['body'])
    return f""

```

```

<div class="page" style="background:radial-gradient(120% 90% at 70% 20%,#1a1722 0%,#1a1722 1%,#f0f0f0 1%,#f0f0f0 20%);background-size:100% 100%;background-position:center center;position:relative;min-height:1000px;overflow:hidden">
  {gold_frame_svg(PAGE_W,PAGE_H)}
  <div style="position:absolute;top:150px;left:80px;right:80px;z-index:6">
    <div style="font-size:14px;letter-spacing:7px;color:{GOLD};text-transform:uppercase">
      <h2 class="disp" style="font-size:62px;font-weight:500;color:{GOLD_HI};margin:0 0 10px 0">{h2}
      <div style="width:70px;height:2px;background:{GOLD};margin:26px 0 30px 0;"></div>
      <div class="disp" style="font-size:21px;font-style:italic;line-height:1.55;color:{GOLD_HI}">{h1}
      <div style="margin-top:44px;max-width:520px;">{stats}</div>
    </div>
    <div class="ftr"><span>{D.BRAND['empire']}</span><span class="pg">ii</span><span class="page">{PAGE}</span></div>
  </div>""

```

```

ROMAN = ["i","ii","iii","iv","v","vi","vii","viii","ix","x","xi","xii","xiii","xiv","xv","xvi","xvii","xviii","xix","xx","xxi","xxii","xxiii","xxiv","xxv","xxvi","xxvii","xxviii","xxix","xxx","xxxi","xxxii","xxxiii","xxxiv","xxxv","xxxvi","xxxvii","xxxviii","xxxix","xl","xli","xlii","xliii","xliv","xlv","xlvi","xlvii","xlviii","xlix","l","li","lii","liii","liv","lv","lvi","lvii","lviii","lix","lx","lxi","lxii","lxiii","lxiv","lxv","lxvi","lxvii","lxviii","lxix","lxx","lxxi","lxxii","lxxiii","lxxiv","lxxv","lxxvi","lxxvii","lxxviii","lxxix","lxxx","lxxxi","lxxxii","lxxxiii","lxxxiv","lxxxv","lxxxvi","lxxxvii","lxxxviii","lxxxix","xlx","l","li","lii","liii","liv","lv","lvi","lvii","lviii","lix","lx","lxi","lxii","lxiii","lxiv","lxv","lxvi","lxvii","lxviii","lxix","lxx","lxxi","lxxii","lxxiii","lxxiv","lxxv","lxxvi","lxxvii","lxxviii","lxxix","lxxx","lxxxi","lxxxii","lxxxiii","lxxxiv","lxxxv","lxxxvi","lxxxvii","lxxxviii","lxxxix","xlx"]

```

```

def plate(p, pageno):
    return f""
<div class="page">
  <div class="hdr"><span>{p['id']}</span><span>{D.BRAND['edition'].replace('Edition','')}</span></div>
  
  <div style="position:absolute;top:108px;left:80px;width:840px;height:1140px;z-index:1;border:1px solid rgba(201,162,75,.35);background:linear-gradient(180deg,rgba(0,0,0,0) 62%,rgba(8,8,11,.82) 100%)">
    <div style="position:absolute;left:104px;right:104px;bottom:150px;z-index:4;">

```

```

    <h3 class="disp" style="font-size:42px;font-weight:500;color:{GOLD_HI};line-h
    <p class="disp" style="font-size:21px;font-style:italic;color:#efe9da;margin-
    <div style="margin-top:14px;font-size:12px;letter-spacing:3px;text-transform:
        {p['archive']] · {D.BRAND['collection']] · {D.BRAND['classification']]</div
    </div>
    <div class="wm" style="font-size:300px;">FGE</div>
    <div class="ftr"><span>{D.BRAND['empire']}</span><span class="pg">{ROMAN[pageno
    </div>""

```

```
def centerfold():
```

```
    c = D.CENTERFOLD
```

```
    return f"""
```

```
<div class="spread">
```

```
    
```

```
    <div style="position:absolute;top:0;bottom:0;left:50%;width:2px;transform:trans
```

```
        background:linear-gradient(180deg,transparent,rgba(0,0,0,.5),transparent);
```

```
    {gold_frame_svg(SPREAD_W,PAGE_H)}
```

```
    <div style="position:absolute;top:130px;left:90px;width:560px;z-index:6;">
```

```
        <div style="font-size:14px;letter-spacing:7px;color:{GOLD};text-transform:upp
```

```
        <h2 class="disp" style="font-size:72px;font-weight:500;color:{GOLD_HI};line-h
```

```
        <div style="width:80px;height:2px;background:{GOLD};margin:24px 0;"></div>
```

```
        <p class="disp" style="font-size:23px;font-style:italic;line-height:1.5;color
```

```
    </div>
```

```
    <div style="position:absolute;bottom:120px;left:90px;right:90px;z-index:6;displ
```

```
        {''.join(f"<div style='border-left:2px solid {GOLD};padding-left:16px;'"><div
```

```
    </div>
```

```
    <div class="wm" style="font-size:420px;left:50%;">FGE</div>
```

```
</div>""
```

```
def colophon():
```

```
    c = D.COLOPHON
```

```
    sys = "".join(f"<li style='margin:6px 0;'>{s}</li>" for s in c['systems'])
```

```
    return f"""
```

```
<div class="page" style="background:radial-gradient(120% 90% at 30% 80%,#16131c 0
    {WATERMARK}
```

```
    {gold_frame_svg(PAGE_W,PAGE_H)}
```

```
    <div style="position:absolute;top:200px;left:90px;right:90px;z-index:6;">
```

```
        <h2 class="disp" style="font-size:46px;font-weight:500;color:{GOLD_HI};">{c['
```

```
        <div style="width:60px;height:2px;background:{GOLD};margin:22px 0 26px;"></di
```

```
        <p style="font-size:19px;line-height:1.5;max-width:600px;">{c['body']}</p>
```

```
        <div style="margin-top:30px;font-size:13px;letter-spacing:3px;text-transform:
```

```
        <ul style="list-style:none;font-size:18px;margin-top:10px;">{sys}</ul>
```

```
        <p style="font-size:18px;line-height:1.5;max-width:600px;margin-top:30px;colo
```

```

        <p class="disp" style="font-size:24px;font-style:italic;color:{GOLD_HI};margin:0px 0px 0px 0px;">
        <p style="font-size:12px;letter-spacing:2px;color:{GOLD};opacity:.6;margin-top:10px;">
            {D.BRAND['provenance']} · {D.BRAND['edition']}</p>
    </div>
    <div class="ftr"><span>{D.BRAND['empire']}</span><span class="pg">{ROMAN[len(D.
</div>""

```

```

def build_html():
    parts = [cover(), intro()]
    # split plates around centerfold (centerfold ~ middle)
    half = len(D.PLATES)//2
    for n,p in enumerate(D.PLATES[:half], start=1):
        parts.append(plate(p, n+2))      # +2 for cover/intro roman offset
    parts.append(centerfold())
    for n,p in enumerate(D.PLATES[half:], start=half+1):
        parts.append(plate(p, n+2))
    parts.append(colophon())
    return f"<!doctype html><html><head><meta charset='utf-8'><style>{BASE_CSS}</

def page_doc(inner):
    return f"<!doctype html><html><head><meta charset='utf-8'><style>{BASE_CSS}</

def render():
    # ordered list of (html_fragment, width, height)
    pages = [(cover(), PAGE_W, PAGE_H), (intro(), PAGE_W, PAGE_H)]
    half = len(D.PLATES)//2
    for n,p in enumerate(D.PLATES[:half], start=1):
        pages.append((plate(p, n+2), PAGE_W, PAGE_H))
    pages.append((centerfold(), SPREAD_W, PAGE_H))
    for n,p in enumerate(D.PLATES[half:], start=half+1):
        pages.append((plate(p, n+2), PAGE_W, PAGE_H))
    pages.append((colophon(), PAGE_W, PAGE_H))

    from pypdf import PdfWriter, PdfReader
    writer = PdfWriter()
    with sync_playwright() as pw:
        b = pw.chromium.launch()
        for idx, (frag,w,h) in enumerate(pages):
            pg = b.new_page(viewport={"width":w,"height":h})
            pg.set_content(page_doc(frag), wait_until="networkidle")
            pg.wait_for_timeout(900)
            fn = f"_pg_{idx:02d}.pdf"
            pg.pdf(path=fn, print_background=True,
                    width=f"{w}px", height=f"{h}px",
                    margin={"top":"0","bottom":"0","left":"0","right":"0"})
            pg.close()
            writer.append(PdfReader(fn))

```

```
        b.close()
    with open("FGE_Lilith_Noir_Lookbook.pdf","wb") as f:
        writer.write(f)
    print(f"rendered {len(pages)} pages")

if __name__ == "__main__":
    render()
```