

```

import { useState } from "react";

const SEED_CONSTANTS = {
  character: "Raven Voss",
  anchors: ["Black panther with electric blue eyes", "Fur coat over black leather"],
  colorDNA: { primary: "#0a0a0a", accent: "#1a6bff", warm: "#c8821a", skin: "#8B5" },
};

const SHOTS = [
  {
    id: "S1",
    label: "SEED",
    name: "The Arrival",
    locked: true,
    category: "Establishing",
    frame: "Full Body – 3/4 Frontal",
    distance: "Medium-Long",
    light: "Single warm backlight + smoke diffusion",
    panther: "At heel, blue eyes forward",
    pose: "Walking toward camera, relaxed authority",
    environment: "Mirror box, full context",
    delta: "-",
    purpose: "Hero card / RC001 anchor",
    keyChange: null,
    color: "#c8821a"
  },
  {
    id: "S2",
    label: "n+1",
    name: "The Sovereign",
    locked: false,
    category: "Establishing",
    frame: "Full Body – Direct Frontal",
    distance: "Medium",
    light: "Split light: warm left / cool blue right",
    panther: "Seated beside her, facing camera",
    pose: "Standing still, arms loose, dead-eye stare",
    environment: "Mirror box – tighter crop, more reflections",
    delta: "Pose locks. Light splits. Panther sits.",
    purpose: "Power shot – dominance read",
    keyChange: "POSE: Walking → Stopped. LIGHT: Single → Split.",
    color: "#1a6bff"
  },
  {

```

```

id: "S3",
label: "n+2",
name: "The Detail",
locked: false,
category: "Editorial",
frame: "Waist-Up - 3/4",
distance: "Medium Close",
light: "Raking sidelight - fur texture emphasis",
panther: "Out of frame",
pose: "Coat lapel held open, slight chin tilt",
environment: "Smoke only, no mirror context needed",
delta: "Crop rises. Panther exits. Fur becomes hero.",
purpose: "Fashion editorial - product emphasis",
keyChange: "FRAME: Full body → Waist up. PANTHER: Present → Absent.",
color: "#6b3fa0"
},
{
id: "S4",
label: "n+3",
name: "The Gaze",
locked: false,
category: "Portrait",
frame: "Bust / Head & Shoulders",
distance: "Close",
light: "Beauty dish - face forward, minimal fill",
panther: "Partially visible - snout at frame bottom",
pose: "Direct eye contact, slight smirk",
environment: "Pure smoke, near black",
delta: "Frame collapses to face. One expression sells everything.",
purpose: "Character study - identity shot",
keyChange: "FRAME: Waist → Bust. ENVIRONMENT: Context → Void.",
color: "#8B5E3C"
},
{
id: "S5",
label: "n+4",
name: "The Bond",
locked: false,
category: "Relationship",
frame: "Medium - Low angle, 3/4",
distance: "Medium",
light: "Cool blue dominant - panther eyes as practical light source",
panther: "Standing, looking up at her face",
pose: "Looking down at panther, soft expression",
environment: "Mirror floor reflection prominent",
delta: "Eye line breaks fourth wall - looks at panther. Emotional register sh
purpose: "Narrative - the relationship between them",

```

```

    keyChange: "GAZE: Camera → Panther. LIGHT: Warm → Cool.",
    color: "#0d4a8a"
  },
  {
    id: "S6",
    label: "n+5",
    name: "The Turn",
    locked: false,
    category: "Editorial",
    frame: "Full Body – 3/4 Rear",
    distance: "Medium-Long",
    light: "Front-fill rim on coat edges, backlight from behind camera",
    panther: "Walking beside, same direction",
    pose: "Mid-turn, glancing back over shoulder",
    environment: "Mirror box – reflections show front face",
    delta: "Subject turns away. Mirror reveals what the pose hides.",
    purpose: "Mystery / fashion – coat back + mirror reveal",
    keyChange: "ORIENTATION: Toward camera → Away. MIRRORS: Context → Active stor
    color: "#2a4a2a"
  },
  {
    id: "S7",
    label: "n+6",
    name: "The Crouch",
    locked: false,
    category: "Dynamic",
    frame: "Medium – Low Camera, Eye Level with Panther",
    distance: "Medium Close",
    light: "Panther eyes illuminate her face from below",
    panther: "Crouching, chest low, primal",
    pose: "Crouched beside panther, one hand on its back",
    environment: "Smoke heavy, environment dissolved",
    delta: "Camera drops. Scale inverts. She meets the animal at its level.",
    purpose: "Power shift – she descends into its register",
    keyChange: "CAMERA HEIGHT: Eye → Low. POSE: Standing → Crouching.",
    color: "#4a1a1a"
  },
  {
    id: "S8",
    label: "n+7",
    name: "The Exit",
    locked: false,
    category: "Cinematic",
    frame: "Full Body – Extreme Wide, Rear",
    distance: "Long",
    light: "Doorway / corridor light source ahead – silhouette",
    panther: "Walking beside at distance",

```

```

    pose: "Walking away, coat flowing",
    environment: "Mirror corridor – infinite recession",
    delta: "Everything reduces to silhouette. Identity dissolves into symbol.",
    purpose: "Closing card – the world they inhabit is vast",
    keyChange: "SCALE: Close → Extreme wide. EXPOSURE: Lit → Silhouette.",
    color: "#1a1a2e"
  }
];

const MODULAR_VARIABLES = [
  { axis: "FRAME", values: ["Extreme Wide", "Full Body", "Waist Up", "Bust", "Fac
  { axis: "ANGLE", values: ["Overhead", "Eye Level", "Low", "Extreme Low"], icon:
  { axis: "ORIENTATION", values: ["Frontal", "3/4 Front", "Profile", "3/4 Rear",
  { axis: "LIGHT TEMP", values: ["Warm Gold", "Neutral", "Cool Blue", "Split"], i
  { axis: "PANTHER ROLE", values: ["Absent", "Partial", "At Heel", "Beside", "Dom
  { axis: "ENVIRONMENT", values: ["Void/Smoke", "Floor Reflect", "Mirror Box", "C
  { axis: "GAZE", values: ["Camera", "Panther", "Away", "Down", "Silhouette"], ic
];

export default function App() {
  const [selected, setSelected] = useState("S1");
  const [view, setView] = useState("shots"); // shots | matrix | variables

  const selectedShot = SHOTS.find(s => s.id === selected);

  return (
    <div style={{
      background: "#070707",
      minHeight: "100vh",
      fontFamily: "'Courier New', monospace",
      color: "#e8e0d0",
      padding: "0",
      overflowX: "hidden"
    }}>
      { /* Header */ }
      <div style={{
        borderBottom: "1px solid #2a2a2a",
        padding: "20px 28px 16px",
        display: "flex",
        justifyContent: "space-between",
        alignItems: "flex-end"
      }}>
        <div>
          <div style={{ fontSize: 9, letterSpacing: 4, color: "#666", marginBotto
            <div style={{ fontSize: 22, letterSpacing: 2, color: "#fff", fontWeight
          </div>
          <div style={{ fontSize: 9, color: "#444", letterSpacing: 2 }}>SB_330 · CA
        </div>
      </div>
    </div>
  );
}

```

```
</div>
```

```
{/* Nav */}
```

```
<div style={{ display: "flex", borderBottom: "1px solid #1a1a1a", padding:
  [[["shots", "SHOT MATRIX"], ["matrix", "DELTA MAP"], ["variables", "MODUL
    <button key={key} onClick={() => setView(key)} style={{
      background: "none", border: "none", borderBottom: view === key ? "1px
      color: view === key ? "#c8821a" : "#555", fontSize: 9, letterSpacing:
      padding: "12px 20px 11px", cursor: "pointer", marginBottom: -1
    }}>{label}</button>
  ]]}
  )}}
</div>
```

```
{/* SHOTS VIEW */}
```

```
{view === "shots" && (
  <div style={{ display: "grid", gridTemplateColumns: "280px 1fr", height:
    {/* Left rail */}
    <div style={{ borderRight: "1px solid #1a1a1a", overflowY: "auto", padd
      {SHOTS.map(shot => (
        <div key={shot.id} onClick={() => setSelected(shot.id)} style={{
          padding: "12px 20px",
          cursor: "pointer",
          borderLeft: selected === shot.id ? `2px solid ${shot.color}` : "2
          background: selected === shot.id ? "#0f0f0f" : "transparent",
          transition: "all 0.15s"
        }}>
          <div style={{ display: "flex", justifyContent: "space-between", a
            <span style={{ fontSize: 9, letterSpacing: 3, color: shot.color
              <span style={{ fontSize: 8, letterSpacing: 2, color: "#333" }}>
            </div>
            <div style={{ fontSize: 13, color: selected === shot.id ? "#fff"
              <div style={{ fontSize: 9, color: "#444", marginTop: 3 }}>{shot.f
            </div>
          </div>
        )}}
      </div>
    )}}
  </div>
```

```
{/* Detail panel */}
```

```
{selectedShot && (
  <div style={{ padding: "32px 36px", overflowY: "auto" }}>
    <div style={{ display: "flex", alignItems: "baseline", gap: 16, mar
      <span style={{ fontSize: 11, letterSpacing: 4, color: selectedSho
        {selectedShot.locked && <span style={{ fontSize: 8, letterSpacing
      </div>
      <div style={{ fontSize: 32, color: "#fff", fontWeight: "normal", le
      <div style={{ fontSize: 11, color: "#555", letterSpacing: 3, margin
    </div>
    <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap:
```

```

    {
      ["FRAME", selectedShot.frame],
      ["DISTANCE", selectedShot.distance],
      ["LIGHT", selectedShot.light],
      ["PANTHER", selectedShot.panther],
      ["POSE", selectedShot.pose],
      ["ENVIRONMENT", selectedShot.environment],
    }.map(([label, value]) => (
      <div key={label} style={{ padding: "14px 0", borderBottom: "1px s
        <div style={{ fontSize: 8, letterSpacing: 3, color: "#444", m
          <div style={{ fontSize: 13, color: "#ccc", lineHeight: 1.5 }}
        </div>
      ))}
    </div>

    {selectedShot.keyChange && (
      <div style={{ marginTop: 32, padding: "20px 24px", border: `1px s
        <div style={{ fontSize: 8, letterSpacing: 3, color: selectedSho
          <div style={{ fontSize: 11, color: "#aaa", lineHeight: 2 }}>
            {selectedShot.keyChange.split(".").map((line, i) => (
              <div key={i} style={{ marginBottom: 4 }}>{line}</div>
            ))}
          </div>
        </div>
      ))}

      <div style={{ marginTop: 24, padding: "16px 24px", background: "#0d
        <div style={{ fontSize: 8, letterSpacing: 3, color: "#555", margi
          <div style={{ fontSize: 12, color: "#888", lineHeight: 1.7, fontS
        </div>
      </div>
    )}
  </div>
)}

  { /* DELTA MAP VIEW */ }
  {view === "matrix" && (
    <div style={{ padding: "32px 28px", overflowX: "auto" }}>
      <div style={{ fontSize: 9, letterSpacing: 3, color: "#555", marginBotto
        <div style={{ display: "grid", gridTemplateColumns: `120px repeat(7, 1f
          { /* Header */ }
        <div style={{ background: "#070707", padding: "10px 12px", color: "#3
          {MODULAR_VARIABLES.map(v => (
            <div key={v.axis} style={{ background: "#0d0d0d", padding: "10px 8p
              <div style={{ fontSize: 14, marginBottom: 4 }}>{v.icon}</div>
              {v.axis}
            </div>
          )}
        </div>
      )}
    </div>
  )}

```

```

    ))}
    {/* Rows */}
    {SHOTS.map(shot => {
      const rowVals = {
        "FRAME": shot.frame.split("-")[0].trim(),
        "ANGLE": shot.frame.includes("Low") ? "Low" : shot.frame.includes
        "ORIENTATION": shot.frame.includes("Rear") ? "Rear/3/4 Rear" : sh
        "LIGHT TEMP": shot.light.includes("blue") || shot.light.includes(
        "PANTHER ROLE": shot.panther.includes("Out") ? "Absent" : shot.pa
        "ENVIRONMENT": shot.environment.includes("Mirror") ? "Mirror Box"
        "GAZE": shot.pose.includes("camera") || shot.pose.includes("eye c
      };
      return (
        <><div key={shot.id + "1"} style={{ background: "#0a0a0a", paddin
          <div style={{ color: shot.color, marginBottom: 2 }}>{shot.label
            <div style={{ color: "#777" }}>{shot.name}</div>
          </div>
        {MODULAR_VARIABLES.map(v => {
          const val = rowVals[v.axis];
          const isSeed = shot.id === "S1";
          return (
            <div key={v.axis} style={{
              background: isSeed ? "#0f0f0a" : "#080808",
              padding: "10px 8px",
              color: isSeed ? "#c8821a" : "#666",
              textAlign: "center",
              fontSize: 9,
              lineHeight: 1.4
            }}>{val}</div>
          );
        })}</>
      );
    })}
  </div>
</div>
))

{/* VARIABLES VIEW */}
{view === "variables" && (
  <div style={{ padding: "32px 28px" }}>
    <div style={{ fontSize: 9, letterSpacing: 3, color: "#555", marginBotto

    {/* Seed constants */}
    <div style={{ marginBottom: 40, padding: "24px", border: "1px solid #1a
      <div style={{ fontSize: 9, letterSpacing: 3, color: "#c8821a", margin
        <div style={{ display: "flex", flexWrap: "wrap", gap: 8 }}>
          {SEED_CONSTANTS.anchors.map(a => (

```

```

        <span key={a} style={{ fontSize: 10, color: "#777", border: "1px
    }}}
    </div>
</div>

{/* Axes */}
<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 24
    {MODULAR_VARIABLES.map((v, i) => (
        <div key={v.axis} style={{ padding: "20px 24px", border: "1px solid
            <div style={{ display: "flex", alignItems: "center", gap: 10, mar
                <span style={{ fontSize: 20 }}>{v.icon}</span>
            <div>
                <div style={{ fontSize: 8, letterSpacing: 3, color: "#555" }}
                <div style={{ fontSize: 13, color: "#fff", letterSpacing: 2 }
            </div>
        </div>
        <div style={{ display: "flex", flexWrap: "wrap", gap: 6 }}>
            {v.values.map(val => (
                <span key={val} style={{ fontSize: 9, color: "#666", backgrou
            ))}
        </div>
    </div>
    ))}
</div>

<div style={{ marginTop: 40, padding: "24px", background: "#0a0a0a", bo
    <div style={{ fontSize: 9, letterSpacing: 3, color: "#c8821a", margin
    <div style={{ fontSize: 13, color: "#888", lineHeight: 2 }}>
        Each shot = Seed Constants + (1-3 axis changes only).<br/>
        Never change more than 3 axes per shot from the seed.<br/>
        Each axis change must serve a single, nameable purpose.<br/>
        If you cannot name why an axis changed — revert it.
    </div>
</div>
</div>
    )}
</div>
);
}

```