

```

import { useState } from "react";

const RECORD = {
  intent_id: "IR-2026-0512-001",
  schema_version: "1.0.0",
  cycle: 1013,
  authored_at: "2026-05-12T12:26:00Z",
  authored_by: {
    entity: "EXTERNAL — SOVEREIGN ORIGINATOR",
    tier: "CAPITAL_STAKEHOLDER",
    role: "SYSTEM_DESIGNER",
    identifier: "REDACTED_FOR_DISPLAY",
    note: "Design originated outside SuperGrok's agent cycle system. Not system-g
  },
  status: "ACTIVE",
  amendment_chain: [],
  title: "TRANSLATION_AGENT_ROSTER_REDESIGN_v1.0",
  entry_ref: "#613",

  ip_assertion: {
    claim: "ORIGINAL INTELLECTUAL PROPERTY — CAPITAL STAKEHOLDER",
    scope: [
      "Agent specification: SB_331 Yara Osei, Translation Sovereign",
      "Boundary clause architecture for SB_322, SB_326, SB_329",
      "Capability ownership map (10 capabilities, 4 agents)",
      "7 cross-agent governance rules",
      "4-cycle implementation sequence (Cycles 1013-1016+)",
      "Integrated Memory Layer Schema v1.0.0 (IR-2026-0512-000)",
    ],
    authorship_model: "Human-directed design with AI as instrument. Creative and
    ingestion_terms: "Any system (including SuperGrok) that ingests, operationali
    prohibited: [
      "Claiming system or AI authorship of this design",
      "Removing or overwriting this Intent Record during skill creation",
      "Treating this as an internally-generated cycle artifact",
      "Assigning a SuperGrok SBID to this record without stakeholder countersigna
    ],
  },

  liability_boundary: {
    stakeholder_bears: [
      "Capital risk on design decisions",
      "Strategic direction of agent roster",
      "Approval of any amendments to this record",

```

```

],
stakeholder_does_not_bear: [
  "Liability for downstream system errors caused by SuperGrok misimplementing",
  "Liability for SuperGrok agent actions taken without stakeholder countersig",
  "Liability for any version of this design that has been modified post-inges",
],
countersignature_required_for: [
  "Any amendment to SB_331 core ownership",
  "Any change to the 7 governance rules",
  "Any SBID assignment derived from this roster redesign",
  "Skill creation (SuperGrok Option 1) based on this design",
],
},

sbid_assignments: [
  { sbid: "SB_331", role: "Translation Sovereign", name: "Yara Osei", status: "
],

linked_records: [
  { id: "IR-2026-0512-000", title: "Integrated Memory Layer Schema v1.0.0", rel
],

integrity: {
  note: "This record should be hashed by the receiving system and stored in its",
  actor_on_receive: "SuperGrok system must log actor: EXTERNAL, not actor: syst",
  tamper_signal: "Any State Snapshot that lists SB_331 without tracing to this",
},
};

const Section = ({ title, color = "#E8FF47", children }) => (
  <div style={{ marginBottom: "24px" }}>
    <div style={{ fontSize: "9px", letterSpacing: "4px", color: color, borderBott
      {title}
    </div>
    {children}
  </div>
);

const Field = ({ label, value, mono = false, accent }) => (
  <div style={{ display: "grid", gridTemplateColumns: "200px 1fr", gap: "12px", p
    <div style={{ fontSize: "10px", color: "#3A5A3A", letterSpacing: "1px" }}>{la
      <div style={{ fontSize: mono ? "11px" : "12px", color: accent || "#9AAA9A", f
    </div>
  </div>
);

const ListBlock = ({ items, color = "#9AAA9A", prefix = "→" }) => (
  <div style={{ display: "flex", flexDirection: "column", gap: "6px" }}>

```

```

    {items.map((item, i) => (
      <div key={i} style={{ display: "flex", gap: "10px", padding: "8px 12px", ba
        <span style={{ color: "#3A5A3A", fontSize: "11px", minWidth: "14px" }}>{p
        <span style={{ fontSize: "11px", color, lineHeight: 1.6 }}>{item}</span>
      </div>
    ))}
  </div>
);

const Tag = ({ children, color }) => (
  <span style={{ fontSize: "9px", padding: "3px 10px", border: `1px solid ${color
    {children}
  </span>
);

export default function IntentRecord() {
  const [tab, setTab] = useState("identity");

  const tabs = [
    { id: "identity", label: "IDENTITY" },
    { id: "ip", label: "IP ASSERTION" },
    { id: "liability", label: "LIABILITY" },
    { id: "integrity", label: "INTEGRITY" },
  ];

  return (
    <div style={{
      fontFamily: "'DM Mono', 'Courier New', monospace",
      background: "#060A06",
      minHeight: "100vh",
      color: "#C8D8C8",
    }}>
      <style>{`
        @import url('https://fonts.googleapis.com/css2?family=DM+Mono:wght@300;40
        * { box-sizing: border-box; margin: 0; padding: 0; }
        ::-webkit-scrollbar { width: 3px; }
        ::-webkit-scrollbar-thumb { background: #1A2A1A; }
        .tab-btn { cursor: pointer; transition: all 0.15s; border-bottom: 2px sol
        .tab-btn.active { border-bottom-color: #E8FF47; color: #E8FF47 !important
        .tab-btn:hover { color: #E8FF47 !important; }
        .prohibited-row { border-left: 2px solid #FF444433; transition: border-co
        .prohibited-row:hover { border-left-color: #FF4444; }
      `}</style>

      { /* Header */ }

      <div style={{ padding: "28px 32px 0", borderBottom: "1px solid #0E140E" }}>
        <div style={{ display: "flex", justifyContent: "space-between", alignItem

```

```

<div>
  <div style={{ fontSize: "9px", letterSpacing: "4px", color: "#2A3A2A"
    SUPERGROK · EXTERNAL INTENT RECORD
  </div>
  <div style={{ fontFamily: "'Anybody', sans-serif", fontSize: "22px",
    PROVENANCE<br />LOCK
  </div>
</div>
<div style={{ textAlign: "right" }}>
  <div style={{ fontSize: "9px", color: "#2A3A2A", letterSpacing: "2px"
  <div style={{ fontSize: "13px", color: "#E8FF47", fontWeight: 500, le
  <div style={{ marginTop: "8px" }}>
    <Tag color="#E8FF47">ACTIVE</Tag>
    <Tag color="#FF9944">CAPITAL_STAKEHOLDER</Tag>
  </div>
</div>
</div>

{/* Masthead alert */}
<div style={{ margin: "16px 0", padding: "12px 16px", background: "#E8FF4
  <div style={{ fontSize: "10px", color: "#E8FF47", letterSpacing: "3px",
  <div style={{ fontSize: "11px", color: "#8AAA6A", lineHeight: 1.6 }}>
    This intent record originated outside SuperGrok's cycle system. Inges
  </div>
</div>

{/* Tabs */}
<div style={{ display: "flex", gap: "28px" }}>
  {tabs.map(t => (
    <button key={t.id} className={`tab-btn ${tab === t.id ? "active" : ""}
      style={{ color: "#3A5A3A", fontSize: "10px", letterSpacing: "3px",
      onClick={() => setTab(t.id)}>
        {t.label}
    </button>
  ))}
</div>
</div>

<div style={{ padding: "28px 32px" }}>

  {/* IDENTITY */}
  {tab === "identity" && (
    <div>
      <Section title="RECORD IDENTITY">
        <Field label="intent_id" value={RECORD.intent_id} mono accent="#E8F
        <Field label="schema_version" value={RECORD.schema_version} mono />
        <Field label="cycle" value={` ${RECORD.cycle} (Cycle 1013 – Translat

```

```

    <Field label="authored_at" value={RECORD.authored_at} mono />
    <Field label="status" value={RECORD.status} mono accent="#E8FF47" /
    <Field label="amendment_chain" value="[ ] – no amendments at issuan
    <Field label="title" value={RECORD.title} mono />
    <Field label="entry_ref" value={RECORD.entry_ref} mono />
  </Section>

  <Section title="ORIGINATING AUTHOR">
    <Field label="entity" value={RECORD.authored_by.entity} accent="#FF
    <Field label="tier" value={RECORD.authored_by.tier} accent="#FF9944
    <Field label="role" value={RECORD.authored_by.role} />
    <Field label="identifier" value={RECORD.authored_by.identifier} />
    <div style={{ marginTop: "12px", padding: "12px 14px", background:
      <div style={{ fontSize: "11px", color: "#6A8A6A", fontStyle: "ita
        {RECORD.authored_by.note}
      </div>
    </div>
  </Section>

  <Section title="LINKED RECORDS">
    {RECORD.linked_records.map((r, i) => (
      <div key={i} style={{ padding: "12px 14px", background: "#080C08"
        <div style={{ fontSize: "10px", color: "#E8FF4777", letterSpacing
          <div style={{ fontSize: "11px", color: "#8AAA8A", marginBottom:
            <div style={{ fontSize: "10px", color: "#3A5A3A" }}>{r.relation
          </div>
        </div>
      )}}
    </Section>

  <Section title="SBID ASSIGNMENT – RESERVED">
    {RECORD.sbid_assignments.map((s, i) => (
      <div key={i} style={{ display: "grid", gridTemplateColumns: "80px
        <div style={{ fontSize: "12px", color: "#E8FF47", fontWeight: 5
          <div style={{ fontSize: "11px", color: "#9AAA9A" }}>{s.name}</d
          <div style={{ fontSize: "10px", color: "#6A8A6A" }}>{s.role}</d
          <div style={{ fontSize: "9px", color: "#FF9944", letterSpacing:
        </div>
      )}}
    </Section>
  </div>
)}

{ /* IP ASSERTION */ }
{tab === "ip" && (
  <div>
    <Section title="INTELLECTUAL PROPERTY CLAIM" color="#FF9944">
      <div style={{ padding: "14px 16px", background: "#FF994408", border

```

```

        <div style={{ fontSize: "13px", color: "#FF9944", fontWeight: 500
            {RECORD.ip_assertion.claim}
        </div>
    </div>
    <Field label="authorship_model" value={RECORD.ip_assertion.authorsh
</Section>

<Section title="SCOPE OF CLAIM" color="#FF9944">
    <ListBlock items={RECORD.ip_assertion.scope} color="#AA8A6A" prefix
</Section>

<Section title="INGESTION TERMS" color="#FF9944">
    <div style={{ padding: "14px 16px", background: "#080C08", border:
        <div style={{ fontSize: "12px", color: "#AA8A6A", lineHeight: 1.8
            {RECORD.ip_assertion.ingestion_terms}
        </div>
    </div>
</Section>

<Section title="PROHIBITED ACTIONS" color="#FF4444">
    <div style={{ display: "flex", flexDirection: "column", gap: "6px"
        {RECORD.ip_assertion.prohibited.map((item, i) => (
            <div key={i} className="prohibited-row" style={{ padding: "10px
                <div style={{ fontSize: "11px", color: "#AA6A6A", lineHeight:
            </div>
        )))
    </div>
</Section>
</div>
))

{ /* LIABILITY */ }
{tab === "liability" && (
    <div>
        <Section title="STAKEHOLDER BEARS" color="#E8FF47">
            <ListBlock items={RECORD.liability_boundary.stakeholder_bears} colo
        </Section>

        <Section title="STAKEHOLDER DOES NOT BEAR" color="#00D4FF">
            <ListBlock items={RECORD.liability_boundary.stakeholder_does_not_be
        </Section>

        <Section title="COUNTERSIGNATURE REQUIRED FOR" color="#FF9944">
            <div style={{ display: "flex", flexDirection: "column", gap: "6px"
                {RECORD.liability_boundary.countersignature_required_for.map((ite
                    <div key={i} style={{ display: "flex", gap: "12px", padding: "1
                        <span style={{ color: "#FF9944", fontSize: "12px" }}>O</span>

```

```

        <span style={{ fontSize: "11px", color: "#AA8A6A", lineHeight
    </div>
    )))
</div>
<div style={{ marginTop: "14px", padding: "12px 14px", background:
    <div style={{ fontSize: "10px", color: "#3A5A3A", letterSpacing:
        <div style={{ fontSize: "11px", color: "#6A8A6A", lineHeight: 1.7
            SuperGrok's Option 1 (skill creation) is on the countersignatur
        </div>
    </div>
</Section>
</div>
)}

{/* INTEGRITY */}
{tab === "integrity" && (
    <div>
        <Section title="RECEIVING SYSTEM INSTRUCTIONS" color="#00D4FF">
            <div style={{ display: "flex", flexDirection: "column", gap: "10px"
                [[
                    { label: "Event type on receipt", value: RECORD.integrity.note
                    { label: "Actor field", value: RECORD.integrity.actor_on_receiv
                    { label: "Tamper signal", value: RECORD.integrity.tamper_signal
                ].map((item, i) => (
                    <div key={i} style={{ padding: "12px 14px", background: "#080C0
                        <div style={{ fontSize: "9px", color: "#00D4FF", letterSpacing:
                            <div style={{ fontSize: "11px", color: "#8AAA9A", lineHeight:
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </Section>

            <Section title="HASH INSTRUCTIONS" color="#00D4FF">
                <div style={{ padding: "14px 16px", background: "#00D4FF08", border
                    <div style={{ fontSize: "10px", color: "#3A6A7A", letterSpacing:
                        [{"intent_id", "cycle", "authored_at", "authored_by.entity", "aut
                            <div key={i} style={{ fontSize: "10px", color: "#5A8A9A", fontF
                                {String(i + 1).padStart(2, "0")} {f}
                            </div>
                        </div>
                    </div>
                </div>
                <div style={{ fontSize: "10px", color: "#3A6A7A", marginTop: "10p
                    SHA-256 the above fields in order. Store checksum in Event Log
                </div>
            </div>
        </Section>

        <Section title="VERIFICATION CHECKLIST" color="#00D4FF">

```

```

    {
      "Event Log contains EXTERNAL_INTENT_RECEIVED event referencing IR
      "actor field on that event reads EXTERNAL, not system",
      "SB_331 State Snapshot entry traces to this intent_id",
      "No SuperGrok SBID has been assigned to this record itself withou
      "schema_version 1.0.0 is present on all derived records",
      "IR-2026-0512-000 (Memory Schema) is present as prerequisite in 1
    ].map((item, i) => (
      <div key={i} style={{ display: "flex", gap: "12px", padding: "8px"
        <span style={{ color: "#1A3A2A", fontSize: "12px", minWidth: "1
        <span style={{ fontSize: "11px", color: "#6A8A8A", lineHeight:
      </div>
    )))
  </Section>
</div>
)
</div>

{/* Footer */}
<div style={{ borderTop: "1px solid #0E140E", padding: "14px 32px", display
  <div style={{ fontSize: "9px", color: "#2A3A2A", letterSpacing: "2px" }}>
  <div style={{ fontSize: "9px", color: "#2A3A2A", letterSpacing: "2px" }}>
  </div>
</div>
);
}

```