

Version 1.0,
September 2020

DotNetMockyEndpointTask

OFFICIAL DOCUMENTATION

KRESIMIR CONDIC

Contents

API Calls	2
GetProducts.....	2
Models.....	2
Product	2
ProductListAggregate	3

API Calls

GetProducts

Type: GET

Route: /api/mocky/get-products

Description: This endpoint retrieves Products from predefined Mocky API, filtered based on params supplied

Parameters:

- maxPrice
 - Default value: null
 - Type: query
 - Data type: integer
 - Description: Maximal price by which to filter products
- size
 - Default value: null
 - Type: query
 - Data type: string
 - Description: Size value by which to filter products
- wordsToHighlight
 - Default value: null
 - Type: query
 - Data type: string
 - Description: comma delimited list of words to highlight by enclosing in in product descriptions

Response form:

```
{  
  Products: collection of type Product,  
  AggregatedProducts: object of type ProductListAggregate  
}
```

Models

Product

Properties:

- Title
 - Type: string
 - Description: name of product
- Price

- Type: integer
 - Description: price
- Sizes
 - Type: collection of strings
 - Description: collection of string representations of all available sizes of product
- Description
 - Type: string
 - Description: description of product

ProductListAggregate

Properties:

- MinPrice
 - Type: integer
 - Description: minimum price of all products fetched from API
- MaxPrice
 - Type: integer
 - Description: maximum price of all products fetched from API
- AllSizes
 - Type: collection of strings
 - Description: collection of string representations of all available sizes across all products
- MostCommonWordsInDescriptions
 - Type: collection of strings
 - Description: collection of words sorted by most common and then alphabetically, excluding top 5 most common words, contains max 10 words