



Logging your pouring shift

Everything you need to use the pouring log on your phone — signing in, clearing your station, logging the hour, and what to do when something is not right.

FOR — POURING OPERATORS

READ ONCE • KEEP FOR REFERENCE

SEPTEMBER 2026

What this is, in one page

Once an hour, at your pump, you write down what you poured. That is the whole job. It takes under a minute and it happens on **your own phone** — there is nothing to install and no extra device to carry.

Until now none of this was written down anywhere. That means nobody could answer simple questions later: how many we poured on a given day, how much was scrapped, how long a pump was down, or which resin lot went into which containers. What you log is where those answers come from.

THE ONE RULE

Log it when it happens. An hour written up at the end of a shift is a guess, and every number that comes out of this later is built on what you typed.

Your shift, start to finish

- Sign in on your phone. Once a day, or once ever if it is your own phone.
- Clear the startup checklist for your pump. The rest of the app stays locked until you do.
- Every hour: set your station and resin, check the lot, enter your counts, submit.
- Log downtime when the line stops, and photos at changeovers and spills.
- That is it. Nothing to close out at the end of the shift.

IF YOU ARE NOT SURE

Nothing here can break anything. The worst you can do is enter a wrong number, and there is a button to take that back. Ask your lead rather than guessing at a lot code. This guide is on the form too — the ? in the top right corner opens it in a new tab, so nothing you have half-typed is lost.

Signing in

1 Open the plant address in your phone's browser


Your lead will give you the address. Add it to your home screen the first time — it saves as **Pouring Log** with the Formlabs mark, so it sits with your other apps — and it becomes one tap after that — there is no app to download.

2 Enter your operator ID and PIN

Both come from your lead. If you have never signed in, ask them to set you up.

3 Tick *Remember this device*

On a phone only you carry, this is the right thing to do — it keeps you signed in for 30 days so you are not typing a PIN every hour. Do not tick it on a phone somebody else uses.



The sign-in screen.

FIVE WRONG PINS LOCKS YOU OUT FOR FIFTEEN MINUTES

It unlocks on its own, but you do not have to wait — any manager can reset your PIN straight away. Ask rather than guessing at it.

EVERYTHING YOU LOG IS ATTACHED TO YOUR NAME

That is the point of signing in: your hours are yours, and nobody can quietly change them. It also means you should not hand your phone to someone else to log their hour on your account.

Clearing your station

The first time you open the app each shift it is locked, and it stays locked until you have certified the pump you are standing at. This is deliberate: the checklist is about *this station*, not about you.

1 Pick the pump you are starting at

Choose it at the top of the lock screen. Whatever you pick here carries through to your logging screen, so you only answer this once. The first time anyone certifies a pump it also asks which supply vessel that pump draws from — read the tag off the side of the tank. It is asked once per pump and never again, and if you are not sure, leave it and tell your lead. Your logs record either way.

2 Submit the start-of-shift cleanliness photo

Take it on the phone. Add a note if there is anything worth saying about the state of the station; otherwise the default note is fine.

3 Confirm the two checks

That you have scanned the daily station QR code and submitted that checksheet, and that your bins of empty cartridges and your receiving carts are staged for the run. If your plant has set one up, the button that opens the checksheet is right there on this screen, above the boxes — it opens in a new tab and this page waits for you.

4 Press **Submit Validation & Unlock Terminal**

The logging screens open up. You will not see this again today unless you move stations.

MOVED TO A DIFFERENT PUMP LATER?

The checklist comes back for the new station. That is not a mistake — it certifies the pump you are standing at, and you are now standing at a different one.

Logging the hour — set up

1 Pump station

Already set from your checklist. The format and the resin come back from your last log as well, so most hours you are checking three boxes rather than filling them in.

2 Container format

V2 or V1 cartridge, RPS bulk jug, or Pigment. Pick what you are physically filling. If your plant has it switched on there is also *Other container*, for anything that is not on that list — see below.

3 Resin formulation

The resin you are running. Its colour tag appears underneath so you can check it against the master sheet at a glance.

Under the resin you will see its **target fill weight and the acceptable range**. Worth a glance against your scale.

Pouring into something that is not on the list. Plain bottles, a drum, a tote, a pail. Pick *Other container (measured amount)* and the box asking for a count becomes a box asking for the amount — litres or kilograms, whichever you measured — then how many containers you filled, and a line saying what they were in your own words. Nothing has to be registered first. It then asks where the resin came from: the tank on your station, or a drum that was already filled. Answer that one carefully — resin out of a drum came off the tank days ago and must not come off it twice. Check the litres line before you submit. It is the app's sum, not yours.

IF THE SCREEN NEVER MENTIONS A RUN

That is normal, and nothing is missing. Most plants use this as a log: you pick the station and material, read the lot, enter the counts, and that is the whole job. If yours does assign work to stations and you see a note saying no open run matches, keep going anyway — your log still records and still counts — and mention it to your lead afterwards.

formlabs >>

1. Station & Material Setup

Pump Station
Pump 1

Container Format
V1 (1L Cartridge)

Resin Formulation
Tough 1500 V1

Tough 1500 V1

Target: 1070.0g | Range: 1060-1080g

2. Cartridge Lot Verification

Turn the cartridge over. The lot label on the bottom reads L- followed by the lot. Type it exactly as printed — spacing, case and the prefix don't matter.

L- — lot on the cartridge bottom label

2411A0742

Station and material, with the target weight underneath.

Logging the hour — check the lot

This is the one part of the log that is a check rather than a record, and it is the reason the whole thing is worth doing.

1 Turn the container over

Cartridge or bulk jug — both carry the same lot label on the bottom.

2 Type the code you can see

Exactly as printed. Spacing, capitals and the **L-** prefix do not matter — type it however it comes out.

The screenshot shows a software interface with a top bar containing the 'formlabs' logo and a '>>' button. Below this, the '2. Cartridge Lot Verification' section is active, featuring instructions to turn the cartridge over and type the lot label. A text input field contains '2411A0742'. The '3. Production Output' section below it shows three rows: 'Good Units / Containers Filled' with a value of 250, 'Scrap Empty' with a value of 0, and 'Scrap Filled' with a value of 0. Each row has minus and plus buttons for adjustment.

The lot check, before you type.

IF A LOT IS EXPECTED, IT IS HIDDEN ON PURPOSE

Where the screen has something to check yours against, you will see dots instead of a number. That is not a fault. If it showed you the answer, the check would be checking nothing — **read the container, not the screen.**

What the lot check tells you

Green — it matches

Carry on and enter your counts. Nothing else to do.

Next time, at the same station on the same resin and lot, it becomes a single tap to confirm the container still reads the same code. The full check returns on any change, after four hours, and every tenth log.

The screenshot shows the 'formlabs' app interface. At the top, it says 'formlabs' with a logo and a double arrow icon. Below this is a section titled '2. Cartridge Lot Verification' with a lock icon. The text reads: 'Turn the cartridge over. The lot label on the bottom reads L- followed by the lot. Type it exactly as printed — spacing, case and the prefix don't matter.' Below this, there is a label 'L- — lot on the cartridge bottom label' and a text input field containing 'L-2502T0310'. A blue notification box at the bottom of this section says: 'Lot recorded: L-2502T0310 — saved against this log.' Below the verification section is a section titled '3. Production Output' with a bar chart icon.

A clean check.

Red — STOP, do not pour

This container is not from the lot your run expects. **Set it aside and get your lead.**

If you pull it, press *Wrong cartridge — pulled it, nothing poured.* That records the catch: it is the system working.

If your lead decides it goes ahead anyway, choose a reason, add the detail, and photograph the label. The log saves with a flag on it for review.

The screenshot shows the 'formlabs' app interface. At the top, it says 'formlabs' with a logo and a double arrow icon. Below this is a section titled '2. Cartridge Lot Verification' with a lock icon. The text reads: 'Turn the cartridge over. The lot label on the bottom reads L- followed by the lot. Type it exactly as printed — spacing, case and the prefix don't matter.' Below this, there is a label 'L- — lot on the cartridge bottom label' and a text input field containing 'L-0000WRONG'. A blue notification box at the bottom of this section says: 'Lot recorded: L-0000WRONG — saved against this log.' Below the verification section is a section titled '3. Production Output' with a bar chart icon.

A mismatch.

Blue — recorded

If your plant does not assign work to stations there is nothing to compare yours against, so the screen reads your code back and saves it with the log. Nothing has gone wrong — **read and type it exactly the same way.**

A MISMATCH NEVER STOPS YOU WORKING

It asks for an explanation, and it never blocks you from pulling the container — the safe thing to do is always the quickest thing to do.

Logging the hour — your counts

1 Good units filled

The containers you actually filled this hour.

2 Scrap empty and scrap filled, kept separate

They mean different things: an empty scrapped is a handling problem, a filled one is lost resin as well. Keeping them apart is what makes the difference visible.

3 Check weight — optional, every time

If you have the scale to hand, weigh one and type the number. It tells you straight away whether that container is inside its window and how far off target it is. **Leaving it blank never blocks anything** — a blank is honest, a guess is worse than nothing.

4 Anything worth noting, then submit

The button goes away for five seconds and a green block takes its place, naming what was recorded: the units, the resin, the station and the time. A green line appears at the bottom of the screen as well, and stays until you do something else. If it says the entry did not save, nothing was recorded: submit again.

Counts and submit.

TYPED THE WRONG NUMBER? TAKE IT BACK.

For two minutes after you submit, an *Undo last* button sits just above the counts. Use it — a 2500 that should have been 250 is much easier to fix now than to explain later.

Downtime, photos and messages

When the line stops

Use the *Downtime* tab: the reason, how many minutes, and what was done about it.

Log it as it happens rather than reconstructing it later. Downtime nobody records does not disappear — it turns up as bad yield instead, which makes it look like the pouring was the problem.

The screenshot shows a mobile application interface for logging downtime. At the top, there's a header with the 'forrig' logo and a 'Master Resin Specification Lookup' link. Below this is a navigation bar with icons for 'Pouring', 'Packing', 'Downtime' (which is highlighted with a red underline), 'Audit', and a menu icon. The main section is titled 'Station Downtime Event Logger'. It contains several input fields: 'Downtime Station' with a dropdown menu showing 'New Pump #1', 'Reason for Downtime' with a dropdown menu showing 'Break/Shift Change', and 'Downtime Duration (Minutes)' with a numeric input set to '15' and minus/plus buttons. Below these is a text area for 'Corrective Action Taken' containing the text 'Cleaned dispensing valve nozzle.' At the bottom is a large brown button with a warning icon and the text 'Record Downtime Event'.

The downtime tab.

Photo audits

The *Audit* tab covers start of shift, end of shift, moving a line onto a different resin, and spills. There is a tick box to mark a photo as an active spill or leak, which flags it for attention rather than filing it as routine.

Leaving a note for your lead

The *Note to Management* tab keeps a written note against your name and the time, where it stays on the record instead of living in a text message. It is read when a lead next opens it — **nobody is watching it in real time**, so use the radio or find somebody in person for anything urgent or unsafe. It is for the things that would otherwise be forgotten by the end of shift: running low on a material, a machine that needs looking at, something that keeps costing time.

Your own numbers

Units poured, scrap and quality yield sit at the top of your screen and update as you log. It is the same figure management sees — there is no separate scoring going on behind it.

When something is not right

The app is locked and will not let me log

You have not cleared the startup checklist for the pump you picked. Do that and the logging tabs open. If you have moved stations, it will ask again for the new one.

I am locked out after mistyping my PIN

Five wrong attempts locks the account for fifteen minutes. It clears on its own, but any manager can reset it immediately — that is faster than waiting.

The lot does not match and my lead is not around

Do not pour. Set the container aside and press *Wrong cartridge — pulled it, nothing poured*. That is a complete, correct outcome on its own; nothing is left hanging by choosing it.

It says no open run matches my station

Log the hour anyway — it records and it counts. Read the code off the container as normal; it is stored against your log either way. If your plant assigns work to stations, tell your lead afterwards so it can be set up. If it does not, this is simply how the screen looks and there is nothing to report.

I typed the wrong number and already submitted

Press *Undo last* within two minutes. After that, ask your lead — they can correct it from their side, and it is better fixed than left.

The screen says my log was not saved

Then it was not, and nothing was recorded. Submit again. The network drops in parts of the building, and the app says so rather than pretending.

The screen says something went wrong, with a code on it

Nothing you did caused it, and nothing you already logged is lost. **Read the code to your lead** — four characters, like K7F2 — then carry on. The rest of the app still works.

I cannot read the screen properly

Under *Account & Preferences*, in **Display**: *Glove mode* makes every button bigger for gloved hands, and there are light themes for bright shop lighting. Both are remembered.

I keep losing my place while pouring

If there is a *Focus mode* toggle at the top of the logging tab, turn it on: it strips the screen down to the four things you need mid-run, big enough to read from across the station.

What else it does

None of this is your job, and none of it needs anything from you beyond the hourly log. It is here so you know what happens to what you type, and who is looking at it.

Work orders

Optional, and off unless a plant turns it on. When it is on, a manager dispatches runs to a pump; that is where an expected lot comes from, and how your units count towards a target.

The floor display

A screen showing the shift's pace, built from the same logs. No extra entry — it is your hourly figures, shown large.

Fill weights

The optional check weights add up into how much resin is going out above target — which is money, and invisible without them.

Reactors and stock

How much is left in each supply vessel, worked out from what has actually been poured out of it. The lot you read off the container is what tells it a vessel has been refilled — one more reason that field is worth getting right.

Who runs it

In most plants, your manager — accounts, PIN resets, pumps and settings are all theirs. There is no separate IT person to wait for.

Trends and reports

Yield, scrap and downtime over weeks, and exports for anyone who needs the numbers elsewhere. All of it is the same rows you entered.

Lot traceability

Which lot went into which containers, at which pump, by whom and when. That is the question a customer complaint asks.

IF SOMETHING ABOUT THE APP IS WRONG OR ANNOYING, SAY SO

There is a feedback box under *Account & Preferences*, and it goes straight to whoever maintains this. Small annoyances at a pump are the ones worth reporting — they are the ones nobody else can see.

A fuller description of the system, for whoever runs it, is in the *Resin Pouring — Production Logging Operations Handbook*.