


Relations:



Populating Schema:

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: schema seed* SQL File 4* job_posting contact company application_status application x SQLAdditions

SCHEMAS

Filter objects

job_tracker

- Tables
 - application
 - application_status
 - company
 - contact
 - job_posting
- Views
- Stored Procedures
- Functions
- sakila
- sys
- world

Administration Schemas

Information

Table: application

Columns:

- application_id int AI PK
- job_id int
- applied_date date
- source varchar(255)
- priority tinyint
- resume text

1 • SELECT * FROM job_tracker.application;

Result Grid

	application_id	job_id	applied_date	source	priority	resume
29	29	2026-01-06	Handshake	4	resume_v2.pdf	
30	30	2026-01-05	LinkedIn	5	resume_v3.pdf	
31	31	2026-01-04	Company Site	1	resume_v4.pdf	
32	32	2026-01-03	Referral	2	resume_v1.pdf	
33	33	2026-01-02	Indeed	3	resume_v2.pdf	
34	34	2026-01-01	Handshake	4	resume_v3.pdf	
35	35	2025-12-31	LinkedIn	5	resume_v4.pdf	
36	36	2025-12-30	Company Site	1	resume_v1.pdf	
37	37	2025-12-29	Referral	2	resume_v2.pdf	
38	38	2025-12-28	Indeed	3	resume_v3.pdf	
39	39	2025-12-27	Handshake	4	resume_v4.pdf	
40	40	2025-12-26	LinkedIn	5	resume_v1.pdf	
41	41	2025-12-25	Company Site	1	resume_v2.pdf	
42	42	2025-12-24	Referral	2	resume_v3.pdf	
43	43	2025-12-23	Indeed	3	resume_v4.pdf	
44	44	2025-12-22	Handshake	4	resume_v1.pdf	
45	45	2025-12-21	LinkedIn	5	resume_v2.pdf	
46	46	2025-12-20	Company Site	1	resume_v3.pdf	
47	47	2025-12-19	Referral	2	resume_v4.pdf	
48	48	2025-12-18	Indeed	3	resume_v1.pdf	
49	49	2025-12-17	Handshake	4	resume_v2.pdf	
50	50	2025-12-16	LinkedIn	5	resume_v3.pdf	

application 1 x

Output

Action Output

Apply Revert Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

job_tracker

Tables

application

application_status

company

contact

job_posting

Views

Stored Procedures

Functions

sakila

sys

world

Administration Schemas

Information

Table: application_status

Columns:

status_id int AI PK

application_id int

contact_id int

status enum('SAV

1 • SELECT * FROM job_tracker.application_status;

Result Grid

status_id	application_id	contact_id	status
129	43	43	OFFER
130	44	44	SAVED
131	44	44	APPLIED
132	44	44	REJECTED
133	45	45	SAVED
134	45	45	APPLIED
135	45	45	GHOSTED
136	46	46	SAVED
137	46	46	APPLIED
138	46	46	WITHDRAWN
139	47	47	SAVED
140	47	47	APPLIED
141	47	47	ACCEPTED
142	48	48	SAVED
143	48	48	APPLIED
144	48	48	SCREEN
145	49	49	SAVED
146	49	49	APPLIED
147	49	49	INTERVIEW
148	50	50	SAVED
149	50	50	APPLIED
150	50	50	ASSESSMENT

Application Status 1 x

Apply Revert Context Help Snippets

Output

Action Output

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

job_tracker

Tables

application

application_status

company

contact

job_posting

Views

Stored Procedures

Functions

sakila

sys

world

Administration Schemas

Information

Table: company

Columns:

company_id int AI PK

name varchar(1

website varchar(2

company_location varchar(1

1 • SELECT * FROM job_tracker.company;

Result Grid

company_id	name	website	company_location
37	Company 37	https://company37.example.com	Denver, CO
38	Company 38	https://company38.example.com	Remote
39	Company 39	https://company39.example.com	Raleigh, NC
40	Company 40	https://company40.example.com	New York, NY
41	Company 41	https://company41.example.com	Austin, TX
42	Company 42	https://company42.example.com	Seattle, WA
43	Company 43	https://company43.example.com	San Francisco, CA
44	Company 44	https://company44.example.com	Boston, MA
45	Company 45	https://company45.example.com	Chicago, IL
46	Company 46	https://company46.example.com	Atlanta, GA
47	Company 47	https://company47.example.com	Denver, CO
48	Company 48	https://company48.example.com	Remote
49	Company 49	https://company49.example.com	Raleigh, NC
50	Company 50	https://company50.example.com	New York, NY

company 1 x

Apply Revert Context Help Snippets

Output

Action Output

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Limit to 1000 rows

SQL File 4*

applicationapplication_statusjob_postingcontact

1 • SELECT * FROM job_tracker.contact;

SCHEMAS

Filter objects

job_tracker

Tables

applicationapplication_statuscompanycontactjob_posting

Views

Stored Procedures

Functions

sakila

sys

world

AdministrationSchemas

Information

Table: contact

Columns:

contact_id

company_id

full_name

title

email

phone

linkedin

int AI PK

int

varchar(15)

varchar(15)

varchar(25)

varchar(50)

varchar(25)

Result Grid

Filter Rows:

contact_idcompany_idfull_nameemailphonelinkedin

2929Parker JacksonHR Generalistcontact29@company29.example.com555-0129https:

3030Alex SmithRecruitercontact30@company30.example.com555-0130https:

3131Jordan JohnsonHiring Managercontact31@company31.example.com555-0131https:

3232Taylor BrownTalent Partnercontact32@company32.example.com555-0132https:

3333Morgan DavisEngineering Managercontact33@company33.example.com555-0133https:

3434Casey MillerHR Generalistcontact34@company34.example.com555-0134https:

3535Riley WilsonRecruitercontact35@company35.example.com555-0135https:

3636Avery MooreHiring Managercontact36@company36.example.com555-0136https:

3737Quinn AndersonTalent Partnercontact37@company37.example.com555-0137https:

3838Jamie ThomasEngineering Managercontact38@company38.example.com555-0138https:

3939Parker JacksonHR Generalistcontact39@company39.example.com555-0139https:

4040Alex SmithRecruitercontact40@company40.example.com555-0140https:

4141Jordan JohnsonHiring Managercontact41@company41.example.com555-0141https:

4242Taylor BrownTalent Partnercontact42@company42.example.com555-0142https:

4343Morgan DavisEngineering Managercontact43@company43.example.com555-0143https:

4444Casey MillerHR Generalistcontact44@company44.example.com555-0144https:

4545Riley WilsonRecruitercontact45@company45.example.com555-0145https:

4646Avery MooreHiring Managercontact46@company46.example.com555-0146https:

4747Quinn AndersonTalent Partnercontact47@company47.example.com555-0147https:

4848Jamie ThomasEngineering Managercontact48@company48.example.com555-0148https:

4949Parker JacksonHR Generalistcontact49@company49.example.com555-0149https:

5050Alex SmithRecruitercontact50@company50.example.com555-0150https:

contact 1

ApplyRevertContext HelpSnippets

Output

Action Output

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

job_tracker

Tables

application

application_status

company

contact

job_posting

Views

Stored Procedures

Functions

sakila

sys

world

Administration Schemas

Information

Table: job_posting

Columns:

job_id int AI

company_id int

job_title varchar

job_location varchar

employment_type varchar

job_url varchar

salary decimal

posted_date date

SQL File 4* application application_status job_posting

Limit to 1000 rows

1 • SELECT * FROM job_tracker.application;

Result Grid

	application_id	job_id	applied_date	source	priority	resume
29	29	2026-01-06	Handshake	4	resume_v2.pdf	
30	30	2026-01-05	LinkedIn	5	resume_v3.pdf	
31	31	2026-01-04	Company Site	1	resume_v4.pdf	
32	32	2026-01-03	Referral	2	resume_v1.pdf	
33	33	2026-01-02	Indeed	3	resume_v2.pdf	
34	34	2026-01-01	Handshake	4	resume_v3.pdf	
35	35	2025-12-31	LinkedIn	5	resume_v4.pdf	
36	36	2025-12-30	Company Site	1	resume_v1.pdf	
37	37	2025-12-29	Referral	2	resume_v2.pdf	
38	38	2025-12-28	Indeed	3	resume_v3.pdf	
39	39	2025-12-27	Handshake	4	resume_v4.pdf	
40	40	2025-12-26	LinkedIn	5	resume_v1.pdf	
41	41	2025-12-25	Company Site	1	resume_v2.pdf	
42	42	2025-12-24	Referral	2	resume_v3.pdf	
43	43	2025-12-23	Indeed	3	resume_v4.pdf	
44	44	2025-12-22	Handshake	4	resume_v1.pdf	
45	45	2025-12-21	LinkedIn	5	resume_v2.pdf	
46	46	2025-12-20	Company Site	1	resume_v3.pdf	
47	47	2025-12-19	Referral	2	resume_v4.pdf	
48	48	2025-12-18	Indeed	3	resume_v1.pdf	
49	49	2025-12-17	Handshake	4	resume_v2.pdf	
50	50	2025-12-16	LinkedIn	5	resume_v3.pdf	

application 1 x

Apply Revert Context Help Snippets

Output

Action Output

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Data Layer:

```
281 # =====
282 # 1) COMPANY CRUD
283 # =====
284 def CreateCompany(self, company: Company) -> Company:
285     sql = """
286         INSERT INTO company (name, website, company_location)
287         VALUES (%s, %s, %s)
288     """
289     new_id = self._execute_write(sql, (company.name, company.website, company.company_location))
290     return replace(company, company_id=new_id)
291
292 def ReadCompanyByID(self, company_id: int) -> Optional[Company]:
293     sql = """
294         SELECT company_id, name, website, company_location
295         FROM company
296         WHERE company_id = %s
297     """
298     return self._read_one(sql, (company_id,), self._company_from_row)
299
300 def ReadAllCompanies(self) -> list[Company]:
301     sql = """
302         SELECT company_id, name, website, company_location
303         FROM company
304         ORDER BY company_id
305     """
306     return self._read_many(sql, self._company_from_row)
307
308 def UpdateCompany(self, company: Company) -> bool:
309     if company.company_id is None:
310         raise ValueError("UpdateCompany requires company.company_id to be set.")
311     sql = """
312         UPDATE company
313         SET name = %s, website = %s, company_location = %s
314         WHERE company_id = %s
315     """
316     rc = self._execute_update_delete(sql, (company.name, company.website, company.company_location, company.company_id))
317     if rc == 0:
318         # Row not found
319         raise NotFoundError(f"Company id={company.company_id} not found")
320
321 def DeleteCompany(self, company_id: int) -> None:
322     sql = "DELETE FROM company WHERE company_id = %s"
323     rc = self._execute_update_delete(sql, (company_id,))
324     if rc == 0:
325         raise NotFoundError(f"Company id={company_id} not found")
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
```

```

327 # =====
328 # 2) CONTACT CRUD
329 # =====
330 def CreateContact(self, contact: Contact) -> Contact:
331     sql = """
332         INSERT INTO contact (company_id, full_name, title, email, phone, linkedin)
333         VALUES (%s, %s, %s, %s, %s, %s)
334     """
335     new_id = self._execute_write(
336         sql,
337         (contact.company_id, contact.full_name, contact.title, contact.email, contact.phone, contact.linkedin),
338     )
339     return replace(contact, contact_id=new_id)
340
341 def ReadContactByID(self, contact_id: int) -> Optional[Contact]:
342     sql = """
343         SELECT contact_id, company_id, full_name, title, email, phone, linkedin
344         FROM contact
345         WHERE contact_id = %s
346     """
347     return self._read_one(sql, (contact_id,), self._contact_from_row)
348
349 def ReadAllContacts(self) -> list[Contact]:
350     sql = """
351         SELECT contact_id, company_id, full_name, title, email, phone, linkedin
352         FROM contact
353         ORDER BY contact_id
354     """
355     return self._read_many(sql, self._contact_from_row)
356
357 def UpdateContact(self, contact: Contact) -> bool:
358     if contact.contact_id is None:

```

```

373 def UpdateContact(self, contact: Contact) -> None:
374     if contact.contact_id is None:
375         raise ValueError("UpdateContact requires contact.contact_id to be set.")
376     sql = """
377         UPDATE contact
378         SET company_id = %s,
379             full_name = %s,
380             title = %s,
381             email = %s,
382             phone = %s,
383             linkedin = %s
384         WHERE contact_id = %s
385     """
386     rc = self._execute_update_delete(
387         sql,
388         (
389             contact.company_id,
390             contact.full_name,
391             contact.title,
392             contact.email,
393             contact.phone,
394             contact.linkedin,
395             contact.contact_id,
396         ),
397     )
398     if rc == 0:
399         raise NotFoundError(f"Contact id={contact.contact_id} not found")
400
401 def DeleteContact(self, contact_id: int) -> None:
402     sql = "DELETE FROM contact WHERE contact_id = %s"
403     rc = self._execute_update_delete(sql, (contact_id,))
404     if rc == 0:
405         raise NotFoundError(f"Contact id={contact_id} not found")
406

```



```

392 # 3) JOB_POSTING CRUD
393 # =====
394 def CreateJobPosting(self, job: JobPosting) -> JobPosting:
395     sql = """
396         INSERT INTO job_posting
397         (company_id, job_title, job_location, employment_type, job_url, salary, posted_date)
398         VALUES (%s, %s, %s, %s, %s, %s, %s)
399     """
400     new_id = self._execute_write(
401         sql,
402         (
403             job.company_id,
404             job.job_title,
405             job.job_location,
406             job.employment_type,
407             job.job_url,
408             job.salary,
409             job.posted_date,
410         ),
411     )
412     return replace(job, job_id=new_id)
413
414 def ReadJobPostingByID(self, job_id: int) -> Optional[JobPosting]:
415     sql = """
416         SELECT job_id, company_id, job_title, job_location, employment_type, job_url, salary, posted_date
417         FROM job_posting
418         WHERE job_id = %s
419     """
420     return self._read_one(sql, (job_id,), self._job_posting_from_row)
421
422 def ReadAllJobPostings(self) -> list[JobPosting]:

```

```

446 def UpdateJobPosting(self, job: JobPosting) -> None:
447     if job.job_id is None:
448         raise ValueError("UpdateJobPosting requires job.job_id to be set.")
449     sql = """
450         UPDATE job_posting
451         SET company_id = %s,
452             job_title = %s,
453             job_location = %s,
454             employment_type = %s,
455             job_url = %s,
456             salary = %s,
457             posted_date = %s
458         WHERE job_id = %s
459     """
460     rc = self._execute_update_delete(
461         sql,
462         (
463             job.company_id,
464             job.job_title,
465             job.job_location,
466             job.employment_type,
467             job.job_url,
468             job.salary,
469             job.posted_date,
470             job.job_id,
471         ),
472     )
473     if rc == 0:
474         raise NotFoundError(f"JobPosting id={job.job_id} not found")
475
476 def DeleteJobPosting(self, job_id: int) -> None:
477     sql = "DELETE FROM job_posting WHERE job_id = %s"
478     rc = self._execute_update_delete(sql, (job_id,))
479     if rc == 0:
480         raise NotFoundError(f"JobPosting id={job_id} not found")
481

```

```

21 class DataProvider:
466     # =====
467     # 4) APPLICATION CRUD
468     # =====
469     def CreateApplication(self, app: Application) -> Application:
470         sql = """
471             INSERT INTO application (job_id, applied_date, source, priority, resume)
472             VALUES (%s, %s, %s, %s, %s)
473         """
474         new_id = self._execute_write(sql, (app.job_id, app.applied_date, app.source, app.priority, app.resume))
475         return replace(app, application_id=new_id)
476
477     def ReadApplicationByID(self, application_id: int) -> Optional[Application]:
478         sql = """
479             SELECT application_id, job_id, applied_date, source, priority, resume
480             FROM application
481             WHERE application_id = %s
482         """
483         return self._read_one(sql, (application_id,), self._application_from_row)
484
485     def ReadAllApplications(self) -> list[Application]:
486         sql = """
487             SELECT application_id, job_id, applied_date, source, priority, resume
488             FROM application
489             ORDER BY application_id
490         """
491         return self._read_many(sql, self._application_from_row)
492
493     def UpdateApplication(self, app: Application) -> bool:
494         if app.application_id is None:
495             raise ValueError("UpdateApplication requires app.application_id to be set.")
496         sql = """

```

```

509         def UpdateApplication(self, app: Application) -> None:
510             if app.application_id is None:
511                 raise ValueError("UpdateApplication requires app.application_id to be set.")
512             sql = """
513                 UPDATE application
514                 SET job_id = %s,
515                     applied_date = %s,
516                     source = %s,
517                     priority = %s,
518                     resume = %s
519                 WHERE application_id = %s
520             """
521             rc = self._execute_update_delete(
522                 sql,
523                 (app.job_id, app.applied_date, app.source, app.priority, app.resume, app.application_id),
524             )
525             if rc == 0:
526                 raise NotFoundError(f"Application id={app.application_id} not found")
527
528         def DeleteApplication(self, application_id: int) -> None:
529             sql = "DELETE FROM application WHERE application_id = %s"
530             rc = self._execute_update_delete(sql, (application_id,))
531             if rc == 0:
532                 raise NotFoundError(f"Application id={application_id} not found")

```

```

21 class DataProvider:
518     # =====
519     # 5) APPLICATION_STATUS CRUD
520     # =====
521     def CreateApplicationStatus(self, status: ApplicationStatus) -> ApplicationStatus:
522         if status.application.application_id is None:
523             raise ValueError("CreateApplicationStatus requires status.application.application_id to be set.")
524
525         contact_id = None if status.contact is None else status.contact.contact_id
526         if status.contact is not None and status.contact.contact_id is None:
527             raise ValueError("CreateApplicationStatus: status.contact.contact_id must be set (or contact=None).")
528
529         sql = """
530             INSERT INTO application_status (application_id, contact_id, status)
531             VALUES (%s, %s, %s)
532         """
533         new_id = self._execute_write(
534             sql,
535             (status.application.application_id, contact_id, status.status.value),
536         )
537         return replace(status, status_id=new_id)
538
539     def ReadApplicationStatusByID(self, status_id: int) -> Optional[ApplicationStatus]:
540         sql = self._STATUS_JOIN_SELECT + " WHERE s.status_id = %s"
541         row = self._execute(sql, (status_id,), fetchone=True)
542         return None if row is None else self._application_status_from_join_row(row)
543
544     def ReadAllApplicationStatuses(self) -> list[ApplicationStatus]:
545         sql = self._STATUS_JOIN_SELECT + " ORDER BY s.status_id"
546         rows = self._execute(sql, fetchall=True) or []
547         return [self._application_status_from_join_row(r) for r in rows]
548

```

```

565     def UpdateApplicationStatus(self, status: ApplicationStatus) -> None:
566         if status.status_id is None:
567             raise ValueError("UpdateApplicationStatus requires status.status_id to be set.")
568         if status.application.application_id is None:
569             raise ValueError("UpdateApplicationStatus requires status.application.application_id to be set.")
570
571         contact_id = None if status.contact is None else status.contact.contact_id
572         if status.contact is not None and status.contact.contact_id is None:
573             raise ValueError("UpdateApplicationStatus: status.contact.contact_id must be set (or contact=None).")
574
575         sql = """
576             UPDATE application_status
577             SET application_id = %s,
578                 contact_id = %s,
579                 status = %s
580             WHERE status_id = %s
581         """
582         rc = self._execute_update_delete(
583             sql,
584             (status.application.application_id, contact_id, status.status.value, status.status_id),
585         )
586         if rc == 0:
587             raise NotFoundError(f"ApplicationStatus id={status.status_id} not found")
588
589     def DeleteApplicationStatus(self, status_id: int) -> None:
590         sql = "DELETE FROM application_status WHERE status_id = %s"
591         rc = self._execute_update_delete(sql, (status_id,))
592         if rc == 0:
593             raise NotFoundError(f"ApplicationStatus id={status_id} not found")

```

```
PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSC548 Database> python read_test.py
```

```
=====
COMPANY (ReadAllCompanies) - 50 row(s)
=====
```

```
Company(company_id=1, name='Company 01', website='https://company1.example.com', company_location='Austin, TX')
Company(company_id=2, name='Company 02', website='https://company2.example.com', company_location='Seattle, WA')
Company(company_id=3, name='Company 03', website='https://company3.example.com', company_location='San Francisco, CA')
Company(company_id=4, name='Company 04', website='https://company4.example.com', company_location='Boston, MA')
Company(company_id=5, name='Company 05', website='https://company5.example.com', company_location='Chicago, IL')
Company(company_id=6, name='Company 06', website='https://company6.example.com', company_location='Atlanta, GA')
Company(company_id=7, name='Company 07', website='https://company7.example.com', company_location='Denver, CO')
Company(company_id=8, name='Company 08', website='https://company8.example.com', company_location='Remote')
Company(company_id=9, name='Company 09', website='https://company9.example.com', company_location='Raleigh, NC')
Company(company_id=10, name='Company 10', website='https://company10.example.com', company_location='New York, NY')
Company(company_id=11, name='Company 11', website='https://company11.example.com', company_location='Austin, TX')
Company(company_id=12, name='Company 12', website='https://company12.example.com', company_location='Seattle, WA')
Company(company_id=13, name='Company 13', website='https://company13.example.com', company_location='San Francisco, CA')
Company(company_id=14, name='Company 14', website='https://company14.example.com', company_location='Boston, MA')
Company(company_id=15, name='Company 15', website='https://company15.example.com', company_location='Chicago, IL')
Company(company_id=16, name='Company 16', website='https://company16.example.com', company_location='Atlanta, GA')
Company(company_id=17, name='Company 17', website='https://company17.example.com', company_location='Denver, CO')
Company(company_id=18, name='Company 18', website='https://company18.example.com', company_location='Remote')
Company(company_id=19, name='Company 19', website='https://company19.example.com', company_location='Raleigh, NC')
Company(company_id=20, name='Company 20', website='https://company20.example.com', company_location='New York, NY')
Company(company_id=21, name='Company 21', website='https://company21.example.com', company_location='Austin, TX')
Company(company_id=22, name='Company 22', website='https://company22.example.com', company_location='Seattle, WA')
Company(company_id=23, name='Company 23', website='https://company23.example.com', company_location='San Francisco, CA')
Company(company_id=24, name='Company 24', website='https://company24.example.com', company_location='Boston, MA')
Company(company_id=25, name='Company 25', website='https://company25.example.com', company_location='Chicago, IL')
Company(company_id=26, name='Company 26', website='https://company26.example.com', company_location='Atlanta, GA')
Company(company_id=27, name='Company 27', website='https://company27.example.com', company_location='Denver, CO')
Company(company_id=28, name='Company 28', website='https://company28.example.com', company_location='Remote')
Company(company_id=29, name='Company 29', website='https://company29.example.com', company_location='Raleigh, NC')
Company(company_id=30, name='Company 30', website='https://company30.example.com', company_location='New York, NY')
Company(company_id=31, name='Company 31', website='https://company31.example.com', company_location='Austin, TX')
Company(company_id=32, name='Company 32', website='https://company32.example.com', company_location='Seattle, WA')
Company(company_id=33, name='Company 33', website='https://company33.example.com', company_location='San Francisco, CA')
Company(company_id=34, name='Company 34', website='https://company34.example.com', company_location='Boston, MA')
Company(company_id=35, name='Company 35', website='https://company35.example.com', company_location='Chicago, IL')
```

CONTACT (ReadAllContacts) - 50 row(s)

```
=====
Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
Contact(contact_id=2, company_id=2, full_name='Taylor Brown', title='Talent Partner', email='contact2@company2.example.com', phone='555-0102', linkedin='https://www.linkedin.com/in/contact2')
Contact(contact_id=3, company_id=3, full_name='Morgan Davis', title='Engineering Manager', email='contact3@company3.example.com', phone='555-0103', linkedin='https://www.linkedin.com/in/contact3')
Contact(contact_id=4, company_id=4, full_name='Casey Miller', title='HR Generalist', email='contact4@company4.example.com', phone='555-0104', linkedin='https://www.linkedin.com/in/contact4')
Contact(contact_id=5, company_id=5, full_name='Riley Wilson', title='Recruiter', email='contact5@company5.example.com', phone='555-0105', linkedin='https://www.linkedin.com/in/contact5')
Contact(contact_id=6, company_id=6, full_name='Avery Moore', title='Hiring Manager', email='contact6@company6.example.com', phone='555-0106', linkedin='https://www.linkedin.com/in/contact6')
Contact(contact_id=7, company_id=7, full_name='Quinn Anderson', title='Talent Partner', email='contact7@company7.example.com', phone='555-0107', linkedin='https://www.linkedin.com/in/contact7')
Contact(contact_id=8, company_id=8, full_name='Jamie Thomas', title='Engineering Manager', email='contact8@company8.example.com', phone='555-0108', linkedin='https://www.linkedin.com/in/contact8')
Contact(contact_id=9, company_id=9, full_name='Parker Jackson', title='HR Generalist', email='contact9@company9.example.com', phone='555-0109', linkedin='https://www.linkedin.com/in/contact9')
Contact(contact_id=10, company_id=10, full_name='Alex Smith', title='Recruiter', email='contact10@company10.example.com', phone='555-0110', linkedin='https://www.linkedin.com/in/contact10')
Contact(contact_id=11, company_id=11, full_name='Jordan Johnson', title='Hiring Manager', email='contact11@company11.example.com', phone='555-0111', linkedin='https://www.linkedin.com/in/contact11')
Contact(contact_id=12, company_id=12, full_name='Taylor Brown', title='Talent Partner', email='contact12@company12.example.com', phone='555-0112', linkedin='https://www.linkedin.com/in/contact12')
Contact(contact_id=13, company_id=13, full_name='Morgan Davis', title='Engineering Manager', email='contact13@company13.example.com', phone='555-0113', linkedin='https://www.linkedin.com/in/contact13')
Contact(contact_id=14, company_id=14, full_name='Casey Miller', title='HR Generalist', email='contact14@company14.example.com', phone='555-0114', linkedin='https://www.linkedin.com/in/contact14')
Contact(contact_id=15, company_id=15, full_name='Riley Wilson', title='Recruiter', email='contact15@company15.example.com', phone='555-0115', linkedin='https://www.linkedin.com/in/contact15')
Contact(contact_id=16, company_id=16, full_name='Avery Moore', title='Hiring Manager', email='contact16@company16.example.com', phone='555-0116', linkedin='https://www.linkedin.com/in/contact16')
Contact(contact_id=17, company_id=17, full_name='Quinn Anderson', title='Talent Partner', email='contact17@company17.example.com', phone='555-0117', linkedin='https://www.linkedin.com/in/contact17')
Contact(contact_id=18, company_id=18, full_name='Jamie Thomas', title='Engineering Manager', email='contact18@company18.example.com', phone='555-0118', linkedin='https://www.linkedin.com/in/contact18')
Contact(contact_id=19, company_id=19, full_name='Parker Jackson', title='HR Generalist', email='contact19@company19.example.com', phone='555-0119', linkedin='https://www.linkedin.com/in/contact19')
```


JOB_POSTING (ReadAllJobPostings) – 50 row(s)

```
JobPosting(job_id=1, company_id=1, job_title='Data Analyst', job_location='New York, NY', employment_type='Internship', job_url='https://company1.example.com/careers/jobs/1', salary=Decimal('61500.00'), posted_date=datetime.date(2026, 2, 2))
JobPosting(job_id=2, company_id=2, job_title='Backend Engineer', job_location='Austin, TX', employment_type='Contract', job_url='https://company2.example.com/careers/jobs/2', salary=Decimal('63000.00'), posted_date=datetime.date(2026, 1, 31))
JobPosting(job_id=3, company_id=3, job_title='Frontend Engineer', job_location='Seattle, WA', employment_type='Full-time', job_url='https://company3.example.com/careers/jobs/3', salary=Decimal('64500.00'), posted_date=datetime.date(2026, 1, 29))
JobPosting(job_id=4, company_id=4, job_title='DevOps Engineer', job_location='San Francisco, CA', employment_type='Internship', job_url='https://company4.example.com/careers/jobs/4', salary=Decimal('66000.00'), posted_date=datetime.date(2026, 1, 27))
JobPosting(job_id=5, company_id=5, job_title='Data Scientist', job_location='Boston, MA', employment_type='Contract', job_url='https://company5.example.com/careers/jobs/5', salary=Decimal('67500.00'), posted_date=datetime.date(2026, 1, 25))
JobPosting(job_id=6, company_id=6, job_title='QA Engineer', job_location='Chicago, IL', employment_type='Full-time', job_url='https://company6.example.com/careers/jobs/6', salary=Decimal('69000.00'), posted_date=datetime.date(2026, 1, 23))
JobPosting(job_id=7, company_id=7, job_title='Product Manager', job_location='Denver, CO', employment_type='Internship', job_url='https://company7.example.com/careers/jobs/7', salary=Decimal('70500.00'), posted_date=datetime.date(2026, 1, 21))
JobPosting(job_id=8, company_id=8, job_title='Mobile Developer', job_location='Remote', employment_type='Contract', job_url='https://company8.example.com/careers/jobs/8', salary=Decimal('72000.00'), posted_date=datetime.date(2026, 1, 19))
JobPosting(job_id=9, company_id=9, job_title='Security Engineer', job_location='New York, NY', employment_type='Full-time', job_url='https://company9.example.com/careers/jobs/9', salary=Decimal('73500.00'), posted_date=datetime.date(2026, 1, 17))
JobPosting(job_id=10, company_id=10, job_title='Software Engineer', job_location='Austin, TX', employment_type='Internship', job_url='https://company10.example.com/careers/jobs/10', salary=Decimal('75000.00'), posted_date=datetime.date(2026, 1, 15))
JobPosting(job_id=11, company_id=11, job_title='Data Analyst', job_location='Seattle, WA', employment_type='Contract', job_url='https://company11.example.com/careers/jobs/11', salary=Decimal('76500.00'), posted_date=datetime.date(2026, 1, 13))
JobPosting(job_id=12, company_id=12, job_title='Backend Engineer', job_location='San Francisco, CA', employment_type='Full-time', job_url='https://company12.example.com/careers/jobs/12', salary=Decimal('78000.00'), posted_date=datetime.date(2026, 1, 11))
JobPosting(job_id=13, company_id=13, job_title='Frontend Engineer', job_location='Boston, MA', employment_type='Internship', job_url='https://company13.example.com/careers/jobs/13', salary=Decimal('79500.00'), posted_date=datetime.date(2026, 1, 9))
JobPosting(job_id=14, company_id=14, job_title='DevOps Engineer', job_location='Chicago, IL', employment_type='Contract', job_url='https://company14.example.com/careers/jobs/14', salary=Decimal('81000.00'), posted_date=datetime.date(2026, 1, 7))
JobPosting(job_id=15, company_id=15, job_title='Data Scientist', job_location='Denver, CO', employment_type='Full-time', job_url='https://company15.example.com/careers/jobs/15', salary=Decimal('82500.00'), posted_date=datetime.date(2026, 1, 5))
JobPosting(job_id=16, company_id=16, job_title='QA Engineer', job_location='Remote', employment_type='Internship', job_url='https://company16.example.com/careers/jobs/16', salary=Decimal('84000.00'), posted_date=datetime.date(2026, 1, 3))
JobPosting(job_id=17, company_id=17, job_title='Product Manager', job_location='New York, NY', employment_type='Contract', job_url='https://company17.example.com/careers/jobs/17', salary=Decimal('85500.00'), posted_date=datetime.date(2026, 1, 1))
JobPosting(job_id=18, company_id=18, job_title='Mobile Developer', job_location='Austin, TX', employment_type='Full-time', job_url='https://company18.example.com/careers/jobs/18', salary=Decimal('87000.00'), posted_date=datetime.date(2025, 12, 30))
JobPosting(job_id=19, company_id=19, job_title='Security Engineer', job_location='Seattle, WA', employment_type='Internship', job_url='https://company19.example.com/careers/jobs/19', salary=Decimal('88500.00'), posted_date=datetime.date(2025, 12, 28))
```

APPLICATION (ReadAllApplications) – 50 row(s)

```
Application(application_id=1, job_id=1, applied_date=datetime.date(2026, 2, 3), source='Company Site', priority=1, resume='resume_v2.pdf')
Application(application_id=2, job_id=2, applied_date=datetime.date(2026, 2, 2), source='Referral', priority=2, resume='resume_v3.pdf')
Application(application_id=3, job_id=3, applied_date=datetime.date(2026, 2, 1), source='Indeed', priority=3, resume='resume_v4.pdf')
Application(application_id=4, job_id=4, applied_date=datetime.date(2026, 1, 31), source='Handshake', priority=4, resume='resume_v1.pdf')
Application(application_id=5, job_id=5, applied_date=datetime.date(2026, 1, 30), source='LinkedIn', priority=5, resume='resume_v2.pdf')
Application(application_id=6, job_id=6, applied_date=datetime.date(2026, 1, 29), source='Company Site', priority=1, resume='resume_v3.pdf')
Application(application_id=7, job_id=7, applied_date=datetime.date(2026, 1, 28), source='Referral', priority=2, resume='resume_v4.pdf')
Application(application_id=8, job_id=8, applied_date=datetime.date(2026, 1, 27), source='Indeed', priority=3, resume='resume_v1.pdf')
Application(application_id=9, job_id=9, applied_date=datetime.date(2026, 1, 26), source='Handshake', priority=4, resume='resume_v2.pdf')
Application(application_id=10, job_id=10, applied_date=datetime.date(2026, 1, 25), source='LinkedIn', priority=5, resume='resume_v3.pdf')
Application(application_id=11, job_id=11, applied_date=datetime.date(2026, 1, 24), source='Company Site', priority=1, resume='resume_v4.pdf')
Application(application_id=12, job_id=12, applied_date=datetime.date(2026, 1, 23), source='Referral', priority=2, resume='resume_v1.pdf')
Application(application_id=13, job_id=13, applied_date=datetime.date(2026, 1, 22), source='Indeed', priority=3, resume='resume_v2.pdf')
Application(application_id=14, job_id=14, applied_date=datetime.date(2026, 1, 21), source='Handshake', priority=4, resume='resume_v3.pdf')
Application(application_id=15, job_id=15, applied_date=datetime.date(2026, 1, 20), source='LinkedIn', priority=5, resume='resume_v4.pdf')
Application(application_id=16, job_id=16, applied_date=datetime.date(2026, 1, 19), source='Company Site', priority=1, resume='resume_v1.pdf')
Application(application_id=17, job_id=17, applied_date=datetime.date(2026, 1, 18), source='Referral', priority=2, resume='resume_v2.pdf')
Application(application_id=18, job_id=18, applied_date=datetime.date(2026, 1, 17), source='Indeed', priority=3, resume='resume_v3.pdf')
Application(application_id=19, job_id=19, applied_date=datetime.date(2026, 1, 16), source='Handshake', priority=4, resume='resume_v4.pdf')
Application(application_id=20, job_id=20, applied_date=datetime.date(2026, 1, 15), source='LinkedIn', priority=5, resume='resume_v1.pdf')
Application(application_id=21, job_id=21, applied_date=datetime.date(2026, 1, 14), source='Company Site', priority=1, resume='resume_v2.pdf')
Application(application_id=22, job_id=22, applied_date=datetime.date(2026, 1, 13), source='Referral', priority=2, resume='resume_v3.pdf')
Application(application_id=23, job_id=23, applied_date=datetime.date(2026, 1, 12), source='Indeed', priority=3, resume='resume_v4.pdf')
Application(application_id=24, job_id=24, applied_date=datetime.date(2026, 1, 11), source='Handshake', priority=4, resume='resume_v1.pdf')
Application(application_id=25, job_id=25, applied_date=datetime.date(2026, 1, 10), source='LinkedIn', priority=5, resume='resume_v2.pdf')
Application(application_id=26, job_id=26, applied_date=datetime.date(2026, 1, 9), source='Company Site', priority=1, resume='resume_v3.pdf')
Application(application_id=27, job_id=27, applied_date=datetime.date(2026, 1, 8), source='Referral', priority=2, resume='resume_v4.pdf')
Application(application_id=28, job_id=28, applied_date=datetime.date(2026, 1, 7), source='Indeed', priority=3, resume='resume_v1.pdf')
Application(application_id=29, job_id=29, applied_date=datetime.date(2026, 1, 6), source='Handshake', priority=4, resume='resume_v2.pdf')
Application(application_id=30, job_id=30, applied_date=datetime.date(2026, 1, 5), source='LinkedIn', priority=5, resume='resume_v3.pdf')
Application(application_id=31, job_id=31, applied_date=datetime.date(2026, 1, 4), source='Company Site', priority=1, resume='resume_v4.pdf')
Application(application_id=32, job_id=32, applied_date=datetime.date(2026, 1, 3), source='Referral', priority=2, resume='resume_v1.pdf')
Application(application_id=33, job_id=33, applied_date=datetime.date(2026, 1, 2), source='Indeed', priority=3, resume='resume_v2.pdf')
Application(application_id=34, job_id=34, applied_date=datetime.date(2026, 1, 1), source='Handshake', priority=4, resume='resume_v3.pdf')
Application(application_id=35, job_id=35, applied_date=datetime.date(2025, 12, 31), source='LinkedIn', priority=5, resume='resume_v4.pdf')
Application(application_id=36, job_id=36, applied_date=datetime.date(2025, 12, 30), source='Company Site', priority=1, resume='resume_v1.pdf')
Application(application_id=37, job_id=37, applied_date=datetime.date(2025, 12, 29), source='Referral', priority=2, resume='resume_v2.pdf')
```

=====

APPLICATION_STATUS (ReadAllApplicationStatuses) - 150 row(s)

=====

status_id=1		status=SAVED		company=Company 01		job=Data Analyst		application_id=1		contact=Jordan Johnson
status_id=2		status=APPLIED		company=Company 01		job=Data Analyst		application_id=1		contact=Jordan Johnson
status_id=3		status=INTERVIEW		company=Company 01		job=Data Analyst		application_id=1		contact=Jordan Johnson
status_id=4		status=SAVED		company=Company 02		job=Backend Engineer		application_id=2		contact=Taylor Brown
status_id=5		status=APPLIED		company=Company 02		job=Backend Engineer		application_id=2		contact=Taylor Brown
status_id=6		status=ASSESSMENT		company=Company 02		job=Backend Engineer		application_id=2		contact=Taylor Brown
status_id=7		status=SAVED		company=Company 03		job=Frontend Engineer		application_id=3		contact=Morgan Davis
status_id=8		status=APPLIED		company=Company 03		job=Frontend Engineer		application_id=3		contact=Morgan Davis
status_id=9		status=OFFER		company=Company 03		job=Frontend Engineer		application_id=3		contact=Morgan Davis
status_id=10		status=SAVED		company=Company 04		job=DevOps Engineer		application_id=4		contact=Casey Miller
status_id=11		status=APPLIED		company=Company 04		job=DevOps Engineer		application_id=4		contact=Casey Miller
status_id=12		status=REJECTED		company=Company 04		job=DevOps Engineer		application_id=4		contact=Casey Miller
status_id=13		status=SAVED		company=Company 05		job=Data Scientist		application_id=5		contact=Riley Wilson
status_id=14		status=APPLIED		company=Company 05		job=Data Scientist		application_id=5		contact=Riley Wilson
status_id=15		status=GHOSTED		company=Company 05		job=Data Scientist		application_id=5		contact=Riley Wilson
status_id=16		status=SAVED		company=Company 06		job=QA Engineer		application_id=6		contact=Avery Moore
status_id=17		status=APPLIED		company=Company 06		job=QA Engineer		application_id=6		contact=Avery Moore
status_id=18		status=WITHDRAWN		company=Company 06		job=QA Engineer		application_id=6		contact=Avery Moore
status_id=19		status=SAVED		company=Company 07		job=Product Manager		application_id=7		contact=Quinn Anderson
status_id=20		status=APPLIED		company=Company 07		job=Product Manager		application_id=7		contact=Quinn Anderson
status_id=21		status=ACCEPTED		company=Company 07		job=Product Manager		application_id=7		contact=Quinn Anderson
status_id=22		status=SAVED		company=Company 08		job=Mobile Developer		application_id=8		contact=Jamie Thomas
status_id=23		status=APPLIED		company=Company 08		job=Mobile Developer		application_id=8		contact=Jamie Thomas
status_id=24		status=SCREEN		company=Company 08		job=Mobile Developer		application_id=8		contact=Jamie Thomas
status_id=25		status=SAVED		company=Company 09		job=Security Engineer		application_id=9		contact=Parker Jackson
status_id=26		status=APPLIED		company=Company 09		job=Security Engineer		application_id=9		contact=Parker Jackson
status_id=27		status=INTERVIEW		company=Company 09		job=Security Engineer		application_id=9		contact=Parker Jackson
status_id=28		status=SAVED		company=Company 10		job=Software Engineer		application_id=10		contact=Alex Smith
status_id=29		status=APPLIED		company=Company 10		job=Software Engineer		application_id=10		contact=Alex Smith
status_id=30		status=ASSESSMENT		company=Company 10		job=Software Engineer		application_id=10		contact=Alex Smith
status_id=31		status=SAVED		company=Company 11		job=Data Analyst		application_id=11		contact=Jordan Johnson
status_id=32		status=APPLIED		company=Company 11		job=Data Analyst		application_id=11		contact=Jordan Johnson
status_id=33		status=OFFER		company=Company 11		job=Data Analyst		application_id=11		contact=Jordan Johnson
status_id=34		status=SAVED		company=Company 12		job=Backend Engineer		application_id=12		contact=Taylor Brown
status_id=35		status=APPLIED		company=Company 12		job=Backend Engineer		application_id=12		contact=Taylor Brown
status_id=36		status=REJECTED		company=Company 12		job=Backend Engineer		application_id=12		contact=Taylor Brown
status_id=37		status=SAVED		company=Company 13		job=Frontend Engineer		application_id=13		contact=Morgan Davis

ONE RECORD BY ID FROM EACH TABLE

```
=====
Company by ID: Company(company_id=1, name='Company 01', website='https://company1.example.com', company_location='Austin, TX')
Contact by ID: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
JobPosting by ID: JobPosting(job_id=1, company_id=1, job_title='Data Analyst', job_location='New York, NY', employment_type='Internship', job_url='https://company1.example.com/careers/jobs/1', salary=Decimal('61500.00'), posted_date=datetime.date(2026, 2, 2))
Application by ID: Application(application_id=1, job_id=1, applied_date=datetime.date(2026, 2, 3), source='Company Site', priority=1, resume='resume_v2.pdf')
```

ApplicationStatus by ID (expanded objects):

```
status_id: 1
status: SAVED
company: Company(company_id=1, name='Company 01', website='https://company1.example.com', company_location='Austin, TX')
job: JobPosting(job_id=1, company_id=1, job_title='Data Analyst', job_location='New York, NY', employment_type='Internship', job_url='https://company1.example.com/careers/jobs/1', salary=Decimal('61500.00'), posted_date=datetime.date(2026, 2, 2))
application: Application(application_id=1, job_id=1, applied_date=datetime.date(2026, 2, 3), source='Company Site', priority=1, resume='resume_v2.pdf')
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')

contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')

contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')

contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')

contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')

contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
=====
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Database> python read_test.py

```
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
=====
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
=====
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
=====
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
contact: Contact(contact_id=1, company_id=1, full_name='Jordan Johnson', title='Hiring Manager', email='contact1@company1.example.com', phone='555-0101', linkedin='https://www.linkedin.com/in/contact1')
```

```
=====
=====
[✓] READ TEST COMPLETE
=====
```

PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Database> |

Initial Table for Application Status and Companies:

1 • `SELECT * FROM job_tracker.application_status;`

	status_id	application_id	contact_id	status
▶	1	1	1	APPLIED
	2	1	NULL	INTERVIEW
	3	1	1	OFFER
	4	2	NULL	SAVED
	5	2	2	SCREEN
•	NULL	NULL	NULL	NULL

1 • `SELECT * FROM job_tracker.company;`

	company_id	name	website	company_location
▶	1	Acme Corp	https://acme.example	Austin, TX
	2	Beta Systems	https://beta.example	Remote
•	NULL	NULL	NULL	NULL

Code for the service layer test and GETs, PUTs, and POSTs from running the demo:

```

INFO: 127.0.0.1:50686 - "GET /api/application-statuses HTTP/1.1"
307 Temporary Redirect
INFO: 127.0.0.1:50689 - "GET /api/application-statuses HTTP/1.1"
307 Temporary Redirect
INFO: 127.0.0.1:50613 - "GET /api/application-statuses/ HTTP/1.1"
200 OK
INFO: 127.0.0.1:50612 - "GET /api/application-statuses/ HTTP/1.1"
200 OK
INFO: 127.0.0.1:49315 - "GET / HTTP/1.1" 200 OK
INFO: 127.0.0.1:49319 - "POST /api/companies HTTP/1.1" 307 Temporary Redirect
INFO: 127.0.0.1:49319 - "POST /api/companies/ HTTP/1.1" 201 Created
INFO: 127.0.0.1:49323 - "GET /api/companies/3 HTTP/1.1" 200 OK
INFO: 127.0.0.1:49327 - "PUT /api/companies/3 HTTP/1.1" 200 OK
INFO: 127.0.0.1:49332 - "GET /api/companies HTTP/1.1" 307 Temporary Redirect
INFO: 127.0.0.1:49332 - "GET /api/companies/ HTTP/1.1" 200 OK
INFO: 127.0.0.1:49336 - "POST /api/contacts HTTP/1.1" 307 Temporary Redirect
INFO: 127.0.0.1:49336 - "POST /api/contacts/ HTTP/1.1" 201 Created
INFO: 127.0.0.1:49340 - "GET /api/contacts/3 HTTP/1.1" 200 OK
INFO: 127.0.0.1:49345 - "PUT /api/contacts/3 HTTP/1.1" 200 OK
INFO: 127.0.0.1:49349 - "GET /api/contacts HTTP/1.1" 307 Temporary Redirect
INFO: 127.0.0.1:49349 - "GET /api/contacts/ HTTP/1.1" 200 OK
INFO: 127.0.0.1:49353 - "POST /api/job-postings HTTP/1.1" 307 Temporary Redirect
INFO: 127.0.0.1:49353 - "POST /api/job-postings/ HTTP/1.1" 201 Created
INFO: 127.0.0.1:49358 - "GET /api/job-postings/3 HTTP/1.1" 200 OK
INFO: 127.0.0.1:49363 - "PUT /api/job-postings/3 HTTP/1.1" 200 OK
INFO: 127.0.0.1:49366 - "GET /api/job-postings HTTP/1.1" 307 Temporary Redirect
INFO: 127.0.0.1:49366 - "GET /api/job-postings/ HTTP/1.1" 200 OK
INFO: 127.0.0.1:49371 - "POST /api/applications HTTP/1.1" 307 Temporary Redirect
INFO: 127.0.0.1:49371 - "POST /api/applications/ HTTP/1.1" 201 Created
INFO: 127.0.0.1:49376 - "GET /api/applications/3 HTTP/1.1" 200 OK
PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Databases>
e\backend> $env:LAYER = "service"
PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Databases>
e\backend> python demo.py

=====
Job Tracker -- Full CRUD Demo
Layer : SERVICE
Run ID : 1773711387
API : http://localhost:8000
[TEST] records are left in DB (except ApplicationStatus)
=====

=====
COMPANY | SERVICE layer
=====

-- CREATE
[CREATED]
company_id           = 3
name                 = '[TEST] Service Co 1773711387'
website              = 'https://service.example'
company_location     = 'Remote'

-- READ -- get by ID
[READ BY ID]
company_id           = 3
name                 = '[TEST] Service Co 1773711387'
website              = 'https://service.example'
company_location     = 'Remote'

-- UPDATE -- company_location: 'Remote' -> 'Austin, TX'
[READ AFTER UPDATE]
company_id           = 3
name                 = '[TEST] Service Co 1773711387'
website              = 'https://service.example'
company_location     = 'Austin, TX'
OK company_location updated correctly

-- GET ALL (first 3 shown)
id=1 name='Acme Corp'

```

```

-- GET ALL (first 3 shown)
id=1 name='Acme Corp'
id=2 name='Beta Systems'
id=3 name='[TEST] Service Co 1773711387'
... 3 total
OK Company CRUD complete -- id=3 left in DB

=====
CONTACT | SERVICE layer
=====

-- CREATE
[CREATED]
contact_id = 3
company_id = 3
full_name = '[TEST] Service Contact 17737113
87'
title = 'Recruiter'
email = 'service@test.example'
phone = '555-0001'
linkedin = None

-- READ -- get by ID
[READ BY ID]
contact_id = 3
company_id = 3
full_name = '[TEST] Service Contact 17737113
87'
title = 'Recruiter'
email = 'service@test.example'
phone = '555-0001'
linkedin = None

-- UPDATE -- title: 'Recruiter' -> 'Senior Recruiter'
[READ AFTER UPDATE]

```

```

PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Databases\
e\backend> python demo.py
-- READ -- get by ID (nested objects expanded)
[READ BY ID]
status_id = 6
status = 'SAVED'
company =
company_id = 3
name = '[TEST] Service Co 1773711387'
website = 'https://service.example'
company_location = 'Austin, TX'
contact =
contact_id = 3
company_id = 3
full_name = '[TEST] Service Contact 17737113
87'
title = 'Senior Recruiter'
email = 'service@test.example'
phone = '555-9999'
linkedin = None
job =
job_id = 3
company_id = 3
job_title = '[TEST] Service Engineer 1773711
387'
job_location = 'Remote'
employment_type = 'Contract'
job_url = 'https://jobs.service.example'
salary = None
posted_date = None
application =
application_id = 3
job_id = 3
applied_date = None
source = '[TEST] Service Referral'
priority = 1
resume = None
nested company -> id=3
nested contact -> id=3
nested job -> id=3
nested app -> id=3

```

```

APPLICATION STATUS | SERVICE layer
=====

-- CREATE -- status=SAVED
[CREATED]
status_id = 6
status = 'SAVED'
company =
company_id = 3
name = '[TEST] Service Co 1773711387'
website = 'https://service.example'
company_location = 'Austin, TX'
contact =
contact_id = 3
company_id = 3
full_name = '[TEST] Service Contact 17737113
87'
title = 'Senior Recruiter'
email = 'service@test.example'
phone = '555-9999'
linkedin = None
job =
job_id = 3
company_id = 3
job_title = '[TEST] Service Engineer 1773711
387'
job_location = 'Remote'
employment_type = 'Contract'
job_url = 'https://jobs.service.example'
salary = None
posted_date = None
application =
application_id = 3
job_id = 3
applied_date = None
source = '[TEST] Service Referral'
priority = 1
resume = None

```

```

-- UPDATE -- status: SAVED -> INTERVIEW
[READ AFTER UPDATE]
status_id = 6
status = 'INTERVIEW'
company =
company_id = 3
name = '[TEST] Service Co 1773711387'
website = 'https://service.example'
company_location = 'Austin, TX'
contact =
contact_id = 3
company_id = 3
full_name = '[TEST] Service Contact 17737113
87'
title = 'Senior Recruiter'
email = 'service@test.example'
phone = '555-9999'
linkedin = None
job =
job_id = 3
company_id = 3
job_title = '[TEST] Service Engineer 1773711
387'
job_location = 'Remote'
employment_type = 'Contract'
job_url = 'https://jobs.service.example'
salary = None
posted_date = None
application =
application_id = 3
job_id = 3
applied_date = None
source = '[TEST] Service Referral'
priority = 1
resume = None
OK status updated to INTERVIEW correctly

```

```

OK status updated to INTERVIEW correctly

-- GET ALL (all rows)
  id=1      status=APPLIED      company='Acme Corp'
  id=2      status=INTERVIEW    company='Acme Corp'
  id=3      status=OFFER        company='Acme Corp'
  id=4      status=SAVED        company='Beta Systems'
  id=5      status=SCREEN       company='Beta Systems'
  id=6      status=INTERVIEW    company='[TEST] Service Co 1773
711387'
(6 total)

-- DELETE -- ApplicationStatus only
OK ApplicationStatus id=6 deleted -- confirmed None / 404 on re-
read
OK Second delete correctly raised an error

=====
All assertions passed.
Layer tested : SERVICE
Run ID      : 1773711387
=====

```

New company was added(and other objects) and only application status was deleted

New Screenshots of Tables from MySQL:

The left screenshot shows the 'company' table with the following data:

company_id	name	website	company_location
1	Acme Corp	https://acme.example	Austin, TX
2	Beta Systems	https://beta.example	Remote
3	[TEST] Service Co 1773711387	https://service.example	Austin, TX
NULL	NULL	NULL	NULL

The right screenshot shows the 'application_status' table with the following data:





status_id	application_id	contact_id	status
1	1	1	APPLIED
2	1	NULL	INTERVIEW
3	1	1	OFFER
4	2	NULL	SAVED
5	2	2	SCREEN
NULL	NULL	NULL	NULL

Code to Enable Uvicorn Hosting and Local Hosting Screenshots:

```

PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Database> cd backend
PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Database\backend> uvicorn main:app --reload --host 0.0.0.0 --port 8000
INFO: will watch for changes in these directories: ['C:\\Users\\kcras\\OneDrive\\Desktop\\Homework Projects\\CSCE 548 Database\\backend']
INFO: Uvicorn running on http://0.0.0.0:8000 (Press CTRL+C to quit)
INFO: Started reloader process [25572] using WatchFiles
INFO: Started server process [24456]
INFO: Waiting for application startup.
INFO: Application startup complete.

```



Job Tracker API 1.0.0 OAS 3.1

/openapi.json

REST API for the Job Tracker application.

Each controller exposes **GET** (by ID), **GET ALL**, **POST** (create), and **PUT** (update) endpoints.

ApplicationStatus responses include fully expanded nested objects (Company, Contact, JobPosting, Application) in a single round-trip.

Companies

GET	/api/companies/	Get all companies
POST	/api/companies/	Create a company
GET	/api/companies/{company_id}	Get company by ID
PUT	/api/companies/{company_id}	Update a company
DELETE	/api/companies/{company_id}	Delete a company

Contacts

GET	/api/contacts/	Get all contacts
POST	/api/contacts/	Create a contact
GET	/api/contacts/{contact_id}	Get contact by ID

Note how the api added the test company.

Snippets of Code from Business Layer:

```
class BusinessManager:
    def __init__(self, provider: DataProvider):
        self._dp = provider

    # — Company —————

    def save_company(self, company: Company) -> Company:
        if _is_new(company.company_id):
            return self._dp.CreateCompany(company)
        self._dp.UpdateCompany(company)
        return company

    def delete_company(self, company_id: int) -> None:
        self._dp.DeleteCompany(company_id)

    def get_company_by_id(self, company_id: int) -> Optional[Company]:
        return self._dp.ReadCompanyByID(company_id)

    def get_all_companies(self) -> List[Company]:
        return self._dp.ReadAllCompanies()

    # — Contact —————

    def save_contact(self, contact: Contact) -> Contact:
        if _is_new(contact.contact_id):
            return self._dp.CreateContact(contact)
        self._dp.UpdateContact(contact)
        return contact

    def delete_contact(self, contact_id: int) -> None:
        self._dp.DeleteContact(contact_id)

    def get_contact_by_id(self, contact_id: int) -> Optional[Contact]:
        return self._dp.ReadContactByID(contact_id)

    def get_all_contacts(self) -> List[Contact]:
```

Snippets of Code from Service Layer:

```
1  # app/routers/companies.py
2  from __future__ import annotations
3  from typing import List
4  from fastapi import APIRouter, Depends, HTTPException, status
5  from app.business_manager import BusinessManager
6  from app.data_provider import NotFoundError
7  from app.dependencies import get_business_manager
8  from app.models import Company
9  from app.schemas import CompanySave, CompanyResponse
10
11  router = APIRouter(prefix="/api/companies", tags=["Companies"])
12
13
14  def _to_response(c: Company) -> CompanyResponse:
15      return CompanyResponse(
16          company_id=c.company_id, name=c.name,
17          website=c.website, company_location=c.company_location,
18      )
19
20
21  @router.get("/", response_model=List[CompanyResponse], summary="Get all companies")
22  def get_all_companies(bm: BusinessManager = Depends(get_business_manager)):
23      return [_to_response(c) for c in bm.get_all_companies()]
24
25
26  @router.get("/{company_id}", response_model=CompanyResponse, summary="Get company by ID")
27  def get_company(company_id: int, bm: BusinessManager = Depends(get_business_manager)):
28      company = bm.get_company_by_id(company_id)
29      if company is None:
30          raise HTTPException(status_code=404, detail=f"Company id={company_id} not found")
31      return _to_response(company)
32
33
34  @router.post("/", response_model=CompanyResponse,
35               status_code=status.HTTP_201_CREATED, summary="Create a company")
36  def create_company(body: CompanySave, bm: BusinessManager = Depends(get_business_manager)):
37      saved = bm.save_company(Company(None, body.name, body.website, body.company_location))
38
39
40
41  @router.put("/{company_id}", response_model=CompanyResponse, summary="Update a company")
42  def update_company(company_id: int, body: CompanySave,
43                   bm: BusinessManager = Depends(get_business_manager)):
44      try:
45          saved = bm.save_company(Company(company_id, body.name, body.website, body.company_location))
46      except NotFoundError:
47          raise HTTPException(status_code=404, detail=f"Company id={company_id} not found")
48      return _to_response(saved)
49
50
51  @router.delete("/{company_id}", status_code=status.HTTP_204_NO_CONTENT, summary="Delete a company")
52  def delete_company(company_id: int, bm: BusinessManager = Depends(get_business_manager)):
53      try:
54          bm.delete_company(company_id)
55      except NotFoundError:
56          raise HTTPException(status_code=404, detail=f"Company id={company_id} not found")
57
```


Snippets of Code from Demo:

```
backend > demo.py > ...
118 class LayerAdapter:
155     # COMPANY
156     # -----
157
158     def create_company(self, name, website, location):
159         if LAYER == "data":
160             return self.dp.CreateCompany(Company(None, name, website, location))
161         if LAYER == "business":
162             return self.bm.save_company(Company(None, name, website, location))
163         return self._post("/api/companies", {
164             "name": name, "website": website, "company_location": location,
165         })
166
167     def get_company(self, company_id: int):
168         if LAYER == "data": return self.dp.ReadCompanyByID(company_id)
169         if LAYER == "business": return self.bm.get_company_by_id(company_id)
170         return self._get(f"/api/companies/{company_id}")
171
172     def update_company(self, obj, *, website=None, location=None):
173         cid = self.id(obj, "company_id")
174         name = obj["name"] if isinstance(obj, dict) else obj.name
175         website = website or (obj["website"] if isinstance(obj, dict) else obj.website)
176         location = location or (obj["company_location"] if isinstance(obj, dict) else obj.company_location)
177         if LAYER == "data":
178             c = self.dp.ReadCompanyByID(cid)
179             c.company_location = location
180             c.website = website
181             self.dp.UpdateCompany(c)
182             return self.dp.ReadCompanyByID(cid)
183         if LAYER == "business":
184             c = self.bm.get_company_by_id(cid)
185             c.company_location = location
186             c.website = website
187             return self.bm.save_company(c)
188         return self._put(f"/api/companies/{cid}", {
189             "name": name, "website": website, "company_location": location,
190
191
192     def get_all_companies(self):
193         if LAYER == "data": return self.dp.ReadAllCompanies()
194         if LAYER == "business": return self.bm.get_all_companies()
195         return self._get("/api/companies")
```



```

341 # -----
342 # APPLICATION STATUS
343 # -----
344
345 def create_status(self, company, contact, job, app, status: StatusType):
346     if LAYER == "data":
347         return self.dp.CreateApplicationStatus(
348             ApplicationStatus(company=company, contact=contact, job=job,
349                               application=app, status_id=None, status=status))
350     if LAYER == "business":
351         return self.bm.save_application_status(
352             ApplicationStatus(company=company, contact=contact, job=job,
353                               application=app, status_id=None, status=status))
354     return self._post("/api/application-statuses", {
355         "company_id": self._id(company, "company_id"),
356         "contact_id": self._id(contact, "contact_id") if contact else None,
357         "job_id": self._id(job, "job_id"),
358         "application_id": self._id(app, "application_id"),
359         "status": status.value,
360     })
361
362 def get_status(self, status_id: int):
363     if LAYER == "data": return self.dp.ReadApplicationStatusByID(status_id)
364     if LAYER == "business": return self.bm.get_application_status_by_id(status_id)
365     return self._get(f"/api/application-statuses/{status_id}")
366
367 def update_status(self, obj, company, contact, job, app, new_status: StatusType):
368     sid = self._id(obj, "status_id")
369     if LAYER == "data":
370         s = self.dp.ReadApplicationStatusByID(sid)
371         s.status = new_status
372         self.dp.UpdateApplicationStatus(s)
373         return self.dp.ReadApplicationStatusByID(sid)
374     if LAYER == "business":
375         s = self.bm.get_application_status_by_id(sid)
376         s.status = new_status

```

```

367 def update_status(self, obj, company, contact, job, app, new_status: StatusType):
368     sid = self._id(obj, "status_id")
369     if LAYER == "data":
370         s = self.dp.ReadApplicationStatusByID(sid)
371         s.status = new_status
372         self.dp.UpdateApplicationStatus(s)
373         return self.dp.ReadApplicationStatusByID(sid)
374     if LAYER == "business":
375         s = self.bm.get_application_status_by_id(sid)
376         s.status = new_status
377         return self.bm.save_application_status(s)
378     return self._put(f"/api/application-statuses/{sid}", {
379         "company_id": self._id(company, "company_id"),
380         "contact_id": self._id(contact, "contact_id") if contact else None,
381         "job_id": self._id(job, "job_id"),
382         "application_id": self._id(app, "application_id"),
383         "status": new_status.value,
384     })
385
386 def delete_status(self, status_id: int):
387     if LAYER == "data": self.dp.DeleteApplicationStatus(status_id)
388     elif LAYER == "business": self.bm.delete_application_status(status_id)
389     else: self._delete(f"/api/application-statuses/{status_id}")
390
391 def get_all_statuses(self):
392     if LAYER == "data": return self.dp.ReadAllApplicationStatuses()
393     if LAYER == "business": return self.bm.get_all_application_statuses()
394     return self._get("/api/application-statuses")
395

```

Only status has delete status, to prove the functionality of deleting from business/service layers.

Code to Initiate Front End UI and Local API Hosting:


```

PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Databases\frontend> npm run dev
→ Local: http://localhost:3000/
→ Network: use --host to expose
→ press h + enter to show help
┌
└

PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Databases> cd ..
PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Databases> cd backend
PS C:\Users\kcras\OneDrive\Desktop\Homework Projects\CSCE 548 Databases\backend> uvicorn main:app --reload --host 0.0.0.0 --port 8000
INFO: Will watch for changes in these directories: ['C:\\Users\\kcras\\OneDrive\\Desktop\\Homework Projects\\CSCE 548 Database\\backend']
INFO: Uvicorn running on http://0.0.0.0:8000 (Press CTRL+C to quit)
INFO: Started reloader process [29628] using WatchFiles
INFO: Started server process [25120]
INFO: Waiting for application startup.
INFO: Application startup complete.

```

Homepage Screenshot, Showcases All 5 Statuses and Other Info:



Application Status Table By Itself:

The screenshot shows the 'Job Tracker' application's pipeline page. The left sidebar contains navigation links: Dashboard, Pipeline (selected), Applications, Job Postings, Companies, and Contacts. The main content area is titled 'Pipeline' with the subtitle '5 status entries tracked'. It features a '+ Add Status' button and a table of application statuses.

STATUS	JOB TITLE	COMPANY	CONTACT	SOURCE	PRIORITY	ACTIONS
APPLIED	Software Engineer I Austin, TX	Acme Corp Austin, TX	Jane Doe Hiring Manager	Referral	● ● ● ●	→ Edit Del
INTERVIEW	Software Engineer I Austin, TX	Acme Corp Austin, TX	—	Referral	● ● ● ●	→ Edit Del
OFFER	Software Engineer I Austin, TX	Acme Corp Austin, TX	Jane Doe Hiring Manager	Referral	● ● ● ●	→ Edit Del
SAVED	Data Engineer Remote	Beta Systems Remote	—	LinkedIn	● ● ● ●	→ Edit Del
SCREEN	Data Engineer Remote	Beta Systems Remote	John Smith Recruiter	LinkedIn	● ● ● ●	→ Edit Del

Application Status Table Deleting Last Entry:

The screenshot shows the 'Job Tracker' application interface. The left sidebar contains a navigation menu with 'Dashboard', 'Pipeline', 'Applications', 'Job Postings', 'Companies', and 'Contacts'. The 'Pipeline' section is active, displaying a table with 4 status entries. The table has columns: STATUS, JOB TITLE, COMPANY, CONTACT, SOURCE, PRIORITY, and ACTIONS. The entries are: 'APPLIED' for 'Software Engineer I' at 'Acme Corp', 'INTERVIEW' for 'Software Engineer I' at 'Acme Corp', 'OFFER' for 'Software Engineer I' at 'Acme Corp', and 'SAVED' for 'Data Engineer' at 'Beta Systems'. The 'SAVED' entry is highlighted with a grey background. A '+ Add Status' button is in the top right corner.

STATUS	JOB TITLE	COMPANY	CONTACT	SOURCE	PRIORITY	ACTIONS
APPLIED	Software Engineer I Austin, TX	Acme Corp Austin, TX	Jane Doe Hiring Manager	Referral	● ● ● ● ●	→ Edit Del
INTERVIEW	Software Engineer I Austin, TX	Acme Corp Austin, TX	—	Referral	● ● ● ● ●	→ Edit Del
OFFER	Software Engineer I Austin, TX	Acme Corp Austin, TX	Jane Doe Hiring Manager	Referral	● ● ● ● ●	→ Edit Del
SAVED	Data Engineer Remote	Beta Systems Remote	—	LinkedIn	● ● ● ● ●	→ Edit Del

Application Status Table Adding New Entry:

The screenshot shows the 'Job Tracker' application interface after adding a new entry. The left sidebar is the same. The 'Pipeline' section now displays a table with 5 status entries. The new entry, '[TEST] Service Engineer 1773711387' at '[TEST] Service Co', is highlighted with a grey background and has a 'GHOSTED' status. The table has columns: STATUS, JOB TITLE, COMPANY, CONTACT, SOURCE, PRIORITY, and ACTIONS. The entries are: 'APPLIED' for 'Software Engineer I' at 'Acme Corp', 'INTERVIEW' for 'Software Engineer I' at 'Acme Corp', 'OFFER' for 'Software Engineer I' at 'Acme Corp', 'SAVED' for 'Data Engineer' at 'Beta Systems', and 'GHOSTED' for '[TEST] Service Engineer 1773711387' at '[TEST] Service Co'. A '+ Add Status' button is in the top right corner.

STATUS	JOB TITLE	COMPANY	CONTACT	SOURCE	PRIORITY	ACTIONS
APPLIED	Software Engineer I Austin, TX	Acme Corp Austin, TX	Jane Doe Hiring Manager	Referral	● ● ● ● ●	→ Edit Del
INTERVIEW	Software Engineer I Austin, TX	Acme Corp Austin, TX	—	Referral	● ● ● ● ●	→ Edit Del
OFFER	Software Engineer I Austin, TX	Acme Corp Austin, TX	Jane Doe Hiring Manager	Referral	● ● ● ● ●	→ Edit Del
SAVED	Data Engineer Remote	Beta Systems Remote	—	LinkedIn	● ● ● ● ●	→ Edit Del
GHOSTED	[TEST] Service Engineer 1773711387 Remote	[TEST] Service Co 1773711387 Austin, TX	[TEST] Service Contact 1773711387 Senior Recruiter	[TEST] Service Referral	● ● ● ● ●	Edit Del

Proof of Concept for Applications, Job Posting, Companies, and Contacts:

Applications

3 applications tracked

+ Add Application

JOB	APPLIED	SOURCE	PRIORITY	RESUME	ACTIONS
Software Engineer I	2026-02-10	Referral	●●●●●	/resumes/resume.pdf	Edit Del
Data Engineer	—	LinkedIn	●●●●●	—	Edit Del
[TEST] Service Engineer 1773711387	—	[TEST] Service Referral	●●●●●	—	Edit Del

Job Postings

3 positions tracked

+ Add Posting

TITLE	COMPANY	LOCATION	TYPE	SALARY	POSTED	ACTIONS
Software Engineer I ↗ View posting	Acme Corp	Austin, TX	Full-time	\$85,000	2026-02-01	Edit Del
Data Engineer ↗ View posting	Beta Systems	Remote	Contract	—	2026-01-15	Edit Del
[TEST] Service Engineer 1773711387 ↗ View posting	[TEST] Service Co 1773711387	Remote	Contract	—	—	Edit Del

Companies

3 companies tracked

+ Add Company

NAME	WEBSITE	LOCATION	ACTIONS
Acme Corp	https://acme.example	Austin, TX	Edit Del
Beta Systems	https://beta.example	Remote	Edit Del
[TEST] Service Co 1773711387	https://service.example	Austin, TX	Edit Del

Contacts

3 contacts tracked

+ Add Contact

NAME	TITLE	COMPANY	EMAIL	PHONE	ACTIONS
Jane Doe	Hiring Manager	Acme Corp	jane.doe@acme.example	555-0101	Edit Del
John Smith	Recruiter	Beta Systems	john.smith@beta.example	555-0202	Edit Del
[TEST] Service Contact 1773711387	Senior Recruiter	[TEST] Service Co 1773711387	service@test.example	555-9999	Edit Del

Has access to CRUD and functionality as an UI.