

Piece by Piece

CyLab

氏名：yukimi

1 問題文

After logging in, you will find multiple file parts in your home directory.
These parts need to be combined and extracted to reveal the flag.

SSH to `dolphin-cove.picoctf.net:63971` and login as `ctf-player` with password `6dd28e9b`.

Instance

2 回答

```
yukimi-academy@webshell:~$ ssh ctf-player@dolphin-cove.picoctf.net -p 63971
The authenticity of host '[dolphin-cove.picoctf.net]:63971 ([3.13.34.175]:63971)' can't be
ED25519 key fingerprint is SHA256:rdvWhF7Klwlu1EivysxTh/FjeqFI0dSEK5gaelaW9t8.
This host key is known by the following other names/addresses:
  ~/.ssh/known_hosts:4: [hashed name]
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[dolphin-cove.picoctf.net]:63971' (ED25519) to the list of known
ctf-player@dolphin-cove.picoctf.net's password:
Welcome to Ubuntu 20.04.3 LTS (GNU/Linux 6.17.0-1013-aws x86_64)
```

```
* Documentation:  https://help.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:        https://ubuntu.com/advantage
```

This system has been minimized by removing packages and content that are
not required on a system that users do not log into.

To restore this content, you can run the 'unminimize' command.

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in `/usr/share/doc/*/copyright`.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.

```
ctf-player@pico-chall$ ls
instructions.txt  part_aa  part_ab  part_ac  part_ad  part_ae
ctf-player@pico-chall$ cat instructions.txt
Hint:
```

- The flag is split into multiple parts as a zipped file.
- Use Linux commands to combine the parts into one file.
- The zip file is password protected. Use this "supersecret" password to extract the zip file.
- After unzipping, check the extracted text file for the flag.

```
ctf-player@pico-chall$ cat part_aa part_ab part_ac part_ad part_ae > flag.zip
ctf-player@pico-chall$ ls
flag.zip  instructions.txt  part_aa  part_ab  part_ac  part_ad  part_ae
ctf-player@pico-chall$ file flag.zip
flag.zip: Zip archive data, at least v1.0 to extract
ctf-player@pico-chall$ unzip flag.zip
Archive:  flag.zip
[flag.zip] flag.txt password:
  extracting: flag.txt
ctf-player@pico-chall$ ls
flag.txt  flag.zip  instructions.txt  part_aa  part_ab  part_ac  part_ad  part_ae
ctf-player@pico-chall$ cat flag.txt
picoCTF{z1p_and_spl1t_f1l3s_4r3_fun_28d309dc}ctf-player@pico-chall$ Connection to dolphin-
cove.picoctf.net closed by remote host.
Connection to dolphin-cove.picoctf.net closed.
```

3 メモ

sshつなげ方

ssh ログインするユーザー名@接続先サーバー名（ホスト名）SSHの接続先ポート番号

ex. ssh ctf-player@dolphin-cove.picoctf.net -p 63971

分割ファイルを結合

```
cat part_aa part_ab part_ac part_ad part_ae > flag.zip
```

```
cat ファイル1 ファイル2 ファイル3 > 結合後のファイル名
```

解凍

```
unzip ファイル名
```