

Internship Report — Power BI - Twitter Analytics Project

1. Introduction

This internship project focused on analyzing a Twitter dataset using **Microsoft Power BI**. The objective was to transform raw tweet-level data into meaningful visualizations and insights related to user engagement, media interactions, app opens, replies, retweets, likes, and engagement rates.

The project involved data cleaning, calculated columns and measures using DAX, filtering, conditional visualization logic, and dashboard development. Six analytical tasks were completed based on predefined business requirements.

2. Background

Social-media platforms generate large volumes of data containing information about tweets, impressions, clicks, likes, retweets, replies, media views, and other user interactions. Analyzing these metrics helps organizations understand audience behavior and evaluate the effectiveness of different types of content.

For this internship project, the provided Twitter dataset was analyzed using Power BI. The dataset contained **1,181 records and 21 columns**, covering tweets primarily from **June to October 2020**.

The project required both basic and advanced Power BI techniques, including:

- Data preparation and cleaning
 - DAX calculated columns
 - DAX measures
 - Conditional filtering
 - Time-based filtering
 - Even/odd numerical filtering
 - Text-based filtering
 - Top-N analysis
 - Interactive data visualization
-

3. Learning Objectives

The main learning objectives of this project were:

1. To understand the process of importing and preparing datasets in Power BI.
2. To develop calculated columns and measures using DAX.
3. To create effective visualizations for social-media analytics.
4. To apply multiple business rules and filters to datasets.
5. To analyze engagement metrics such as likes, retweets, replies, and engagement rate.
6. To compare the performance of tweets with and without media.
7. To identify trends and spikes in media interactions.
8. To perform Top-10 analysis using Power BI.
9. To implement time-based visualization conditions.
10. To convert raw data into actionable business insights.

4. Activities and Tasks

Task 1. Tweet Interaction Breakdown by Category Create a clustered bar chart that shows the sum of URL clicks, user profile clicks, and hashtag clicks grouped by tweet category such as tweets with media, links, or hashtags. Include only tweets that have at least one of these interaction types. Apply additional conditions where the visualization should only be visible between 3 PM IST and 5 PM IST, and hidden at other times. Also, filter the dataset to include only tweets where the tweet date is an even number and the tweet word count is greater than 40. This task helps analyze how different types of tweets drive user interactions.

Task requirement split up

Tweet Interaction Breakdown by Category

Final requirement

I need a clustered bar chart showing:

- Sum of URL Clicks
- Sum of User Profile Clicks

- Sum of Hashtag Clicks

Grouped by:

- Media
- Links
- Hashtags

With these filters:

- At least one of the three interaction types > 0
- Tweet date is an even number
- Tweet word count > 40
- Visual active only between 3 PM and 5 PM IST

Tools and Technologies Used

Tool	Purpose
Microsoft Power BI	Data analysis and visualization
Power Query	Data preparation and transformation
DAX	Calculated columns/measures and conditional logic

4. Dataset

The analysis was performed using a social media tweet dataset.

The dataset contains information related to tweets, including:

- Tweet Category
- Tweet Date
- Tweet Word Count
- URL Clicks
- User Profile Clicks
- Hashtag Clicks

The original dataset contained approximately **1,181 tweet records**.

5. Data Preparation

Before creating the visualization, the dataset was reviewed and prepared in Power BI.

The following steps were performed:

5.1 Data Import

The social media dataset was imported into Power BI for analysis.

5.2 Data Validation

The relevant fields required for the task were checked to ensure that the necessary columns were available and suitable for analysis.

5.3 Interaction Fields

The three interaction measures used in the visualization were:

- Total URL Clicks
- Total User Profile Clicks
- Total Hashtag Clicks

These measures represent different ways in which users interacted with the tweets.

6. Visualization Design

A **Clustered Bar Chart** was selected because the objective was to compare three different interaction measures across tweet categories.

Chart Configuration

Category / Y-Axis:

Tweet Category

Values / X-Axis:

- Total URL Clicks
- Total User Profile Clicks
- Total Hashtag Clicks

The resulting chart allows the interaction performance of different tweet categories to be compared.

7. Interaction Eligibility Condition

The first filtering condition was to include only tweets that had at least one of the three specified interaction types.

A calculated field named:

Has Interaction

was used for this purpose.

The logic was:

- 1 = At least one interaction exists
- 0 = No interaction exists

Therefore, the visual-level filter was configured as:

Has Interaction = 1

This removes tweets where all three interaction values are zero.

8. Even Tweet Date Condition

The second filtering requirement was to include only tweets where the **tweet date is an even number**.

A calculated field named:

Even Tweet Date

was used to identify the eligible dates.

The eligible dates include:

2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28 and 30.

The visual-level filter was configured as:

Even Tweet Date = 1

This excludes tweets posted on odd-numbered dates.

9. Tweet Word Count Condition

The third dataset condition was based on the number of words in each tweet.

The required condition was:

Tweet Word Count > 40

An advanced filter was applied to the Tweet Word Count field using:

is greater than → 40

Therefore, only tweets containing more than 40 words satisfy this condition.

10. Combined Filtering Logic

The final eligible dataset is determined using all three conditions simultaneously.

The logical condition is:

Has Interaction = 1


AND

Even Tweet Date = 1

AND

Tweet Word Count > 40

Therefore, a tweet must satisfy **all three conditions** to appear in the final analysis.



Tweet Interaction Breakdown by Category Using Power BI

Maximum Tweet Word Count

36

Tweet Interaction Breakdown by Category

Tweet Category

Number of Clicks

Findings:

The Tweet Word Count calculated column was created using DAX. After applying the required condition of Word Count > 40, no records qualified because the maximum word count in the provided dataset was 36.

11. Challenges Encountered

One of the challenges encountered during the task was applying multiple conditions simultaneously at the visual level.

The three filtering requirements significantly reduce the number of records available for the final visualization.

In particular, the condition:

Tweet Word Count > 40

can result in a blank visualization if the dataset does not contain tweets satisfying this requirement.

Therefore, a blank chart after applying the final filter should first be investigated by checking the actual maximum value of Tweet Word Count.

12. Conclusion

The **Tweet Interaction Breakdown by Category** task provided practical experience in developing a business-oriented data visualization using Microsoft Power BI.

The analysis combined three major interaction metrics—**URL Clicks, User Profile Clicks, and Hashtag Clicks**—and grouped them by tweet category using a clustered bar chart.

Additional eligibility conditions were applied to ensure that only tweets with at least one interaction, an even-numbered tweet date, and more than 40 words were considered.

The task also introduced a time-based visualization requirement, where the dashboard should be visible only between **3:00 PM and 5:00 PM IST**.

Overall, this task strengthened my practical understanding of **data preparation, DAX, filtering, Power BI visualization, conditional logic, and analytical interpretation**, which are important skills for a Data Analyst.

13. Task Summary

Parameter	Requirement
Task Name	Tweet Interaction Breakdown by Category
Visualization	Clustered Bar Chart
Category	Tweet Category

Interaction 1	Total URL Clicks
Interaction 2	Total User Profile Clicks
Interaction 3	Total Hashtag Clicks
Interaction Filter	Has Interaction = 1
Date Filter	Even Tweet Date = 1
Word Count Filter	Tweet Word Count > 40
Visibility Window	3:00 PM – 5:00 PM IST
Dataset Size	Approximately 1,181 tweets
Primary Objective	Analyze how tweet categories drive user interactions
Technology	Microsoft Power BI

Task2. Engagement Rate Comparison Analyze and compare the engagement rate of tweets that include app opens versus those that do not. Include only tweets posted between 9 AM and 5 PM on weekdays. The visualization should be active only between 12 PM IST to 6 PM IST and 7 AM to 11 AM IST. Apply filters where tweet impressions are even numbers, tweet dates are odd numbers, and tweet character count is above 30. Also, remove tweets that contain the letter 'D'. This task helps evaluate how app interactions influence engagement rates.

— Engagement Rate Comparison -

Objective

The objective of this analysis is to compare the **engagement rate of tweets that generated app opens with tweets that did not generate app opens**, after applying the specified time, date, impression, character-count, and text-content conditions.

Task Requirement

Analyze and compare the engagement rate of tweets that include app opens versus those that do not. Include only tweets posted between 9 AM and 5 PM on weekdays. The visualization should be active only between 12 PM IST to 6 PM IST and 7 AM to 11 AM IST. Apply filters where tweet impressions are even numbers, tweet dates are odd numbers, and tweet character count is above 30. Also, remove tweets that contain the letter 'D'.

1. Data Preparation

The analysis was performed using the **SocialMedia (1)** dataset (same data set you provided, for my convenient I saved this name).

The following conditions were applied:

Condition	Applied Rule
Day	Weekdays only
Tweet posting time	9:00 AM–5:00 PM

Condition	Applied Rule
Visualization active time	7:00–11:00 AM OR 12:00–6:00 PM
Effective time after intersection	9:00–11:00 AM OR 12:00–5:00 PM
Impressions	Even numbers
Tweet date	Odd dates
Tweet character count	Greater than 30
Letter D	Tweets containing uppercase D removed

2. Time-Window Logic

The task contains two time restrictions.

Tweet posting time

9 AM–5 PM

Visualization active time

7 AM–11 AM

OR

12 PM–6 PM

The intersection of these conditions results in:

9 AM–11 AM

and

12 PM–5 PM

Therefore, tweets posted between **11 AM and 12 PM** are excluded.

3. Filtering Process

The filtering was performed progressively to validate the dataset.


Filtering Stage	Remaining Tweets
Total dataset	1,181
Weekday + 9 AM–5 PM	71
+ Visualization Active	71
+ Even Impressions	32
+ Odd Tweet Date	14
+ Character Count >30	14
+ Exclude uppercase D	14

Therefore:

Final Eligible Tweets = 14

4. App Open Classification

A calculated column was created to classify tweets into two groups:



The screenshot shows a software interface with two tabs: 'Structure' and 'Formatting'. The 'Structure' tab is active, displaying a list of columns. A new column, 'App Open Category', is being created. To the left of the column name are red 'X' and green checkmark icons. The formula for the column is entered in a text area and is as follows:

```

1 App Open Category =
2 IF(
3   'SocialMedia (1)'[app opens] > 0,
4   "App Opens",
5   "No App Opens"
6 )

```

This categorizes tweets as:

- **App Opens** → app opens > 0
 - **No App Opens** → app opens = 0
-

5. Final App Open Result


After applying all the specified filters:

App Open Category	Number of Tweets
App Opens	14
No App Opens	0
Total Eligible Tweets	14

Therefore, all 14 eligible tweets contained app opens, while there were no eligible tweets without app opens.

6. Engagement Rate Measure

The engagement rate was calculated using the existing engagement-rate field:



This measure can be placed against App Open Category in a clustered column chart.

Visualization Part

Chart type: Clustered Column Chart

X-axis:


App Open Category

Y-axis:

Average Engagement Rate

Page filter:

Final Filter = Include



7. Analysis Result

The filtering process resulted in only 14 tweets satisfying all the specified requirements.

Importantly, all 14 eligible tweets had app opens. The filtered dataset contained zero tweets in the "No App Opens" category.

Consequently, a statistically meaningful App Opens vs No App Opens engagement-rate comparison cannot be made under the exact filtering conditions, because there is no observation in the "No App Opens" group.

Note: This is a dataset result limitation.

8. Final Conclusion for this task

After applying all the specified filtering criteria—including weekday posting, the required posting and visualization time windows, even tweet impressions, odd tweet dates, tweet character count above 30, and exclusion of tweets containing the letter D—a total of 14 eligible tweets remained from the original 1,181 tweets.

All 14 eligible tweets were classified as App Opens, while 0 tweets were classified as No App Opens. Therefore, the available filtered dataset does not contain a comparison group for tweets without app opens. As a result, a direct comparison of engagement rates between the two categories cannot be statistically evaluated under these exact conditions.

The analysis nevertheless indicates that all tweets meeting the specified criteria in this dataset were associated with app opens.

3. Media Interaction by Day of Week Create a dual-axis chart that visualizes both media views and media engagements by day of the week for the last quarter. Highlight days where there are noticeable spikes in interactions. The chart should only be visible between 3 PM IST to 5 PM IST and 7 AM to 11 AM IST. Apply filters such that tweet impressions must be even numbers, tweet dates must be odd numbers, and tweet character count must be above 30. Additionally, exclude tweets that contain the letter 'H' in their text. This task focuses on identifying patterns in media engagement across different days.

1. Objective

The objective is to create a dual-axis Power BI visualization comparing media views and media engagements by day of week for the last available quarter, identify noticeable interaction spikes, and apply the required time, impression, date, character-count, and tweet-text filters.

2. Dataset

Item	Details
Dataset/Table	SocialMedia (1)
Total records	1,181
Available date range	01-Jun-2020 to 19-Oct-2020
Last available quarter	Q4 2020
Available Q4 period	01-Oct-2020 to 19-Oct-2020
Records after required data filters	22

The source file does not contain the complete Q4 2020 quarter. Therefore, the report refers to Q4 2020 based on the available records from October 1–19, 2020.

3. Assignment Requirements

- Dual-axis chart: Media Views and Media Engagements by Day of Week.
- Use the last available quarter.
- Highlight noticeable interaction spikes.
- Chart visible only 7:00–11:00 AM IST and 3:00–5:00 PM IST.
- Tweet impressions must be even.
- Tweet dates must be odd.
- Tweet character count must be greater than 30.
- Exclude tweets containing H/h.

4. DAX Formulas

Contains H

```
✓ 1 Contains H =  
2 IF(  
3     CONTAINSSTRING(  
4         LOWER('SocialMedia (1)'[Tweet]),  
5         "h"  
6     ),  
7     "Yes",  
8     "No"  
9 )
```

Day of Week

```
✓ 1 Day of Week =  
2 FORMAT(  
3     'SocialMedia (1)'[ConvertedDateTime_Date],  
4     "dddd"  
5 )
```

Day Order

```
✓ 1 Day Order =  
2 WEEKDAY(  
3     'SocialMedia (1)'[ConvertedDateTime_Date],  
4     2  
5 )
```

Total Media Views (measure)

```
✓ 1 Total Media Views =  
2 SUM(  
3     'SocialMedia (1)'[media views]  
4 )
```

Total Media Engagements (measure)

```
1 Total Media Engagements =  
2 SUM(  
3     'SocialMedia (1)'[media engagements]  
4 )
```


Chart Visibility (measure)

```
1 Chart Visibility =  
2 VAR CurrentIST =  
3     NOW()  
4 VAR CurrentTime =  
5     TIME(  
6         HOUR(CurrentIST),  
7         MINUTE(CurrentIST),  
8         0  
9     )  
10 RETURN  
11 IF(  
12     (  
13         CurrentTime >= TIME(7,0,0)  
14         &&  
15         CurrentTime < TIME(11,0,0)  
16     )  
17     ||  
18     (  
19         CurrentTime >= TIME(15,0,0)  
20         &&  
21         CurrentTime < TIME(17,0,0)  
22     ),  
23     1,  
24     0  
25 )
```

The Power BI time test shows that NOW() is returning local IST time in the tested Desktop environment. Therefore, an additional +5:30 conversion is not required for this setup.

5. Visual Creation Procedure

1. Open Report view and select Line and clustered column chart.
2. Place Day of Week in X-axis/Shared axis.
3. Place Total Media Views in Column Y-axis.
4. Place Total Media Engagements in Line Y-axis.
5. Select Day of Week → Column tools → Sort by column → Day Order.
6. Set the title to “Media Interaction by Day of Week – Q4 2020”.
7. Enable data labels, legend, tooltips and axis titles.



6. Visual-Level Filters

Field	Setting
Year	2020
Quarter	Q4

Even Impressions	Even
Odd Tweet Date	Odd
Tweet Character Count	> 30
Contains H	No
Chart Visibility	is 1

7. Time Visibility

The Chart Visibility measure returns 1 during the two permitted IST windows and 0 at all other times. The visual-level filter is set to Chart Visibility = 1.

IST time	Value	Visual
07:00–10:59	1	Visible
11:00–14:59	0	Hidden
15:00–16:59	1	Visible
17:00 onward	0	Hidden

8. Filtered Results

After applying the quarter, impression, date, character-count and H-exclusion filters, 22 records remain. The resulting day-level totals are:

Day	Media Views	Media Engagements
Monday	111	5
Tuesday	0	0
Wednesday	443	191
Thursday	120	104
Friday	19	19
Saturday	0	0
Sunday	6	0

9. Spike Analysis

Wednesday is the clearest interaction spike, with 443 media views and 191 media engagements. Thursday is the secondary high-performing day, with 120 media views and 104 media engagements.

10. Interpretation

The results show that media interaction is concentrated on particular days rather than being evenly distributed across the week. Wednesday demonstrates the strongest audience response

and represents the highest-performing day for media-focused content within the available filtered Q4 data. Thursday also shows comparatively strong engagement.

11. Conclusion

The Power BI analysis successfully compares media views and media engagements by day of week under the assignment's specified conditions. Wednesday recorded the highest interaction, followed by Thursday. The time-based rule restricts the visual to 7:00–11:00 AM and 3:00–5:00 PM IST. Since the source file contains Q4 data only through October 19, 2020, these findings represent the available Q4 records rather than the complete calendar quarter.

4. Replies, Retweets, and Likes Comparison Develop a simple visualization (bar chart) that compares the number of replies, retweets, and likes for tweets. Add a filter to include only tweets posted between June and August 2020. Use basic aggregation such as SUM for replies, retweets, and likes. This task is beginner-friendly and helps understand overall engagement metrics without complex filtering or logic.

1. Objective

The objective of this task is to develop a simple bar-chart visualization comparing the total number of replies, retweets, and likes for tweets posted between June and August 2020. The task demonstrates basic Power BI aggregation using SUM and a date-based filter.

2. Dataset

Item	Details
Dataset/Table name	SocialMedia (1)
Worksheet	Sheet1
Total records	1,181
Dataset date range	30-Jun-2020 to 19-Oct-2020
Analysis period	June 1, 2020 to August 31, 2020
Records in analysis period	740
Required visualization	Simple bar chart
Aggregation	SUM of replies, retweets and likes

3. Assignment Requirement

- Create a simple bar chart comparing replies, retweets, and likes.
- Include only tweets posted between June and August 2020.
- Use basic aggregation: SUM for replies, retweets, and likes.
- Keep the visualization beginner-friendly without complex filtering or logic.

4. Power BI Measures

Total Replies


```
1 Total Replies =  
2 SUM(  
3     'SocialMedia (1)'[replies]  
4 )
```

Total Retweets

```
1 Total Retweets =  
2 SUM(  
3     'SocialMedia (1)'[retweets]  
4 )
```

Total Likes

```
1 Total Likes =  
2 SUM(  
3     'SocialMedia (1)'[likes]  
4 )
```



5. Recommended Filter Configuration

Filter	Setting
Date field	ConvertedDateTime_Date
Start date	01-Jun-2020
End date	31-Aug-2020
Filter condition	On or after 01-Jun-2020 AND on or before 31-Aug-2020
Other filters	None required by the assignment

6. Analysis Results

Using the supplied cleaned dataset and restricting records to June, July and August 2020, 740 tweets fall within the analysis period. The SUM aggregation produces the following totals:

Engagement Metric	Total
Replies	657
Retweets	359
Likes	5,640


7. Key Findings

- Likes are the dominant engagement metric, with 5,640 total likes.
- Replies total 657, making them the second-highest engagement type.
- Retweets total 359, which is the lowest of the three metrics.
- Likes are substantially higher than replies and retweets, indicating stronger overall user response through likes during the selected period.

conclusion

The analysis compares replies, retweets, and likes for tweets posted between June and August 2020 using simple SUM aggregation. Among the three engagement metrics, likes recorded the highest total with 5,640, followed by replies with 657 and retweets with 359. The results indicate that likes were the dominant form of measurable audience interaction during the selected period.

5. Monthly Engagement Rate Trend Create a line chart that shows the trend of average engagement rate for each month of the year. Separate the data into two lines: tweets with media content and tweets without media content. Use month as the time dimension and average engagement rate as the metric. This task is simple and helps beginners understand trends and comparisons over time.



1. Objective

The objective of this analysis is to examine the monthly trend in average engagement rate and compare the performance of two tweet categories:

- Tweets with Media
- Tweets without Media

A line chart was created in Power BI using Month Name as the time dimension and Average Engagement Rate as the metric.

2. Visualization Used

Chart Type: Line Chart

X-axis: Month Name

Y-axis: Average Engagement Rate (%)

Legend: Media Content

The chart compares the monthly engagement performance of tweets containing media against tweets without media.

3. Key Findings

Based on the Power BI visualization, the following observations can be made:

A. Tweets with Media Consistently Have Higher Engagement

The With Media line remains substantially above the Without Media line throughout the displayed period.

Approximate average engagement rates are:

Month	With Media	Without Media
June	5.7%	2.5%
July	5.4%	2.8%
August	5.3%	1.9%
September	4.3%	3.5%
October	5.3%	3.0%

This indicates that tweets containing media generated higher average engagement rates in every month shown.

B. Performance of Tweets With Media

Tweets with media started at approximately 5.7% in June and declined gradually through July and August.

The most significant decline occurred in September, when the average engagement rate dropped to approximately 4.3%.

However, engagement recovered strongly in October, increasing to approximately 5.3%.

Trend:

June ↓ July ↓ August ↓ September ↑ October

Overall, media tweets maintained a relatively high engagement rate despite the temporary decline in September.

C. Performance of Tweets Without Media

Tweets without media showed considerably more variation.

The average engagement rate:

- Increased from approximately 2.5% in June to 2.8% in July
- Fell to its lowest displayed level of approximately 1.9% in August
- Increased sharply to approximately 3.5% in September
- Declined slightly to approximately 3.0% in October

Therefore, September was the strongest month for non-media tweets in the displayed period.

4. Comparison Between Media and Non-Media Tweets

The chart shows a clear performance difference between the two categories.

June

Media tweets achieved approximately 5.7%, compared with approximately 2.5% for non-media tweets.

July

Media tweets remained substantially higher at approximately 5.4%, while non-media tweets reached approximately 2.8%.

August

The difference was particularly large. Media tweets were approximately 5.3%, while non-media tweets fell to approximately 1.9%.

September

The gap narrowed considerably. Media tweets were approximately 4.3%, while non-media tweets increased to approximately 3.5%.

October

Media tweets recovered to approximately 5.3%, compared with approximately 3.0% for non-media tweets.

5. Overall Interpretation

The visualization provides strong evidence that tweets containing media content achieved higher average engagement rates than tweets without media content across all displayed months.

The strongest relative performance of media tweets occurred around June–August, where the difference between the two categories was particularly large.

September was different: engagement for tweets without media increased significantly, while engagement for media tweets decreased. As a result, the performance gap became much smaller.

In October, the media category recovered, once again producing a considerably higher engagement rate than the non-media category.

6. Business Insight

The analysis suggests that media content may be associated with stronger audience engagement.

From a social-media content strategy perspective, the results indicate that incorporating relevant media content—such as images, videos, or other visual elements—could potentially improve engagement.

However, the analysis shows that media performance is not completely consistent over time. The decline observed in September indicates that factors other than media presence may also influence engagement, such as:

- Content topic
- Posting timing
- Audience interest
- Campaign activity
- Tweet frequency
- Seasonal effects

Therefore, media presence should be considered an important factor, but not the only factor responsible for engagement performance.


7. Conclusion

Professional Assignment Conclusion

The monthly engagement-rate analysis demonstrates a clear difference between tweets with media content and tweets without media content. Throughout the displayed period from June to October, tweets containing media consistently recorded higher average engagement rates than tweets without media. Media tweets achieved their highest engagement rate in June at approximately 5.7%, followed by a gradual decline through September before recovering in October. In contrast, non-media tweets showed greater month-to-month volatility, reaching their highest engagement rate of approximately 3.5% in September and their lowest of approximately 1.9% in August.

Overall, the results indicate that media-based tweets were associated with stronger engagement performance during the period analyzed. The findings can help inform social-media content strategy by highlighting the potential value of incorporating media content into tweets. Nevertheless, additional factors such as content type, posting time, and audience behavior should also be considered before concluding that media content alone causes higher engagement.

6. Top 10 Tweets by Engagement Build a chart to identify the top 10 tweets based on the sum of retweets and likes. Exclude tweets posted on weekends and display the user profile associated with each tweet. The chart should only be visible between 3 PM IST and 5 PM IST. Apply additional filters where tweet impressions must be even numbers, tweet dates must be odd numbers, and tweet word count must be less than 30. This task helps identify high-performing tweets and their creators.



Filtering Methodology

The following filters were applied to the visualization.

Business Requirement	Power BI Filter
Exclude weekends	Day Type = Weekday
Odd tweet dates	Odd Tweet Date = Odd
Even impressions	Even Impressions = Even

Business Requirement	Power BI Filter
Short tweets	Tweet Word Count < 30
3–5 PM IST	Posting Time Filter = Include
Highest-performing tweets	Top 10 by Total Engagement

Conclusion

The Power BI analysis successfully establishes a framework for identifying high-performing tweets under a specific set of business rules. The analysis calculates engagement using retweets + likes, filters out weekends and non-qualifying tweets, applies the odd-date and even-impression requirements, restricts tweet length to fewer than 30 words, and limits the analysis to the 3 PM–5 PM IST period.

The resulting visualization provides a concise view of the strongest qualifying tweets and can be used to identify content that generates greater audience interaction.

Overall conclusion: The dashboard provides a focused method for identifying high-performing social-media content and can support data-driven decisions regarding future tweet creation and publishing strategies.

