

# Introductory Programming Using Python

#### Day 2

By Tan Kok Cheng/ Vincent Ng Republic Polytechnic



#### **Admin Information**

- 1. Software Installation if you have not done so
  - Python 3.8.x
  - Wing IDE
- 2. Download course material at <a href="https://bit.ly/rp-oct20">https://bit.ly/rp-oct20</a>
  - Link can be found in the chat
- 3. Please change your log in screen name to resemble the registered name for the course
- 4. Set microphone to muted when you are not speaking



#### **Trainers**

Tan Kok Cheng tan\_kok\_cheng@rp.edu.sg



Vincent Ng Vincent\_ng@rp.edu.sg





## Outline for the day

Time	Agenda
9.00am – 10.30am	
10.30am – 10.45am	Break
10.45am – 12.30pm	
12.30pm – 1.30pm	Lunch
1.30pm – 3.15pm	
3.15pm – 3.30pm	Break
3.30pm – 4.45pm	
4.45pm – 5.00pm	Wrap up, Q&A



#### Programme Day Two

#### Morning

- Read and writing files
- Copying, moving and deleting files and folders
- Working with Excel
- Image Processing

#### Afternoon

- Connecting to the Web
- Sending emails
- Generating PDF



#### File Paths

# Absolute file paths are notated by a leading forward slash or drive label.

For example,

/home/example\_user/examp
le directory

or

C:/system32/cmd.exe


An absolute file path describes how to access a given file or directory, starting from the root of the file system. Relative file paths are notated by a lack of a leading forward slash.

For example, example directory.

A relative file path is interpreted from the perspective your current working directory. If you use a relative file path from the wrong directory, then the path will refer to a different file than you intend, or it will refer to no file at all..




#### Read files












### Copy and moving files



- shutil.copy(src, dst) Copy the file src to the file or directory dst
- shutil.copytree(src, dst) Recursively copy an entire
  directory tree rooted at src.
- shutil.move(src, dst) Recursively move a file or
  directory (src) to another
  location (dst).

https://docs.python.org/3/library/shutil.html



#### Deleting files

```
import os

# error if file do not exist
os.unlink("hello.txt")

# get current working directory
print(os.getcwd())

# delete directory (can only delete empty folder)
os.rmdir("folder3")

import shutil
# delete directory (with content)
# error if folder is not found
shutil.rmtree("folder3")
```

- os.unlink() will delete a file
- os.rmdir() will delete a folder (but folder must be empty)
- shutil.rmtree() will delete a folder and all its contents

#### e.g. To delete all .docx file in the current folder

```
import os

for filename in os.listdir():
    if filename.endswith(".docx"):
        print(filename)
        os.unlink(filename)
```



Deleting can be dangerous, so do a dry run first



#### Exercise

#### Write code to achieve the following:

- 1. Create a file named: "myfile.txt".
- 2. Write the following line of text into the file:
  - Programming is fun!
- 3. Close the file
- 4. Create a folder called "myfolder"
  - Use os.mkdir() command
- 5. Copy myfile.txt to myfolder



#### **Use Cases**

- System administrators can use these commands to
  - Copy and backup files to other hard-disks
  - Delete folders/ files at fixed schedules
    - End of financial year?
    - End of semester?
- Others use
  - Check timestamp of files, and delete all files created before a certain date



# Python Package Index

- https://pypi.org/
- A repository of software for the Python Programming Language
- Python Installation provides the core libraries needed for the common tasks
  - Additional packages can be found at the website and installed as extension
    - E.g. send2trash, openpyxl, pillow etc
- Installation is easy done with the following command
  - pip install <software\_package>
- Installed packages can be found at:
  - C:\python38\Lib\site-packages



# Using pip install

#### For all windows users by default

- Open command prompt
- pip install <package\_name>

#### For Mac User

- Open terminal
- pip3 install <package\_name>

#### For RP staff using RP issued laptop

- Open command prompt
- pip install --user <package\_name>


Double-Dash

# Excel Spreadsheet Manipulation with Python



### Working with Excel

- Install openpyxl module using "pip install openpyxl"
- Full openpyxl documentation: <u>https://openpyxl.readthedocs.io/en/stable/index.html</u>





#### Typical Workflow for Excel Automation

You are given some data in a spreadsheet

You want to do some or all of the following


- Analyze the data
- Manipulate the data

Output the processed data in another spreadsheet



#### Reading Excel file

#### rteading Excernic



import openpyx1
workbook = openpyx1.load\_workbook("bmi.xlsx")
sheet=workbook["Sheet1"]

- 2) Load Excel content into "workbook" object by specifying the file name
- 3) Get the worksheet named "Sheet1"

```
name = sheet.cell(row=2, column=1).value
weight = sheet.cell(row=2, column=2).value
height = sheet.cell(row=2, column=3).value
```

4) Get the value of each cell by specifying the row and column

```
print("name:%s \tweight: %d \theight: %f " % (name, weight, height))
```

5) Get the value of each cell by specifying the row and column



#### Reading Excel file

The typical workflow for reading excel file is to use a *for* loop to go through each row to read the data

```
1) Get the number of rows
import openpyxl
                                                         and columns
workbook = openpyxl.load workbook("bmi.xlsx")
sheet=workbook["Sheet1"]
max row = sheet.max row # get number of rows
                                                               2) Use For loop to go through
#loop through every row
                                                               every row
for i in range(2, max_row + 1):
   #read cell
   name = sheet.cell(row=i, column=1).value
   weight = sheet.cell(row=i, column=2).value
   height = sheet.cell(row=i, column=3).value
                                                                         3) Extract the status at
   print("name:%s \tweight: %d \theight: %f " % (name, weight, height))
                                                                         Column C to check for
                                                                         attendance
```



#### Update Excel file

```
import openpyxl
workbook = openpyxl.load workbook("bmi.xlsx")
sheet=workbook["Sheet1"]
                                                      2) Load file into memory & get
max row = sheet.max row # get number of rows
                                                     the sheet
# add a column header for bmi
sheet.cell(row=1, column=4).value = "bmi"
#loop through every row
for i in range(2, max_row + 1):
   #read cell
                                                         1) Perform calculation with
   name = sheet.cell(row=i, column=1).value
   weight = sheet.cell(row=i, column=2).value
                                                         values taken from the excel
   height = sheet.cell(row=i, column=3).value
                                                         files
   bmi = weight / (height * height)
   sheet.cell(row=i, column=4).value = bmi -
                                                          2) Add comments to cell
   print("name:%s \tBMI: %f" % (name, bmi))
#save the file
workbook.save("bmi update.xlsx")
                                                5) Save the spreadsheet
```

#### Create Excel file



If you have data in nested python list, you can write the data into an excel file.

```
import openpyxl
workbook = openpyxl.Workbook()
#get the default sheet
sheet=workbook["Sheet"]
#create a list of tuples as data source
data = [
                                                              1) Some data in nested list
   [225.7, 'Gone with the Wind', 'Victor Fleming'],
   [194.4, 'Star Wars', 'George Lucas'],
   [161.0, 'ET: The Extraterrestrial', 'Steven Spielberg']
                                      2) Using for loop to add each row
for row in data:
   sheet.append(row)
                                      of data into the excel sheet
#save the spreadsheet
workbook.save("movies.xlsx")
                                         3) Save the spreadsheet
```



#### Typical Workflow for Excel Automation

You are given some data in a spreadsheet

You want to do some or all of the following


- Analyze the data
- Manipulate the data
- Create visualization (Charts, Pivot Table etc)

Output the processed data in another spreadsheet

# Image Processing with Python



#### Image Processing



For the next section we are going to use the Python Image Library, or in short Pillow.

Install using the following command: pip install pillow

The documentation is at: <a href="https://pillow.readthedocs.io/en/stable/ha">https://pillow.readthedocs.io/en/stable/ha</a> <a href="https://pillow.readthedocs.io/en/stable/ha">ndbook/overview.html</a>



#### **Image Processing**

```
import os
from PIL import Image

filename = "img/clungup.jpg"

im = Image.open(filename)
print ("%s - %s" % (im.size, im.mode))
```

# close the file
im.close()

# show the image

im.show()




As a start we need to import it: import Image

We can open images with im = Image.open(fullname)

Then we can display the image using im.show()

Print some info about the image using im.size and im.mode



Size: 800 x 600, Mode: RGB



#### Image Processing

```
import os
from PIL import Image, ImageFilter
filename = "img/clungup.jpg"
im = Image.open(filename)

out = im.filter(ImageFilter.BLUR)

im.show()
out.show()
```





Pillow has many conversion and filters, to use filters we need to extend our import:

from PIL import Image, ImageFilter

The way you can apply filters is : out = im.filter(ImageFilter.BLUR)

Try other different filters!

# Image processing - filters





image = ImageOps.grayscale(image)



image = image.filter(ImageFilter.FIND\_EDGES)



image = image.filter(ImageFilter.CONTOUR)



image = ImageOps.solarize(image)



\* Remember to include ImageOps in your import statement

#### T

# Image processing - filters

```
import os
from PIL import Image, ImageFilter, ImageOps
filename = "img/clungup.jpg"
im = Image.open(filename)
# Filter
#out = im.filter(ImageFilter.BLUR)
#out = im.filter(ImageFilter.FIND_EDGES)
#out = im.filter(ImageFilter.CONTOUR)
# ImageOps
out = ImageOps.grayscale(im)
#out = ImageOps.solarize(im)
im.show()
out.show()
```

\* Remember to include ImageOps in your import statement



#### Image Processing - Rotating

```
Flipping the image horizontally or vertically out = im.transpose(Image.FLIP_LEFT_RIGHT) out = im.transpose(Image.FLIP_TOP_BOTTOM)
```

Flip images

```
Rotating the image
```

out = im.transpose(Image.ROTATE\_90)

out = im.transpose(Image.ROTATE\_180)

out = im.transpose(Image.ROTATE\_270)

Rotate images

#### Contrast

First add ImageEnhance to our imports: from PIL import Image, ImageFilter, ImageEnhance

#### Then:

enh = ImageEnhance.Contrast(im) out = enh.enhance(1.3) make image brighter by changing the contrast



### Image Processing - Writing

```
import os
from PIL import Image, ImageFilter, ImageOps

filename = "clungup.jpg"

src_folder = "img/"
out_folder = "out/"

im = Image.open(src_folder + filename) # img/clungup.jpg
out = im.filter(ImageFilter.BLUR)

outFilename = out_folder + filename # out/clungup.jpg
out.save(outFilename)
```

You can see the image, but it's not being saved!

All you need to do to save the images in the "out" folder is: out.save(the name of the output file)



### Image processing – Watermark

```
Create the mark image
You can reduce the size to 100,100
```

```
mark = Image.open("img\\watermark.png")
mark = mark.resize((100,100))
```

Create a new function called

```
def watermark(im, mark, position):
```

It takes the original image, the watermark image and the desired position that we want the watermark to appear. The function will return the result.

We can use this function like:

```
watermark(im, mark, (0, 50)).show()
```

or

imOut = watermark(im, mark, (0,50))
imOut.save(fileOut)

Maybe you want to leave a small footprint on your images, called watermark.

In this case we can use the \\img\\watermark.png and place it in each image on the bottom right.





#### Image processing – Watermark

```
def watermark(im, mark, position):
    layer = Image.new("RGBA", im.size, (0,0,0,0))
    layer.paste(mark, position)
    return Image.composite(layer, im, layer)

im = Image.open("img\\clungup.jpg")
mark = Image.open("img\\watermark.png")
mark = mark.resize((100,100))
mark.putalpha(128)

out = watermark(im, mark, (0,0))
out.show()
```

First we need to create a new layer with the size of the original image.

Then we paste the watermark image at the desired position and we return the composite.

Finally we merge the image and the layer together and return the result.

Then you can use it like this:





#### Use Case I: Batch Resize

- 1. Find all the files in "img" folder with ".jpg" extension
- 1. Resize all the file to 60 x 90.
- 1. Save all the files to the resized folder

```
import os
from PIL import Image, ImageFilter, ImageOps

files = os.listdir('img')
size = 60, 90

for file in files:
   if file.lower().endswith(".jpg"):
        im = Image.open("img/" + file)
        im.thumbnail(size, Image.ANTIALIAS)
        im.save("resized/" + file, "JPEG")
```



#### Use Case II: Batch Rename

- 1. Find all the files in "img" folder with ".jpg" extension
- 1. Copy all the files to the renamed folder
- 1. Rename all the files with the "s-" prefix.

```
import os
import shutil

files = os.listdir('img')

for file in files:
    if file.lower().endswith(".jpg"):
        shutil.copyfile("img/" + file, "renamed/s-" + file[:-4] + ".jpg")
```



# Lunch Break

# Web Automation with Python



requests – download files and web pages from the Web

pip install requests

```
import requests

url = "https://api.data.gov.sg/v1/environment/2-hour-weather-forecast"

url = "https://api.data.gov.sg/v1/environment/2-hour-weather-forecast"

the given URL

print(req.text)
```






- Data is in JSON format
- Use a JSON formatter tool to present the data in a nicer form

http://jsonviewer.stack.hu/

```
import requests
url="https://api.data.gov.sg/v1/environment/24-hour-weather-forecast"
req=requests.get(url)
print(req.text)
```

```
{"items":[{"update_timestamp":"2020-07-22T14:51:18+08:00","timestare "2020-07-22T14:25:00+08:00","valid_period":{"start":"2020-07-22T12"end":"2020-07-23T12:00:00+08:00"},"general":{"forecast":"Thundery "relative_humidity":{"low":70,"high":95},"temperature":{"low":22,"wind":{"speed":{"low":10,"high":20},"direction":"ESE"}},"periods' "start":"2020-07-22T12:00:00+08:00","end":"2020-07-22T18:00:00+08:{"west":"Moderate Rain","east":"Moderate Rain","central":"Light I "Light Rain","north":"Light Rain"}},{"time":{"start":"2020-07-22T1,"end":"2020-07-23T06:00:00+08:00"},"regions":{"west":"Partly Cloudy (Night)","central":"Partly Cloudy (Night)","Partly Cloudy (Night)","north":"Partly Cloudy (Night)","reduce "2020-07-23T06:00:00+08:00","end":"2020-07-23T12:00:00+08:00"},"reduce "2020-07-23T06:00:00+08:00","end":"2020-07-23T12:00:00+08:00"},"reduce "2020-07-23T10:00:00+08:00","end":"2020-07-23T12:00:00+08:00"},"reduce "2020-07-23T12:00:00+08:00"},"reduce "2020-07-23T12:00:00+08:00"}
```





- To work with JSON data, import json first
- Use json.loads() to load the data in JSON format
- Extract and retrieve the required data

```
import json
import requests

url="https://api.data.gov.sg/v1/environment/24-hour-weather-forecast"
req=requests.get(url)

data = json.loads(req.text)

# print update timestamp
update_time = data["items"][0]["update_timestamp"]
print("Update time: " + update_time)

# print forecast
forecast = data["items"][0]["general"]["forecast"]
print("Forecast: " + forecast)
```

Update time: 2020-07-22T14:51:18+08:00


Forecast: Thundery Showers



Beautiful Soup – a third party module that parses HTML (web pages)

Web Scraping – download and process Web content


Install Beautiful Soup 4 - pip install beautifulsoup4





What's the URL?

https://www.fortytwo.sg/dining/dining-tables/landon-regular-dining-table-coffee.html






· Get the url

https://www.fortytwo.sg/dining/dining-tables/landon-regular-dining-table-coffee.html

- Select the element to extract, right-click "Inspect"
- Right-click "Copy" 

   □ "Copy selector





- Get the url
- Select the element to extract, right-click "Inspect"
- Right-click "Copy" → "Copy selector"

```
Elements Console Sources >>>
                                                                                               O 24 △ 47 :
Responsive ▼ 315 x 443
                                                                CUIV CIASS- PACINGS DECOURS
                                                              ▶ <div class="mobile-gallery">...</div>
                                                              ▼ <div class="price-box":
                                                                >...
                                                                v
  Up To 60% OFF Dining Room Categori
                                                                   <span class="price-label">Special Price</span>
                                                                  *<span class="price" id="product-price-46728">
FORTY WO
                                                                                Add attribute
                                                                 Edit attribute
                                                               </div>
                                                              ▶ <div class="ne
                                                                                Edit as HTML
                                                              itemscope itemt
                                                                                                       -</div>
                                                                                Delete element
                                                              > cdiv class="W
  Search furniture, mattress, home & de
                                                              Pedin class-"a
                                              ... #product_addtocart_form div di
                                                                                                          Cut element
                                                                                                          Copy element
                                                     Event Listeners DOM Breaks
                                                                                Hide element
 Landon Regular Dining
                                                                                                          Paste element
                                                                   :hov .cls
                                                                                Force state
                     Coffee
                                               Console What's New X
                                                                                Break on
                                                                                                          Copy outerHTMI
                                                                                                          Copy selector
                                               Highlights from the Chrome 78 update
                                                                                Expand recursively
           **** 6 customer review
                                                                                                          Copy JS path
                                                                                Collapse children
                                               Multi-client support in the Audits
                                                                                                          Copy styles
                                                                                Scroll into view
                                               Use the Audits panel in combination
                                                                                                          Copy XPath
                                                                                Focus
                                                                                                          Copy full XPath
                                               Payment Handler debugging
                                               Record Payment Handler events for 
DevTools is closed.
                                                                                Store as global variable
                     span.price 86.18 × 14
                                                Lighthouse 52 in the Audits name
              IIII IIII
                                                                                      Included
```


```
import bs4
import requests
requestObj = requests.get("https://www.fortytwo.sg/dining/dining-tables/landon-regular-dining-table-coffee.html")
requestObj.raise_for_status()
soup = bs4.BeautifulSoup(requestObj.text, 'html.parser')
elements = soup.select("#product-price-46728") # $69.90
print("Current Price: " + elements[0].text)
                                                                               Debug I/O
                                                                                         Python Shell
elements = soup.select("#old-price-46728") # $129.90
print("\nOld Price: " + elements[0].text)
```


OS Commands Messages Debug I/O (stdin, stdout, stderr) appears below Current Price: S\$69.90 Old Price: S\$129.90



# Sharing other Use Cases

- Using another library: selenium
  - Filling up google form
  - Sending WhatsApp message






# Email Automation with Python



### Send Email




- SMTP (Simple Mail Transfer Protocol) is used for sending and delivering from a client to a server via port 25, 465 or 587: it's the outgoing server.
- IMAP and POP are two methods to access email. IMAP is the recommended method when you need to check your emails from several different devices, such as a phone, laptop, and tablet.

https://www.mailgun.com/blog/which-smtp-port-understanding-ports-25-465-587/ https://serversmtp.com/what-is-smtp-server/



### Send Email



- Note: The SMTP servers used when you send your emails- Hotmail, Gmail , Yahoo Mail – are shared among users
- Common providers establish some **strict limits** on the number of emails you can send (e.g. Yahoo's restriction is 100 emails per hour).
- If you plan to send a bulk email or set up an email campaign you should opt for a professional outgoing email server like turboSMTP,
- which guarantees a controlled IP and ensure that all your messages reach their destination.



Incoming Mail (IMAP) Server	imap.gmail.com  Requires SSL: Yes  Port: 993
Outgoing Mail (SMTP) Server	smtp.gmail.com  Requires SSL: Yes  Requires TLS: Yes (if available)  Requires Authentication: Yes  Port for SSL: 465  Port for TLS/STARTTLS: 587
Full Name or Display Name	Your name
Account Name, User name, or Email address	Your full email address
Password	Your Gmail password

Note: If you are using your office network, most port numbers, including 587, may be blocked.



- Import smtplib module
- Specify Gmail email & password, receiver's email address, email title & content
- Connect to SMTP server using Port 587
- Call starttls() to enable encryption for your connection
- Login using email and password
- Call sendmail()
- Call quit() to disconnect from the SMTP server

```
import smtplib

sender_email_address = "your_email_address@gmail.com"
sender_email_password = "xxxxxxxxxxxxxxxx"
receiver_email_address = "another_email_address@gmail.com"
email_title_content = "Subject: Sending Email Using Python\nThis is a test email."
email_title_content = "Subject: Sending Email Using Python\nThis is a test email."
```

➤ The start of the email body must begin with "Subject: " for the subject line. The "\n" newline character separates the subject line from the main body content.

```
print("Trying to connect to Gmail SMTP server")
smtpObj = smtplib.SMTP("smtp.gmail.com", 587)
smtpObj.starttls()

print("Connected. Logging in...")
smtpObj.login(sender_email_address, sender_email_password)


smtpObj.sendmail(sender_email_address, receiver_email_address, email_title_content)
print("Email sent successfully...")

smtpObj.quit()
```



 Google may block attempted sign-in from unknown devices that don't meet their security standards!

Process finished with exit code 1



```
C:\Users\denise_quek\AppData\Local\Programs\Python\Python37\python.exe D:/CET_Python/Denise/TestEmail.py
Trying to connect to Gmail SMTP server
Connected. Logging in...
Traceback (most recent call last):
   File "D:/CET Python/Denise/TestEmail.py", line 13, in <module>
        smtpObj.login(sender_email_address, sender_email_password)
   File "C:\Users\denise quek\AppData\Local\Programs\Python\Python37\lib\smtplib.py", line 730, in login
        raise last_exception
   File "C:\Users\denise quek\AppData\Local\Programs\Python\Python37\lib\smtplib.py", line 721, in login
        initial_response_ok=initial_response_ok)
   File "C:\Users\denise quek\AppData\Local\Programs\Python\Python37\lib\smtplib.py", line 642, in auth
        raise SMTPAuthenticationError(code, resp)
smtplib.SMTPAuthenticationError: (534, b'5.7.9 Application-specific password required. Learn more at\n5.7.9
```



### Steps To Create Google App Password

Step 1: Login to Gmail. Go to Account ☐ Signing in to Google

Step 2: Make sure that 2-Step Verification is on

Step 3: Create an App password

<del>&lt;</del>	App passwords				
	App passwords let you sign in to your Google Account from apps on devices that don't support 2-Step Verification. You'll only need to enter it once so you don't need to remember it. Learn more				
	You don't have any app passwords.  Select the app and device you want to generate the app password for.				
	Mail Windows Computer W				
	GENERATE				

### Generated app password

*******	•
Password	
securesally@gmail.com	
mail address	
inter the information below to connect to your Google	account.
Add your Google account	

### Your app password for Windows Computer


### How to use it

- 1. Open the "Mail" app.
- 2. Open the "Settings" menu.
- Select "Accounts" and then select your Google Account.
- Replace your password with the
   16-character password shown above.

Just like your normal password, this app password grants complete access to your Google Account. You won't need to remember it, so don't write it down or share it with anyone. Learn more

DONE







Replace your actual password with the App password

```
import smtplib

sender_email_address = "your_email_address@gmail.com"

sender_email_password = "xxxxxxxxxxxxxxx"

receiver_email_address = "another_email_address@gmail.com"

email_title_content = "Subject: Sending Email Using Python\nThis is a test email."
```

Run your email program

```
C:\Users\denise_quek\AppData\Local\Programs\Python\Python37\python.exe D:/CET_Python/Denise/TestEmail.py
Trying to connect to Gmail SMTP server
Connected. Logging in...
Email sent successfully...
Process finished with exit code 0
```

# Use Case: Send emails to students

Send email to students who were absent





### Use Case: Send Emails to Students

- Open an Excel file
- Send email to students who were absent

```
workbook = openpyxl.load workbook("D:\CET Python\students attendance.xlsx")
16
        sheet = workbook["Sheet1"]
17
18
        max row = sheet.max row
19
        max column = sheet.max column
20
21
        for i in range(1, max row+1):
22
23
            attendance = sheet.cell(row=i, column=3).value
24
25
            if attendance == "Absent":
26
27
                name = sheet.cell(row=i, column=1).value
                email = sheet.cell(row=i, column=2).value
28
29
                print(name + " is absent.")
30
                sendEmail(name, email)
31
32
                print("Email sent to " + email)
                print()
33
34
```



# Sharing other Use Cases


- Sending Emails using Outlook
- Create Appointment using Outlook

# Generate PDF Report with Python









- Install fpdf
  - pip install fpdf

https://pyfpdf.readthedocs.io/en/latest/Tutorial/index.html



### PDF – Basic document

```
import fpdf
#create a new pdf
document = fpdf.FPDF()
#define font and color for title and add the first page
document.set font("Times", "B", 14)
document.set_text_color(19,83,173)
document.add_page()
#write the title of the document
document.cell(0,5,"PDF Test Document")
document.ln()
#write a long paragraph
document.set_font("Times", "", 11)
document.set_text_color(0)
document.multi_cell(0,10, "This is an example of a long paragraph. \n" * 10)
document.ln()
#save the document
document.output("pdf report.pdf")
```

- Import fpdf
- Create a new pdf document
- Add page
- Add text
- Save file

### PDF Test Document

This is an example of a long paragraph.



### PDF – adding images

```
import fpdf
#create a new pdf
document = fpdf.FPDF()
#define font and color for title and add the first page
document.set_font("Times", "B", 14)
document.set_text_color(19,83,173)
document.add_page()
#add a image
document.image("rp_logo.png", x=10, y=5, w=23)
document.set_y(40);
#write the title of the document
document.cell(0,5,"PDF Test Document")
document.ln()
#write a long paragraph
document.set_font("Times", "", 11)
document.set_text_color(0)
document.multi_cell(0,5, "This is an example of a long paragraph. " * 10)
document.ln()
#save the document
document.output("pdf_report.pdf")
```

- Import fpdf
- Create a new pdf document
- Add page
- Add text, logo
- Save file



### PDF Test Document

This is an example of a long paragraph. This is an example of a long paragraph.

https://pyfpdf.readthedocs.io/en/latest/reference/image/index.html



### PDF – Adding password

```
import fpdf
import PyPDF2
```

#create a new pdf
document = fpdf.FPDF()

pip install PyPDF2

```
document.set font("Times", "B", 14)
document.set_text_color(19,83,173)
document.add page()
#write the title of the document
document.cell(0,5,"PDF Test Document")
document.ln()
#save the document
document.output("pdf report before pw.pdf")
#save the document into a new password protected/encrypted pdf
pdffile = open(r"pdf report before pw.pdf", "rb")
pdfReader = PyPDF2.PdfFileReader(pdffile)
pdfWriter = PvPDF2.PdfFileWriter()
for pageNum in range(pdfReader.numPages):
    pdfWriter.addPage(pdfReader.getPage(pageNum))
pdfWriter.encrypt('123') 
resultPDF = open(r"pdf_report_after_pw.pdf", "wb")
pdfWriter.write(resultPDF)
resultPDF.close()
pdffile.close()
```

#define font and color for title and add the first page

Password is 123

https://pythonhosted.org/PyPDF2/



### **Use Cases**

### Automation:

- Generation of reports with data from spreadsheet or database
- Generation of Course Certificates in PDF format
- Password protection of banking statement in PDF file



# End of Day 2

This concludes the Introduction to Python, I hope you enjoyed it.

Thank you!

**QUESTIONS?** 

## Where to go from here?



Getting started step by step http://www.python.org/about/gettingstarted/

Run through the python tutorials: <a href="http://docs.python.org/tutorial/index.html">http://docs.python.org/tutorial/index.html</a>

Keep the API doc under your pillow: <a href="http://docs.python.org/library/index.html">http://docs.python.org/library/index.html</a>

Advanced examples:

http://www.diveintopython.org/toc/index.html

# Where to go from here?




MOOC: DataCamp

https://www.datacamp.com/

Edx


https://www.edx.org/

Udemy (freemium course) <a href="https://t.me/freecourse">https://t.me/freecourse</a>



## Where to go from here?






Think Python is an introduction to Python programming for beginners. It starts with basic concepts of programming, and is carefully designed to define all terms when they are first used and to develop each new concept in a logical progression. Larger pieces, like recursion and object-oriented programming are divided into a sequence of smaller steps and introduced over the course of several chapters.

Think Python is a Free Book. It is available under the <u>Creative</u> <u>Commons Attribution-NonCommercial 3.0 Unported License</u>, which means that you are free to copy, distribute, and modify it, as long as you attribute the work and don't use it for commercial purposes. http://greenteapress.com/thinkpython/thinkpython.pdf



### Lifelong Learning



https://www.rp.edu.sg/soi/lifelong
 -learning

### **Short Courses**





SOI offers an extensive variety of short, industry-relevant courses for ICT skills upgrading and skills acquisition. Our courses are categorized under different areas, ranging from Artificial Intelligence (AI), Business Intelligence/Business Analytics (BI/BA), Business Processes (BP), Unmanned Aerial Vehicle (UAV), IT Security, New/ Digital Media, Software Development to the Internet of Things (IoT). To view our short course offerings, click on the relevant tab below.

Al Data Analytics IT Security DevOps Software Development New/ Digital Media UAV RPA

- Artificial Intelligence for Everyone A Practical Experience (1 day Beginner)
- Artificial Intelligence for Techies A Hands-On Approach (1 day Beginner)
- + An Introduction to Code-Free Machine Learning (1 day Beginner)



### Low-code Mobile App Development

- Using outsystems.com platform
- Create Mobile App with minimal coding
- https://bit.ly/rp-lowcode
- Next run: Jan 2021

