

ITID-10000: Attacks Against the Human

ITID-11000: Social Engineering

ITID-11100: Phishing Attacks

ITID-11110: Mass Phishing Attacks

ITID-11120: Targeted (Spear) Phishing Attacks

ITID-11130: Clone Phishing Attacks

ITID-11140: Whaling Attacks

ITID-11150: Phishing Simulation (Sponsored)

ITID-11200: Vishing (Voice Phishing) Attacks

ITID-11210: Impersonation Attack

ITID-11220: Financial Fraud Call

ITID-11300: Smishing (SMS Phishing) Attacks

ITID-11310: Credential Harvesting Links

ITID-11320: Malware Links

ITID-11330: OTP / MFA Fatigue Attempts

ITID-11400: Pretexting Attacks

ITID-11410: Fake Vendor Requests

ITID-11420: Fake IT Support Requests

ITID-11430: Executive Fraud Support Requests

ITID-11500: Quid Pro Quo Attacks

ITID-11510: Fake Incentives

ITID-11520: Tech Support Scams

ITID-11600: Baiting Attacks

ITID-11610: USB Drop

ITID-11620: Fake Downloads

ITID-11700: Social Media Exploitation Attacks

ITID-11710: Fake Profiles

ITID-11720: Direct Messaging Scams

ITID-11730: Credential Harvesting Campaigns

ITID-11800: Physical Social Engineering Attacks

ITID-11810: Tailgating

ITID-11820: Dumpster Diving

ITID-11830: On-Site Impersonation

ITID-11900: Hybrid Attacks

ITID-11910: Multi-Channel Phishing

ITID-11920: Cyber-Physical Social Engineering

ITID-12000: Credential-Based Attacks

ITID-12100: Credential Theft

ITID-12110: Phished Credentials

ITID-12120: Keylogging

ITID-12130: Credential Harvesting Malware

ITID-12200: Credential Reuse

ITID-12210: Credential Stuffing

ITID-12220: Password Spraying

ITID-12230: Shared Credential Exploitation

ITID-12300: Password Cracking

ITID-12310: Brute Force Attack
ITID-12320: Dictionary Attack
ITID-12330: Rainbow Table Attack
ITID-12400: Privilege Abuse
ITID-12410: Misused Admin Credentials
ITID-12420: Service Account Exploitation
ITID-12430: Abandoned Accounts
ITID-12500: Credential Leakage
ITID-12510: Public Exposure
ITID-12520: Dark Web Listing
ITID-12530: Accidental Disclosure
ITID-12600: MFA (Multi-Factor Authentication) Bypass
ITID-12610: Phishing for MFA Tokens
ITID-12620: MFA Fatigue
ITID-12630: Device Impersonation
ITID-12640: SIM Swapping
ITID-12700: Credential Exploitation
ITID-12710: Golden Ticket Attack
ITID-12720: Pass-the-Hash
ITID-12730: Pass-the-ticket
ITID-12740: Token Impersonation
ITID-12800: Credential Manipulation
ITID-12810: Account Enumeration
ITID-12820: Account Lockout Exploitation
ITID-12830: Credential Injection
ITID-12900: Advanced Credential Attacks
ITID-12910: Rogue Authentication Systems
ITID-12920: Session Hijacking
ITID-12930: Credential Replay
ITID-13000: Insider Threats / Risk
ITID-13100: Malicious Insider
ITID-13110: Data Theft
ITID-13120: Sabotage
ITID-13130: Credential Sharing
ITID-13140: Espionage
ITID-13200: Negligent Insider
ITID-13210: Accidental Data Exposure
ITID-13220: Policy Violations
ITID-13230: Lost or Stolen Devices
ITID-13300: Compromised Insider
ITID-13310: Credential Compromise
ITID-13320: Blackmail or Coercion
ITID-13330: Social Engineering of Insider
ITID-13400: Insider Privilege Abuse
ITID-13410: Unauthorized Access
ITID-13420: Privilege Escalation
ITID-13430: Data Hoarding
ITID-13500: Collusion

ITID-13510: Collaboration with External Attackers

ITID-13520: Group Conspiracy

ITID-14000: Physical Security Breaches

ITID-14100: Unauthorized Access

ITID-14110: Tailgating

ITID-14120: Badge Forgery

ITID-14130: Access Abuse

ITID-14200: Theft

ITID-14210: Device Theft

ITID-14220: Hardware Theft

ITID-14230: Document Theft

ITID-14300: Physical Tampering

ITID-14310: Device Tampering

ITID-14320: Camera or Sensor Disablement

ITID-14330: Door Access Tampering

ITID-14400: Dumpster Diving

ITID-14410: Information Recovery

ITID-14420: Device Salvaging

ITID-14500: Social Engineering Attacks

ITID-14510: Impersonation

ITID-14520: Fake Emergency Services

ITID-14600: Physical Disruption

ITID-14610: Sabotage of Facilities

ITID-14620: Utility Disruption

ITID-14700: Surveillance and Reconnaissance

ITID-14710: Unauthorized Photography

ITID-14720: Physical Reconnaissance

ITID-14730: Device Placement

ITID-20000: Attacks Against the Company Brand

ITID-21000: Defacement

ITID-21100: Website Defacement

ITID-21110: Political Messaging

ITID-21120: Hacktivist Defacement

ITID-21130: Offensive Content

ITID-21140: Malware Insertion

ITID-21150: Fake Announcements

ITID-21200: Social Media Defacement

ITID-21210: Account Takeover

ITID-21220: Fake Post

ITID-21230: Offensive Messaging

ITID-21240: Fraudulent Links

ITID-21300: Mobile App Defacement

ITID-21310: Unauthorized Updates

ITID-21320: Fake Notifications

ITID-21330: Content Tampering

ITID-21340: Embedded Malware

ITID-21400: Internal Platform Defacement

ITID-21410: Employee Portal Defacement

ITID-21420: Customer Portal Defacement

ITID-21430: Partner Platform Defacement

ITID-21500: Email or Messaging System Defacement

ITID-21510: Company Email Template Defacement

ITID-21520: Internal Messaging Platform Tampering

ITID-21600: Physical Digital Displays

ITID-21610: Digital Billboard Defacement

ITID-21620: Office Display Defacement

ITID-21630: Kiosk or POS Tempering

ITID-21700: Multi-channel Defacement

ITID-21710: Coordinated Attack

ITID-21720: Cross-Brand Attack

ITID-21730: Extended Campaigns

ITID-22000: Impersonation

ITID-22100: Fake Websites

ITID-22110: Phishing Websites

ITID-22120: Malware Distribution Sites

ITID-22130: Fake Support Pages

ITID-22140: Scam E-commerce Sites

ITID-22200: Phishing Domains

ITID-22210: Lookalike Domains

ITID-22220: Homograph Domains

ITID-22230: Subdomain Abuse

ITID-22300: Brand Spoofing

ITID-22310: Logo Misuse

ITID-22320: Fraudulent Advertisements

ITID-22330: Impersonated Customer Communication

ITID-22400: Executive Impersonation
ITID-22410: Business Email Compromise (BEC)
ITID-22420: Fake Social Media Profiles
ITID-22430: Executive Call Impersonation
ITID-22500: Partner Impersonation
ITID-22510: Vendor Impersonation
ITID-22520: Client Impersonation
ITID-22530: Third-Party Support Impersonation
ITID-23000: Public Disclosure
ITID-23100: Data Breaches
ITID-23110: Customer Data Exposure
ITID-23120: Employee Data Exposure
ITID-23130: Source Code Leaks
ITID-23200: Confidential Leaks
ITID-23210: Financial Data Disclosure
ITID-23220: Intellectual Property (IP) Leaks
ITID-23230: Legal Document Leaks
ITID-23300: Whistleblower Leaks
ITID-23310: Regulatory Disclosures
ITID-23320: Internal Policy Disputes
ITID-23400: Dark Web Listings
ITID-23410: Credentials for Sale
ITID-23420: Proprietary Data for Sale
ITID-23430: Threat Actor Announcements
ITID-23500: Public Relations Disruption
ITID-23510: Coordinated Misinformation Campaign
ITID-23520: Negative Press Amplification
ITID-23530: Targeted Influencer Manipulation
ITID-23600: Extortion Threats
ITID-23610: Ransomware Data Exposure
ITID-23620: Blackmail with Leaked Data
ITID-23630: Public Threat Campaigns
ITID-24000: Fake Reviews or Campaigns
ITID-24100: Negative Review Bombing
ITID-24110: Coordinated Negative Reviews
ITID-24120: Competitor-led Review Campaigns
ITID-24130: Social Media Amplified Reviews
ITID-24200: Misleading Positive Reviews
ITID-24210: False Positive Reviews for Competitors
ITID-24220: Positive Reviews of Fake Products or Services
ITID-24230: Fraudulent Upvoting
ITID-24300: Social Media Campaigns
ITID-24310: Misinformation Posts
ITID-24320: Fake Testimonial Campaigns
ITID-24330: Viral Negative Hashtags
ITID-24400: Review Platform Manipulation
ITID-24410: Spam Accounts
ITID-24420: Algorithm Exploits

ITID-24430: Paid Review Bots

ITID-24500: Fake Influencer Reviews
--

ITID-24510: Sponsored Misinformation

ITID-24520: Influencer Fraud

ITID-24530: Coordinated Influencer Attacks
--

ITID-24600: Media Platform Exploitation
--

ITID-24610: Blog Review Bombing

ITID-24620: Video Platform Campaigns

ITID-24630: Forum-based Attacks

ITID-24700: Reputation Hijacking

ITID-24710: Impersonation of Legitimate Reviewers

ITID-24720: Misattributed Quotes

ITID-24730: Association with Controversial Figures
--

ITID-24800: Fake Crisis Campaigns
--

ITID-24810: Fake Recall Announcements

ITID-24820: Fake Customer Complaints

ITID-24830: Coordinated Incident Claims

ITID-24900: International Reputation Attacks

ITID-24910: Region-Specific Campaigns

ITID-24920: Cultural Misinformation

ITID-24930: Translation Manipulation

ITID-30000: Attacks Against the Device

ITID-31000: Malware Infection

ITID-31100: Ransomware

ITID-31110: Encrypting Ransomware

ITID-31120: Locker Ransomware

ITID-31130: Double Extortion Ransomware

ITID-31140: Targeted Ransomware Attacks

ITID-31200: Trojan Malware

ITID-31210: Backdoor Trojans

ITID-31220: Banking Trojans

ITID-31230: Infostealers

ITID-31240: Remote Access Trojans (RATs)

ITID-31300: Worms

ITID-31310: Network Propagation Worms

ITID-31320: USB Worms

ITID-31330: Fileless Worms

ITID-31400: Spyware

ITID-31410: Keyloggers

ITID-31420: Screen Scrapers

ITID-31430: Behavioral Trackers

ITID-31500: Adware

ITID-31510: Pop-up Adware

ITID-31520: Ad-Redirecting Malware

ITID-31530: Malicious Browser Extensions

ITID-31600: Fileless Malware

ITID-31610: Powershell-Based Malware

ITID-31620: Registry-Resident Malware

ITID-31630: Memory-Only Malware

ITID-31700: Botnets

ITID-31710: Distributed Botnets

ITID-31720: Credential Harvesting Botnets

ITID-31730: Proxy Botnets

ITID-31800: Polymorphic Malware

ITID-31810: Code-Altering Malware

ITID-31820: Obfuscated Scripts

ITID-31830: Dynamic Payloads

ITID-31900: Advanced Persistent Threat (APT) Malware

ITID-31910: Custom Malware

ITID-31920: Stealth Malware

ITID-31930: Multi-Stage Malware

ITID-32000: Exploitation

ITID-32100: Zero-day Exploits

ITID-32110: OS Exploits

ITID-32120: Application Exploits

ITID-32130: Embedded System Exploits

ITID-32140: Advanced Threat Exploits

ITID-32200: Remote Exploitation

ITID-32210: RDP Exploits
ITID-32220: VPN Exploits
ITID-32230: Web Server Exploits
ITID-32300: Local Exploitation
ITID-32310: Privilege Escalation
ITID-32320: File Execution Exploits
ITID-32330: Kernel Exploits
ITID-32400: Browser Exploits
ITID-32410: Drive-By Downloads
ITID-32420: Malicious Browser Extensions
ITID-32430: Cross-Site Scripting (XSS)
ITID-32500: Network Protocol Exploits
ITID-32510: DNS Exploits
ITID-32520: SMB Exploits
ITID-32530: TLS/SSL Exploits
ITID-32600: Email-Based Exploits
ITID-32610: Malicious Attachments
ITID-32620: Exploit Links
ITID-32630: Embedded Macros
ITID-32700: Exploit Kits
ITID-32710: Web-Based Exploit Kits
ITID-32720: Targeted Exploit Kits
ITID-32730: Social Engineering Kits
ITID-32800: IoT Exploits
ITID-32810: Firmware Exploits
ITID-32820: Default Credential Exploits
ITID-32830: Device Hijacking
ITID-32900: Cloud Exploits
ITID-32910: API Exploits
ITID-32920: Misconfiguration Exploits
ITID-32930: Identity Exploits
ITID-33000: Unauthorized Access
ITID-33100: Account Compromise
ITID-33110: Credential Stuffing
ITID-33120: Brute Force Attacks
ITID-33130: Phished Account Access
ITID-33140: Oauth Token Abuse
ITID-33200: Privilege Escalation
ITID-33210: Horizontal Privilege Escalation
ITID-33220: Vertical Privilege Escalation
ITID-33230: Service Account Exploitation
ITID-33300: Lateral Movement
ITID-33310: Remote Desktop Protocol (RDP) Access
ITID-33320: Admin Shares Abuse
ITID-33330: Pass-the-Hash
ITID-33400: Unauthorized Device Access
ITID-33410: USB Exploitation
ITID-33420: Stolen Hardware

ITID-33430: BYOD (Bring Your Own Device) Exploits

ITID-33500: Session Hijacking

ITID-33510: Cookie Theft

ITID-33520: Session Replay

ITID-33530: MITM Session Hijacking

ITID-33600: Default or Weak Credentials

ITID-33610: Default Admin Credentials

ITID-33620: Password Reuse

ITID-33630: Common Password Exploits

ITID-33700: Exploiting Misconfigurations

ITID-33710: Open Directory Listings

ITID-33720: Unrestricted Access Permissions

ITID-33730: Exposed APIs

ITID-33800: Identity Spoofing

ITID-33810: IP Spoofing

ITID-33820: MAC Address Spoofing

ITID-33830: Identity Federation Exploitation

ITID-33900: Unauthorized Application Access

ITID-33910: Exploiting Legacy Applications

ITID-33920: SaaS Application Exploitation

ITID-33930: Shadow IT Exploits

ITID-34000: Data Exfiltration

ITID-34100: Network-Based Exfiltration

ITID-34110: Encrypted Channels

ITID-34120: DNS Tunneling

ITID-34130: Covert FTP or SFTP

ITID-34140: Cloud Storage Uploads

ITID-34200: Email-Based Exfiltration

ITID-34210: Internal Email Accounts

ITID-34220: Compromised Email Accounts

ITID-34230: Large Attachments

ITID-34300: Physical Data Exfiltration

ITID-34310: USB Device Transfers

ITID-34320: Mobile Device Exfiltration

ITID-34330: Hardware Implants

ITID-34400: Application Level Exfiltration

ITID-34410: Web Application Exfiltration

ITID-34420: Insider Tool Usage

ITID-34430: Unauthorized API Calls

ITID-34500: File Sharing and Collaboration Exploits

ITID-34510: Unauthorized File Shares

ITID-34520: Misused Collaboration Platforms

ITID-34530: Peer-to-Peer Transfers

ITID-34600: Insider Threat Data Exfiltration

ITID-34610: Data Hoarding

ITID-34620: Email Forwarding Rules

ITID-34630: Printouts

ITID-34700: Covert Channels

ITID-34710: Steganography
ITID-34720: Social Media Channels
ITID-34730: Instant Messaging Apps
ITID-34800: Advanced Threat Exfiltration
ITID-34810: APT-Driven Exfiltration
ITID-34820: Multi-Stage Exfiltration
ITID-34830: Exfiltration Over Time
ITID-34900: Cloud-Specific Exfiltration
ITID-34910: Public Cloud Misconfiguration
ITID-34920: Direct Downloads
ITID-34930: Temporary Instances

ITID-40000: Attacks Against the Network Infrastructure

ITID-41000: Denial of Service

ITID-41100: Network-Based DoS Attacks

ITID-41110: Volumetric Flooding

ITID-41120: SYN Flooding

ITID-41130: Amplification Attacks

ITID-41140: Smurf Attack

ITID-41150: Slowloris Attack

ITID-41200: Application Layer DoS Attacks

ITID-41210: HTTP Flood

ITID-41220: SSL/TLS Exhaustion

ITID-41230: API Request Flooding

ITID-41240: Botnet-Based DoS

ITID-41300: Distributed Denial of Service (DDoS) Attacks

ITID-41310: Botnet-Based DDoS

ITID-41320: IoT-Based DDoS

ITID-41330: Cloud-Based DDoS

ITID-41340: Hybrid DDoS Attack

ITID-41400: Protocol Exploitation Attacks

ITID-41410: DNS Query Flooding

ITID-41420: BGP Hijacking DoS

ITID-41430: SIP Flooding

ITID-41440: IP Fragmentation Attacks

ITID-41500: Resource Depletion Attacks

ITID-41510: CPU Exhaustion

ITID-41520: Memory Depletion

ITID-41530: Database Query Flooding

ITID-41540: Disk I/O Saturation

ITID-41600: Targeted DoS Against Critical Infrastructure

ITID-41610: Cloud Service Disruption

ITID-41620: CDN Exhaustion

ITID-41700: Ransom DoS (RDoS)

ITID-41710: Ransom Note Threats

ITID-41720: Demonstration Attack

ITID-41730: Persistent Ransom DoS

ITID-41800: Cloud and Virtualized Environment DoS

ITID-41810: Hypervisor Exhaustion

ITID-41820: Serverless Function Abuse

ITID-41830: Storage Exhaustion in Cloud Services

ITID-41900: Insider-Driven DoS

ITID-41910: Malicious Employee DoS

ITID-41920: Accidental Configuration DoS

ITID-41930: API Abuse from Internal Users

ITID-42000: Network Intrusion

ITID-42100: Unauthorized Network Access

ITID-42110: VPN Exploitation

ITID-42120: Wireless Network Exploitation

ITID-42130: Misconfigured Firewall Rules
ITID-42140: Third-Party Vendor Access
ITID-42200: Lateral Movement
ITID-42210: Credential Reuse for Lateral Movement
ITID-42220: Admin Share Abuse
ITID-42230: Remote Desktop Protocol (RDP) Abuse
ITID-42240: Pass-the-Hash
ITID-42300: Network Reconnaissance
ITID-42310: Port Scanning
ITID-42320: Service Enumeration
ITID-42330: Network Mapping
ITID-42340: Packet Sniffing
ITID-42400: Persistence in Network
ITID-42410: Rogue Devices
ITID-42420: Network Backdoors
ITID-42430: Malicious Scheduled Tasks
ITID-42440: Network Beacons
ITID-42500: Data Exfiltration via Network
ITID-42510: Covert Channels
ITID-42520: Encrypted Traffic
ITID-42530: Public Cloud Uploads
ITID-42540: Email or File Sharing
ITID-43000: Protocol Exploitation
ITID-43100: DNS Exploitation
ITID-43110: DNS Tunneling
ITID-43120: DNS Spoofing
ITID-43130: DNS Cache Poisoning
ITID-43200: SMB Exploitation
ITID-43210: EternalBlue Exploit
ITID-43220: SMB Relay Attack
ITID-43230: SMB Null Sessions
ITID-43300: RDP Exploitation
ITID-43310: Weak RDP Credentials
ITID-43320: RDP Man-in-the-Middle
ITID-43330: RDP Brute Force
ITID-43400: HTTP / HTTPS Exploitation
ITID-43410: Cross-Site Scripting (XSS)
ITID-43420: SQL Injection
ITID-43430: Directory Traversal
ITID-43440: HTTP Flooding
ITID-43500: VoIP / SIP Exploitation
ITID-43510: SIP Registration Hijacking
ITID-43520: Eavesdropping
ITID-43530: Caller ID Spoofing
ITID-43600: Cryptographic Protocol Exploitation
ITID-43610: SSL/TLS Downgrade Attacks
ITID-43620: Padding Oracle Exploits
ITID-43630: Certificate Forgery

ITID-43700: Other Protocol Exploitation

ITID-43710: NTP Amplification

ITID-43720: LDAP Injection

ITID-43730: Telnet Exploits

ITID-43740: MQTT Exploits

ITID-44000: Command and Control (C2)

ITID-44100: C2 Infrastructure Types

ITID-44110: Domain-Based C2

ITID-44120: IP-Based C2

ITID-44130: Cloud-Based C2

ITID-44140: Social Media C2

ITID-44200: C2 Communication Methods

ITID-44210: HTTP/HTTPS C2

ITID-44220: DNS Tunneling C2

ITID-44230: Email-Based C2

ITID-44240: Instant Messaging C2

ITID-44300: Stealth and Evasion Techniques

ITID-44310: Domain-Generating Algorithm (DGA)

ITID-44320: Fast Flux

ITID-44330: Proxy Chains

ITID-44340: Encryption and Obfuscation

ITID-44400: C2 Protocols

ITID-44410: Encrypted Channels (SSL/TLS)

ITID-44420: Peer-to-Peer (P2P) C2

ITID-44430: Custom Protocols

ITID-44440: Covert Channels

ITID-44500: C2 Persistence Mechanisms

ITID-44510: Legitimate Web Services for C2

ITID-44520: Malware Beacons

ITID-44530: Steganographic C2

ITID-44540: Automated Task Execution

ITID-44600: Advanced C2 Techniques

ITID-44610: Fileless C2

ITID-44620: Living-Off-the-Land (LotL) C2

ITID-44630: AI/ML-Enhanced C2

ITID-44640: Polymorphic C2 Commands

ITID-44700: C2 for Specific Attack Types

ITID-44710: Ransomware C2

ITID-44720: Espionage C2

ITID-44730: Botnet C2

ITID-44740: Insider-Assisted C2

ITID-44800: C2 in Cloud and Virtualized Environments

ITID-44810: Cloud VM-Based C2

ITID-44820: Serverless C2

ITID-44830: Kubernetes-Based C2

ITID-44840: API-Based C2

ITID-44900: C2 Disruption and Takedown Methods

ITID-44910: Sinkholing

ITID-44920: IP and Domain Blocking
ITID-44930: Endpoint C2 Disruption
ITID-44940: Law Enforcement Takedowns

ITID-50000: Attacks Against the Company

ITID-51000: Data Breaches

ITID-51100: Credential Theft

ITID-51110: Password Dumping

ITID-51120: Phished Credentials

ITID-51130: Credential Stuffing Breach

ITID-51140: Token Hijacking

ITID-51200: Personally Identifiable Information Exposure

ITID-51210: Customer Data Leak

ITID-51220: Employee Data Leak

ITID-51230: Health Information Breach

ITID-51240: Payment Card Data Breach

ITID-51300: Intellectual Property Theft

ITID-51310: Source Code Theft

ITID-51320: Trade Secret Exposure

ITID-51330: Research and Development (R&D) Theft

ITID-51340: Product Plans or Blueprints

ITID-51400: Financial Data Breach

ITID-51410: Banking Data Leak

ITID-51420: Payroll System Compromise

ITID-51430: Tax Information Breach

ITID-51440: Cryptocurrency Wallet Breach

ITID-51500: Operational Data Breach

ITID-51510: Cloud Storage Exposure

ITID-51520: Database Dump

ITID-51530: Internal Communications Leak

ITID-51540: Backup Data Breach

ITID-51600: Supply Chain Data Breach

ITID-51610: Vendor Data Breach

ITID-51620: Partner Integration Breach

ITID-51630: Software Supply Chain Attack

ITID-51640: Logistics and Inventory Data Breach

ITID-51700: Insider-Driven Data Breach

ITID-51710: Malicious Insider

ITID-51720: Accidental Insider Breach

ITID-51730: Privileged Access Misuse

ITID-51800: Advanced Persistent Threat (APT)-Driven Breach

ITID-51810: Long-Term Data Collection

ITID-51820: Targeted Corporate Espionage

ITID-51830: Multi-Vector Data Breach

ITID-51840: Undetected Data Breach

ITID-51900: Dark Web Data Dump

ITID-51910: Data-for-Sale Listings

ITID-51920: Free Data Dumps

ITID-51930: Auctioned Data

ITID-51940: Credentials Reuse Packages

ITID-52000: Espionage

ITID-52100: Corporate Espionage
ITID-52110: Insider Espionage
ITID-52120: Competitor Espionage
ITID-52130: Covert Intelligence Collection
ITID-52140: Executive Targeting
ITID-52200: Nation-State Espionage
ITID-52210: Nation-State Sponsored Attacks
ITID-52220: Military and Defense Espionage
ITID-52230: Industrial Espionage
ITID-52240: Diplomatic Espionage
ITID-52300: Intellectual Property Theft
ITID-52310: Patent and R&D Theft
ITID-52320: Source Code Theft
ITID-52330: Manufacturing Process Espionage
ITID-52340: AI and Algorithm Theft
ITID-52400: Cyber Espionage Operations
ITID-52410: Advanced Persistent Threats (APT)
ITID-52420: Covert Data Exfiltration
ITID-52430: Supply Chain Espionage
ITID-52440: Steganographic Data Theft
ITID-52500: Surveillance and Reconnaissance
ITID-52510: Keylogger Development
ITID-52520: Social Engineering Reconnaissance
ITID-52530: Open-Source Intelligence (OSINT) Exploitation
ITID-52540: Physical Surveillance
ITID-52600: Insider Recruitment
ITID-52610: Employee Coercion
ITID-52620: Bribery and Corruption
ITID-52630: Disgruntled Insider Leaks
ITID-52640: Long-Term Insider Agents
ITID-52700: Cloud and SaaS-Based Espionage
ITID-52710: Cloud Data Harvesting
ITID-52720: SaaS Exploitation for Espionage
ITID-52730: Cloud API Abuse
ITID-52740: Cross-Tenant Attacks
ITID-52800: Credential and Identity Theft for Espionage
ITID-52810: Credential Harvesting
ITID-52820: Session Hijacking for Intelligence Access
ITID-52830: MFA Bypass Techniques
ITID-52840: Identity Spoofing
ITID-52900: Physical and Hardware-Based Espionage
ITID-52910: Hardware Implants
ITID-52920: Data Theft via Removable Media
ITID-52930: Rogue Network Devices
ITID-52940: Corporate Office Breach
ITID-53000: Financial Fraud
ITID-53100: Business Email Compromise (BEC)
ITID-53110: Executive Impersonation Fraud

	ITID-53120: Vendor Invoice Fraud
	ITID-53130: Payroll Diversion Fraud
	ITID-53140: Gift Card Scam
	ITID-53200: Payment and Banking Fraud
	ITID-53210: Wire Transfer Fraud
	ITID-53220: Credit Card Fraud
	ITID-53230: Check Fraud
	ITID-53240: Cryptojacking
	ITID-53250: Financial Account Takeover
	ITID-53300: Procurement and Expense Fraud
	ITID-53310: Fake Vendor Fraud
	ITID-53320: Overbilling and Padding
	ITID-53330: Employee Reimbursement Fraud
	ITID-53340: Procurement Card Misuse
	ITID-53400: Tax and Regulatory Fraud
	ITID-53410: Fraudulent Tax Filings
	ITID-53420: Payroll Tax Fraud
	ITID-53430: Misreporting Financials
	ITID-53440: Securities and Stock Manipulation
	ITID-53500: Loan and Credit Fraud
	ITID-53510: Fraudulent Loan Applications
	ITID-53520: Synthetic Identity Fraud
	ITID-53530: Credit Score Manipulation
	ITID-53540: Mortgage and Real Estate Fraud
	ITID-53600: Insider Financial Fraud
	ITID-53610: Insider Trading
	ITID-53620: Embezzlement
	ITID-53630: Payroll Fraud By Employees
	ITID-53640: Financial Report Falsification
	ITID-53700: Digital Payment and Cryptocurrency Fraud
	ITID-53710: Stolen Payment Wallets
	ITID-53720: Fraudulent Transactions via Digital Payment Apps
	ITID-53730: Crypto Rug Pull Scams
	ITID-53740: Crypto Exchange Fraud
	ITID-53800: Social Engineering for Financial Fraud
	ITID-53810: CEO Fraud
	ITID-53820: Vendor Payment Diversion
	ITID-53830: Fake Legal or Government Notices
	ITID-53840: Pension and Benefits Fraud
	ITID-53900: Money Laundering and Illicit Transfers
	ITID-53910: Shell Company Laundering
	ITID-53920: Structuring and Smurfing
	ITID-53930: Trade-Based Money Laundering
	ITID-53940: Cryptocurrency Money Laundering
	ITID-54000: Critical System Disruption
	ITID-54100: Infrastructure and Service Outages
	ITID-54110: Cloud Service Disruption
	ITID-54120: Data Center Outage

ITID-54130: Internet Backbone Disruptions
ITID-54140: CDN Disruptions
ITID-54200: Ransomware and Data Encryption Attacks
ITID-54210: Enterprise-Wide Ransomware Attack
ITID-54220: Targeted Ransomware on Critical Infrastructure
ITID-54230: Backup System Encryption
ITID-54240: Ransom Denial of Service (RDoS)
ITID-54300: Network and Communication Failures
ITID-54310: BGP Hijacking Attempt
ITID-54320: DNS Poisoning or Takedown
ITID-54330: VoIP System Disruption
ITID-54340: ISP-Level Disruption
ITID-54400: Critical Infrastructure Disruptions
ITID-54410: Cloud-Based Disruption
ITID-54500: Insider Threat-Driven Disruptions
ITID-54510: Malicious Insider Sabotage
ITID-54520: Accidental Misconfigurations
ITID-54530: Privileged Account Abuse
ITID-54540: Insider-Driven Data Corruption
ITID-54600: Software and Patch Failures
ITID-54610: Failed Software Deployment
ITID-54620: Unpatched Vulnerability Exploitation
ITID-54630: Supply Chain Software Compromise
ITID-54640: Code Injection and Tampering
ITID-54700: Physical and Environmental Threats
ITID-54710: Physical Sabotage of IT Infrastructure
ITID-54720: Environmental Disruptions (Fire, Flood)
ITID-54730: Power Outages and UPS Failures
ITID-54740: HVAC and Cooling System Failures
ITID-54800: Distributed Denial of Service (DDoS) Attacks
ITID-54810: High-Volume DDoS Attack
ITID-54820: Application-Layer DDoS
ITID-54830: IoT Botnet DDoS
ITID-54840: DNS and CDN Targeted DDoS
ITID-54900: Supply Chain and Third-Party Disruptions
ITID-54910: Third-Party SaaS Downtime
ITID-54920: Managed Service Provider (MSP) Attack
ITID-54930: Supplier System Failure
ITID-54940: Software Supply Chain Attacks

ITID-60000: Attacks Against the Supply Chain

ITID-61000: Critical System Disruption

ITID-61100: Third-Party Data Breaches

- ITID-61110: Vendor Cloud Storage Exposure
- ITID-61120: Third-Party Credential Compromise
- ITID-61130: Customer and Partner Data Leak
- ITID-61140: Incident at a Data Aggregator

ITID-61200: Third-Party Network Compromise

- ITID-61210: VPN or Remote Access Breach
- ITID-61220: Supplier System Intrusion
- ITID-61230: Cloud SaaS Vendor Compromise
- ITID-61240: Managed Service Provider (MSP) Breach

ITID-61300: Software Supply Chain Attacks

- ITID-61310: Malicious Code Injection
- ITID-61320: Compromised Open-Source Libraries
- ITID-61330: Vendor API Exploitation
- ITID-61340: CI/CD Pipeline Attack

ITID-61400: Hardware and IoT-Based Supply Chain Attacks

- ITID-61410: Firmware Backdoors in Vendor Hardware
- ITID-61420: Rogue IoT Devices
- ITID-61430: Tampered Equipment in Transit
- ITID-61440: Vendor Device Recall and Remediation

ITID-61500: Vendor Insider Threats

- ITID-61510: Malicious Insider at a Vendor
- ITID-61520: Accidental Insider Breach
- ITID-61530: Supplier Employee Credential Reuse
- ITID-61540: Vendor Privilege Abuse

ITID-61600: Regulatory and Compliance Violations

- ITID-61610: Non-Compliance with Security Standards
- ITID-61620: Third-Party Violation of Data Protection Laws
- ITID-61630: Unauthorized Data Sharing
- ITID-61640: Failure to Disclose Vendor Breaches

ITID-61700: Financial and Operational Impact from Vendor Breaches

- ITID-61710: Vendor Financial Fraud Incident
- ITID-61720: Vendor Ransomware Attack
- ITID-61730: Service Downtime Due to Vendor Breach
- ITID-61740: Supplier Logistics and Manufacturing Disruptions

ITID-61800: Nation-State and APT Targeting Vendors

- ITID-61810: Nation-State Attack on Supply Chain Vendor
- ITID-61820: Advanced Persistent Threat (APT) in Vendor Networks
- ITID-61830: Supply Chain Manipulation by Foreign Entities
- ITID-61840: Targeted Attacks on Critical Infrastructure Vendors

ITID-61900: Vendor Risk Management Failures

- ITID-61910: Inadequate Vendor Security Audits
- ITID-61920: Unmonitored Vendor Access to Internal Systems
- ITID-61930: Over-Reliance on High-Risk Vendors
- ITID-61940: Failure to Enforce Vendor Security Policies

ITID-62000: Third-Party Software Exploitation
ITID-62100: Software Supply Chain Attacks
ITID-62110: Malicious Software Updates
ITID-62120: Third-Party Code Injection
ITID-62130: Compromised Software Signing Certificates
ITID-62140: Cloud Software Supply Chain Attacks
ITID-62200: Vulnerabilities in Third-Party Applications
ITID-62210: Unpatched Application Vulnerabilities
ITID-62220: Zero-Day Exploits in Vendor Software
ITID-62230: API Exploitation in Third-Party Services
ITID-62240: Legacy Software Exploits
ITID-62300: Manufacturing and Production Exploits
ITID-62310: Poisoned Open-Source Libraries
ITID-62320: Dependency Confusion Attacks
ITID-62330: Insecure Open-Source Licenses
ITID-62340: Open-Source Repository Hijacking
ITID-62400: Third-Party Plugin and Extension Exploits
ITID-62410: Malicious Browser Extensions
ITID-62420: Compromised CMS Plugins
ITID-62430: ERP and CRM Plugin Exploits
ITID-62440: Application Add-On Backdoors
ITID-62500: Third-Party SaaS Application Exploits
ITID-62510: SaaS Misconfigurations
ITID-62520: Oauth and Single Sign-On (SSO) Abuse
ITID-62530: Account Takeover in Third-Party Services
ITID-62540: Third-Party API Exploitation in SaaS
ITID-62600: CI/CD Pipeline Attacks
ITID-62610: Code Injection in Continuous Integration Pipelines
ITID-62620: Supply Chain Attack via Code Repositories
ITID-62630: Compromised DevOps Tools
ITID-62640: Malicious Container Images
ITID-62700: Unauthorized Data Access via Third-Party Software
ITID-62710: Data Leakage from Third-Party Apps
ITID-62720: Unauthorized Cross-Tenant Access in Multi-Tenant Software
ITID-62730: Third-Party File Sharing Exploits
ITID-62740: ERP and Financial Software Exploits
ITID-62800: Third-Party Software Abuse for Initial Access
ITID-62810: Remote Access Software Exploits
ITID-62820: Malware Distribution via Legitimate Software
ITID-62830: Social Engineering via Third-Party Tools
ITID-62840: Vulnerable Customer Relationship Management (CRM) System
ITID-62900: Regulatory and Compliance Risks in Third-Party Software
ITID-62910: Failure to Monitor Third-Party Software Security
ITID-62920: Vendor Non-Compliance with Security Standards
ITID-62930: Third-Party Software with Hidden Telemetry or Spyware
ITID-62940: Legal Risks from Third-Party Software Breaches
ITID-63000: Physical Supply Chain Attacks
ITID-63100: Hardware and Device Tampering

ITID-63110: Counterfeit Hardware
ITID-63120: Hardware Backdoors
ITID-63130: Tampered Shipments
ITID-63140: Side-Channel Attacks on Hardware
ITID-63200: Logistics and Transportation Attacks
ITID-63210: Supply Chain Theft and Fraud
ITID-63220: Malicious Insider at a Logistics Provider
ITID-63230: Destructive Sabotage of Critical Shipments
ITID-63300: Manufacturing and Production Exploits
ITID-63310: Unauthorized Cloning of Devices
ITID-63400: Warehouse and Storage Facility Attacks
ITID-63410: RFID, Barcode, and Asset Tag Spoofing
ITID-63420: Unauthorized Access to Storage Facilities
ITID-63430: Manipulated Inventory Data
ITID-63440: Insider Threats in Warehousing
ITID-63500: Critical Infrastructure Supply Chain Disruption
ITID-63510: Cloud Environment Compromise
ITID-63520: Telecommunications Equipment Compromise
ITID-63600: Nation-State and APT Supply Chain Attacks
ITID-63610: Nation-State Tampering with Critical Equipment
ITID-63620: Cyber-Physical Hybrid Attacks
ITID-63630: Intellectual Property Theft via Supply Chain Exploits
ITID-63640: Large-Scale Supply Chain Manipulation
ITID-63700: Regulatory and Compliance Risks in Physical Supply Chains
ITID-63710: Vendor Non-Compliance with Security Requirements
ITID-63720: Supply Chain Visibility Failures
ITID-63730: Unverified Suppliers and Third-Party Manufacturers
ITID-63740: Counterfeit or Unauthorized Components in Supply Chain
ITID-64000: Trust Exploitation
ITID-64100: Social Engineering and Manipulation
ITID-64110: Executive Impersonation Attacks
ITID-64120: Spear Phishing Based on Trusted Relationships
ITID-64130: Fake Vendor and Supplier Scams
ITID-64140: Social Media Engineering of Employees
ITID-64200: Identity and Credential Exploitation
ITID-64210: Stolen Certificates and Digital Signatures
ITID-64220: Misuse of Trusted Third-Party Access
ITID-64230: Trust-Based Privilege Escalation
ITID-64240: Zero-Day Exploits in Authentication Protocols
ITID-64300: Misuse of Cryptographic Trust
ITID-64310: Certificate Authority (CA) Compromise
ITID-64320: Man-in-the-Middle (MitM) via TLS Interception
ITID-64330: Cryptographic Backdoors in Trusted Software
ITID-64340: Spoofing Code Signing Mechanisms
ITID-64400: Third-Party Trust Exploitation
ITID-64410: Abusing Trusted Business Partners
ITID-64420: Supply Chain Fraud via Trust Exploitation
ITID-64430: Exploiting Trust in Software Dependencies

ITID-64440: API and Webhook Manipulation
--

ITID-64500: Insider Trust Exploitation

ITID-64510: Rogue Employees in Trusted Positions
--

ITID-64520: Insider Abuse of Privileged Access
--

ITID-64530: Misuse of Trust-Based Authorization Mechanisms
--

ITID-64540: Former Employees Retaining Access

ITID-64600: Trust Exploitation in Critical Infrastructure
--

ITID-64610: Backdoored Trusted Hardware

ITID-64620: Trust-Based Network Breaches
--

ITID-64630: Manipulation of Trusted Data Sources
--

ITID-64700: Trust-Based Financial Fraud
--

ITID-64710: Business Email Compromise (BEC) Exploiting Trust
--

ITID-64720: Wire Fraud via Established Business Trust

ITID-64730: Manipulation of Trusted Payment Platforms

ITID-64740: Insider Financial Misconduct
--

ITID-70000: Miscellaneous Incidents

ITID-71000: Out of Band Incidents

ITID-71100: Service Now Tickets

ITID-71110: Password Unlocking / Risk Dismissal

ITID-71120: Device Containment Requests

ITID-71130: Domain Blocking

ITID-71140: Domain Unblocking

ITID-71150: Miscellaneous Requests

ITID-71200: Instant Messaging Requests

ITID-71210: Password Unlocking / Risk Dismissal

ITID-71220: Device Containment Requests

ITID-71230: Domain Blocking

ITID-71240: Domain Unblocking

ITID-71250: Miscellaneous Requests

ITID-71300: Email Inbox Requests

ITID-71310: Password Unlocking / Risk Dismissal

ITID-71320: Device Containment Requests

ITID-71330: Domain Blocking

ITID-71340: Domain Unblocking

ITID-71350: Miscellaneous Requests

ITID-90000: Simulations and Testing Activities

ITID-91000: Red Team and Adversarial Testing

ITID-91100: External Attack Simulations

ITID-91110: Phishing Campaign Simulations

ITID-91120: Credential Theft and Lateral Movement Simulations

ITID-91130: Web Application Attack Simulations

ITID-91140: Ransomware Simulation

ITID-91200: Internal Threat Simulations

ITID-91210: Insider Privilege Escalation Test

ITID-91220: Data Exfiltration Simulation

ITID-91230: Rogue Employee Sabotage

ITID-91300: Advanced Persistent Threat Emulation

ITID-91310: MITRE ATT&CK-Based Adversary Simulation

ITID-91320: Long Dwell APT Simulation

ITID-91330: Data Collection and Exfiltration Simulation

ITID-92000: Blue Team and Defensive Simulations

ITID-92100: Incident Response Testing

ITID-92110: Endpoint Detection and Response (EDR) Effectiveness Test

ITID-92120: SIEM Log Analysis and Detection Exercise

ITID-92130: Security Operations Center (SOC) Drill

ITID-92200: Network and Perimeter Defense Testing

ITID-92210: Network Segmentation Validation

ITID-92220: Web Application Firewall (WAF) Testing

ITID-92230: DDoS Resilience Testing

ITID-92300: Threat Intelligence and Detection Simulation

ITID-92310: Threat Hunting Exercise

ITID-92320: Cyber Threat Intelligence Enrichment Drill

ITID-92330: Behavioral Anomaly Testing

ITID-93000: Purple Team and Collaborative Tests

ITID-93100: Red Team vs. Blue Team Exercises

ITID-93110: Real-Time Attack Detection Exercise

ITID-93120: Assumed Breach Test

ITID-93130: Adversarial Tactics and Defense Drill

ITID-93200: Continuous Purple Teaming

ITID-93210: Automated Adversary Emulation

ITID-93220: Live Threat Injection Testing

ITID-93230: Defense Strategy Validation

ITID-94000: Penetration Testing

ITID-94100: External Penetration Testing

ITID-94110: Web Application Penetration Test

ITID-94120: External Network Penetration Test

ITID-94130: Cloud Security Penetration Test

ITID-94200: Internal Penetration Testing

ITID-94210: Active Directory (AD) Penetration Test

ITID-94220: Database Security Test

ITID-94230: Privilege Escalation Testing

ITID-95000: Security Awareness and User Testing

ITID-95100: Phishing and Social Engineering Testing
ITID-95110: Targeted Spear Phishing Simulations
ITID-95120: Social Engineering Call (Vishing) Testing
ITID-95130: USB Drop Testing
ITID-95200: Secure Development Testing
ITID-95210: Static Application Security Testing (SAST)
ITID-95220: Dynamic Application Security Testing (DAST)
ITID-95230: Software Bill of Materials (SBOM) Verification
ITID-96000: Disaster Recovery and BCP Testing
ITID-96100: Backup and Restore Testing
ITID-96110: Ransomware Recovery Simulation
ITID-96120: Database Recovery Drill
ITID-96130: Cloud Disaster Recovery Testing
ITID-96200: Incident Response Tabletop Exercises
ITID-96210: Executive Cyber Crisis Simulation
ITID-96220: Regulatory Compliance Tabletop Exercise
ITID-96230: Cross-Departmental Incident Response Drill