Contest Log Analyzer - Installation Guide

Version: 0.91.15-Beta Date: 2025-10-11

--- Revision History ---

[0.91.15-Beta] - 2025-10-11

Fixed

- Corrected data file dependencies to state that NAQPmults.dat is

not required for the CQ 160-Meter contest.

[0.91.14-Beta] - 2025-10-10

Fixed

- Added missing CQ160mults.dat to the list of required data files.

[0.90.13-Beta] - 2025-10-06

Fixed

- Added missing requests and beautifulsoup4 libraries to the conda

installation command in Step 3. These are required by the cty_manager

for web scraping.

[0.62.0-Beta] - 2025-09-08

Changed

- Overhauled directory and environment variable setup to use a separate

input (CONTEST_INPUT_DIR) and output (CONTEST_REPORTS_DIR) path.

[0.56.29-Beta] - 2025-09-01

Fixed

- Added the missing prettytable and tabulate libraries to the

conda installation command.

- Added the missing iaru_officials.dat file to the list of

- Git: For cloning the source code repository.
- Miniforge: This is the recommended way to install Python and manage the project's libraries in an isolated environment. Miniforge is a minimal installer for the Conda package manager.

2. Installation Steps

Step 1: Clone the Repository

Open a terminal or command prompt, navigate to the directory where you want to store the project, and clone the remote Git repository. **CODE_BLOCK** git clone https://github.com/user/Contest-Log-Analyzer.git cd Contest-Log-Analyzer **CODE_BLOCK** This will create the project directory (Contest-Log-Analyzer) on your local machine.

Step 2: Create and Activate the Conda Environment

It is a best practice to create an isolated environment for the project's dependencies. This prevents conflicts with other Python projects on your system. **CODE_BLOCK**

Create an environment named "cla" with Python 3.11

conda create --name cla python=3.11

Activate the new environment

conda activate cla CODE_BLOCK

Step 3: Install Libraries with Conda

With the cla environment active, use the following single command to install all required libraries from the recommended conda-forge channel. This includes ffmpeg for video creation. CODE_BLOCK conda install -c conda-forge pandas numpy matplotlib seaborn imageio imageio-ffmpeg ffmpeg prettytable tabulate requests beautifulsoup4 CODE_BLOCK

Step 4: Set Up the Input and Output Directories

The application requires separate directories for its input files (logs, data) and its output files (reports). This separation is critical to prevent file-locking issues with cloud sync services.

- 1. Create the Input Directory: This folder will contain your log files and required data files. It can be located anywhere, including inside a cloud-synced folder like OneDrive. Example: C:\Users\YourUser\OneDrive\Desktop\CLA_Inputs Inside this folder, you must create the following subdirectories: CODE_BLOCK CLA_Inputs/ | +-- data/ | +-- Logs/ CODE_BLOCK
- 2. Create the Output Directory: This folder is where the analyzer will save all generated reports. This directory must be on a local, non-synced path. A recommended location is in your user profile directory. Example: %USERPROFILE%\HamRadio\CLA (which translates to C:\Users\YourUser\HamRadio\CLA)

Step 5: Set the Environment Variables

You must set two system environment variables that point to the directories you created in the previous step.

- CONTEST_INPUT_DIR: Points to your main input directory (e.g., C:\Users\YourUser\OneDrive\Desktop\CLA Inputs).
- CONTEST_REPORTS_DIR: Points to your main output directory (e.g., C:\Users\YourUser\HamRadio\CLA). For Windows:
- 1. Open the Start Menu and search for "Edit the system environment variables."
- 2. In the System Properties window, click the "Environment Variables..." button.
- 3. In the "User variables" section, click "New..." and create both variables.
- 4. Click OK to close all windows. You must **restart** your terminal or command prompt for the changes to take effect.

Step 6: Obtain and Place Data Files

The analyzer relies on several external data files. Download the following files and place them inside the data/ subdirectory within your Input Directory (CONTEST_INPUT_DIR).

- cty.dat: Required for all contests.
- CQ160mults.dat: Required for the CQ 160-Meter contest.
- arrl 10 mults.dat: Required for the ARRL 10 Meter contest.
- ARRLDXmults.dat: Required for the ARRL DX contest.
- NAQPmults.dat: Required for NAQP contests.
- SweepstakesSections.dat: Required for ARRL Sweepstakes and ARRL Field Day.
- band_allocations.dat: Required for all contests to perform frequency validation.
- iaru_officials.dat: Required for the IARU HF World Championship contest.

3. Running the Analyzer

To verify the installation, run the program from the project's source code directory. Ensure your cla conda environment is active.

CODE_BLOCK

Make sure your conda environment is active

conda activate cla

Run the script from the main project directory, providing a relative path

to a log file inside your CONTEST_INPUT_DIR

(cla) C:..._Analyzer>python main_cli.py --report score_report 2025/NAQP-CW/aug/k3aj.log CODE_BLOCK

If the installation is successful, you will see an output message indicating that the report was saved, and you will find a new .txt file in a reports subdirectory inside your CONTEST_REPORTS_DIR.