



CAREMETRIC BREATHE

User Manual

The complete guide to running your PAP department

Organised by role: Administrator · Biller · CSR · Respiratory Therapist

CareMetric Breathe is the platform; Penn Home Medical Supply (PennPaps) is one tenant operating on it.

June 2026

Table of Contents

Introduction	3
Signing in	3
The four roles	3
Getting help inside the app	4
Setup Guide	5
Before you go live	5
The Control Center — every toggle explained	6
Part 1 — Feature Summary by Role	15
Administrator	15
Biller	17
Customer Service Rep	19
Respiratory Therapist	21
Part 2 — Comprehensive Feature Reference by Role	22
Administrator	22
Biller	25
Customer Service Rep	28
Respiratory Therapist	31
Part 3 — Job Aides by Role	33
Administrator	33
Biller	36
Customer Service Rep	39
Respiratory Therapist	42
Appendix	45
Role & permission matrix	45
Glossary	45


Introduction

Welcome to **CareMetric Breathe** — the single platform that runs a CPAP/DME resupply department end to end: the patient storefront, the customer database, billing and the revenue cycle, clinical therapy monitoring, and all the documentation in between. This manual is your guide to using it.

Platform vs. tenant. CareMetric Breathe is the software platform. **Penn Home Medical Supply** — storefront brand “PennPaps” — is one practice (tenant) operating on it. Your own practice runs as its own tenant with its own brand, numbers, and patients. Where this manual shows “PennPaps” in a screenshot, that's the demo tenant; your console shows your brand.

Signing in

Staff sign in at **/admin/sign-in** with the email your administrator invited and a password you set from the invite link. Forgot it? Use **/admin/forgot-password**. Every admin should enroll multi-factor authentication under **System** → **Account Security**. After signing in you land on the **Home** dashboard.



The Home dashboard: today's worklist, live counters, and the left-hand navigation grouped by area.

The four roles

Every staff account has a role that decides what they can see and do. This manual is organised around the four operating roles of a DME practice:

Administrator

Owner/admin of the practice — setup, team, controls, integrations, and full oversight of every area. The **Owner** is the top tier (team management + system secrets); **Admin** is broad management below that.

Biller	Revenue-cycle staff — the entire Billing area (eligibility, claims, A/R, ERA, clearinghouse) plus patient billing context.
Customer Service Rep	Front-line patient service — the inbox, front desk, scheduling, patients, orders, shop, and outreach.
Respiratory Therapist	Clinical staff — therapy monitoring, clinical documentation, interventions, and provider-ready reports.

Access is enforced everywhere: if a page is above your role, its link simply doesn't appear in your navigation. An Administrator assigns roles on the **Team** page — see the appendix for a role/permission matrix.

Getting help inside the app


Two AI assistants are built in. **CareMetric Copilot** (the admin assistant; “PennPilot” for the Penn tenant) floats on every admin page — ask it how a feature works or where to find a page and it answers with clickable links.

CareMetric Assistant (the storefront chatbot; “PennBot” for the Penn tenant) answers patients on the storefront and can hand off to a CSR. Both are tenant-renamable and can be toggled in the Control Center.

Setup Guide

Before your practice goes live, a handful of things must be configured so the platform runs under your own identity. Work the checklist below (the Home dashboard also shows a “finish setting up” banner until the essentials are done), then review the Control Center toggles so you know exactly what is on and off.

Before you go live



Set Up Your Workspace — the guided checklist that walks a new practice through the essentials.

Accounts & access

Bootstrap the first Owner

Before anyone can sign in, an Owner account must exist. It is created once from the command line (auth:bootstrap-admin), which emails a password-reset link. Every later teammate is invited from the Team page.

Enroll multi-factor authentication

Each admin should add an authenticator app under System → Account Security before handling patient data.

Invite your team

Add staff on the Team page and give each the right role — Owner, Admin, CSR, Biller, or Respiratory Therapist — so they see only what they need.

Brand & identity

Company information

Enter your legal name, addresses, and identifiers — they print on documents, statements, and the storefront.

Storefront branding	Set the storefront name, tagline, logo, and theme.
Custom domain	Point your domain at the platform so patients see your brand (the platform fronts custom domains through Cloudflare).

Communication channels

Phone & SMS numbers	Connect your own voice and SMS numbers so calls and texts come from your practice (required for the voice agent and SMS reminders).
Fax number	Connect a fax number for inbound referrals and outbound signed paperwork.
Email From address	Set your sending address AND authenticate the sending domain (SPF/DKIM) in the email provider — an unauthenticated address still sends but lands in spam.


Money & integrations

Payments (Stripe)	Connect payment processing so the storefront and patient statements can collect.
Clearinghouse & billing config	Enter Office Ally (and, if used, Da Vinci PAS) credentials under System Configuration, then set up payer profiles and fee schedules under Billing → Config before submitting claims.
Therapy-cloud integrations	Add ResMed AirView / Philips Care Orchestrator / 3B React Health credentials so adherence data flows into the RT boards.

***Tip** Most of these live under **System** → **Settings** and **System** → **Setup & Advanced**. You can launch without the optional integrations — the platform degrades gracefully when a credential is unset; the matching feature simply stays idle.*

The Control Center — every toggle explained

The Control Center (**System** → **Setup & Advanced** → **Control Center**) is the master switch panel. Every major capability has a boolean on/off toggle that takes effect immediately — no deploy needed. Toggles are Owner-controlled and every change is recorded. The tables below list every toggle, its default, and what it does. A feature whose key shows after a dot (for example `billing.auto_submit_claims`) is the exact key you will see in the panel. Many automations also require a matching credential or schedule to actually act — turning the toggle on without it is safe (it simply stays idle).



The Control Center — master on/off switches for every major feature, grouped by area.

Messaging

SMS — reminders

`sms.reminders`

● On by default

Outbound SMS resupply reminders (90/30-day reorder nudges). Disabling stops the reminder dispatcher from sending new SMS.

Email — reminders

`email.reminders`

● On by default

Outbound email resupply reminders. Disabling stops the reminder dispatcher from sending new email.

Bulk campaigns — send

`bulk_campaigns.send`

● On by default

Sending of bulk-messaging campaigns to opted-in patients. Disabling stops the bulk-campaign worker from sending new messages.

Outreach playbooks — dispatcher

`outreach_playbooks.dispatcher`

● On by default

Outreach playbooks — scheduled SMS/email touches and call tasks for patient outreach runs started by staff. Turning this OFF pauses all pending playbook touches without cancelling the runs.

Smart triggers — dispatcher

`smart_triggers.dispatcher`

● On by default

Smart-trigger reorder dispatcher (therapy-night patterns). Disabling stops the dispatcher from queueing new reminders.

Patient onboarding — dispatcher

`patient_onboarding.dispatcher`

● On by default

First-90-day adherence-coaching nudges. Disabling stops the onboarding dispatcher from sending day-1/7/30/90 messages.

Fitter supply campaign — dispatcher`fitter_supply_campaign.dispatcher`

● On by default

Multi-touch nurture campaign for patients who completed the at-home fitter but have not placed an order. Disabling stops the dispatcher from sending new touchpoints; in-flight conversions still attribute normally.

Reminder escalation — dispatcher`reminder_escalation.dispatcher`

● Off by default

Daily multi-channel escalation for unanswered resupply reminders: follow up on the next channel (SMS then email) ~3 days after the first touch, then raise a CSR call alert once both channels are exhausted. Disabled keeps reminders to the single first-touch channel.

Alerts — auto dispatch`alerts.auto_dispatch`

● Off by default

Allow server-side events to automatically send alert-library messages to patients (currently: the payment_failed alert on a Stripe invoice.payment_failed event). Disabled keeps the alert library admin-send only. Review patient-consent and wording before enabling.

Therapy fleet — auto outreach`therapy_fleet.auto_outreach`

● Off by default

Therapy-fleet adherence auto-outreach: gentle SMS nudges to consented at-risk patients from the nightly fleet-alerts scan and the setup-deadline job. Also requires sms.reminders ON and Twilio configured; per-patient consent / DND / frequency caps still apply. SEEDED DISABLED.

Clinical outreach — dispatcher`clinical_outreach.dispatcher`

● On by default

Proactive clinical outreach: templated, consent/DND/frequency-cap-gated nudges to patients with an open non-adherence intervention. Scheduling is controlled by CLINICAL_OUTREACH_CRON; turning this OFF pauses the sends without changing the schedule. The admin "Run now" trigger is unaffected.

Fitter first day nudge — dispatcher`fitter_first_day_nudge.dispatcher`

● On by default

Fitter lead first-day nudge: a one-time email/SMS to new fitter leads on day one. Registration is gated by RESUPPLY_FITTER_FIRST_DAY_NUDGE_ENABLED; turning this OFF pauses the sweep without changing that env gate.

Fitter reengage — dispatcher`fitter_reengage.dispatcher`

● On by default

Fitter lead re-engagement: follow-up outreach to fitter leads who have gone quiet. Registration is gated by RESUPPLY_FITTER_REENGAGE_ENABLED; turning this OFF pauses the sweep without changing that env gate.

Patient packets — autosend on delivery`patient_packets.autosend_on_delivery`

● Off by default

Automatically email a new-patient document packet for e-signature the first time an order is delivered to a customer linked to a patient record. One-time per patient; the admin "Send packet" action is always available regardless of this toggle. OFF by default.

Patient packets — autoremind`patient_packets.autoremind`

● Off by default

Automatically re-send the signing link to patients who have not finished their document packet, on a fixed cadence with a maximum number of nudges. The sweep runs daily (override with PATIENT_PACKET_REMINDER_CRON); turning this OFF pauses the sends without changing the schedule. OFF by default.

■ Voice & AI

Email — auto reply`email.auto_reply`

● Off by default

Chatbot email auto-replies. When ON, inbound patient emails are answered automatically by the storefront chat assistant (Claude Sonnet / GPT fallback); it hands off order/account/clinical or low-confidence messages to a human. When OFF, every inbound email is routed to the admin inbox for a manual reply.

Voice — agent`voice.agent`

● On by default

Inbound voice agent (OpenAI Realtime). Disabling returns a 503 / hangup TwiML to any inbound call.

Telehealth — video`telehealth.video`

● On by default

Telehealth video visits — staff-initiated browser video calls with patients for setups, troubleshooting, and follow-ups. Disabling blocks new visit creation and dead-ends outstanding join links.

Storefront — chatbot`storefront.chatbot`

● On by default

Storefront chat assistant (Claude Sonnet / GPT fallback). Disabling makes the chat widget return a friendly "currently offline" message.

Admin — assistant`admin.assistant`

● On by default

PennPilot — the in-app admin tech-support and program-manager assistant. When ON, signed-in staff can ask how the app works and where to find features, and PennPilot can email feature suggestions to the super-admins (after confirming). Claude Sonnet / GPT fallback; degrades to an offline reply when no AI provider key is set.

Reminder escalation — voice`reminder_escalation.voice`

● Off by default

Automated phone-call tier for the resupply-reminder escalation ladder. When ON (and the voice path is configured), an episode still unanswered after the SMS and email reminders gets an automated AI resupply check-in call before the ladder raises a CSR "call them" alert. Placed inside the patient's local 9am–8pm window. When OFF, the ladder is SMS → email → CSR alert.

Voice — breathe sales`voice.breathe_sales`

● Off by default

CareMetric Breathe B2B platform sales voice agent. When ON (and a sales phone number is configured), inbound calls to the dedicated platform line reach an AI sales rep that pitches the platform to prospective DME businesses, emails them information, captures leads for follow-up, and can start a tenant sign-up on the call. Seeded OFF — it answers regulated calls and costs real voice spend, so enable it once the sales number is wired up.

Support — tickets`support.tickets`

● On by default

Support tickets — tenants file support requests to the platform operator; an AI bot answers from the admin-console knowledge base on intake (Claude / GPT fallback) and escalates anything it cannot confidently answer to a human. Degrades to a hand-off when no AI provider key is set.

■ Storefront**Storefront — checkout**`storefront.checkout`

● On by default

Allow new Stripe Checkout sessions from the patient storefront. Disabling returns a 503 from the create-session endpoint; existing carts and orders are unaffected.

Storefront — pickup`storefront.pickup`

● Off by default

Offer in-store pickup as an alternative to shipping at checkout. Off by default. When on, customers can choose to collect a one-time order at any active business location (resupply.locations); the order then uses the ready-for-pickup / picked-up lifecycle instead of carrier tracking. Disabling hides the option for new checkouts; in-flight pickup orders are unaffected.

Storefront — reviews collection`storefront.reviews_collection`

● On by default

Post-delivery review-request emails. Disabling stops new review-request emails; previously-sent ones still accept submissions.

Storefront — NPS`storefront.nps`

● On by default

Post-delivery NPS survey emails. Disabling stops new NPS sends; previously-sent surveys still record responses.

Cart abandonment — dispatcher`cart_abandonment.dispatcher`

● On by default

Cart-abandonment nudge emails. Disabling stops the dispatcher from sending new nudges to patients with abandoned carts.

Storefront — auto reminder enrollment`storefront.auto_reminder_enrollment`

● Off by default

On a paid storefront order, auto-enroll the buyer in replacement reminders for the consumables they purchased (mask/cushion/tubing/filter/etc.) at the standard cadence. Email-only, with a manage/unsubscribe token; never re-enrolls a prior unsubscribe. Disabled keeps reminder enrollment to the explicit /reminders opt-in. Review consent before enabling.

Billing**AI billing — suggestions**`ai_billing.suggestions`

● On by default

AI-assisted billing claim suggestions in the billing AI queue. Disabling returns suggestions as "AI offline"; manual workflow is unaffected.

Billing — auto submit claims`billing.auto_submit_claims`

● Off by default

Unattended auto-submission of submission-ready claims to Office Ally by the billing.auto-submit-batch worker. When ON (and CLAIMS_AUTOSUBMIT_CRON is set) the cron batches draft claims that pass preflight with no blocking errors AND have active eligibility on file, then transmits them per payer. When OFF, the cron is a no-op; the operator-driven staged-approval submit (Billing → Auto-submit) still works regardless. SEEDED DISABLED.

Billing — auto submit prior auths`billing.auto_submit_prior_auths`

● Off by default

Unattended automatic Da Vinci PAS submission of draft prior authorizations by the billing.prior-auth-auto-submit worker. When ON (and PRIOR_AUTH_AUTOSUBMIT_CRON is set) the cron front-loads draft PAs that carry a coverage through the same submit core as the manual button; PAs missing a diagnosis, payer PAS endpoint, credentials, or address are skipped and retried. When OFF, the cron is a no-op; the operator-driven manual submit still works regardless. SEEDED DISABLED.

Billing — eligibility precheck`billing.eligibility_precheck`

● Off by default

Before batch-submitting 837P claims to Office Ally, consult each claim's most recent parsed 270/271. A claim whose coverage is explicitly inactive or requires prior auth is held back and the batch returns eligibility_blocked with the offending claim ids. Fail-open: no/stale eligibility result allows the claim through. Pairs with resupply.eligibility_enforcement (the order-confirm coverage guard).

Billing — eligibility precheck refresh`billing.eligibility_precheck_refresh`

● Off by default

When `billing.eligibility_precheck` is on AND real-time eligibility is configured, the claim-submit precheck additionally runs a fresh real-time 270 for any coverage in the batch with no recent parsed 271 (deduped per coverage, capped per batch). Off → the precheck only consults cached results. Auto-firing 270s has a per-transaction cost, so this is opt-in separately.

Insurance — discovery`insurance.discovery`

● Off by default

Insurance discovery add-on. When ON (and the Office Ally discovery endpoint is configured), staff can search the payer network from a patient's demographics to find active coverage when their insurance is unknown or a coverage on file came back inactive. Seeded OFF — it is a paid add-on that triggers real clearinghouse spend, so enable it for tenants that have purchased it.

Billing — line ordering provider`billing.line_ordering_provider`

● Off by default

Emit the line-level ordering-provider loop (837P 2420E NM1*DK) on each claim line, sourced from the claim's referring (prescribing) provider. DMEPOS-strict placement so Medicare's PECOS edit binds at the line; additive to the claim-level 2310D referring loop. SEEDDED OFF — turning it on changes the live 837P, so validate against a live 277CA in the Office Ally test (T) cycle first.

Billing — payment plan autocharge`billing.payment_plan_autocharge`

● Off by default

Auto-charge due patient payment-plan installments against the patient's authorized card. Off by default.

Billing — patient autopay`billing.patient_autopay`

● Off by default

Auto-charge a patient's outstanding balance against the card they saved and authorized in the patient portal. Off by default; each patient also controls their own autopay toggle.

Billing — auto secondary claims`billing.auto_secondary_claims`

● Off by default

Auto-draft a secondary / coordination-of-benefits claim when a primary payer pays a claim that carries a secondary coverage and leaves a patient-responsibility balance. The secondary lands in draft for a biller to review and submit — never auto-submitted. Off by default; when off, use the manual COB worklist at `/admin/billing/secondary-eligible`.

Eligibility — auto reverify`eligibility.auto_reverify`

● On by default

Scheduled eligibility re-verification: fires fresh 270s for the most-urgent active coverages (throttled + capped per run). Scheduling is controlled by `ELIGIBILITY_REVERIFY_CRON`; turning this OFF pauses the unattended 270s without changing the schedule. The admin "Run batch now" trigger is unaffected.

Billing — bill hold`billing.bill_hold`

● On by default

Bill hold. When ON, a claim cannot be submitted to the clearinghouse while it has any outstanding REQUIRED signed-paperwork requirement; the hold lifts automatically when the last one comes back (manual mark, portal e-sign, upload, or an inbound fax auto-matched to it). A claim with no tracked requirements is never held. When OFF, the gate is skipped entirely.

Billing — bill hold auto remind`billing.bill_hold_auto_remind`

● Off by default

Bill-hold auto-reminders. When ON (and the opt-in `BILL_HOLD_SWEEP_CRON` is scheduled), the sweep job sends a reminder for paperwork that has been outstanding past the reminder threshold. When OFF, the sweep still recomputes holds and seeds requirements but sends nothing — reminders are sent only from the per-requirement "remind" action.

■ Resupply

Resupply — entitlement enforcement`resupply.entitlement_enforcement`

● Off by default

Block a resupply confirmation when the item is not yet payable under the Medicare/payer replacement schedule (too soon since last dispense, or over the per-period quantity cap). When ON, a blocked reorder is routed to a CSR via a `resupply_too_soon` alert instead of shipping. When OFF, confirmations ship as before. Fails open on any eligibility-lookup error.

Resupply — eligibility enforcement`resupply.eligibility_enforcement`

● Off by default

Consult the cached 270/271 eligibility result at order-confirm time. When ON and the patient confirms a resupply, an explicitly inactive plan or a prior-auth-required flag raises a `resupply_coverage_blocked` CSR alert and routes the order to the work queue instead of auto-shipping. Fail-open: no/stale result allows the order. When OFF, the coverage check is skipped (cadence/quantity entitlement is gated separately by `resupply.entitlement_enforcement`).

Resupply — usage compliance check`resupply.usage_compliance_check`

● Off by default

Continued-use check at resupply order-confirm time. When ON and the patient confirms a resupply, recent therapy data (`patient_therapy_nights`, last 30 days) showing the device is effectively unused raises a `resupply_usage_review` CSR alert and routes the order to the work queue instead of auto-shipping — protecting against continued-use claim denials. Fail-open: no data, sparse data, or any lookup error allows the order. When OFF, the check is skipped.

Resupply — refill affirmation capture`resupply.refill_affirmation_capture`

● On by default

Record the beneficiary's Medicare/payer refill attestation (still using the device + current supply running low) as an audit-grade `refill_confirmations` row each time a resupply order is confirmed (SMS YES, email-link click, voice, or admin). Captured AFTER a successful confirm; a write failure never blocks the order. ON by default — this is a compliance documentation baseline, not a change to the ship decision. When OFF, no attestation row is written.

Resupply — refill window enforcement`resupply.refill_window_enforcement`

● Off by default

Enforce the CMS DMEPOS refill SHIP window at order-confirm time: block a resupply that would ship earlier than 10 days before the current supply's expected depletion (last dispense + the HCPCS supply duration), routing it to a CSR via a `resupply_refill_too_early` alert instead of shipping. When OFF, the confirm-time interval/quantity entitlement guard is the only timing gate. Fail-open: a first fill, an unmapped SKU, or any lookup error allows the confirmation through.

Resupply — auto order drafts`resupply.auto_order_drafts`

● Off by default

Auto-stage resupply order drafts from device-eligible supplies (daily worker). Drafts are proposals a CSR reviews and approves into an order — nothing is created or charged automatically. Seeded OFF; CSRs can still stage drafts manually from the resupply opportunities page. Enable per tenant in the Control Center.

Asset recovery — auto populate`asset_recovery.auto_populate`

● Off by default

Nightly auto-population of asset-recovery cases from discontinuation signals (undismissed usage-dropping smart triggers). When off, cases are opened only manually from `/admin/asset-recovery`.

■ Orders

Orders — require signed paperwork`orders.require_signed_paperwork`

● Off by default

Require required intake paperwork (HIPAA NPP, Assignment of Benefits, Supplier Standards) to be signed before a patient-linked order can be marked shipped. Off by default — turning it on blocks shipment until paperwork is on file. A per-payer requirement (`payer_profiles.requires_signed_paperwork`) can also impose this for specific payers while this stays off.

Documents

Patient packets — autofile signed pdf

`patient_packets.autofile_signed_pdf`

● On by default

Automatically file the signed e-sign packet PDF (documents + signature certificate) onto the patient's chart when the patient completes signing. Internal record-keeping only — no messages are sent. ON by default.

Provider Portal

Provider — portal enabled

`provider.portal_enabled`

● Off by default

Secure provider e-signature portal: physicians/NPs sign in (MFA-protected) to e-sign outstanding orders/prescriptions/claims; employees track + release signed items and print the signature audit log.

Integrations

Inbound referrals — dispatcher

`inbound_referrals.dispatcher`

● On by default

Inbound referral / EHR-FHIR integration workers: drains the `inbound_webhooks` / `inbound_referral_*` queues (preflight checks, partner status callbacks, per-source dispatch). Registration is gated by `RESUPPLY_INBOUND_REFERRALS_ENABLED` (requires the inbound-referral schema + a provisioned partner tenant); turning this OFF pauses all three referral jobs without changing that env gate.

Domains — TLS automation

`domains.tls_automation`

● Off by default

Automatically provision + renew TLS for tenant custom domains via Cloudflare for SaaS (Custom Hostnames) when a domain is verified. Requires `CLOUDFLARE_API_TOKEN` + `CLOUDFLARE_ZONE_ID`. Off = manual operator edge binding.

Operations

Failed email digest — dispatcher

`failed_email_digest.dispatcher`

● On by default

Daily failed-order email digest: a single summary email to the ops alerts address listing orders whose confirmation email failed in the last 24h (order reference + timestamp only — no patient PHI). Scheduling is gated by `RESUPPLY_FAILED_EMAIL_DIGEST_ENABLED`; turning this OFF pauses the digest without changing that env gate.

Multi location — enabled

`multi_location.enabled`

● Off by default

Multi-branch company. When ON, the admin console shows the Locations page plus per-patient and per-staff branch assignment, a branch filter on the patients list, and per-branch counts. When OFF (the default), the company is treated as a single branch and none of the branch UI appears. Billing identity is shared at the org level in both modes.

Fax — auto file signed

`fax.auto_file_signed`

● Off by default

Inbound-fax barcode auto-filing. When ON, every received fax is scanned (via the existing Claude vision path) for the PennFit signature-tracking code (PFS-XXXXXXX). On an exact unique match to an outstanding signature, the fax is filed into the patient's chart, the signature is marked returned & signed (advancing the source prescription packet), and any claim paperwork requirement it was sent to clear is satisfied (releasing the bill hold). When OFF, faxes are triaged by hand exactly as before. Degrades to hand-triage whenever no AI key is configured or the scan finds no code.

Fax — referral review`fax.referral_review`

● Off by default

AI referral reviewer for inbound faxes. When ON, every received fax that is not barcode auto-filed is queued for one AI extraction pass (Claude document path) that pulls the referral's patient demographics, insurance, ordered items, sleep-study results, and referring physician into a review the staff can edit and explicitly accept — accepting creates the patient record, the insurance coverage, and files the split per-section PDFs to the chart. Nothing is entered into the system without that explicit accept. When OFF, faxes triage exactly as before; the manual "Upload referral PDF" reviewer remains available either way. Degrades to hand-triage when no AI key is configured.

Frontdesk — counter orders`frontdesk.counter_orders`

● On by default

Front Desk walk-in ordering. When ON, CSRs can capture a walk-in customer and ring up a counter order (cash or bill-to-insurance) from the Front Desk page. When OFF, the counter-order endpoint returns 503 and the Front Desk order panel is disabled; existing orders are unaffected.

■ Referrals

Referrals — adherence report`referrals.adherence_report`

● Off by default

Automatically send a patient's 90-day CPAP adherence attestation (Medicare LCD L33718) to their REFERRING PROVIDER, by fax (preferred) or email, once the patient reaches the 90-day therapy mark. This is a PHI disclosure to the treating/referring provider — a permitted treatment/care-coordination disclosure that you opt into deliberately. Seeded OFF: turn it on only once you have decided the disclosure is appropriate and your providers' fax/email is set up to receive it. Each patient's 90-day report is sent at most once. When OFF, nothing is sent.

Part 1 — Feature Summary by Role

A quick reference: every feature with a one-line description, grouped by the role that uses it most. Part 2 describes each in depth.

ADMINISTRATOR (OWNER & ADMIN)

Administrator

Run the whole practice — setup, team, money, and the controls that govern every other role.

Command center

Home dashboard	Today's work, live KPI counters, and quick links into every queue.
CareMetric Copilot	Floating in-app assistant that answers “how do I... / where is...” and can email feature ideas to the owner.
Support	File a support request and get instant how-to answers from the assistant.

Setup & identity

Set Up Your Workspace	Guided checklist: brand, domain, phone/SMS/fax, email sender, and payments.
Company Information	Legal name, addresses, and contacts printed on documents, the storefront, and messages.
Storefront Branding	Storefront name, tagline, logo, and custom-domain wiring.
Phone & SMS / Fax / Email	Connect the practice's own voice, SMS, fax numbers, and From email address.
Locations	Define service branches (multi-branch practices) and assign them to patients.
Account Security	Enroll your own multi-factor authentication (authenticator app).

Team & control

Team	Invite staff, set their role (Owner, Admin, CSR, Biller, RT), and revoke access.
Control Center	On/off switches for major features — voice agent, campaigns, auto-submit, AI billing, chatbots.
System Configuration	Owner-only vault for integration credentials and platform secrets.
Automation Rules / Rule Tester	“When X happens, do Y” automations, with a dry-run tester before you go live.

Compliance Rules	Per-payer CPAP adherence thresholds (minimum hours / nights).
Bot Playground	Rehearse the chat and voice bots against scripted situations to tune them.

Operations & integrations

Operations	Health of background jobs and pipelines (worker, nightly sync).
Integrations	Therapy-cloud connections (ResMed AirView, Philips Care Orchestrator, 3B React Health) and sync status.
PacWare	CSV import/export bridge to the PacWare billing/warehouse system.
Outbound Messages / Delivery Failures	Every SMS & email with its delivery result; retry or resolve bounces.
Webhook Deliveries	Outbound event deliveries to partner endpoints; re-queue failed sends.

Analytics & goals

Reports	Exportable CSV/PDF/QuickBooks reports for ops and finance.
Financial analytics	Margin & COGS, LTV:CAC, inventory turnover, revenue by source, outreach attribution.
Performance & Goals	Team throughput, live staffing load, KPI targets, and threshold alerts.
Clinical & customer analytics	Resupply funnel, reorder reminders, NPS, and storefront traffic.

 BILLER

Biller

Own the revenue cycle — eligibility, claims, A/R, and getting every dollar collected.

Dashboards

Billing Hub	A/R director view — money in flight, top payers, and an aging summary.
Denials & DSO	90-day denial rate and days-to-pay per payer, with trend lines.
Collections Forecast	Projected cash from claims in flight, bucketed by expected landing date.
Chargeback Disputes	Card chargebacks against storefront charges, ordered by evidence deadline.
Payer Profitability	Net yield per payer: billed → allowed → collected, net of cost.

Claim worklists

Verify Insurance	Run a one-off 270/271 eligibility check for any patient.
Insurance Discovery	Find active coverage from demographics when the plan is unknown.
Eligibility	System-wide 270/271 worklist; rejected and inactive coverage rises to the top.
Re-verification	Active coverages due for a re-check (stale, terminating, never checked).
Prior Auths	At-risk SLA, auths expiring soon, and drafts to submit (incl. Da Vinci PAS).
CMN / DIF Worklist	Certificates of Medical Necessity awaiting completion.
Bill Hold	Claims held from billing until signed paperwork is back.
Auto-submit	Preflight-clean claims ready to transmit — approve a batch or let the cron send.
AI Queue	Scrubber-blocked + denial-analyzer worklist with auto-resubmit suggestions.
Denials Worklist	Open denials ranked by recoverable dollars × win-probability.

A/R & collections

A/R Aging	Open claims by 0/30/60/90-day bucket and by payer.
Filing Deadlines	Open claims ranked by days left before timely-filing closes.
Secondary Claims	Coordination of benefits — roll the primary's balance to the secondary payer.
Statement Send	Send patient-responsibility statements by email/SMS, consent-aware.

Capped Rentals	13- and 36-month CMS rental cycle tracker with KH/KI/KX modifier rotation.
-----------------------	--

Tools & configuration

ERA Files	Upload an 835 to auto-post payer adjudications.
Office Ally	Clearinghouse 837P submissions, acknowledgements, and transmission status.
Manual Claim	Key a corrected / void-replacement / paper-backup claim by hand.
Billing Config	Payer profiles, fee schedules, modifier rules, denial codes, claim templates.
Package & Usage	Your CareMetric subscription plan, add-ons, and monthly usage.

 CUSTOMER SERVICE REP (CSR)

Customer Service Rep

The patient's first point of contact — messages, orders, scheduling, and day-to-day service.

Daily workspace

Home	Today's worklist and live counters across every queue.
Front Desk	Capture a walk-in and ring up a counter order (cash or bill-to-insurance).
Conversations	Unified SMS/MMS/email inbox — triage, reply, assign, and escalate.
Email Inbox	Inbound patient email split into needs-response vs. answered, with AI draft replies.
Cases	Multi-channel tickets that link conversations, orders, faxes, and documents.
Episodes	Dated follow-up promises and open service episodes.

Schedule & outreach

Company Calendar	Shared team schedule of fittings, setups, follow-ups, and video visits.
Video Visits	Telehealth visits with secure join links sent by SMS/email.
Follow-ups	Today's callback queue across customers and patients.
Bulk Campaigns	Batch SMS/email sends with audience filters and a recipient sanity-check.
Alert Library / Reminders	One-off patient alerts and the resupply reminder schedule.
Playbooks / Canned Replies / Automated Messages	Reusable outreach cadences, saved reply snippets, and system-message copy.

Patients & paperwork

Patients	Patient roster and the 360° timeline (orders, messages, documents, therapy, billing).
Duplicate Review	Find and merge likely-duplicate patient records.
Documents & Packets	Draft CMNs/prescriptions/agreements and send e-signature packets.
Awaiting Signatures / Inbound Faxes	Track documents out for signature; triage inbound faxes.

Referral Reviewer / Sources	AI-extracted intake from faxed referrals; referring-physician scorecards.
------------------------------------	---

Orders, shop & leads

Orders	Storefront orders — fulfill, refund, track, and look up.
Shipping Labels	Print shipping labels with the patient address merged; tracking auto-fills.
Subscriptions / Returns / Backorders	Recurring resupply, return/RMA decisions, and out-of-stock handling.
Customers / Reviews / Q&A;	Shop accounts, product reviews to moderate, and customer questions to answer.
Abandoned Carts / Back-in-Stock / Insurance Leads	Recover carts, notify waitlists, and work benefit-verification requests.
Fitter Invites & Prospects	Invite patients to the AI mask fitter and track the conversion funnel.

 RESPIRATORY THERAPIST (RT)

Respiratory Therapist

Watch therapy, keep patients adherent, and document the clinical care that backs every claim.

Therapy monitoring

RT Overview	At-a-glance therapy board with alerts, AHI, leak, and usage per patient.
Therapy Fleet	Population compliance cohorts and the clinical outreach worklist.
Setup Adherence	CMS 90-day adherence tracker for new Medicare setups.
Resupply Opportunities	Device-reported supplies due for replacement.
RT Outcomes	Per-therapist activity: encounters, patients, and interventions.

Clinical work

Clinical Encounters	Document and review patient clinical encounters (notes, assessment, plan).
Interventions	Non-adherence intervention worklist — cause, plan, and outcome tracking.
Mask-fit Feedback	Triage patients reporting a leaking or uncomfortable fit.
Clinical Outreach	Send supportive check-ins to patients with an open intervention (consent/DND-aware).
Adherence Coaching	Outreach plans for patients whose CPAP use is slipping.
Video Library	Manage the short-video education library shown on the storefront.

Providers, devices & reports

Providers	Central physician/NP registry (NPPES-backed).
Recalls	Manufacturer recall registry scanned against dispensed serials.
Asset Recovery	Recover machines from discontinued patients to refurbish and redeploy.
Therapy Report	Provider-ready, print-quality adherence snapshot by provider, patient, or device.
Patient clinical timeline	The clinical tab of the patient 360° view — therapy data, prescriptions, history.


Part 2 — Comprehensive Feature Reference by Role

The full detail on every feature: what it's for and how it fits your day, grouped by role and by the area of the console where you find it.

ADMINISTRATOR (OWNER & ADMIN)

Administrator

Run the whole practice — setup, team, money, and the controls that govern every other role.



Control Center — the master on/off switches for major platform features.

Command center

Home dashboard. The landing page after sign-in. It rolls up today's work — conversations awaiting reply, overdue follow-ups, returns to action, appointments — alongside live KPI counters (active conversations, fulfillments this week, paused patients) and one-click links into each queue. Use it as your morning triage board; every tile deep-links to the full list.

CareMetric Copilot (admin assistant). A floating assistant on every admin page. It does two jobs: (1) tech support — it knows the entire console map and answers “how does X work / where is the page that does Y,” returning clickable links; and (2) product feedback — its one action, after you confirm, emails a structured feature idea to the owner(s). It never takes other actions and never echoes patient PHI. The Penn Home Medical Supply tenant brands it “PennPilot.”

Support. A simple form to file a support request, with the assistant on hand to answer how-to questions instantly before you escalate.

■ Setup & practice identity

Everything that makes the platform “yours.” Most of this lives under System → Settings.

Set Up Your Workspace. A guided checklist that walks a new practice through the core steps: brand and logo, custom domain, phone/SMS/fax numbers, the email From address, and payment processing. The Home dashboard shows a “finish setting up” banner until the essentials are done.

Company Information. Your legal practice name, addresses, NPI/tax identifiers, and contacts. These values are merged onto documents (CMNs, statements), the storefront, and outbound messages, so keep them accurate.

Storefront Branding. The patient-facing storefront’s name, tagline, logo, and theme, plus custom-domain wiring (e.g. a tenant domain that routes only to your storefront).

Phone & SMS, Fax, Email From Address. Connect the practice’s own Twilio/Telnyx voice & SMS numbers, a fax number, and a verified From email. When set, patient-facing voice, texts, faxes, and email all originate from your practice; until then the platform default is used. Email deliverability requires your sending domain to be SPF/DKIM-authenticated, and that status is shown here.

Locations. For multi-branch practices: define each service branch and assign patients to them. Appears only when multi-location is enabled in Control Center.

Account Security. Enroll and manage your own multi-factor authentication (authenticator-app TOTP). Strongly recommended for every admin.

■ Team & platform control

Owner-tier governance. Some items are restricted to the Owner role.

Team. Invite staff by email, assign a role — Owner, Admin, Customer Service Rep, Biller, or Respiratory Therapist — and manage access (resend invite, revoke, delete, change role). Invitees receive a sign-up link and must accept before they can log in. The last active Owner cannot be demoted (a safety lock). Owner-only.

Control Center. The master on/off panel for major features: the voice agent, SMS/email campaigns, claim auto-submit, AI billing, the storefront chatbot, the admin assistant, multi-location, and more. Toggles take effect immediately.

System Configuration. The Owner-only vault for integration credentials (therapy-cloud, clearinghouse) and platform secrets. Restricted to the Owner role so secrets can never be viewed or entered by a lower role.

Automation Rules & Rule Tester. Build “when X, do Y” automations — for example, when an inbound message matches a phrase, send a reply or raise a flag. The Rule Tester dry-runs a rule against sample input before you enable it in production.

Compliance Rules. Set per-payer CPAP adherence thresholds (minimum hours per night, minimum nights) that the therapy-monitoring boards measure patients against.

Bot Playground. A safe sandbox to rehearse the chat and voice bots against scripted situations with synthetic data and simulated tools — use it to tune prompts before changing what patients experience.

■ Operations & integrations

Keep the plumbing healthy and the partner connections flowing.

Operations. The health board for background jobs and pipelines — the in-process worker, the nightly therapy sync, reminder dispatch. Shows what ran, what's queued, and what failed.

Integrations. Connect and monitor therapy-cloud vendors (ResMed AirView, Philips Care Orchestrator, 3B Medical React Health). Shows availability and nightly-sync status; credentials are entered under System Configuration.

PacWare. A CSV import/export bridge to the PacWare desktop billing/warehouse system (which has no API). Import fills only blank fields on existing patients (never overwrites); exports (patient roster, resupply-due worklist) include a verify step and formula-injection guards.

Outbound Messages & Delivery Failures. Every outbound SMS and email with its delivery result (sent/delivered/failed/bounced). Delivery Failures collects bounces and shipping exceptions to retry or resolve.

Webhook Deliveries. Outbound event deliveries to partner endpoints, with the ability to re-queue failed or exhausted sends and test-send events.

■ Analytics, reports & goals

The numbers that run the business. Most are finance-gated.

Reports. A catalog of exportable reports (CSV/PDF/QuickBooks) — revenue summary, orders, refunds journal, patient payments, insurance claims, customer activity, and more.

Financial analytics. Captured-cost economics: gross Margin & COGS by product, LTV:CAC by channel, inventory turnover and stockout demand, revenue by source, and outreach attribution.

Performance & Goals. Operational management: per-agent Team Throughput, real-time Live Staffing load, KPI Goals & Targets with pace-to-goal, and KPI Alerts that fire when a metric crosses a threshold.

Clinical & customer analytics. Resupply funnel and reorder-reminder conversion, post-delivery NPS with comments, and storefront traffic & revenue.

BILLER

Biller

Own the revenue cycle — eligibility, claims, A/R, and getting every dollar collected.

The screenshot displays the 'Eligibility Worklist' in the CareMetric Breathe system. The interface includes a sidebar with navigation options and a main content area. The main content area features a 'Run a verification' button, filters for Window (7d, 30d, 90d) and Status (All), and summary cards for Total in Window (4), Active Coverage (1), Inactive / Rejected (2), and Prior-Auth Required (1). Below these are 'Recent eligibility checks' with a table of patient data.

STATUS	PAYER	HCPCS	ACTIVE / IN-NETWORK	DEDUCTIBLE	OOP MAX	COINSURANCE	PA?	REQUESTED	PATIENT
PARSED	Sample Medicare	E0601	active - in-network	\$250.00 met \$185.00	\$3,000.00 met \$450.00	20% copay \$0.00	NO	6/22/2026, 2:37:05 AM	Open
PARSED	Acme Health Demo	A7030	inactive	—	—	—	—	6/21/2026, 6:29:20 AM	Ask CareMetric Copilot

The Eligibility worklist — system-wide 270/271 status, worst coverage first.

Billing dashboards

Read-first views that tell you where the money is. Open these to know what to work next.

Billing Hub. The A/R director's home base: money in flight, top payers, aging summary, and the day's billing KPIs. Start here, then drop into a worklist.

Denials & DSO. Benchmark view of the trailing 90-day denial rate and trailing 180-day days-to-pay (DSO) per payer, with trend lines so you can see which payers are slipping.

Collections Forecast. Projected cash from claims already in flight, bucketed by the date you expect each to land — a near-term cash-flow forecast.

Chargeback Disputes. Card chargebacks raised against storefront charges, ordered by the evidence-submission deadline so nothing lapses.

Payer Profitability. Net yield per payer end to end: billed → allowed → collected, denial rate, and the result net of product cost. Finance-gated.

Claim worklists — the lifecycle

Worklists are ordered the way a claim moves: verify coverage, secure authorization, gather paperwork, submit, then fix and appeal.

Verify Insurance. Run a one-off 270/271 eligibility transaction for any patient on demand — a quick coverage check that doesn't need an existing patient record.

Insurance Discovery. When you don't know a patient's plan, search the payer network from their demographics to find active coverage.

Eligibility. The system-wide 270/271 worklist. Rejected and inactive coverage rises to the top so you fix the highest-risk claims first.

Re-verification. Active coverages due for a fresh check — never-checked, terminating soon, or stale beyond your interval.

Prior Auths. Authorizations missed or at risk of breaching SLA, auths expiring soon, and drafts ready to submit. Supports electronic Da Vinci PAS submission where the payer accepts it.

CMN / DIF Worklist. Certificates of Medical Necessity / DME Information Forms still awaiting completion before a claim can go out.

Bill Hold. Claims deliberately held from billing until their signed paperwork is back — work this list to release them once documentation lands.

Auto-submit. Claims that are preflight-clean and backed by active eligibility, ready to transmit. Approve a batch yourself or let the scheduled cron send them (the cron only fires when both the schedule and the Control Center flag are on).

AI Queue. Claims the scrubber blocked plus a denial-analyzer worklist; the assistant suggests the code or edit and, where safe, an auto-resubmit.

Denials Worklist. Open denials ranked by recoverable dollars × win-probability so you spend your time where it pays off most.

■ A/R & collections

Work claims and balances to get paid.

A/R Aging. Open claims bucketed 0/30/60/90+ days and broken out by payer — the classic aging worklist.

Filing Deadlines. Open claims ranked by days remaining before the payer's timely-filing window closes, so you never lose a claim to the clock.

Secondary Claims. Coordination of benefits: roll the primary payer's leftover balance onto the secondary payer's claim.

Statement Send. Send patient-responsibility statements by email or SMS. Consent- and quiet-hours-aware so you stay compliant.

Capped Rentals. Track CMS 13- and 36-month capped-rental cycles and rotate the KH/KI/KX modifiers automatically as each cycle advances.

■ Tools & configuration

The clearinghouse, payment posting, manual entry, and the payer rules behind it all.

ERA Files. Upload an 835 remittance and the system auto-posts the payer's adjudications against the matching claims, flagging denials for the worklist.

Office Ally. Your clearinghouse cockpit: 837P submissions, acknowledgements (999/277CA), and live transmission status. (Office Ally has a stub mode for preview environments.)

Manual Claim. Key a corrected, void/replacement, or paper-backup claim by hand when an automated path doesn't fit.


Billing Config. The rule store the whole engine reads: payer profiles, fee schedules (with CMS import), modifier rules, denial-code mappings, claim templates, and HCPCS coverage diagnoses.

Package & Usage. Your CareMetric Breathe subscription plan, optional add-ons, and the current month's usage — useful when planning spend.

CUSTOMER SERVICE REP (CSR)

Customer Service Rep

The patient's first point of contact — messages, orders, scheduling, and day-to-day service.



Conversations — the unified SMS/MMS/email inbox a CSR works all day.

Your daily workspace

Where a CSR lives all day — the inbox, the front desk, and the work queues.

Home. The shared worklist and live counters. As a CSR you'll watch conversations awaiting reply, overdue follow-ups, and returns to action.

Front Desk. Capture a walk-in customer and ring up a counter order in real time — cash or bill-to-insurance — without going through the public storefront checkout.

Conversations. The unified inbox for inbound SMS, MMS, and email across every patient. Triage threads, claim one for yourself, reply (optionally with a canned reply), tag, snooze, and escalate to a case. Smart routing and required-skills keep threads with the right people.

Email Inbox. Inbound patient email split into “needs response” and “already answered.” When the AI email auto-reply feature is on, high-confidence answers can be drafted or sent automatically; anything account-, order-, or clinically-specific falls through to a human.

Cases. Multi-channel tickets that bind together the conversations, orders, faxes, and documents belonging to one issue, so a complex problem stays tracked end to end.

Episodes. Dated service promises — “we’ll call Tuesday,” “awaiting the sleep study” — that keep open commitments from slipping.

■ Schedule & outreach

Plan the day and reach patients at scale or one at a time.

Company Calendar. The shared team schedule of patient appointments — fittings, equipment setups, follow-ups, and video visits — with office hours and closures respected.

Video Visits. Run telehealth visits for setups and mask troubleshooting; the system generates a secure join link and sends it by SMS/email.

Follow-ups. Today’s callback queue across customers and patients, with overdue items surfaced so nothing is forgotten.

Bulk Campaigns. Build an audience with filters, sanity-check the recipient count, draft the message, and send a batch SMS or email.

Alert Library & Reminders. Send a curated one-off alert (SMS/email/call) to an individual patient, and manage the automated resupply reminder schedule.

Playbooks, Canned Replies & Automated Messages. Reusable situation-based outreach cadences, saved snippets you drop into manual replies, and the editable copy behind system-sent messages (order confirmations, tracking).

■ Patients & paperwork

The patient record and the documents that surround care.

Patients. Search the roster and open a record for the 360° timeline — every order, message, document, therapy reading, and billing event in one place. Edit demographics and notes.

Duplicate Review. Find likely-duplicate patient records and merge them so a patient’s history isn’t split across two charts.

Documents & Document Packets. Draft a CMN, prescription, agreement, or fax cover by hand, then send and track an e-signature packet for new-patient onboarding.

Awaiting Signatures & Inbound Faxes. Track documents out for provider signature and scan returned faxes to file them; triage the inbound-fax queue (sleep studies, Rx renewals, chart notes).

Referral Reviewer & Sources. Review AI-extracted intake from faxed/uploaded referral packets and accept them into a new patient record; the Sources scorecard ranks referring physicians by volume and revenue.

■ Orders, shop & leads

Fulfillment and the storefront acquisition funnel.

Orders. Work storefront orders — fulfill, refund, look up, and track — from a single queue.

Shipping Labels. Print shipping labels with the patient’s address merged in; tracking numbers auto-fill back onto the order.

Subscriptions, Returns & Backorders. Manage recurring resupply/Subscribe-and-Save subscriptions, decide returns/RMAs and refunds (comfort-guarantee aware), and handle out-of-stock SKUs and substitutions.

Customers, Reviews & Product Q&A. Registered shop accounts with in-app messaging, product reviews to moderate and reply to, and customer questions to answer or reject.


Abandoned Carts, Back-in-Stock & Insurance Leads. Recover abandoned carts with outreach, notify customers when items restock, and work new benefit-verification requests from the storefront.

Fitter Invites & Prospects. Invite a patient to the AI mask fitter and review the returned mask & size recommendation; the Prospects view tracks the fitter conversion funnel.

RESPIRATORY THERAPIST (RT)

Respiratory Therapist

Watch therapy, keep patients adherent, and document the clinical care that backs every claim.



RT Overview — the therapy board with per-patient AHI, leak, and usage alerts.

Therapy monitoring

Population boards that surface who needs attention, fed by the therapy-cloud integrations.

RT Overview. The at-a-glance therapy board: per-patient alerts with AHI, mask leak, and usage metrics, so you can spot a struggling patient fast.

Therapy Fleet. Population compliance cohorts and the clinical outreach worklist — slice the patient base by how they're doing and act on the cohort that needs you.

Setup Adherence. The CMS 90-day adherence tracker for new Medicare setups (the ≥ 4 hours on $\geq 70\%$ of nights compliance window), so a setup never quietly fails its window.

Resupply Opportunities. Device-reported supplies that are due for replacement, which feed resupply orders.

RT Outcomes. Per-therapist activity — encounters logged, patients touched, interventions opened — for visibility into clinical workload and impact.

Clinical work

Document care and drive non-adherent patients back on track.

Clinical Encounters. The clinical documentation store: record an encounter with reason, assessment, intervention, and plan, or just a free-text note. The patient's clinical timeline is built from these.

Interventions. A structured worklist for non-adherent patients — capture the cause, the plan, and the outcome, and track it to resolution.

Mask-fit Feedback. Triage patients who report a leaking or uncomfortable fit and route them to a follow-up or refit.

Clinical Outreach. Send supportive check-ins to patients with an open intervention. Consent- and do-not-disturb-aware so outreach stays appropriate.

Adherence Coaching. Build outreach plans for patients whose CPAP use is slipping, before they fall out of compliance.

Video Library. Curate the short education videos shown to patients on the storefront's learn pages.

■ Providers, devices & reporting

The registry, equipment safety, and provider-ready output.

Providers. The central physician / nurse-practitioner registry, backed by NPPES lookups, used across prescriptions and referrals.

Recalls. The manufacturer recall registry, scanned against your dispensed device serials to flag at-risk patients.

Asset Recovery. Recover machines from discontinued patients so they can be refurbished and redeployed.

Therapy Report. A provider-ready, print-quality adherence snapshot you can generate by provider, patient, or device manufacturer — ideal for closing the loop with referring physicians.

Patient clinical timeline. Inside the patient 360° view, the clinical tab gathers therapy readings, prescriptions, encounters, and resupply history in one chronological story.


Part 3 — Job Aides by Role

Step-by-step walkthroughs for the highest-value, most common tasks in each role. Navigation paths are shown as **Group** → **Section** → **Page**.

ADMINISTRATOR (OWNER & ADMIN)

Administrator

Job aides — Run the whole practice



The Team page — invite staff and assign a role (Owner, Admin, CSR, Biller, RT).

Sign in and turn on multi-factor authentication

Do this first — every admin account should have MFA.

- 1 Go to **/admin/sign-in** and sign in with your email and password.
- 2 Open **System** → **Account Security**.
- 3 Choose **Add authenticator** and scan the QR code with your phone's authenticator app (Google Authenticator, Authy, 1Password, etc.).
- 4 Enter the 6-digit code to confirm, then save your recovery codes somewhere safe.
- 5 Sign out and back in to confirm the code is requested.

Tip If you lose your authenticator, a recovery code or another Owner can restore access — store recovery codes offline.

Finish the workspace setup checklist

Make the platform run under your own brand, numbers, and payments.

- 1 Open **System** → **Set Up Your Workspace** (or click the “finish setting up” banner on Home).
- 2 Set your brand and logo under **Storefront Branding**, and your legal details under **Company Information**.
- 3 Connect your numbers under **Phone & SMS** and **Fax Number**, and your sender under **Email From Address** (authenticate the sending domain for deliverability).
- 4 Wire up payments (Stripe) so the storefront and patient statements can collect.
- 5 Work down the checklist until every essential step is green.

***Tip** A NULL/unset From address falls back to the platform default — patient email still sends, but your own authenticated domain lands in the inbox instead of spam.*

Invite a team member and assign a role

Add staff and scope their access to exactly what they need.

- 1 Open **System** → **Team** (Owner only).
- 2 In the invite card, enter the person's email and pick a role: **Owner**, **Admin**, **Customer service rep**, **Biller**, or **Respiratory Therapist**.
- 3 Optionally add a display name, a home location, and notes, then send the invite.
- 4 The invitee receives a sign-up link by email and sets their own password before first login.
- 5 To change someone later, use the role selector on their row, or **Revoke** to remove access immediately.

***Tip** Pick **Biller** for revenue-cycle staff — it unlocks the whole Billing area without exposing CSR tools, clinical notes, or system settings.*

Turn a feature on or off

The Control Center is the master switch panel.

- 1 Open **System** → **Setup & Advanced** → **Control Center**.
- 2 Find the feature — voice agent, SMS/email campaigns, claim auto-submit, AI billing, the storefront chatbot, the admin assistant, multi-location, etc.
- 3 Flip the toggle; the change takes effect immediately for everyone.
- 4 For automation that sends messages (e.g. auto-submit), confirm the matching schedule/credentials are configured too.

***Tip** Use the Bot Playground to rehearse the chatbots before enabling them for real patients.*

Connect a therapy-cloud integration

Pull device adherence data from ResMed, Philips, or 3B.

- 1 Open **System** → **Setup & Advanced** → **System Configuration** (Owner only) and enter the vendor credentials.
- 2 Open **System** → **Operations** → **Integrations** to confirm the connection reports *available*.
- 3 Trigger a sync (or wait for the nightly job) and watch the sync status.
- 4 Patient therapy data now flows into the RT Overview and Therapy Fleet boards.

***Tip** If an integration shows unavailable, a credential is missing — re-check System Configuration; the badge never reveals which secret is unset.*

Check that the plumbing is healthy

A two-minute daily glance at jobs and message delivery.

- 1 Open **System** → **Operations** and confirm the background worker and nightly sync ran without errors.
- 2 Open **Outbound Messages** to scan recent SMS/email delivery results.
- 3 Open **Delivery Failures** and retry or resolve any bounces or shipping exceptions.
- 4 If a partner webhook failed, re-queue it from **Webhook Deliveries**.

Set business goals and KPI alerts

Tell the platform what “good” looks like and let it warn you.

- 1 Open **Analytics & Reports** → **Performance & Goals** → **Goals & Targets** and set a target per KPI and period.
- 2 Open **KPI Alerts** and define the thresholds that should trigger a warning (revenue, denial rate, churn).
- 3 Watch pace-to-goal on the dashboard and act on alerts as they fire.

Ask CareMetric Copilot for help


The fastest way to find a page or learn how something works.

- 1 Click **Ask CareMetric Copilot** on any admin page.
- 2 Type a plain-language question — “where do I turn features on or off?” or “walk me through processing a claim.”
- 3 Follow the clickable links it returns straight to the right page.
- 4 Have an idea for a missing feature? Tell it — after you confirm, it emails a structured suggestion to the owners.

***Tip** The assistant only explains the app and (with your OK) forwards ideas. It never changes data or shows patient PHI.*

BILLER

Biller

Job aides — Own the revenue cycle*The Prior Auths workload — at-risk SLAs and auths expiring soon.***Verify a patient's insurance (270/271)**

Confirm coverage before you bill.

- 1 Open **Billing** → **Worklists** → **Verify Insurance**.
- 2 Enter the patient and plan details (or pick an existing patient).
- 3 Run the check; the 271 response shows active/inactive status and plan details.
- 4 If coverage is unknown, use **Insurance Discovery** to find it from demographics instead.

Tip Work the system-wide **Eligibility** workload regularly — rejected and inactive coverage floats to the top.

Submit a prior authorization

Secure the auth before the claim goes out.

- 1 Open **Billing** → **Worklists** → **Prior Auths**.
- 2 Pick a draft (or a claim flagged as needing auth) and open the request form.
- 3 Complete the clinical justification and attach the supporting documentation.
- 4 Submit electronically via Da Vinci PAS where the payer supports it; otherwise follow the payer's channel.
- 5 Track the status and watch the "expiring soon" list so an auth never lapses mid-therapy.

Submit claims through the clearinghouse

Get clean claims out the door.

- 1 Open **Billing** → **Worklists** → **Auto-submit** to see claims that are preflight-clean with active eligibility.
- 2 Review the batch and approve it to transmit — or let the scheduled cron send it automatically.
- 3 Open **Billing** → **Tools** → **Office Ally** to watch 837P submissions and acknowledgements (999/277CA).
- 4 For a one-off or corrected claim, use **Manual Claim** instead.

***Tip** The auto-submit cron only fires when BOTH the schedule and the Control Center flag are on — ask an admin if it's quiet.*

Post an ERA (835 remittance)

Auto-post payer payments and surface denials.

- 1 Open **Billing** → **Tools** → **ERA Files**.
- 2 Upload the 835 file from the payer/clearinghouse.
- 3 The system matches it to claims and posts the adjudications automatically.
- 4 Denied lines flow to the Denials worklist for follow-up.

Work denials and file an appeal

Recover the dollars worth chasing first.

- 1 Open **Billing** → **Worklists** → **Denials Worklist** — it's ranked by recoverable dollars × win-probability.
- 2 Open the top denial; the AI Queue may already suggest the corrected code or edit.
- 3 Fix and resubmit, or start an appeal with the supporting documentation.
- 4 Track the appeal to resolution.

***Tip** Check **Denials & DSO** periodically to spot a payer whose denial rate is trending up.*

Work A/R aging and timely filing

Don't let claims age out or miss the filing window.

- 1 Open **Billing** → **A/R & collections** → **A/R Aging** and work the oldest buckets and worst payers first.
- 2 Open **Filing Deadlines** and clear anything close to its timely-filing cutoff immediately.
- 3 Roll any primary balances to secondary payers from **Secondary Claims**.

Send a patient statement

Collect the patient-responsibility balance.

- 1 Open **Billing** → **A/R & collections** → **Statement Send**.
- 2 Review the patient-responsibility amounts due.
- 3 Send by email or SMS — the system respects consent and quiet hours automatically.
- 4 Use a payment link so the patient can pay online.

Configure a payer profile and fee schedule

Set the rules the claim engine reads.


- 1 Open **Billing** → **Tools** → **Config**.
- 2 Add or edit the payer profile (IDs, addresses, claim format).
- 3 Import or enter the fee schedule (CMS import is available), modifier rules, and denial-code mappings.
- 4 Map HCPCS coverage diagnoses so claims build with the right codes.

Tip *Fee-schedule and clearinghouse setup is usually a one-time job with an admin — once it's right, the worklists run smoothly.*

CUSTOMER SERVICE REP (CSR)

Customer Service Rep

Job aides — The patient's first point of contact



Front Desk — ring up a walk-in counter order.

Handle an inbound message

Triage and reply in the unified inbox.

- 1 Open **Workspace** → **Conversations** and pick a thread awaiting reply (or claim one for yourself).
- 2 Read the patient's history in the side panel for context.
- 3 Reply directly, or insert a **Canned Reply** for a common answer.
- 4 Tag or snooze the thread, or promote it to a **Case** if it spans multiple channels.
- 5 If it needs a specialist, assign it or escalate.

Tip Order-, account-, and clinical-specific questions should go to the right person — use Cases so the full history travels with the issue.

Ring up a walk-in (counter order)

Capture an in-person customer at the front desk.

- 1 Open **Workspace** → **Front Desk**.
- 2 Look up the customer or create a new record.
- 3 Add the products to the order.
- 4 Choose cash or bill-to-insurance and complete the sale.
- 5 Print a receipt and, if shipping, a label.

Look up a patient and read the 360° timeline

Everything about a patient in one place.

- 1 Open **Patients & Clinical** → **Patients** and search by name or phone.
- 2 Open the record to see the unified timeline — orders, messages, documents, therapy, and billing.
- 3 Edit demographics or add a note as needed.
- 4 If you find a duplicate, flag it in **Duplicate Review** to merge the charts.

Send a bulk SMS or email campaign

Reach a filtered audience at once.

- 1 Open **Workspace** → **Outreach** → **Bulk Campaigns**.
- 2 Build the audience with filters and check the resolved recipient count.
- 3 Draft the message (or start from a Playbook).
- 4 Review and send; track delivery under **Outbound Messages**.

***Tip** Always sanity-check the recipient count before sending — it's the cheapest way to avoid an embarrassing mass message.*

Schedule a follow-up or video visit

Put the next touch on the calendar.

- 1 Open **Workspace** → **Schedule** → **Company Calendar**.
- 2 Create an appointment (fitting, setup, follow-up) on the right day, respecting office hours.
- 3 For telehealth, create a **Video Visit** — the join link is sent to the patient by SMS/email.
- 4 Track the callback queue under **Follow-ups**.

Process a return or RMA

Decide a return and close it out.

- 1 Open **Orders & Shop** → **Orders** → **Returns & RMAs**.
- 2 Open the return request and review the reason and comfort-guarantee window.
- 3 Approve or deny; on approval, choose restock and/or refund.
- 4 The patient is notified automatically of the decision.

Fulfill and ship an order

Get product out the door with tracking.

- 1 Open **Orders & Shop** → **Orders** and pick the order to fulfill.
- 2 Open **Shipping Labels** and print the label — the patient address is merged in automatically.
- 3 The tracking number flows back onto the order and the patient is notified.

Send an e-signature document packet

Get new-patient paperwork signed.

- 1 Open **Patients & Clinical** → **Documents & e-sign** → **Document Packets**.
- 2 Choose the patient and the packet template (CMN, prescription, agreement).
- 3 Send for e-signature; track progress under **Awaiting Signatures**.
- 4 Returned faxes can be scanned in and filed against the patient.

Triage an inbound fax or referral

Turn a faxed referral into a patient.

- 1 Open **Patients & Clinical** → **Documents & e-sign** → **Inbound Faxes** and review the queue.
- 2 For a referral packet, open **Referral Reviewer** — the AI has already extracted the intake fields.
- 3 Verify the demographics and insurance, then accept it into a new patient record.
- 4 Attribute the referral to its source so the physician scorecard stays accurate.

Invite a patient to the AI mask fitter


Let a patient size their mask from a selfie.

- 1 Open **Orders & Shop** → **Storefront & Leads** → **Fitter Invites**.
- 2 Enter the patient and send the invite link.
- 3 When they finish, review the returned mask and size recommendation.
- 4 Convert it to an order, or follow up from the Prospects funnel.

RESPIRATORY THERAPIST (RT)

Respiratory Therapist

Watch therapy, keep patients adherent, and document the clinical care that backs every claim.



Clinical Encounters — document the care you provided.

Review the therapy board and spot at-risk patients

Your daily clinical triage.

- 1 Open **Patients & Clinical** → **Therapy Monitoring** → **RT Overview**.
- 2 Scan the alerts — high AHI, high mask leak, low usage — sorted by severity.
- 3 Open a flagged patient to see their therapy detail.
- 4 Use **Therapy Fleet** to work a whole compliance cohort at once.

Tip Therapy data is only as fresh as the integration sync — if a board looks empty, ask an admin to check Integrations.

Document a clinical encounter

Capture the care you provided.

- 1 Open the patient's record, or **Patients & Clinical** → **Clinical Work** → **Clinical Encounters**.
- 2 Start a new encounter and choose its type (mask fit, troubleshoot, setup education, adherence intervention, phone, other).
- 3 Record the reason, assessment, intervention, and plan — or just a free-text note.
- 4 Set a follow-up date if one is needed, then save.

Tip Encounters build the patient's clinical timeline and back up the medical necessity behind claims — document while it's fresh.

Open and work a non-adherence intervention

Get a slipping patient back on therapy.

- 1 Open **Patients & Clinical** → **Clinical Work** → **Interventions**.
- 2 Open the patient (or create an intervention from an RT Overview alert).
- 3 Record the cause of non-adherence and the plan.
- 4 Reach out via **Clinical Outreach** (consent/DND-aware), then log the outcome.
- 5 Track it to resolution.

Track CMS 90-day setup adherence

Make sure new Medicare setups clear their compliance window.

- 1 Open **Patients & Clinical** → **Therapy Monitoring** → **Setup Adherence**.
- 2 Review each new setup's progress toward ≥ 4 hours on $\geq 70\%$ of nights within the 90-day window.
- 3 For anyone trending short, open an intervention and coach early.
- 4 Confirm passing patients before the window closes.

Work the resupply-due worklist

Catch supplies that need replacing.

- 1 Open **Patients & Clinical** → **Therapy Monitoring** → **Resupply Opportunities**.
- 2 Review device-reported supplies that are due.
- 3 Confirm the patient's needs and hand off to resupply ordering.
- 4 Reorder reminders can carry the rest automatically.

Triage mask-fit feedback

Fix leaks and discomfort before they cause drop-off.

- 1 Open **Patients & Clinical** → **Clinical Work** → **Mask-fit Feedback**.
- 2 Open a patient reporting a leaking or uncomfortable fit.
- 3 Decide on a refit or follow-up and act on it.
- 4 Document the encounter and outcome.

Generate a provider-ready therapy report

Close the loop with the referring physician.

- 1 Open **Analytics & Reports** → **Clinical & Customer** → **Therapy Report**.
- 2 Choose the scope — by provider, patient, or device manufacturer.
- 3 Generate the print-quality adherence snapshot.
- 4 Send or print it for the physician's chart.

Check equipment recalls

Protect patients on recalled devices.

- 1 Open **Patients & Clinical** → **Providers & Recalls** → **Recalls**.
- 2 Review the manufacturer recall registry.
- 3 The system scans recalls against your dispensed serials and flags at-risk patients.
- 4 Reach out to affected patients and arrange a remedy.

Appendix

Role & permission matrix

What each role can reach. ● full access · ■ partial / view-only or Owner-gated · ■ none.

Area	Admin	Biller	CSR	RT
Home & Workspace	●	■	●	■
Conversations / inbox & cases	●	■	●	■
Patients (read / edit)	●	■	●	■
Orders, shop & returns	●	■	●	■
Billing & revenue cycle	●	●	■	■
Therapy monitoring & clinical notes	●	■	■	●
Analytics & financial reports	●	■	■	■
Team management	■	■	■	■
System configuration & secrets	■	■	■	■

Administrator combines the Owner and Admin tiers — Owner-only items (Team management, System Configuration) are marked partial because only the Owner role can use them. **Biller** reaches the whole Billing area plus patient billing context, but not the CSR inbox, clinical notes, or settings. A practice can grant any combination by assigning the matching role on the Team page.

Glossary

270 / 271	The electronic eligibility request (270) and the payer's response (271) that confirm a patient's coverage.
837P	The electronic professional claim file sent to a payer (via the clearinghouse) to request payment.
835 / ERA	The Electronic Remittance Advice — the payer's machine-readable explanation of what it paid, used to auto-post payments.
999 / 277CA	Acknowledgements from the clearinghouse/payer confirming a claim file was received and accepted (or rejected).
AHI	Apnea-Hypopnea Index — events per hour of sleep; a core measure of how well therapy is controlling apnea.
Capped rental	A Medicare payment model where a device is rented over a capped number of months (13 or 36) rather than purchased outright.

CMN / DIF	Certificate of Medical Necessity / DME Information Form — documentation a payer requires to justify the equipment.
COGS	Cost of Goods Sold — the product cost used to compute gross margin.
DSO	Days Sales Outstanding — the average number of days it takes to collect after billing.
HCPCS	The procedure/supply codes used on claims (e.g. the codes for a mask, machine, or filter).
LTV : CAC	Lifetime Value to Customer-Acquisition-Cost ratio — a measure of marketing efficiency.
MFA	Multi-Factor Authentication — a second login factor (authenticator-app code) on top of your password.
NPS	Net Promoter Score — a post-delivery satisfaction measure from patient survey responses.
Prior auth (PAS)	Prior Authorization — payer approval secured before dispensing; Da Vinci PAS is the electronic FHIR standard for it.
Resupply	The recurring replacement of CPAP consumables (masks, cushions, filters, tubing) on a cadence.

Need more? Ask CareMetric Copilot in the app, or reach your practice administrator. Owners can find deployment and operator runbooks in the project documentation.