JavaScript

JavaScript implements the logic: **renderFoods()** filters and displays items, **addToCart()**, **changeQty()** and **removeItem()** manage the cart, **renderCart()** calculates subtotals and total, **validateForm()** validates the details, and **saveCart()** stores the cart in Local Storage.

script.js

```
const foods = [
  { id: 1, name: "Margherita Pizza", category: "Pizza", price: 250, emoji: "[emoji]", desc: "Classic cheese and tomato
 pizza." },
  { id: 2, name: "Veg Burger", category: "Burgers", price: 120, emoji: "[emoji]", desc: "Crispy veg patty with fresh v
eggies." },
  { id: 3, name: "Chicken Biryani", category: "Rice", price: 220, emoji: "[emoji]", desc: "Aromatic basmati rice with
chicken." },
  { id: 4, name: "Masala Dosa", category: "South Indian", price: 90, emoji: "[emoji]", desc: "Crispy dosa with potato
masala." },
  { id: 5, name: "French Fries", category: "Snacks", price: 80, emoji: "[emoji]", desc: "Golden salted potato fries."
},
  { id: 6, name: "Chocolate Shake", category: "Drinks", price: 110, emoji: "[emoji]", desc: "Thick creamy chocolate mi
lkshake." },
  { id: 7, name: "Paneer Roll", category: "Snacks", price: 100, emoji: "[emoji]", desc: "Spicy paneer wrapped in a sof
t roll." },
  { id: 8, name: "Ice Cream Sundae", category: "Desserts", price: 130, emoji: "[emoji]", desc: "Vanilla ice cream with
 chocolate syrup." }
];

let cart = [];
try { cart = JSON.parse(localStorage.getItem("foodCart")) || []; } catch (e) { cart = []; }

const foodList = document.getElementById("foodList");
const searchInput = document.getElementById("searchInput");
const categoryFilter = document.getElementById("categoryFilter");
const cartItems = document.getElementById("cartItems");
const cartTotal = document.getElementById("cartTotal");
const cartCount = document.getElementById("cartCount");
const cartMessage = document.getElementById("cartMessage");
const formError = document.getElementById("formError");

function saveCart() { localStorage.setItem("foodCart", JSON.stringify(cart)); }

function loadCategories() {
  [...new Set(foods.map(f => f.category))].forEach(c => {
    const o = document.createElement("option");
    o.value = c; o.textContent = c;
    categoryFilter.appendChild(o);
  });
}

function renderFoods() {
  const term = searchInput.value.trim().toLowerCase();
  const cat = categoryFilter.value;
  const list = foods.filter(f =>
    (cat === "All" || f.category === cat) && f.name.toLowerCase().includes(term));
  foodList.innerHTML = list.length ? "" : "<p>No food items found.</p>";
  list.forEach(f => {
```

```
    const d = document.createElement("div");
    d.className = "card";
    d.innerHTML = `<div class="img">${f.emoji}</div>
      <div class="body"><h4>${f.name}</h4><span class="tag">${f.category}</span>
      <p>${f.desc}</p><div class="price">₹${f.price}</div>
      <button onclick="addToCart(${f.id})">Add to Cart</button></div>`;
    foodList.appendChild(d);
  });
}

function addToCart(id) {
  const item = cart.find(c => c.id === id);
  if (item) item.qty++; else cart.push({ id, qty: 1 });
  cartMessage.textContent = "";
  saveCart(); renderCart();
}

function changeQty(id, delta) {
  const item = cart.find(c => c.id === id);
  if (!item) return;
  item.qty += delta;
  if (item.qty <= 0) cart = cart.filter(c => c.id !== id);
  saveCart(); renderCart();
}

function removeItem(id) {
  cart = cart.filter(c => c.id !== id);
  saveCart(); renderCart();
}

function renderCart() {
  cartItems.innerHTML = "";
  let total = 0, count = 0;
  if (cart.length === 0) {
    cartItems.innerHTML = "<p>Your cart is empty.</p>";
  }
  cart.forEach(c => {
    const f = foods.find(x => x.id === c.id);
    const sub = f.price * c.qty;
    total += sub; count += c.qty;
    const row = document.createElement("div");
    row.className = "cart-row";
    row.innerHTML = `<span>${f.name}<br><small>₹${f.price} x ${c.qty} = ₹${sub}</small></span>
      <span class="qty"><button onclick="changeQty(${f.id},-1)">-</button>${c.qty}
      <button onclick="changeQty(${f.id},1)">+</button>
      <button onclick="removeItem(${f.id})">x</button></span>`;
    cartItems.appendChild(row);
  });
  cartTotal.textContent = total;
  cartCount.textContent = count;
}

function validateForm() {
  const name = document.getElementById("custName").value.trim();
  const phone = document.getElementById("custPhone").value.trim();
  const addr = document.getElementById("custAddress").value.trim();
  if (cart.length === 0) return "Cart is empty. Add items first.";
  if (name.length < 3) return "Enter a valid name (min 3 characters).";
  if (!/^[6-9]\d{9}$/.test(phone)) return "Enter a valid 10-digit phone number.";
  if (addr.length < 10) return "Enter a complete delivery address.";
  return "";
}

document.getElementById("reviewBtn").onclick = () => {
  const err = validateForm();
  formError.textContent = err;
  if (err) return;
  let html = "<table width='100%'>", total = 0;
  cart.forEach(c => {
    const f = foods.find(x => x.id === c.id);
    total += f.price * c.qty;
    html += `<tr><td>${f.name}</td><td>x${c.qty}</td><td>₹${f.price * c.qty}</td></tr>`;
  });
  html += `</table><h3>Total: ₹${total}</h3>
    <p><b>${document.getElementById("custName").value}</b><br>
    ${document.getElementById("custPhone").value}<br>
    ${document.getElementById("custAddress").value}</p>`;
  document.getElementById("summaryContent").innerHTML = html;
  document.getElementById("summaryModal").classList.remove("hidden");
};
```

```
document.getElementById("cancelBtn").onclick = () =>
  document.getElementById("summaryModal").classList.add("hidden");

document.getElementById("confirmBtn").onclick = () => {
  document.getElementById("summaryModal").classList.add("hidden");
  cart = []; saveCart(); renderCart();
  ["custName", "custPhone", "custAddress"].forEach(i => document.getElementById(i).value = "");
  cartMessage.textContent = "Order submitted successfully! Thank you.";
};

searchInput.addEventListener("input", renderFoods);
categoryFilter.addEventListener("change", renderFoods);

loadCategories(); renderFoods(); renderCart();
```