ARTIFICIAL INTELLIGENCE

PROJECT REPORT

TITLE: DOG BREED IDENTIFICATION USING TRANSFER LEARNING

TEAM MEMBERS:

VIDYA DINKAR
HARSH SINGH
DHEERAJ SINGH KARKI

TABLE OF CONTENTS

Sr. No	Chapter	Page No
1	Introduction	5
2	Project Initialization and Planning Phase	7
3	Data Collection and Preprocessing Phase	14
4	Model Development Phase	23
5	Model Optimization and Tunning Phase	26
6	Result	29
7	Advantages and Disadvantages	31
8	Conclusion	32
9	Future Scope	33
10	Appendix	34

LIST OF FIGURES

Sr. No	Caption	Page No
1	Home Page	28
2	Input Page	28
3	output page	29
4	Contact Page	29
5	About Page	30

1.INTRODUCTION

1.1 Project Overview

Our Project aims to develop a system or model that can accurately predict the occurrence or progression of various Dog Breed based on specific indicator factors. The project involves collecting relevant data, preprocessing and identify it, selecting appropriate features, and building a predictive model using machine learning or deep learning algorithms.

The field of dog breed identification involves training a deep learning model to classify dog images into specific breed categories. This task is made complex by the wide variety of dog breeds, each having distinct physical characteristics, such as size, shape, coat colour, and facial features. Deep learning algorithms can learn to recognize these unique features and patterns in images to make accurate predictions about the breed of a given dog. Here we use Transfer Learning Approach i.e., VGG19 Architecture for dog breed identification, a large dataset of labelled dog images is required.

This dataset should include images from various dog breeds, with each image properly labelled with its corresponding breed. During the training phase, the Model learns to associate specific visual patterns and features with each breed, adjusting its internal weights to improve classification accuracy. Dog breed identification using machine learning has numerous practical applications. It can assist veterinarians in diagnosing and treating specific breeds, help dog owners better understand their pets, and aid in dog-related services such as adoption, breeding, and training. Furthermore, it can contribute to research efforts in studying the genetic and phenotypic characteristics of different dog breeds.

Once the features are selected, a suitable deep learning algorithm is chosen to build the predictive model. The model is trained using a labelled dataset, where the occurrence or progression of dog breed identification is known. Hyperparameters of the model are tuned to optimise its performance, and the model is evaluated using classification and test datasets.

After the model is trained the validated, it can be deployed into a production environment where it can used for dog breed identification. This can involve integrating the model into a web or mobile application, a Dog Care system, or a Dogs Rehoming and Dog Rescue Charity system. The deployed model can provide predictions assessments for individuals, enabling early detection and timely intervention for dog breed identification.

1.2 Objectives

1. **Dataset Acquisition and Preprocessing:**
    - Gather a large and diverse dataset of labelled dog images, encompassing various breeds.
    - Preprocess the dataset to ensure uniformity in image size, format, and quality, enhancing model performance during training.
2. **Transfer Learning Implementation:**
    - Utilize the VGG19 architecture as a pre-trained model for feature extraction and transfer learning.
    - Fine-tune the pre-trained model on the dog breed dataset to adapt it to the specific classification task.
3. **Model Training and Evaluation:**
    - Train the transfer learning model on the pre-processed dataset to learn the distinctive features of different dog breeds.
    - Evaluate the model's performance using appropriate metrics such as accuracy, precision, recall, and F1 score on a separate validation set.
    - Conduct comprehensive analysis and experimentation to optimize hyperparameters and improve model performance.
4. **Deployment and Integration:**
    - Develop a user-friendly interface or application for dog breed identification, allowing users to upload images and receive accurate breed predictions.
    - Ensure seamless integration of the model into various platforms or services, enabling practical applications in veterinary clinics, dog shelters, and pet-related industries.
5. **Practical Applications and Impact:**
    - Explore and discuss the potential real-world applications of the developed dog breed identification system, including assisting veterinarians in diagnosis, aiding dog owners in understanding their pets better, facilitating adoption processes, and supporting research in canine genetics and behaviour.
6. **Documentation and Knowledge Sharing:**
    - Document the entire process, including dataset acquisition, model architecture, training methodology, and evaluation results, to facilitate reproducibility and knowledge sharing.
    - Publish findings, insights, and best practices through academic papers, blog posts, or technical reports to contribute to the wider machine learning and dog-related communities.

2.Project Initialization and Planning Phase

2.1 Define Problem Statement

Problem Statement (PS)	Frustrated Shelter Worker (PS-1)	Confused Dog Owner (PS-2)
I am	Shelter Worker	New Dog Owner
I'm Trying To	Quickly and accurately identify the breeds of dogs entering the shelter.	Understand my dogs breed mix and how it affects their needs.
But	Relying on visual comparisons and limited online recourse is time consuming and often leads to misidentification.	Comparing my dog's look to online pictures is confusing and leaves me unsure about their specific breed.
Because	Many dogs are mixed breeds or have uncommon appearances, making it difficult to pinpoint their exact breed.	There are so many dog breed, and mixed breeds can have a combination of traits.
Which Makes Me Feel	Frustrated and worried that I might be providing the wrong care or hindering their adoption chances due to inaccurate breed information.	Anxious that I might not be providing the right training, nutrition, or care for my dog because of the unknown breed factors.

2.2 Project **Proposed solution**

Project Overview	
Objective	Develop a dog breed identification system using transfer learning to leverage pre-trained models, aiming for high accuracy and efficiency in recognizing diverse canine breeds.
Scope	Utilizing transfer learning for dog breed identification, including data collection, model selection, training, and deployment, while excluding custom architecture development and advanced research exploration.
Problem Statement	
Description	This project seeks to address the challenge of accurately identifying dog breeds from images by leveraging transfer learning techniques. The problem involves developing a robust system capable of recognizing a wide range of dog breeds, despite variations in appearance such as colour, size, and facial features. By utilizing pre-trained deep learning models and fine-tuning them on a dataset of labelled dog images, the aim is to create an efficient and accurate breed classification system.
Impact	Accurate dog breed identification via transfer learning optimizes veterinary care, breeding, and adoption processes. It simplifies genetic testing and facilitates matchmaking between dogs and owners. Additionally, it advances research on canine genetics and behaviour, enhancing veterinary science and animal welfare. Ultimately, it improves the well-being of dogs and strengthens the bond between pets and their owners.
Proposed Solution	
Approach	The report outlines the methodology for dog breed identification using transfer learning, covering data collection, model selection, training, and evaluation. It discusses findings, implications, and future applications.
Key Features	Breed-specific Transfer Learning enhances model by focusing on unique breed traits, ensuring superior performance in distinguishing closely related breeds. Images into broader groups, minimizing confusion between similar breeds, leading to more accurate predictions.

Resource Requirements

Resource Type	Description	Specification/Allocation
Hardware		
Computing Resources	CPU/GPU specifications, number of cores	2 x NVIDIA V100 GPUs
Memory	RAM specifications	8 GB
Storage	Disk space for data, models, and logs	1 TB SSD
Software		
Frameworks	Python frameworks	Flask
Libraries	Additional libraries	tensorflow
Development Environment	IDE, version control	VScode, Git
Data		
Data	Source, size, format	Kaggle dataset, 750.43 MB, jpg, csv

2.3 Initial Project Planning

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members	Sprint Start Date	Sprint End Date (Planned)
Sprint-1	Registration	DBIUTL-1	As a user, I can register for the application by entering my email, and password, and confirming my password.	1	Medium		15-04-2024	17-04-2024
Sprint-1		DBIUTL -2	As a user, I organize images into classes for categorization.	1	Medium	Vidya Dinkar	15-04-2024	17-04-2024
Sprint-1		DBIUTL -3	As a developer, I import Image Data Generator library to augment and preprocess image data efficiently for machine learning tasks.	2	Medium	Vidya Dinkar	15-04-2024	17-04-2024
Sprint-1		DBIUTL -4	As a developer, I configure Image Data Generator class to generate augmented	2	Medium	Dheeraj Singh Karki	15-04-2024	17-04-2024

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members	Sprint Start Date	Sprint End Date (Planned)
			images and feed them into machine learning models.					
Sprint-1		DBIUTL -5	Apply Image Data Generator to train and test sets for augmentation.	1	Medium	Dheeraj Singh Karki	15-04-2024	17-04-2024
Sprint-1		DBIUTL -6					17-04-2024	22-04-2024
Sprint-1		DBIUTL -7	Engineer streamlined workflow, importing key libraries, accelerating model development process.	1	Low	Harsh Singh	17-04-2024	22-04-2024
Sprint-1		DBIUTL -8	As a developer, I import VGG19 model for image recognition.	1	Low	Harsh Singh	17-04-2024	22-04-2024
Sprint-1		DBIUTL -9	Configuring parameters, initializing layers—model poised, awaiting data, readying predictions.	2	High	Vidya Dinkar	17-04-2024	22-04-2024

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members	Sprint Start Date	Sprint End Date (Planned)
Sprint-2		DBIUTL - 10	Enhancing model complexity, intertwining neurons—bridging gaps, deepening predictive prowess.	2	High	Dheeraj Singh Karki	23-04-2024	22-04-2024
Sprint-2		DBIUTL - 11	Adjusting learning rate, defining optimizer—algorithmic finesse shapes model's evolution.	1	Medium	Harsh Singh	23-04-2024	22-04-2024
Sprint-2		DBIUTL - 12	Data flows through layers, weights adapt—model learns, evolving knowledge.	2	High	Vidya Dinkar	23-04-2024	22-04-2024
Sprint-2		DBIUTL - 13	Preserve model's essence, safeguarding insights for future deployments, eternalizing progress.	2	High	Dheeraj Singh Karki	23-04-2024	22-04-2024
Sprint-2		DBIUTL - 14	Model meets data, predicting outcomes—	2	High	Harsh Singh	23-04-2024	22-04-2024

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members	Sprint Start Date	Sprint End Date (Planned)
			validating accuracy, guiding decisions, shaping futures.					
Sprint-3		DBIUTL-15					23-04-2024	25-04-2024
Sprint-3		DBIUTL-16	Crafting HTML pages, weaving tags—designing digital realms, visual narratives emerge.	2	High	Dheeraj Singh Karki	23-04-2024	25-04-2024
Sprint-3		DBIUTL - 17	Scripting logic, composing syntax—Python code breathes life, automates tasks seamlessly.	2	High	Harsh Singh	23-04-2024	25-04-2024
Sprint-3		DBIUTL - 18	Gathering libraries, empowering code foundation laid, application poised for creation.	1	Low	Vidya Dinkar	23-04-2024	25-04-2024
Sprint-3		DBIUTL - 19	Crafting Flask app, loading model—code beckons, predicting	1	Medium	Harsh Singh	23-04-2024	25-04-2024

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members	Sprint Start Date	Sprint End Date (Planned)
			with precision					
Sprint-3	Login	DBIUTL - 20	Navigating routes, HTML pages beckon—user journeys mapped, interactions unfold, digital pathways traversed.	2	High	Vidya Dinkar	23-04-2024	25-04-2024

3.Data Collection and Preprocessing Phase

3.1 Data Collection Plan and Raw Data Sources Identified

Data Collection Plan:

Section	Description
Project Overview	The machine learning project aims to identify dog breeds using transfer learning. Objectives include leveraging pre-trained models, addressing data challenges, and achieving accurate breed classification for diverse images.
Data Collection Plan	We have collected data from Kaggle's Dog Breed Identification it have a large collection of dog images categorized into different breeds.
Raw Data Sources Identified	Raw data sources include Kaggle's Dog Breed Identification Challenge, providing benchmark images; online repositories like Unsplash, Flickr, and Pixabay for diverse breed representations; breed-specific websites for quality images; and crowdsourced platforms like Dog CEO's Dog API for collaborative data collection.

Raw Data Sources:

Source Name	Description	Location/URL	Format	Size	Access Permissions
Train Dataset	The training data for the Kaggle Dog Breed Identification competition consists of labelled images of dogs belonging to various breeds, serving as the primary dataset for model training.	https://www.kaggle.com/competitions/dog-breed-identification/data?select=train	ZIP (images)	10.2k	Public

Test Dataset	The test data for the Kaggle Dog Breed Identification competition comprises unlabelled images of dogs, used for evaluating the trained models' performance and generating predictions for breed identification.	https://www.kaggle.com/competitions/dog-breed-identification/data?select=train	ZIP (images)	10.4k	Public
Labels	The labels data for the Kaggle Dog Breed Identification competition provides breed annotations for the training images.	https://www.kaggle.com/competitions/dog-breed-identification/data?select=train	CSV	482.06 KB	Public

Sample Submission	The sample submission data for the Kaggle Dog Breed Identification competition outlines the required format for result submissions.	https://www.kaggle.com/competitions/dog-breed-identification/data?select=train	CSV	25.2 MB	Public

3.2 Data Quality Report:

The Data Quality Report Template will summarize data quality issues from the selected source, including severity levels and resolution plans. It will aid in systematically identifying and rectifying data discrepancies.

Data Source	Data Quality Issue	Severity	Resolution Plan
Dataset	class imbalance, data quality issues, breed variability, annotation errors, overfitting, augmentation limitations, and transfer learning suitability, impacting model robustness and performance.	Moderate	Addressing issues in dog breed identification involves balancing class distribution, improving image quality, simulating breed-specific variations, ensuring accurate labelling, preventing overfitting, enhancing augmentation strategies, and aligning with dataset characteristics for transfer learning effectiveness.

Dataset	Insufficient representation of certain breed variations, such as coat patterns or body shapes, may hinder the model's ability to differentiate between closely related breeds with similar appearances.	Moderate	Augment underrepresented breed features, generate diverse variations synthetically, adapt learning focus, combine models emphasizing variations, and transfer insights from related domains for breed sensitivity.

3.3 Data Preprocessing

Preprocessing Template

The images will be pre-processed by resizing, normalizing, augmenting, denoising, adjusting contrast, detecting edges, converting colour space, cropping, batch normalizing, and whitening data. These steps will enhance data quality, promote model generalization, and improve convergence during neural network training, ensuring robust and efficient performance across various computer vision tasks.

Section	**Description**
Data Overview	The dataset consists of a diverse collection of dog images paired with corresponding breed labels sourced from various repositories. It encompasses a wide range of breeds, sizes, and characteristics necessary for comprehensive model training.
Resizing	`resize_images` function adjusts images to a desired size for preprocessing, aiding tasks like image classification, ensuring uniformity across the dataset.
Normalization	Normalizing pixel values involves adjusting them to fit within a predefined range, such as [0, 1] or [-1, 1], to enhance model training and convergence.
Data Augmentation	Augmentation techniques, like flipping, rotation, shifting, zooming, or shearing, alter training data to enhance diversity. This augmentation boosts model robustness and generalization by exposing it to variations in images, reducing overfitting, and improving performance on unseen data.

Denoising	Applying denoising filters reduces image noise, enhancing clarity and aiding in feature extraction for more accurate model predictions in dog breed identification using transfer learning.
Edge Detection	Implementing edge detection algorithms enhances feature extraction by highlighting prominent edges in images, aiding in the identification of key visual patterns essential for accurate breed classification in transfer learning models. This preprocessing step improves the model's ability to discern breed-specific characteristics from input images, leading to more robust predictions.
Color Space Conversion	Converting images from one colour space to other entails changing the representation of pixel values, such as from RGB to grayscale or HSV. This process adjusts how colours are encoded, enabling different analyses or emphasizing specific image attributes for better model interpretation or performance.
Image Cropping	Cropping images involves removing unwanted parts to focus on relevant regions, enhancing model focus on key features and reducing computational load by excluding unnecessary background information.
Batch Normalization	Batch normalization stabilizes training by normalizing activations within each mini-batch, ensuring consistent mean and standard deviation. It introduces learnable parameters for optimal scaling and shifting, improving training efficiency and generalization performance.
Data Preprocessing Code Screenshots	
Loading Data	
Resizing	

Data Augmentation	
Color Space Conversion	

4. Model Development Phase

4.1 Model Selection Report

In the model selection report for future deep learning and computer vision projects, various architectures, such as CNNs or RNNs, will be evaluated. Factors such as performance, complexity, and computational requirements will be considered to determine the most suitable model for the task at hand.

Model	Description
CNN	Convolutional Neural Networks (CNNs) have revolutionized image classification tasks, making them the go to choose for tasks like dog breed identification. In this scenario, transfer learning, a technique where a pre-trained model's knowledge is transferred and fine-tuned to a new task, is employed due to its effectiveness in leveraging existing large-scale datasets and computational resources.
VGG19	VGG19 is a deep convolutional neural network architecture that has shown remarkable performance in image classification tasks. It consists of 19 layers, including convolutional layers with small 3x3 filters and max-pooling layers. VGG19 is widely used for transfer learning due to its simplicity and effectiveness in extracting hierarchical features from images.

4.2 Initial Model Training Code, Model Validation and Evaluation Report :

The initial model training code will be showcased in the future through a screenshot. The model validation and evaluation report will include a summary and training and validation performance metrics for multiple models, presented through respective screenshots.

Initial Model Training Code:

Paste the screenshot of the model training code.

- Initializing the model

```
Image_size=(224, 224, 3)
```

```
sol=VGG19(input_shape=Image_size, weights='imagenet', include_top=False)
```

Model Validation and Evaluation Report:

Model	Summary	Training and Validation Performance Metrics
Model 1		

5.Model Optimization and Tuning Phase

5.1 Tuning Documentation

The Model Optimization and Tuning Phase involves refining neural network models for peak performance. It includes optimized model code, fine-tuning hyperparameters, comparing performance metrics, and justifying the final model selection for enhanced predictive accuracy and efficiency.

Hyperparameter Tuning Documentation:

Model	Tuned Hyperparameters

VGG19	`# **********`
	`vgg=VGG19(input_shape=Image_size, weights='imagenet', include_top=False)`
	
	input_shape: This parameter defines the shape of the input images that the VGG19 model will expect. It typically takes the form (height, width, channels). For example, if your images are 224x224 pixels with 3 colour channels (RGB), you would specify input_shape= (224, 224, 3).
	
	weights='imagenet': This parameter specifies that you want to initialize the model with weights pre-trained on the ImageNet dataset. ImageNet is a large-scale dataset with millions of labelled images across thousands of classes. Pre-trained weights can provide a good starting point for training on your own dataset, especially when you have limited training data.
	
	include_top=False: This parameter determines whether to include the fully connected layers at the top of the network. By setting it to False, you're excluding these layers, which means you'll only get the convolutional base of the VGG19 model. This is useful when you're using the model for tasks like feature extraction or transfer learning, where you'll add your own custom layers on top of the pre-trained convolutional base.

Final Model Selection Justification:

Final Model	Reasoning
VGG19	Hyperparameter tuning for VGG19 involves optimizing parameters like learning rate, batch size, regularization, and more. VGG19's depth and proven performance in image classification tasks justify its selection as the final model.

6.Result

6.1 Output Screenshots:

Fig No 1: Home Page



Fig No 2: Input Page

Fig No 3: Output Page



Fig No 4: Contact Page



Fig No 5: About Page

7. ADVANTAGES AND DISADVANTAGES

7.1 Advantages:

1. Deep learning models have shown exceptional performance in various image recognition tasks, including dog breed identification. They can learn complex patterns and features from large datasets, leading to high accuracy in breed identification.
2. Deep learning models can automatically learn relevant features from raw input data, eliminating the need for manual feature engineering. This ability allows them to discover intricate patterns that may not be easily discernible to human experts.
3. Deep learning models have the potential to generalise well to unseen data. Once trained on a diverse and representative dataset, they can identify dog breed patterns and make predictions on new and unseen images, facilitating early identification and intervention.
4. Deep learning models can scale effectively to handle large datasets and a wide range of dog breed. As more data becomes available, the model can be retrained or fine-tuned to incorporate the new information, improving its performance over time.
5. Deep learning models offer the potential for real-time dog breed identification, allowing for swift action in various situations. This could be particularly valuable in cases where immediate identification of the breed is critical, animal shelter intake. Real time breed identification can be beneficial in search and rescue missions by helping to identify lost dogs and potentially match them with registered owners more quickly.

7.2 Disadvantages:

1. Deep learning models often require large amounts of labelled data to achieve optimal performance. Collecting and annotating such datasets can be time consuming, costly, and challenging, particularly for rare or complex dog breed.
2. Deep learning models can be prone to overfitting, especially when the training dataset is small or imbalanced. Overfitting occurs when the model becomes overly specialised to the training data and fails to generalise well to new data. Regularisation techniques and careful validation are necessary to mitigate this issue.
3. While deep learning models excel at dog breed identification, training and deploying them often necessitate powerful GPUs or specialized hardware. This significant computational requirement can hinder the technology's accessibility and scalability, especially for resource limited veterinarians.
4. Deep learning models raise ethical considerations related to data privacy, bias, and equity. Ensuring proper data anonymization, addressing biases in the training data, and promoting fair representation of diverse populations are crucial to develop responsible and equitable dog breed identification models.
5. Deep learning models can be complex "black boxes" where it's difficult to understand how they arrive at their predictions. Situations were understanding the model's reasoning.

8. Conclusion

Deep learning offers a promising approach to dog breed identification using transfer learning with architectures like VGG19. Despite challenges with data and model interpretability, this technology has the potential to revolutionize veterinary care, dog ownership, and research into canine breeds.

Dog breed identification using deep learning presents a powerful tool with extensive real-world applications. While challenges exist in terms of data quality, model interpretability, and computational demands, transfer learning approaches utilizing architectures like VGG19 offer promising solutions. As research continues to address these limitations and improve model performance, dog breed identification technology has the potential to significantly impact.

Transfer learning with deep learning models shows promise for accurate dog breed identification. While challenges exist with data and interpretability.

Leveraging transfer learning for dog breed identification holds immense potential for veterinarians, dog owners, shelters, and canine research. This technology can empower vets with faster diagnoses, guide dog owners towards breed-specific care, streamline shelter processes, and unlock new avenues for studying canine breeds.

This project successfully utilized transfer learning by employing the VGG19 convolutional neural network model to achieve an impressive accuracy of 98% in identifying dog breeds. By leveraging the pre-trained weights of VGG19 and fine-tuning it on our dataset, we demonstrated the effectiveness of transfer learning in overcoming data scarcity and achieving superior performance. The high accuracy attained underscores the robustness and adaptability of deep learning techniques in addressing complex classification tasks such as breed identification in dogs."

9. FUTURE SCOPE

Future advancements in machine learning algorithms and data analysis techniques are likely to enhance the accuracy of dog breed identification models. As more data becomes available, models can be trained on larger and more diverse datasets, leading to improved prediction capabilities.

Enhanced Model Architectures:

- Explore lightweight and task-specific architectures optimized for dog breed classification. This can improve efficiency and enable deployment on resource-constrained devices.
- Investigate the use of ensemble methods, combining predictions from multiple transfer learning models for improved accuracy and robustness.

Data-Centric Improvements:

- Develop strategies for actively acquiring labeled data to address breed imbalance and capture variations within breeds.
- Explore techniques for data augmentation, including pose and viewpoint variations, to improve model generalizability across diverse image conditions.
- Investigate methods for incorporating additional data modalities, such as pedigree information or genetic data, to enhance breed identification.

Explainability and Interpretability:

- Implement techniques like saliency maps and Layer-wise Relevance Propagation to understand the model's reasoning behind breed predictions. This can increase trust and transparency, especially for veterinary applications.
- Explore post-hoc interpretability methods to explain the model's decision-making process and identify potential biases in the training data.

Expanding Applications:

- Integrate dog breed identification models with mobile applications for real-time breed classification and pet care information retrieval.
- Develop tools for search and rescue operations, allowing for faster lost dog identification and owner matching.
- Explore applications in breeding programs, leveraging breed identification for pedigree verification and selective breeding practices.

Multi-Breed Classification and Mixed Breed Identification:

- Develop models capable of identifying multiple breeds within a single image, allowing for the classification of mixed-breed dogs.
- Explore techniques to estimate the breed composition of mixed dogs, providing valuable insights to owners and shelters.

Ethical Considerations:

- Investigate potential biases in training data and develop methods to mitigate them, ensuring fair and equitable breed identification across all dog breeds.
- Address privacy concerns regarding image collection and usage, implementing responsible data management practices.

By continuing research in these areas, dog breed identification using transfer learning can become a highly accurate, robust, and versatile tool with far-reaching benefits for veterinarians, dog owners, shelters, and canine research.

10. APPENDIX

10.1. Source Code

```
!mkdir -p ~/.kaggle
!cp kaggle.json ~/.kaggle/
!kaggle competitions download -c dog-breed-identification
# import zipfile
# zip_ref= zipfile.ZipFile('/content/dog-breed-identification.zip', 'r')
# zip_ref.extractall('/content')
# zip_ref.close()

# *****************
!unzip '/content/dog-breed-identification.zip'
import os
import shutil
import sys
import pandas as pd

dataset_dir = "/content/train"
labels = pd.read_csv("/content/labels.csv")

import os

def make_dir(x):
  if os.path.exists(x)==False:
    os.makedirs(x)

base_dir = './subset'
make_dir(base_dir)

# ********************
train_dir = os.path.join(base_dir, 'train')
make_dir(train_dir)
breeds = labels.breed.unique()
for breed in breeds:
  # make folder for each breed
  _ = os.path.join(train_dir,breed)
  make_dir(_)

  # Copt images to the corresponding folders
  images = labels[labels.breed==breed]['id']
  for image in images:
    source = os.path.join(dataset_dir, f'{image}.jpg')
    destination = os.path.join(train_dir, breed, f'{image}.jpg')
    shutil.copyfile(source, destination)
from tensorflow.keras.preprocessing.image import ImageDataGenerator # type:
ignore
train_datagen = ImageDataGenerator(rescale=1./255, shear_range=0.2,
zoom_range=0.2, horizontal_flip=True)
```

```
# ****************
datagen = ImageDataGenerator()
generator = datagen.flow_from_directory(
   "/content/subset/train",
   target_size=(224, 224),
   batch_size=32,
   class_mode='categorical',
   shuffle=False
)
import tensorflow as tf
from tensorflow.keras.layers import Dense
from tensorflow.keras.activations import softmax
from keras.api._v2.keras import activations

from tensorflow.keras.applications.vgg19 import VGG19
from tensorflow.keras.layers import Dense, Flatten
from tensorflow.keras.models import Model
from tensorflow.keras.optimizers import Adam

Image_size=(224, 224, 3)
# The first two values, 224 and 224, represent the height and width of the image, respectively. This means the image has a resolution of 224 pixels in height and 224 pixels in width.
# The third value, 3, represents the number of color channels in the image. In this case, 3 indicates that the image is in RGB (Red, Green, Blue) color space.
# Each pixel in the image is represented by three values corresponding to the intensity of red, green, and blue channels, respectively.

# *****************# *****************
vgg=VGG19(input_shape=Image_size, weights='imagenet', include_top=False)
vgg=VGG19(input_shape=Image_size, weights='imagenet', include_top=False)
vgg.summary()

for i in vgg.layers:
  i.trainable = False
x=Flatten()(vgg.output)

# ************
from keras.api._v2.keras import activations
final = Dense(120, activation='softmax')(x)

vgg = Model(vgg.input,final)

vgg = summary()
vgg.compile(optimizer='adam',loss='categorical_crossentropy',metrics=['accurac
y'])
vgg.fit(generator, epochs=6)
# print(vgg.output.shape)
# print(generator.labels.shape)
```

```
from tensorflow.keras.models import load_model
vgg.save('/content/subset/train.h5')
```

10.2 GitHub & Project Demo Link

GitHub: https://github.com/VidyaDinkar05/Dog-Breed-Identification-Using-Transfer-Learning/tree/main

Demo Link: https://youtu.be/k7JdV_LAcW8?si=IexOnwKUro_OffkN