

SPECIMEN

λ-Cyhalothrin

Group

3A

Insecticide

PT[®] 221L

Pressurized Insecticide

For both indoor and outdoor use

KILLS: Ants, Bed Bugs, Booklice, Boxelder Bugs, Carpenter Ants, Carpenter Bees, Centipedes, Chocolate Moths, Clover Mites, Cluster Flies, Cockroaches, Crickets, Dermestids, Drug Store Beetles, Earwigs, Elm Leaf Beetles, Fire Ants, Flour Beetles, Grain Weevils, Millipedes, Scorpions, Silverfish, Sowbugs, Spiders, Springtails, Above-Ground Termites, Ticks, Trogoderma (Cabinet, Khapra, and Warehouse Beetles), Wood Infesting Borers and Beetles, and Wood Wasps

FOR USE IN AND AROUND: Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes[†]), Utilities, Warehouses, and other Commercial and Industrial Buildings

[†] Use in cargo areas only. **DO NOT** use in aircraft cabins.

ACTIVE INGREDIENT:

λ-Cyhalothrin 0.05%

OTHER INGREDIENTS: 99.95%

TOTAL: 100.00%

Contains petroleum distillates.

EPA Reg. No. 499-473

EPA Est. No.

**KEEP OUT OF REACH OF CHILDREN
CAUTION/PRECAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

[See side panel for First Aid, Precautionary Statements, Directions for Use, and Storage and Disposal.]

NET CONTENTS:

BASF Agricultural Solutions US LLC
2 TW Alexander Drive
Research Triangle Park, NC 27713

 **BASF**
We create chemistry

FIRST AID	
If swallowed	• Immediately call a poison control center or doctor. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give ANY liquid to the person. • DO NOT give anything by mouth to an unconscious person.
If in eyes	• Hold eye open and rinse slowly and gently for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), you may contact BASF Agricultural Solutions US LLC (hereafter "BASF") at 1-800-832-HELP (4357), twenty-four (24) hours per day seven (7) days per week.	
NOTE TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE)

Mixers, loaders, and applicators must wear the following:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves made of barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, natural rubber (includes natural rubber blends and laminates) ≥ 14 mils, polyethylene, polyvinyl chloride (PVC) ≥ 14 mils, and viton ≥ 14 mils.

For broadcast spray treatment using a manually pressurized handwand in warehouses, wear a minimum of a NIOSH-approved elastomeric half mask respirator with organic vapor (OV) cartridges and combination R or P filters; OR a NIOSH-approved gas mask with OV cartridges; OR a NIOSH-approved powered air purifying respirator with OV cartridges and combination HE filters.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE as soon as practical after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is toxic to fish, birds, and other wildlife.

DO NOT apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. **DO NOT** contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on the label. Spray will damage plant foliage.

Physical or Chemical Hazards

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. **DO NOT** spray on plastic, painted, or varnished surfaces. **DO NOT** spray directly into any electronic equipment (e.g., radios, televisions, computers).

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

All outdoor spray applications must be limited to spot or crack and crevice treatments only.

Use Restrictions

- **DO NOT** make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- **DO NOT** allow to enter indoor or outdoor drains unless labeled for drain treatments. *No permita la entrada a desagües internos o externos a menos que el etiquetado indique que está permitido el uso del producto para tratamiento de desagües.*



- Follow proper disposal procedures on this label. *Siga las indicaciones del etiquetado para el desecho apropiado del producto.*
- **DO NOT** apply this product in hospital patient rooms while occupied or in any rooms occupied by the elderly or infirm.
- **DO NOT** apply to classrooms when in use.
- **DO NOT** apply to institutions (e.g., libraries, sport facilities) in the immediate area when occupants are present.
- **DO NOT** apply to carpets and hard surfaces as a pin stream or coarse spray treatment.
- **DO NOT** apply as a broadcast spray application using a mechanically pressurized handgun in industrial and commercial areas (e.g., tires, rail yards, junk yards).

Resistance Management

This product contains a **Group 3** (λ -Cyhalothrin) insecticide. Any insect population may contain individuals naturally resistant to this product and other **Group 3** insecticides. The resistant individuals may dominate the insect population if these insecticides are used repeatedly in the same areas. Appropriate resistance management strategies should be followed. For further information or to report suspected resistance contact BASF representatives at 1-800-832-HELP (4357).

HOW TO USE BASF CRACK & CREVICE™ INJECTION SYSTEM

CRACK & CREVICE TREATMENT: Use with the supplied actuator and injection tubes or other BASF equipment.

Treat surfaces to ensure thorough coverage but avoid runoff. To treat insects harbored in void spaces, cracks, and crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

- Inject into cracks and crevices or void spaces where insects may be harboring, living, and breeding.
- Place injector tip into cracks, crevices, holes, and other small openings. Release approximately 1 second of product.
- For light infestations move injector tip along cracks while treating at the rate of 3 linear feet/second.
- For heavy infestations move injector tip along at 1 linear foot/second.
- For closed void spaces calculate the void's cubic area and treat at the rate of 1 to 5 seconds/3 ft³.
- Several holes may be required in long-running void spaces.

SPOT TREATMENT: Use with the supplied actuator and injection tubes or other BASF equipment.

- Hold container upright while spraying.
- Direct nozzle approximately 12 inches from surface to be treated.
- Apply directly on insects in these locations when possible.

Spot treatments must not exceed 2 square feet in size (for example, 2 feet by 1 foot or 4 feet by 0.5 foot).

Indoor Treatments

CRAWLING INSECTS (Cockroaches, Dermestids, Scorpions, Spiders, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes): Apply as a **Crack & Crevice** treatment into cracks and crevices and void spaces where insects may be harboring. These may include openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, sewer, floor drains, and meter boxes. Spot treatments may also be made to areas including storage areas; closets; around water pipes, doors, and windows; around refrigerators, cabinets, sinks, stoves, and other equipment; and shelves, drawers, and similar areas.

TICKS: Apply as a **Crack & Crevice** treatment or spot treatment into infested and egg laying sites near pet resting areas including, but not limited to, cracks and crevices and behind baseboard, door, and window frames.

DO NOT use on pets.

BOOKLICE & SILVERFISH: Apply as a **Crack & Crevice** treatment into cracks and crevices of baseboards, door frames, bookcases, and other harbor-age sites. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors, and windows; around refrigerators, cabinets, sinks, stoves, and other equipment; and shelves, drawers, and similar areas.

ANTS: Apply as a **Crack & Crevice** treatment into cracks and crevices and void spaces where ants may be traveling

and/or harboring, including around doors, window frames, wall void spaces, and other structural cracks and crevices. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors, and windows; around refrigerators, cabinets, sinks, stoves, and other equipment; and shelves, drawers, and similar areas.

BED BUGS: Apply as a **Crack & Crevice™** or spot treatment where evidence of bed bugs occurs.

- This includes, but is not limited to, bed frames, box springs, inside empty drawers and clothes closets, night stands and other furniture in the room, carpet edges, high and low wall moldings (e.g., floor molding or window casings), wall void spaces, behind wall hangings, wallpaper edges, and popcorn ceilings.
- Take bed apart. Treat joints and channels if hollow, such as square or round tubing, and see that interior framework is treated.
- Bed bugs may also harbor in areas of the room away from the bed.

DO NOT use on mattresses, pillows, bed linens, or clothes. Remove all clothes and other articles from dressers or closets before application. If evidence of bed bugs is found in/on mattresses, use products approved for this use.

Allow all treated areas to dry thoroughly before use. Reapplication may be made at 7 day intervals.

Not recommended for use as sole protection against bed bugs.

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUGSTORE BEETLES, TROGODERMAS (in exposed adult and larval stages), AND HIBERNATING STAGES OF BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES, AND CLOVER MITES:

Apply as a **Crack & Crevice** treatment into cracks and crevices and void spaces where these insects may be harboring or hibernating. Infested areas may include cracks and crevices in cabinets and pantries, wall void spaces, around window and door frames, under siding, and in machinery. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors, and windows; around refrigerators, cabinets, sinks, stoves, and other equipment; and shelves, drawers, and similar areas.

Indoor Treatment Applications in Food Handling Establishments

Food Handling Establishments are places other than private residences in which food is held, processed, prepared, or served.

In Federally inspected meat and poultry plants, the facility must not be in operation when this product is used, regardless of the method of application. In non-Federally inspected facilities, **Crack & Crevice** treatment or spot treatment may be used while the facility is in operation

provided exposed food is covered or removed from the area being treated prior to application.

- **DO NOT** apply directly to food. Food must be covered or removed in areas being treated.
- Avoid contamination of food, food utensils, or food processing surfaces.
- Care should be taken to avoid depositing product onto exposed surfaces or introducing the material into the air. Spray should not be applied directly to surfaces or utensils that may come into contact with food.
- Food contact surfaces and equipment must be cleaned with an effective cleaning compound and rinsed with potable water before using.

Reapplication may be made at 21 day intervals.

Limit individual spot treatments to an area no larger than 20% of the treated surface.

Spot treatments must not exceed 2 square feet in size (e.g., 2 feet by 1 foot or 4 feet by 0.5 foot.)

FOOD AREAS: Food areas include areas for receiving, storage, packing (e.g., canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (e.g., mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) is also considered a food area.

Apply as a **Crack & Crevice** treatment or spot treatment directly into cracks, crevices, void spaces, or onto surfaces where insects are resting. Use an injection tube or other BASF equipment capable of delivering a pinstream. Apply to different elements of construction; between equipment and floor; openings leading to hollow spaces in walls, equipment legs, and bases; and where insects hide or rest.

FOOD SERVING AREAS (facilities where foods are served, such as dining rooms): Apply as a **Crack & Crevice** treatment or spot treatment to selective surfaces such as baseboards, under elements of construction, and into cracks and crevices.

Avoid treating surfaces likely to be contacted by food. Food should be covered or removed in area being treated. **DO NOT** apply directly to food or allow applications to contaminate food.

NON-FOOD AREAS: This includes areas such as, but not limited to, garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage areas (after canning or bottling).

Apply as a **Crack & Crevice** treatment or spot treatment to selective surfaces such as baseboards, under elements of construction, and into cracks and crevices. Avoid treating surfaces likely to be contacted by food.

Indoor and Outdoor Treatments

WOOD DESTROYING INSECTS - Localized treatment of wood-infesting insects including Beetles and Borers (such as the following families:

Anobiidae, Bostrichidae, Buprestidae, Cerambycidae, Lyctidae, Oedemeridae, Sesiidae), Carpenter Ants, Carpenter Bees, Termites, and Wood Wasps:

Locate suspected infestation and/or insect tunnels and cavities. Drill pilot holes into insect tunnels, galleries, and inaccessible closed voids. Drill holes 8 to 10 inches apart to ensure thorough coverage. Inject product for 5 to 10 seconds/hole.

DO NOT contact electrical wiring, plumbing, etc. when drilling. Use a BASF standard plastic void injector if there is danger of electrical contact. Never use BASF (or any) metal wood injectors where electrical shock could occur.

For carpenter bees, seal carpenter bee entrances after application.

This treatment is intended for localized termite infestations only. For severe infestations or treatments under slabs, in basements, and/or in buildings with insufficient crawl space, contact a licensed pest control operator or termite service.

This treatment is not recommended as sole protection against termites. The purpose of treatments with this product is to kill workers or winged forms which may be present in the treated galleries at the time of treatment. Such applications are not a substitute for mechanical alteration, soil treatment, or foundation treatment but merely a supplement.

FOR ACTIVE AND HIBERNATING STAGES OF BOX-ELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES, AND CLOVER MITES:

Apply as a **Crack & Crevice™** treatment in cracks and crevices and/or void spaces where these insects may be harboring or hibernating. Infested areas may include cracks and crevices, behind siding, wall void spaces, and around window and door frames.

Outdoor Treatments

All outdoor spray applications must be limited to spot or crack and crevice treatments only.

SUBTERRANEAN ANTS SUCH AS ARGENTINE ANTS, FIRE ANTS, AND HARVESTER ANTS:

To treat nests, inject the nest at 3 to 6 sites at a rate of 5 to 10 seconds/site. For very large nests (over 12 inches in diameter), increase the number of injection sites. Space injection sites in a circular pattern on the nest surface with one site in the center. To quiet active ants on nest surface, sweep surface with spray from a distance of 12 inches. For best results, apply when temperature is 65 to 85°F, or in early morning or late evening hours. Treat new nests as they appear.

PERIMETER TREATMENT: For crawling insects, apply as a **Crack & Crevice** treatment or spot treatment into cracks and crevices where insects may enter premises or harbor. Such areas include, but are not limited to, weep holes, under siding, wall void spaces, soffits, around attic vents, cracks and crevices, openings around windows, doors, and pipes, and landscape timbers. Treatment of infested fences and tree holes is permitted.

TERMITES AND CARPENTER ANTS LIVING INSIDE

TREES: Determine the highest and lowest elevation of the colony. Drill holes into the colony at highest elevation and inject for 5 to 10 seconds. Do the same for lowest elevation. Drill intermediate holes every 4 feet between the upper and lower elevations, if required.

AERIAL TERMITE CARTON IN TREES: Drill or punch hole into center of carton. Inject for 5 to 10 seconds. If carton is greater than 12 inches across, open another injection site. Inject for 5 to 10 seconds. Make 1 additional injection site for each 12 inches of carton.

TERMITES AND CARPENTER ANTS IN STUMPS, UTILITY POLES, AND FENCES: Treat open holes or drill horizontal holes in a circular pattern where insects are suspected. Inject 2 to 5 seconds of product/hole.

TREATMENT FOR IN-GROUND SERVICE BOXES:

Ants, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Fire Ants, Millipedes, Scorpions, Silverfish, Sowbugs, Spiders (such as Black Widow and Brown Recluse), and Springtails. Use spray actuator to treat open boxes and exposed surfaces. **DO NOT** contact any electrical wiring or mechanical parts of in-ground meter service boxes.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool dry area away from heat or open flame and inaccessible to children.

Pesticide Disposal: DO NOT pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance.

Container Disposal: DO NOT puncture or incinerate!
If empty: Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.
Federal regulations prohibit CFC propellants in aerosols.



Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF Agricultural Solutions US LLC ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Crack & Crevice is a trademark of BASF.

PT is a registered trademark of BASF.

© 2026 BASF Agricultural Solutions US LLC
All rights reserved.

000499-00473.20260128.**NVA 2026-04-0434-0023**

Based on: NVA 2022-04-0434-0081

Supersedes: NVA 2024-04-0434-0344

BASF Agricultural Solutions US LLC
2 TW Alexander Drive
Research Triangle Park, NC 27713


We create chemistry