conde.cloud estate

GCP project conde-prod in europe-west3, Cloudflare for DNS and the site, and the services the estate calls

OWNER kdobmayer.devops@gmail.com

- **Owner** — runs Terraform, admin consoles
- **Terraform** — as terraform@conde-prod, state in conde-tfstate
- **Browser** — console, Argo CD, IAP: Google sign-in

TEAMMATE

- **conde CLI and agent** — board, MCP server, skill
- **Browser** — web app, sign-in
- **Installer** — install.sh, then the binary from conde-cloud-dist

install.sh

CLOUDFLARE, ZONE CONDE.CLOUD

- **Pages conde-cloud** — conde.cloud, www, proxied: site, docs, install.sh
- **DNS records** — *.conde.cloud A record to the Gateway, DNS only
- **Mail records** — Resend DKIM, SPF, MX, DMARC

GCP project conde-prod

europe-west3, Terraform roots in infra/gcp

- **Gateway conde** — global external Application Load Balancer, HTTPS, HTTP redirects
- **Certificate Manager** — conde.cloud and *.conde.cloud
- **Static IP conde-gateway** — one global address

GKE DNS endpoint — IAM only, no IP endpoint, Terraform: kubernetes, helm, port-forward to Keycloak

PUBLIC HOSTS

- **Cloud Armor conde-web** — admin and master paths denied, sign-in rate ban, L7 DDoS defense
  - `<workspace>.conde.cloud`
  - `auth.conde.cloud`

ADMIN HOSTS

- **Cloud Armor** — conde-keycloak-admin, conde-argocd: per-IP throttle
- **Identity-Aware Proxy** — owner's Google account only, Google signs the browser in

VPC conde

subnet gke-europe-west3 10.10.0.0/20, private nodes

OIDC to auth.conde.cloud, demo and clearscale

GKE Autopilot conde

Dataplane V2, deny-by-default NetworkPolicy, Secret Manager CSI add-on

WORKSPACES, CHARTS/CONDE-WORKSPACE

One namespace per workspace

WS-DAKAI

`dakai.conde.cloud`

- **conde** — 2 replicas
- **Auth Proxy** — IAM database auth

Secrets as CSI files — admin key, OIDC client secret, Slack token, Resend key

Sign-in — Dakai Entra tenant

Database — conde_dakai

WS-DEMO

`demo.conde.cloud`

- **conde** — 1 replica
- **Auth Proxy** — IAM database auth

Secrets as CSI files — admin key, OIDC client secret, Slack token, Resend key, Keycloak admin client secret

Sign-in — realm demo

Database — conde_demo

WS-CLEARSCALE

`clearscale.conde.cloud`

- **conde** — 1 replica
- **Auth Proxy** — IAM database auth

Secrets as CSI files — admin key, OIDC client secret, Slack token, Resend key

Sign-in — realm clearscale

Database — conde_clearscale

demo only, internal HTTP

KEYCLOAK

- **Service keycloak** — `auth.conde.cloud` — workspace realms, infra
- **Service keycloak-admin** — `admin-auth.conde.cloud` — console, realm master
- **Keycloak 26.8.1** — 1 replica, conde theme, secrets, file vault as CSI files
- **Cloud SQL Auth Proxy** — sidecar, password auth to keycloak

REALMS mail: Resend SMTPS

demo	passwords, invites
clearscale	Google, clearscale.com
infra	Argo CD sign-in, MFA
master	console, Terraform, MFA

ARGO CD chart 10.10.3

- **argocd-server** — `argocd.conde.cloud` — namespace argocd
- **server** — UI, API
- **repo-server** — renders charts
- **controller** — syncs ws-*
- **applicationset** — app per tenant
- **redis** — cache

ApplicationSet — conde-workspaces: one ws-<name> per deploy/tenants file, sign-in: realm infra via the Gateway

- **Cloud NAT** — public internet egress

KUBERNETES SECRETS WITH VALUES

iap-admin in keycloak and argocd: Terraform writes it write-only from Secret Manager (cluster/iap.tf)
Argo CD: its session and Redis credentials, repo SSH key

CSI files

Auth Proxy sidecars

- **Private Service Connect** — psc-conde-pg, private DNS zone

image pull

MANAGED SERVICES

Data

- **conde-tfstate** — Terraform state, one prefix per root
- **Secret Manager** — generated values written write-only, read as files
- **Cloud SQL conde-pg** — PostgreSQL 18, zonal, PITR, no public IP, IAM auth on, keycloak, conde_<workspace>

RELEASE

Delivery

- **Artifact Registry conde** — images conde, keycloak, 20 newest kept
- **conde-cloud-dist** — public read: binaries, SHA256SUMS, latest
- **Workload Identity** — Federation, pool github, service account deploy

image

binaries

OIDC

INTERNET

Called through Cloud NAT

- **Dakai Entra tenant** — conde of dakai: OIDC sign-in, app registration
- **Google** — Keycloak: clearscale sign-in, broker back-channel
- **Resend** — Keycloak: SMTPS 465, conde: invite email API
- **Slack** — conde: bot messages

GITHUB

kdobmayer/conde

- **Repository** — Argo CD pulls it over SSH: charts, deploy/tenants, deploy/image.yaml on main

promote

- **GitHub Actions** — release on a v* tag, site to Cloudflare Pages

READING THE DRAWING

Legend

- Requests from the internet
- Calls out, through Cloud NAT
- Database and secrets
- Build, deploy, Terraform
- In-cluster call
- Trust boundary